



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:

- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

UNIVERSITEITSBIBLIOTHEEK GENT



HN 1055

24/10/66

N 1055

PHANEROGAMIA.

582.4/9

1991

NOMENCLATOR BOTANICUS

S I S T E N S

OMNES PLANTAS IN CAROLI A LINNÉ SPECIEBUS
PLANTARUM A CAROLO LUDOVICO WILLDENOWIO
ENUMERATAS.

E D I T I O A L T E R A.

CURAVIT

L. F. V. COMES HENCKEL A DONNERSMARCK.

2 Thlr

HALAE AD SALAM

APUD HENDELIOS PATR. ET FILIUM.

CICIDCCCXXI.

U. B. GENT



*„Neue Ausgaben von Linné's Speciebus werden
„also immer nothwendig seyn.“*

ALLG. LITT. ZEIT. 1793. NO. 112. S. 153.

**SOCIETATI
NATURAE CURIOSORUM**

Q U A E

HALAE FLORET

E T I A M

**NOVAM HANC EDITIONEM
OBSEQUIO QUO PAR EST**

D. D. D.

EDITOR.

P R A E F A T I O.

Antequam rem ipsam aggredior, paucissima de ratione instituti praemittere liceat. Jam XVIII. annorum spatium praeterlapsum est, ex quo editio prima hujus nomenclatoris prodiit. Praecedentis editionis exemplaribus divenditis de nova adornanda dispicere opus fuit. En altera haec editio reformata et auctior. Aucta nempe, si priorem conferas, vegetabilibus a

b.

b. Willdenowio in supplemento primo *)
editionis suae specierum plantarum recensitis.

Ad emendationes pertinent indicium patriae
plantarum earumque durationis, signis ☉, 4,
h, Linnaeo usitatis, nomina germanica ge-
nerum et varietates commemoratu dignae.
Praeunte Willdenowio synonyma selecta
adposui. Denique subjunxi ad calcem Indices
alphabeticos generum, nominum germanico-
rum nec non synonymorum.

*) Enumeratio plantarum horti regii botanici bero-
linensis. Berolini 1809.

Classis I.

M O N A N D R I A.

M O N O G Y N I A.

1. **CANNA.** Blumenrohr. T.I. p. 3.
 1. *indica* L. India utrq. 4.
 - α. rubra* Ait.
(*C. variabilis*. Enum. p. 1.)
 - β. lutea* Ait.
 - γ. coccinea* Ait.
(*C. rubra*. Enum. p. 1.)
 - δ. patens* Ait.
(*C. chinensis*. Enum. p. 2.)
 2. *angustifolia* L. America. 4.
 3. *glauca* L. Carolina. 4.
 - β. flaccida* Salisbury.
 4. *juncæa* Retz. China. 4.
2. **HELLENIA.** Hellenia. T. I. p. 4.
 1. *Allughas* W. Zeylon. 4.
(*Allughas* L. — *Heritiera Allughas* Retz.)
 2. *alba* W. China. 4.
(*Heritiera alba* Retz.)
 3. *chinensis* W. In hort. Sinens. 4.
(*Heritiera chinensis* Retz.)
 4. *aquatica* W. India. 4.
(*Heritiera aquatica* Retz.)
3. **RENEALMIA.** Renealmie. T.I. p. 6.
 1. *exaltata* L. Surinam. 5.
 2. *nutans* W. China. 4. Enum. p. 3.
(*Zerumbet speciosum* Wendland.)
4. **AMOMUM.** Ingwer. T.I. p. 6.
 1. *Zingiber* L. India orient. 4.
 2. *Zerumbet* L. Ibid. 4.
 3. *Zedoaria* Beng. India. 4.
(*A. latifolium* La Marck.)

4. *Sylvestre* Swartz. Jamaica. 4.
5. *Mioga* Thunb. Japonia. 4.
6. *angustifolium* Sonnerat. Madagascar. 4.
(*A. madagascariense* La Marck.)
7. *Cardamomum* L. India. 4.
8. *villosum* Loureiro. India. 4.
9. *echinatum* Koenig. India. 4.
10. *repens* Sonnerat. Malabar. 4.
11. *Granum paradisi* L. Madagascar. 4.
5. HORNSTEDTIA. Hornstedtie. T. I. p. 9.
 1. *Scyphus* Retz. Malacca. 4.
 2. *Leonurus* Retz. Ibid. 4.
6. HEDYCHIUM. Kranzblume. T. I. p. 10.
 1. *coronarium* Koenig. India orient. 4.
7. COSTUS. Costwurz. T. I. p. 10.
 1. *arabicus* L. America cal. 4.
 2. *spicatus* Swartz. Ins. Carib. Brasilia. 4.
(*Alpinia spicata* Jacq.)
 3. *Ipeciosus* Smith. India orient. 4.
(*Costus arabicus* Jacq.)
8. ALPINIA. Alpinie. T. I. p. 11.
 1. *racemosa* Swartz. America calid. 4.
(*Amomum Alpinia* Rottboell.)
 2. *Galanga*. India orient. 4.
(*Maranta Galanga* L.)
 3. *comosa* Jacq. Ad Caracas. 4.
 4. *occidentalis* Swartz. Jamaica. Domingo. 4.
9. MYROSMA. Duftblume. T. I. p. 13.
 1. *cannaeformis* L. Surinam. 5.
10. MARANTA. Marante. T. I. p. 13.
 1. *arundinacea* L. Jamaica, Brasilia. 4.
 2. *lutea* Jacq. Caracas. 4. Enum. p. 5.
 2. *Tonchat* Aubl. Gujana, Cajenna. 5.
(*Donax Arundinastrum* Loureiro.)
 - 3? *malaccensis* Burm. In Malacca. 4.
(*Galanga malaccensis* Rumph.)
 4. *comosa* L. Surinam, 4.

11. CURCUMA. Curcuma. T. I. p. 14.

1. rotunda L. India. 4.

2. longa L. India orient. 4.

12. KAEMPFERIA. Kaempferia. T. I. p. 15.

1. Galanga L. India orient. 4.

2. angustifolia Jacq. 4. Enum. p. 5.

2. rotunda L. India orient. 4.

13. THALIA. Thalia. T. I. p. 15.

1. geniculata. America merid. 4.

2. cannaeformis Forst. India orient. Insulae
maris pacifici. 4.

(*T. dealbata* Hortulan.)

14. PHRYNIUM. Wasseringwer. T. I. p. 17.

1. capitatum W. Malabar. China. 4.

(*Pontederia ovata* L.)

15. PHYLIDRUM. Wollenlilie. T. I. p. 17.

1. lanuginosum Gaertn. Cochinchina. 4.

(*Garciana cochinchinensis* Loureiro.)

16. CUCULLARIA. Kappenblume. T. I. p. 17.

1. excelsa W. Gujana 5.

17. QUALBA. Qualee. T. I. p. 18.

1. rosea Aublet. Gujana. 5.

2. caerulea Aublet. Gujana. 5.

18. LOPEZIA. Lopezie. T. I. p. 18.

1. mexicana Jacq. Mexico. ☉.

(*Lopezia racemosa* Cavanil.)

2. hirsuta Jacq. Mexico. ☉. Enum. p. 7.

(*L. mexicana* β. W. Spec. pl.)

19. USTERIA. Usterie. T. I. p. 18.

1. guineensis W. Guinea. 5.

(*Monodynámia Lerti* Gmel.)

20. BOERHAAVIA. Boerhaavia. T. I. p. 19.

1. erecta L. Vera Crux, Jamaica. ☉.

2. adscendens W. Guinea.

3. diffusa L. America calid. ☉.

4. hirsuta Jacq. Jamaica. 5.

4. viscosa Vahl. Peru. 4. Enum. p. 49.

(*B. diandra* L.)

5. *plumbaginea* Cavan. Hispania. 4.

6. *scandens* L. Jamaica. 5.

7. *excelsa* W. 5.

8. *repanda* L. China. 4.

(*Valeriana chinensis* Burm.)

9. *chaerophylloides* W. Peru. 6.

(*Valeriana chaerophyllodes* Smith.)

10. *repens* L. Nubia. 4.

11. *angustifolia* L.

12. *tetrandra* Forst. Insul. Societ.

21. POLLICHIA. Pollichis. T. I. p. 23.

1. *campestris* Ait. Cap. b. sp. ♂.

22. SALICORNIA. Glasschmalz. T. I. p. 23.

1. *herbacea* L. Europa, Virginia. 6.

2. *perennans* W. Sibiria. 4.

(*S. herbacea* β. Pallas.)

3. *fruticosa* L. Europa. 5.

(*S. sempervirens* Sauvag.)

4. *strobilacea* Pallas. Ad Mare caspic. 5.

5. *virginica* L. Virginia.

6. *arabica* L. Arabia. 5.

7. *foliata* L. Sibiria. 5.

8. *amplexicaulis* Vahl. Tuneti. 5.

9. *caspica* L. Ad mare Caspicum. Media. 5.

23. HIPPURIS. Tannenwedel. T. I. p. 26.

1. *vulgaris* L. Europa. 4.

2. *tetraphylla* L. Suecia.

(*H. maritima* Retz. et *H. lanceolata* Retz.)

24. MITHRIDATEA. Trommelbaum. T. I. p. 27.

1. *quadrifida* W. Madagascar. 5.

(*Rambourissa quadrifida* Sonnerat.)

DIGYNIA.

25. LACISTEMA. Gagelpfeffer. T. I. p. 27.

1. *myricoides* Swartz. Jamaica, Surinam. 5.

(*Riparia aggregatum* Berg.)

DIGYNIA.

26. **CORISPERMUM.** Wanzensame. T. I. p. 28.
 1. *hysopifolium* L. Tartaria-Europaea. ☉.
 2. *squarrosum* L. Russia, Sibiria, ☉.
 27. **GALLITRICHE.** Wasserstern. T. I. p. 28.
 1. *verna* L. Europa, ☉.
 2. *intermedia* Schkuhr. Europa, ☉.
 3. *autumnalis* L. Europa, ☉.
 β. cespitosa Schultz. — Enum. p. 8.
 28. **BLITUM.** Erdbeerspinat. T. I. p. 30.
 1. *capitatum* L. Europa, ☉.
 2. *virgatum* L. ibid. ☉.
 β. chenopodioides L.
 29. **MNIARUM.** Mooswire. T. I. p. 30.
 1. *biflorum* L. Terra del Fuego. 4.
 30. **CINNA.** Cinne. T. I. p. 31.
 1. *arundinacea* Forsk. Canada, 4.
 (*Agrostis Cinna* W. Enum. p. 95.)

Classis II.

D I A N D R I A.

M O N O G Y N I A.

31. **NYCTANTHES.** Trauerbaum. T. I. p. 35.
 1. *Arbor tristis* L. India. 5.
 32. **IASMINUM.** Jasmin. T. I. p. 35.
 * *Foliis simplicibus.*
 1. *Sambac* Ait. India orient. 5.
 (*Nyctanthes Sambac* L.)
 β. floribus multiplicatis, foliis ovatis Enum. p. 9.
 γ. floribus plenis Enum. p. 9.
 1a. *gracile* Andrews Ins. Norfolk. 5. Enum. p. 10.
 2. *undulatum* L. Malabar. 5.
 3. *hirsutum* L. India. 5.
 4. *angustifolium*. Malabar. 5.
 5. *vimineum* W. Java. Malabar. 5.

(*Nyctanthes viminea* Retz. — *Nyctanthes triflora* Burm.)

6. pubescens *W.* Calcutta. *H.*

(*Nyctanthes pubescens* Retz.)

7. scandens *Vahl.* Bengal. *H.*

(*Nyctanthes scandens* Retz.)

8. elongatum *L.* India orient. *H.*

9. glaucum *Ait.* Cap. b. sp. *H.*

(*Nyctanthes glauca* *L.*)

10. trinerve *Vahl.* Java. *H.*

11. simplicifolium *Forst.* Insul. Amicor. *H.*

** *Foliis ternatis.*

12. angulare *Vahl.* Cap. b. sp. *H.*

13. auriculatum *Vahl.* Malabar. *H.*

14. flexile *Vahl.* India orient. *H.*

15. didymum *Forst.* Insul. Societatis. *H.*

15a. tortuosum *W.* *H.* Enum. p. 10.

16. azoricum *L.* Insul. Azoricae. *H.*

17. fruticans *L.* Europa, Oriens. *H.*

18. humile *L.* *H.*

19. odoratissimum *L.* Madera. *H.*

*** *Foliis pinnatis.*

20. officinale *L.* India orient. Europa austr. *H.*

21. grandiflorum *L.* India orient. *H.*

33. GALIPEA. Galipeo. T. I. p. 41.

1. trifoliata *Aublet.* Gujona. *H.*

34. LIGUSTRUM. Liguster. T. I. p. 42.

1. vulgare *L.* Europa. *H.*

β. italicum *Miller.*

2. japonicum *Thunb.* Japonia. *H.*

35. PHYLLYREA. Steinlinde. T. I. p. 42.

1. media *L.* Europa. *H.*

α. virgata *Ait.*

β. buxifolia *Ait.*

1a. virgata *W.* Hispania, Gallia. *H.* Enum. p. 12.

(*P. media* α. *ligustrifolia* *W.* Sp. pl.)

1b. laevis *W.* Europa austr. Africa bor. *H.* Enum. p. 12.

MONOGYNIA.

7

(*P. latifolia* & *laevis* W. Sp. pl.)

1c. *pendula* Aiton. Europa. H. Enum. p. 12.

(*P. media* γ. *pendula* W. Sp. pl.)

1d. *oleaeifolia* Aiton H. Enum. p. 13.

(*P. media* δ. *oleaeifolia* W. Sp. pl.)

2. *angustifolia* L. Italia. Hispania. H.

α. *lanceolata* Aiton.

β. *rosmarinifolia* Ait.

γ. *brachiata* Ait.

3. *latifolia* L. Europa. H.

3a. *ilicifolia* W. Europa. H. Enum. p. 13.

(*P. latifolia*. β. *spinosa* W. Sp. pl.)

3b. *obliqua* Ait. Europa. austr. H. Enum. p. 12.

(*P. latifolia*. γ. *obliqua* W. Sp. pl.)

36. OLEA. Oelbaum. T. I. p. 44.

1. *europaea* L. Europa, Africa H.

α. *communis* Aiton.

(*Olea sylvestris* Miller.)

β. *verrucosa* W.

(*Olea europaea* Thunb.)

γ. *longifolia* Ait.

δ. *latifolia* Ait.

ε. *ferruginea* Ait.

ζ. *obliqua* Ait.

η. *buxifolia* Ait.

1a. *undulata* Jacq. Cap. b. sp. H. Enum. p. 13.

(*O. capensis* β. *undulata* W. Sp. pl.)

2. *capensis* L. Cap. b. sp. H.

α. *coriacea* Ait.

3. *americana* L. Carolina. H.

4. *cernua* Vahl. Madagascar. H.

5. *apetala* Vahl. Nova Zeelandia. H.

6. *excelsa* Vahl. Madera. H.

7. *fragrans* Thunb. China, Japonia. H.

37. CHIONANTHUS. Schneeblume. T. I. p. 46.

1. *virginica* L. America sept. H.

α. *latifolia* Aiton.

- β. angustifolia* Ait.
- 2. *cotinifolia* W. Zeylonia. *h.*
- 3. *compacta* Swartz. Insul. Carib. *h.*
(*C. caribaea* Jacq.)
- 4. *zeylanica* L. Zeylonia. *h.*
- 5. *incrassata* Swartz. Jamaica. *h.*
- 5a. *Mayepea* Vahl. Gujana. *h.*
- 38. SYRINGA. Flieder. T. I. p. 48.
 - 1. *vulgaris* L. Persia. *h.*
 - 2. *chinensis* W. China. *h.*
 - 3. *persica* L. Persia. *h.*
 - α. integra* L.
 - β. laciniata* L.
 - 4. *suspensa* Thunb. Japonia. *h.*
- 39. DIALIUM. Dialium. T. I. p. 49.
 - 1. *indum* L. India. *h.*
 - 2. *guineense* W. Guinea. *h.*
- 40. PIMELEA, Glanzstrauch. T. I. p. 50.
 - 1. *linifolia* Smith. Nova Hollandia. *h.*
 - 2. *gnidia* W. Nova Zeelandia. *h.*
(*Pasferina Gnidia* L.)
 - 3. *pilosa* W. Nova Zeelandia. *h.*
(*Pasferina pilosa* L.)
 - 4. *prostrata* W. Nova Zeelandia. *h.*
(*Pasferina prostrata* L.)
- 41. ERANTHEMUM. Mänderle. T. I. p. 51.
 - 1. *capense* L. Aethiopia.
 - 2. *angustifolium* L. Aethiopia. *h.*
 - 3. *parviflorum* L. Cap. b. sp. *h.*
 - 4. *lalsoloides* L. Teneriffa. *h.*
- 42. FONTANESIA. Desfontainie. T. I. p. 52.
 - 1. *phillyraeoides* Billard. Syria. *h.*
- 43. CIRCAEA. Hexenkraut. T. I. p. 53.
 - 1. *lutetiana* L. Europa, America. 4.
β. canadensis Tournef.
 - 2. *alpina* L. Europa. 4.
β. intermedia Hoffmann.

44. VERONICA. Ehrenpreis. T. 1. p. 54.

* *Spicatae*.

1. *sibirica* L. Dauria. 4.
2. *virginica* L. Virginia, Japonia. 4.
- 2^a. *neglecta* Vahl. Sibiria. 4. Enum. p. 15.
3. *spuria* L. Europa. 4.
4. *maritima* L. Europa. 4.

β. *nitida* Ehrhart.

5. *longifolia* L. Europa, Tartaria. 4.
6. *incana* L. Uerania, Sibiria. 4.
7. *spicata* L. Europa. 4.

β. *spicis pluribus*.

8. *hybrida* L. Europa. 4.
- 8^a. *arguta* Schrader. Europa. 4. Enum. p. 16.
- 8^b. *media* Schrader. Europa. Enum. p. 16.
- 8^c. *australis* Schrader. Europa. 4. Enum. p. 17.
- 8^d. *glabra* Schrader. Europa. 4. Enum. p. 17.

β. *floribus albis*.

9. *pinnata* L. Sibiria. 4.

β. *foliis simplicissimis* W. Enum. p. 19.


10. *laciniata* Aiton. Sibiria. 4.
11. *incisa* Aiton. Sibiria. 4.
12. *Catarractae* Forster. Nova Zeelandia. 5.
13. *elliptica* Forst. Nova Zeeland. 5.
14. *macrocarpa* Vahl. ibid. 5.
15. *salicifolia* Vahl. ibid. 5.
16. *parviflora* Vahl. ibid. 5.
17. *officinalis* L. Europa. 4.
18. *Allioni* Villars. Gallia, Italia, Helvetia. 5.

(*V. pyrenaica* Allion.)

19. *decussata* Ait. Insul. Falkland, Fret. Magellan. 5.
- 19^a. *amethystina* W. 4. Enum. p. 17.
- 19^b. *elatio* Ehrhart. Europa. 4. Enum. p. 17.
- 19^c. *complicata* Vahl. Europa. 4. Enum. p. 18.
- 19^d. *crenulata* Vahl. Europa. 4. Enum. p. 18.

(*V. villosa* Schrader.)

** *Corymboso — racemosae*.



20. *aphylla* L. Europa, Asia. 5.
 β. kamtschatica L.
21. *bellidioides* L. Alpes Europae. 5.
22. *gentianoides* Vahl. Armenia, Tauria, Caucasus. 4.
23. *Ponae* Gouan. Alpes Europae. 4.
 β. pumila Allion.
24. *fruticulosa* L. Alpes Europae. 5.
 (*V. fruticosa* Wulfen.)
25. *saxatilis* L. Alpes Europae. 5.
 (*V. fruticulosa* Fl. dan.)
 β. Nummularia Gouan.
 γ. pygmaea Schrank.
26. *alpina* L. Alpes Europae.
27. *integrifolia* Schrank. Sudetae. 4.
28. *serpyllifolia* L. Europa. 4.
29. *tenella* Allion. In Pyrenaeis, Pedemont. 4.
30. *Beccabunga* L. Europa. 4.
31. *Anagallis* L. Europa, Oriens. ①.
 β. racemo unico W.
 γ. tenerrima Schmidt.
32. *scutellata* L. Europa. America bor. 4.
33. *Teucrium* L. Germania. 4.
34. *pilosa* L. Austria.
35. *prostrata* L. Europa. 4.
 β. humilis W. Enum. p. 29.
36. *pectinata* L. Constantinopoli. 4.
37. *montana* L. Europa. 4.
38. *Chamaedrys* L. Europa. 4.
- 38a. *orientalis* Vahl. Armenia, Iberia. 4. Enum.
 pag. 22.
39. *orientalis* Aiton. Armenia. 4.
 (*V. hederophylla* Salisbury.)
40. *multifida* L. Sibiria. 4.
41. *austriaca* L. Austria, Silesia, Hispania. 4.
42. *taurica* W. Tauria. 4.
43. *urticaefolia* L. Europa. 4.

44. *latifolia* L. Europa. 2.

45. *paniculata* L. Tartaria, Bohemia. 2.

45. *foliosa* *Waldst. et Kit.* Hungaria. 2. Enumer.
p. 18.

*** *Podunculis unifloris.*

46. *biloba* L. Cappadocia. ☉

47. *agrestis* L. Europa. ☉.

48. *arvensis* L. Europa. ☉.

β. *acinifolia* *Schmidt.*

49. *hederaefolia* L. Europa. ☉.

β. *chia* *Tournef.*

50. *filiformis* *Smith.* Oriens. ☉

51. *triphyllos* L. Europa. ☉.

52. *verna* L. Europa ☉.

β. *succulenta* *Allion.*

53. *digitata* *Vahl.* Europa. ☉.

54. *acinifolia* L. Europa ☉.

(*V. praecox* *Schmidt.*)

β. *romana* *Allion.*

55. *peregrina* L. Europa. ☉.

β. *romana* L.

56. *Bellardi* *Allion.* Pedemons. ☉

57. *marilandica* L. Virginia.

57. *periplocasifolia* *Jacq.* Caracas. H. Enum. p. 27.

45. PAEDEROTA. *Paederota.* T. I. p. 77.

1. *Ageria* L. Italia. 2.

2. *Bonarotta* L. Italia. 2.

β. *montana* *Micheli.*

3? *minima* *Retz.* India.

46. WULFENIA. *Wulfenia.* T. I. p. 78.

1. *carinthiaca* *Jacq.* Carinthia. H.

47. CYRTANDRA. *Krummfaden.* T. I. p. 78.

1. *biflora* *Forster.* Tahiti. H.

2. *cymosa* *Forster.* Tanna.

48. JUSTICIA. *Iusticie.* T. I. p. 79.

* *Calyce duplici. Monantherae.*

1. *fastuosa* L. *Tranquebar.* H.

2. *Forskålei* Vahl. Arabia. H.

(*J. paniculata* Forsk.)

3. *purpurea* L. China.

4. *verticillaris* L. Cap. b. sp.

5. *aristata* Vahl. Ibidem.

6. *chinensis* L. China.

7. *triflora* Forskål. Arabia.

8. *serpens* Vahl. Ins. St. Mauriti.

** *Calyce duplici. Diantherae.*

9. *fulcata* Vahl. Arabia.

10. *bicalyculata* Vahl. Malabar. G.

(*Dianthera malabarica* L.)

11. *bivalvis* L. Arabia, India. H.

12. *falcata* La Marck. Ins. St. Mauriti. H.

13. *sexangularis* L. Jamaica.

13a. *resupinata* Vahl. Nova-Hispania. G. Enum.

p. 25.

(*J. sexangularis* Cavanil.)

14. *scorpioides* L. Vera Crux. H.

15. *gangetica* L. India.

16. *assurgens* L. Jamaica. Ins. St. Crucis.

*** *Calyce simplici, corollis bilabiatis; lablis divisis.*

Monantherae.

17. *acaulis* L. Tranquebar. 4.

18. *hispida* W. Sierra Leona. H.

19. *Ecbolium* L. Arabia, Malabar, Zeylon. H.

20. *tetragona* Vahl. Cajenna. H.

21. *coccinea* Aublet. Cajenna. H.

21a. *quadrifida* Vahl. Nova Hispania. H. Enum.

p. 25.

(*J. superba* Hortul.)

22. *pulcherrima* L. America calid. H.

23. *carthaginensis* L. Carthagena, Martinica.

24. *hirsuta* Vahl. Java.

25. *sphaerosperma* Vahl. In Ceribaeis.

26. *Gendarussa* L. Zeylon, Java, Malabar. H.

27. *procumbens* L. Zeylon. 4.

28. *diffusa* W. India. 4.
29. *echioides* L. Malabar, Zeylon. 4.
30. *longifolia* Vahl. Insula Mabé.
31. *latifolia* Vahl. India orient. 5.
32. *picta* L. Asia. 5.
33. *nitida* Jacq. Guadeloupe. 5.
34. *variegata* Aublet. Gujana. 5.
35. *striata* Vahl. Malabar.
36. *paniculata* Burm. India orient. 6.
37. *nutans* Burm. Java.
38. *nasuta* L. India orient. 5.
39. *scandens* Vahl. Malabar. 5.
40. *ciliaris* L. 6.

**** *Calyce simplici, corollis bilabiatis, labiis divisis.*

Diantherae.

41. *secunda* Vahl. Ins. Trinitatis.
42. *debilis* Vahl. Arabia fel. 5.
(*Dianthera debilis* Forskål.)
43. *violacea* Vahl. Arabia fel. 5.
44. *bracteolata* Jacq. Caracas. 5.
45. *Rohrii* Vahl. Cajenna.
46. *polystachia* Vahl. Cajenna.
47. *retusa* Vahl. Ins. St. Crucis.
48. *flava* Vahl. Arabia fel. 5.
(*Dianthera americana* α. *flava* Forsk.)
49. *americana* L. Virginia, Florida. 5.
50. *punctata* Vahl. Arabia fel.
(*Dianthera americana* β. *alba* Forsk.)
51. *eustachiana* Jacq. Ins. St. Eustachii. 5.
52. *caracasana* Jacq. Caracas. 5.
53. *pectoralis* Jacq. Domingo, Martinica. 4.
54. *comata* Swartz. Jamaica. 4.
(*Dianthera comata* L.)
55. *undulata* Vahl. Java, Malabar.
56. *frondosa* Vahl. Otaheiti.
57. *pubescens* Vahl. In Botanicos insula. 5.
58. *laevigata* Vahl. Java. 5.

59. cuspidata Vahl. Arabia fel.

(*Dianthera verticillata* Forsk.)

60. lithospermifolia Jacq. Peru. 24.

(*J. ladanoides* La Mark.)

61. biflora Vahl. India orient. H.

62. sessilis L. Ins. St. Eustachii. H.

***** Calyce simplici; corollis ringentibus *Monantherae*.

63. Adhatoda L. Zeylon, Malabar. H.

64. Betonica L. India. H.

65. repens L. Zeylon. 4.

66. sanguinolenta Vahl. Zeylon.

***** Calyce simplici, corollis ringentibus. *Diantherae*.

67. peruviana Cavan. Lima. 4.

(*J. furcata* W. Enum. p. 27)

68. crinita Vahl. Japonia. O.

(*Dianthera japonica* Thunb.)

69. trisulca Vahl. Arabia fel. H.

69a. formosa W.... H. Enum. p. 28.

70. hyssopifolia L. Canariae. H.

71. periplocifolia Jacq. Carecas.

72. orchioides L. Cap. b. sp. H.

73. madurensis Burm. Madura. H.

74. cuneata Vahl. Cap. b. sp. H.

75. tranquebariensis L. Tranquebar. H.

76. odora Vahl. Arabia fel. H.

***** Calyce simplici, corollis subaequalibus.

77. infundibuliformis L. India. H.

77a. parviflora Vahl. Mexico. 4. Enum. p. 28.

78. sinuata Vahl. Tanna. H.

(*J. longifolia* Forster.)

79. vineoides La Marck. Madagascar. H.

80. spinosa L. America merid. H.

***** Species, respectu calycis et corollae, indeterminatae.

81. repanda Forster. Tanna. H.

82. armata Swartz. Jamaica. H.

83. acicularis Swartz. Jamaica. H.

84. *parviflora* Retz. Calcutta. 4.
 85. *nemorosa* Swartz. Jamaica, Hispaniola. 4.
 86. *japonica* Thunb. Japonia.
 87. *lancea* Thunb. Japonia. ☉.
 88. *reptans* Swartz. Domingo. ☉.
 89. *humifusa* Swartz. Jamaica. ☉.
 48. **ELYTRARIA.** Enum. p. 28.
 1. *virgata* Michx. Carolina. 4.
 49. **GRATIOLA.** Purgierkraut. T. I. p. 102.
 1. *officinalis* L. Europa. 4.
 2. *Monniera* L. Antillae. 4.
 3. *repens* Swartz. Jamaica.
 4. *rotundifolia* L. Malabar.
 5. *lucida* W. Malabar. China.
 (*Gr. crustacea* L.)
 6. *veronicaefolia* Retz. India ☉.
 7. *hyssopioides* L. Tranquebar. ☉.
 8. *lobelioides* Retz. India. ☉.
 9. *trifida* W. Malabar. ☉.
 (*Gr. chamaedrifolia* La Marck.)
 10. *virginica* L. Virginia.
 11. *peruviana* L. Peru.
 12. *grandiflora* Retz. Tranquebar, Madras.
 13. *oppositifolia* Retz. Tranquebar.
 14. *pusilla* W. India.
 50. **SCHWENKIA.** Schwenkie. T. I. p. 106.
 1. *americana* L. Gujana. ♂.
 51. **CALCEOLARIA.** Pantoffelblume. T. I. p. 106.
 1. *pinnata* L. Peru. ☉
 β. *scabiosaefolia* La Marck.
 2. *heterophylla* W. Peru. Enum. p. 29.
 (*C. heterophylla* Ruiz et Pavon.)
 3. *integrifolia* L. Peru.
 (*C. ferrata* La Marck.)
 3. *ovata* Smith. Peru. ☉.
 (*C. dichotoma* La Marck.)
 4. *perfoliata* L. Nova Granada. Peru.

5. *crenata* *La Marck*. Peru.
6. *rosmarinifolia* *La Marck*. Peru.
7. *Fothergillii* *Aiton*. Ins. Falckland. ♂.
8. *plantaginea* *Smith*. America merid. 24.
(*C. biflora* *La Marck*.)
9. *nana* *Smith*. Fretum Megellan. 24.
(*C. uniflora* *La Marck*.)
52. BAEA. *Baea*. T.I. p. 109.
 1. *magellanica* *La Marck*. Magellan. fret. 24.
- 52a. PINGUICULA. Fettkraut. T.I. p. 109.
 1. *lusitanica* *L.* Lusitania. 24.
 2. *vulgaris* *L.* Europa. 24.
 3. *grandiflora* *La Marck*. Gallia. 24.
 4. *alpina* *L.* Europa. 24.
 5. *villosa* *L.* Lapponia, Sibiria. 24.
53. UTRICULARIA. Wasserschlauch. T. I. p. 111.
 1. *alpina* *L.* Martinica.
 2. *foliosa* *L.* America austr.
 3. *vulgaris* *L.* Europa. 24.
 4. *minor* *L.* Europa. 24.
 5. *obtusa* *Swartz*. Jamaica.
 6. *subulata* *L.* Virginia.
 7. *gibba* *L.* Virginia.
 8. *bifida* *L.* China.
 9. *capillacea* *W.* India.
 10. *caerulea* *L.* Zeylon.
 11. *stellaris* *L.* India.
(*U. inflexa* *Forsk.*)
55. GHINIA. Traubennuss. T. I. p. 14.
 1. *spinoso* *L.* Curassao, Antigua. ☉.
 2. *mutica* *W.* Gujana, Cayenna. ☉.
(*Tomonea mutica* *Swartz*.)
- 55a. STACHYTARPHETA. Enum. p. 30.
 1. *indica* *Vahl*. America merid. ☉.
(*Verbena indica* *Jacq.*)
56. VERBENA. Eisenkraut. T. I. p. 115.

* *Diandrae dispermae.*

1. *orubica* L. Oruba.
2. *indica* L. Zeylon. ☉.
3. *jamaicensis* L. Jamaica. 4. ☉.
4. *mutabilis* Jacq. America merid. 5.
(*Stachytarpheta mutabilis* W. Enum. p. 30.)
5. *prismatica* L. Jamaica. ☉.
(*Stachytarpheta prismatica* W. Enum. p. 30.)
6. *mexicana* L. Mexico. 4.
7. *stoechadifolia* L. America, Jamaica.

** *Tetrandrae.*

8. *globiflora* L. America calid. 5.
9. *javanica* Burm. Java.
10. *nodiflora* L. Neapoli, India orient. Tanna. 4.
11. *bonariensis* L. In agro Bonariensi. 4.
12. *hastata* L. Canada. 4.
13. *triphylla* l'Héritier. Bonaria, Chili. 5.
(*Aloysia citrodora* Ortega.)
14. *lappulacea* L. Ins. Carib.
15. *Forskålei* Vahl. Arabia fel.
16. *caroliniana* L. America. 4.
17. *urticaefolia* L. Virginia, Canada. 4.
18. *Aubletia* L. Virginia. ☉.
19. *Ipuria* L. Canada, Virginia.
20. *officinalis* L. Europa. ☉.
21. *lupina* L. Hispania. ☉.
57. LYCOPUS. Zigeunerkraut. T. I. p. 120.
 1. *europaeus* L. Europa. 4.
 2. *exaltatus* L. Italia. 4.
 3. *virginicus* L. 4. Virginia. 4.
58. Amethystea. Bläuling. T. I. p. 121.
 1. *coerulea* L. Sibiria. ☉.
59. CUNILA. Cunile. T. I. p. 122.
 1. *fruticosa* W. Nova Hollandia. 5.
(*C. frutescens* Donn.)
 2. *capitata* L. Sibiria.
 3. *mariana* L. Virginia, Pennsylvania. 4.

4. *pulegioides* L. Virginia, Canada. ☉.
 5. *thymoides* L. Monspeli. ☉.
60. ZIZIPHORA. Zizikrant. T. I. p. 123.
 1. *capitata* L. Syria, Armenia. ☉.
 2. *hispanica* L. Hispania. ☉.
 3. *tenuior* L. Syria. ☉.
 4. *acnoides* L. Sibiria. ☉.
 4a. *taurica* Bieberst. Tauria. ☉. Enum. p. 31.
 4b. *serpillacea* Bieberst. Caucasus, Iberia. ☿.
 Enum. pag. 31.
 4c. *dasyantha* Bieberst. Caucasus. ☿. Enumer.
 pag. 32.
61. MONARDA. Monarde. T. I. p. 124.
 1. *fistulosa* L. Canada. 4.
 β. *mollis* L.
 1a. *media* W. America bor. 4. Enum. p. 32.
 1b. *mollis* W. Pennsylvania. 4. Enum. p. 32.
 2. *oblonga* Ait. America boreal. 4.
 3. *dydyma* L. Pennsylvania, Noveboracoe. 4.
 4. *rugosa* Aiton. America boreal. 4.
 5. *clinopodia* L. Virginia. 4.
 5a. *altissima* W. America bor. 4. Enum. p. 33.
 6. *punctata* L. Virginia, Florida. ♂.
 7. *ciliata* L. Virginia.
62. ROSMARINUS. Rosmarin. T. I. p. 126.
 1. *officinalis* L. Europa austral. Africa. bor.
 Oriens. ☿.
 β. *angustifolia* Miller.
 2. *chilensis* Molina. Chili ☿.
63. SALVIA. Salbey. T. I. p. 127.
 1. *aegyptiaca* L. Aegyptus. ☉.
 2. *dentata* Aiton. Cap. b. sp. ☿.
 3. *cretica* L. Creta. ☿.
 4. *lyrata* L. Virginia, Carolina. 4.
 β. *virginica* L.
 5. *leucantha* Cavan. Mexico. 4.
 6. *Habliziana* W. Tauria. 4.

- (*S. taurica* Hablitz.)
7. *officinalis* L. Europa austr. 5.
 β. *minor* Bauhin.
8. *grandiflora* Etlinger. Oriens. 5.
 β. *latifolia serrata* Bauhin.
9. *triloba* L. Creta, Syria. 5.
 (*S. baccifera*, Etlinger.)
10. *pomifera* L. Creta, Palaestina, Syria. 5.
 (*S. fragifera* Etlinger.)
11. *urticaefolia* L. Virginia, Florida. 4.
12. *occidentalis* Swartz. Insul. Carib. 4.
13. *tiliaefolia* Vahl. 4.
- 13a. *polystachia* Cavan. 4.
14. *ferotina* L. Chio? ♂. 5.
15. *tenella* Swartz. Jamaica. ☉.
16. *viridis* L. Italia, Hispania, Barbaria, Oriens. ☉.
- 16a. *truncata* W. Europa austral. ☉. Enum. p. 34.
17. *Horminum* L. Graecia, Apulia. ☉.
 β. *coma rubra* Bauhin.
18. *virgata* Jacq. Armenia. 4.
- 18a. *campestris* Bieberst. Tauria. 4.
- 18b. *amplexicaulis* Vahl. Oriens? 4. Enum.
 pag. 35.
19. *sylvestris* L. Europa. 4.
20. *nemorosa* L. Austria, Tartaria. 4.
21. *syriaca* L. Oriens. 5.
22. *viscosa* Jacq. Italia. 4.
23. *haematodes* L. Italia, Istria. 4.
24. *pratensis* L. Europa. 4.
 β. *Sclarea major* Tournef.
 γ. *agrestis* L.
- 24a. *variegata* Waldst. et Kit. Hungaria. 4.
 Enum. pag. 36.
25. *bicolor* Desfontain. Barbaria. 4. ♂.
26. *indica* L. India orient. 4.
- 26a. *hirsuta* Jacq. . . . ☉. Enum. p. 37.
- 26b. *lanceolata* Broussonet. . . . ☉. Enum. p. 37.

(*S. reflexa* Hornem.)

27. *dominica* L. India occid. 4.

27a. *micrantha* Vahl. America calid. 4.

28. *Verbenaca* L. Europa, Oriens. 4.

28a. *Spielmanni* Vahl. . . . 4. Enum. p. 38.

29. *scabra* L. Cap. b. sp. 5.

30. *runcinata* L. Cap. b. sp. 4.

31. *clandestina* L. Italia, Hispania, Africa. ♂.

32. *austriaca* L. Austria, Hungaria, Moldavia. 4.

33. *pyrenaica* L. Pyrenaeae.

34. *disermas* L. Syria. 4.

34a. *bullata* Vahl. Lusitania. 4. Enum. p. 39.

35. *rugosa* Aiton. Cap. b. sp. 5.

36. *nubia* Murray. Africa. 5.

37. *nilotica* Murray. Aegyptus? 4.

38. *mexicana* L. Mexico. 5.

38a. *caesia* Humboldt et Bonpl. America merid. 5.

Enum. p. 40.

38b. *polystachya* Vahl. Nov. Hispania. 5. Enum.
p. 40.

(*S. lamifolia* Jacq.)

38c. *amarissima* Vahl. Mexico. 5. Enum. p. 40.

(*S. amara* Jacq. — *S. circinata* Cavanil.)

38d. *reptans* Jacq. Mexico. 4. Enum. p. 40.

(*S. angustifolia* Vahl. — *S. virgata* Ortega.)

39. *amethystina* Smith. Nova Granada. 5.

40. *fulgens* Cavan. Mexico. 4.

41. *formosa* l'Héritier. Peru. 5.

(*S. Leonuroides* Gloxin. — *S. nodosa* Ruiz et Pavon.)

42. *tubiflora* Smith. Lima. 5.

43. *longiflora* W. Mexico. 4.

(*S. tubifera* Cavanil.)

44. *coccinea* L. Florida. 5.

45. *pseudococcinea* Jacq. America calid. 5.

46. *hispanica* L. Hispania, Italia. ♀.

47. *abyssinica* L. Africa. 4.

48. *verticillata* L. Germania, Austria, Helvetia 4.

- β. *hirsuta* Barrelier. In Italia, Tataria.
 49. *napifolia* Aiton. Italia, Gallia. 4.
 50. *glutinosa* L. Europa 4.
 51. *Barrelieri* Etlinger. Hispania. 4.
 52. *canariensis* L. In Canariis. 5.
 53. *aurita* L. Cap. b. sp.
 54. *africana* L. Cap. b. sp. 5.
 55. *aurea* L. Cap. b. sp. 5.
 56. *colorata* L. Cap. b. sp. 5.
 57. *paniculata* L. Africa. 5.
 57^a. *Chamaedrys* W. Mexico. 5. Enum. p. 42.
 (*S. chamaedryoides* Cavanil.)
 58. *acetabulosa*. L. Oriens. 5.
 59. *spinosa* L. Aegyptus. ♂. ☉.
 60. *tingitana* Etling. Africa boreal. 5.
 (*S. foetida* La Marok.)
 60^a. *odorata* Hort. paris. Prope Bagdadum 5.
 Enum. p. 45.
 61. *Sclarea* L. Syria, Italia. ♂. 4.
 62. *involverata* Cavanil. Mexico. 4.
 63. *ceratophylla* L. Persia, Syria, Mauritania. ♂.
 (*S. exasperata* Cavanil.)
 64. *Aethiopsis* L. Illyria, Graecia, Africa, Gallia. ♂.
 64^a. *patula* Vahl. Lusitania, Barbaria. ♂. Enum. p. 44.
 65. *phlomisoides* Vahl. Hispania.
 66. *argentea* L. Creta. ♂.
 66^a. *calycina* Sibthorp. In. m. Hymetto 5. Enum.
 pag. 44.
 67. *vulnerariaefolia*. W. Oriens. 5.
 67^a. *interrupta* Schousboe. Mauritania. 5. Enum.
 pag. 44.
 68. *pinnata* L. Oriens. ♂.
 69. *incarnata* Etlinger. Oriens. 4.
 70. *rosaefolia* Smith. Armenia 4.
 71. *japonica* Thunb. Japonia. ☉.
 72. *ceratophylloides* L. Aegyptus, Sicilia. ♂.
 73. *Forskålei* L. Oriens. 4.

(*S. bifida* Forsk.)

- 74. *nutans* L. Russia, Hungaria. 4.
- 75. *hastata* *Etlinger*. ?
- 76. *betonicaefolia* *Etlinger*. Imp. Ruthen. 4.
- 64. COLLINSONIA. Collinsonie. T. I. p. 152.
 - 1. *canadensis* L. Canada, Virginia. 4.
 - 2. *scabriuscula* *Aiton*. Florida. 4.
- 65. MORINA. Morine. T. I. p. 152.
 - 1. *persica* L. Persia. 4.
- 66. SCIURIS. Eichhornschwanz. T. I. p. 153.
 - 1. *aromatica* L. Gujana. 5.
- 57. GLOBBA. Globbe. T. I. p. 153.
 - 1. *marantina* L. India orient. 4.
 - 2. *nutans* L. *ibid*.
 - 3. *japonica* *Thunb*. Japonia. 4.
 - 4. *uviformis* L. India orient. 4.
- 68. LITHOPHILA. Steinpflanze. T. I. p. 154.
 - 1. *muscoides* *Swartz*. Navaza.
- 69. LINOCIERA Linociere. T. I. p. 154.
 - 1. *ligustrina*. Jamaica, Hispaniola. 5.
(*Thouinia ligustrina* *Swartz*.)
- 70. ANCISTRUM. Hackenfrucht. T. I. p. 154.
 - 1. *Sanguisorbæ* L. Nova-Zeelandia. 4.
(*A. diandrum* *Forster*.)
 - 2. *lucidum* *Aiton*. Insul. Falkland. 4.
 - 3. *latebrosum* *Aiton*. Cap. bon. sp. 4.
(*Agrimonia decumbens* L.)
- 70a. ACAENA Enum. p. 45.
 - 1. *adscendens* *Vahl*. Ad fretum Magellan. 4.
- 71. ARUNA. Arune. T. I. p. 156.
 - 1. *divaricata* *Aublet*. Gujana. 5.

DIGYNIA.

- 72. ANTHOXANTHUM. Ruchgras. T. I. p. 156.
 - 1. *odoratum* L. Europa. 4.
 - 2. *indicum* L. India.

3. *crinitum* L. Nova-Zeelandia.
 4. *avenaceum* Retz. Malabar.
 72a. ERIANTHUS. Enum. p. 46.
 1. *saccharoides* Michaux. A Carolina ad Flori-
 dam. 2.
 73. CRYPSIS. Dornengras. T. I. p. 158.
 1. *aculeata* Aiton. Oriens, Europa. ☉.
 (*Schoenus aculeatus* L.)
 1a. *schoenoides* W. Austria, Italia, Gallia, Ori-
 ens. ☉. Enum. pag. 85.
 (*Phleum schoenoides* L.)
 1b. *alopecuroides* Schrader. Austria, Hungaria,
 Oriens. ☉. Enum. pag. 86.

TRIGYNIA.

74. PIPER. Pfeffer. T. I. p. 159.
 1. *nigrum* L. India. ♀.
 2. *Betle* L. India. ♀.
 3. *Cubeba* L. Java, Guinea. ♀.
 4. *clusiaefolium* Jacq. India occid. ♀.
 5. *capense* L. Cap. b. sp.
 6. *Malamiris* L. India utrq.
 7. *discolor* Swartz. Jamaica. ♀.
 8. *medium* Jacq. In Caribaeis. ♀.
 (*P. plantagineum* Vahl.)
 9. *Amalago* L. Jamaica. ♀.
 10. *Siriboa* L. India. ♀.
 11. *excelsum* Forster. Nova-Zeelandia. ♀.
 12. *longum* L. India. ♀.
 13. *methysticum* Forster. Insul. Societ. Ami-
 cor. et Sandwich. ♀.
 14. *latifolium* L. ibid. ♀.
 15. *decumanum* L. Martinica, Carracas. ♀.
 (*P. marginatum* Jacq.)
 16. *reticulatum* L. Brasilia, Martinica. ♀.
 17. *aduncum* L. In Caribaeis, Surinam, Cajenna. ♀.

- 17a. *tuberculatum* Jacq. Carracas. 5.
18. *macrophyllum* Swartz. Jamaica, Marti-
nica 5.
19. *geniculatum* Swartz. Jamaica. 5.
20. *verrucosum* Swartz. Ibid. 5.
21. *hispidum* Swartz. Ibid. 5.
22. *nitidum* Swartz. Ibid. 5.
23. *pellucidum* L. America calid. ☉.
24. *alpinum* Swartz. Jamaica. 4.
25. *hispidulum* Swartz. Jamaica, Martinica. ☉.
26. *tenellum* Swartz. Jamaica. ☉.
27. *acuminatum* L. America calid. 4.
28. *blandum* Jacq. Carracas. 4.
29. *amplexicaule* Swartz. India occid. 4.
30. *pallidum* Forster. Insul. Societ.
31. *obtusifolium* Miller. America calid. 5.
- 31a. *magnoliaefolium* Jacq. Carracas, 5. Enum.
pag. 47.
- 31b. *cuneifolium* Jacq. Ibid. 5. Enum. p. 47.
32. *retusum* L. Cap b. sp.
33. *glabellum* Swartz. Jamaica.
34. *scandens* Swartz. Ibid.
35. *serpens* Swartz. Ibid.
36. *cordifolium* Swartz. Ibid.
37. *nummularifolium* Swartz. Ibid.
38. *rotundifolium* L. America calid.
39. *maculosum* L. Domingo.
40. *peltatum* L. Jamaica, Domingo. 4.
41. *subpeltatum* W. Amboina. 4.
42. *distachyon* L. America calid. 4.
43. *umbellatum* L. India occident. 5.
44. *trifolium* L. America.
45. *pereskiaefolium* Jacq. Venezuela. 4.
46. *polystachyon* Aiton. India occid. 4.
(*P. obtusifolium* Jacq.)
47. *quadrifolium* L. America merid.
48. *verticillatum* L. Jamaica. 4.

- 49. *stellatum* Swartz. Jamaica. 4.
- 50. *reflexum* L. India occid. Cap. b. sp.
(*P. tetraphyllum* Forster.)
- 51. *pulchellum* Aiton. Jamaica. 4.
- 52. *filiforme* Swartz. Jamaica.

Classis III.

T R I A N D R I A.

M O N O G Y N I A.

75. VALERIANA. Baldrian. T. I. p. 175.

* *Valerianae*, semine unico pappose.

- 1. *rubra* L. Europa, Oriens. 4.
- 2. *angustifolia* Miller, Gallia, Helvetia, Italia. 4.
- 3. *Calcitrapa* L. Oriens, Lusitania, Africa bor. ☉.
- 4. *dioica* L. Europa, Oriens. 4.
- 5. *capensis* Thunb. Cap. b. sp.
- 6. *officinalis* L. Europa. 4.
β. *foliis caulinis ternis* W. Enum. p. 51.
- 7. *Phu* L. Alsatia, Silesia, Suevia. 4.
- 8. *tripteris* L. Alpes Europae. 4.
- 9. *montana* L. ibid, 4.
- 10. *celtica* L. ibid. 4.
- 11. *tuberosa* L. Dalmatia, Sicilia, Galloprovincia. 4.
- 12. *saxatilis* L. Alpes Europae.
- 13. *elongata* L. Austria. 4.
- 14. *pyrenaica* L. Gallia ?
- 15. *scandens* L. Cumana.
- 16. *mixta* L. Monspeli.
- 17. *lupina* L. Alpes Europae. 4.
** *Fediae*, fructu triloculari coronato, (*Fediae* W. Enum. pag. 51)
- 18. *villosa* Thunb. Japonia.
- 19. *polystachya* Smith. In agro Bonariensi. 4.

20. *sibirica* L. Sibiria. ☉.
 21. *ruthenica* W. Sibiria. 4.
 22. *carnosa* Smith. America merid. 4.
 23. *Cornucopiae* L. Armenia, Hispania, Italia. ☉.
 24. *echinata* L. Italia, Gallia. ☉.
 25. *olitoria* L. Europa. ☉. †)
 β. *foliis summis dentatis* L.
 26. *dentata* L. Europa. ☉.
 27. *vesicaria* L. Creta. ☉.
 28. *coronata* L. Lusitania. ☉.
 29. *discoidea* L. Hispania, Italia. ☉.
 30. *radiata* L. America boreal. ☉.
 31. *pumila* L. Monspeli. ☉.
 31a. *uncinata* Bieberst. Tauria. ☉. Enum. p. 51.
 (sub Fedia.)
 31b. *rupestris* Vahl (sub Fedia.) I Sibiria. 4.
 Enum. p. 53. (sub Fedia.)
 76. OXYBAPHUS. Sauerwurz. T. I. p. 185.
 1. *viscosus* l'Héritier. Peru. 4.
 (*Mirabilis viscosa* Cavan. — *Calyxhymenia viscosa* Ruiz et Pavon).
 1a. *glabrifolius* Vahl. Peru, Nova-Hispania. 5.
 Enum. p. 53.
 (*Mirabilis corymbosa* Cavanil.)
 1b. *aggregatus* W. Nova-Hispania. ☉. Enum.
 pag. 54.
 (*Mirabilis aggregata* Cavanil.)
 77. OLAX. Stinkholz. T. I. p. 185.
 1. *zeylanica* L. Zeylon. 5.
 78. MACROLOBIUM. Grosslappe. T. I. p. 186.
 1. *pinnatum* W. Gujana. 5.
 (*Outea gujanensis* Aublet.)

†) Species 25 — 31. LINNAEUS pro varietatibus unius speciei habet, et sub nomine *Valerianae Locustae* conjunxit.

2. *Hymenaeoides* W. Gujana, Cajenna. ʒ.
(*Vouapa bifolia* Aublet.)
3. *Sphaerocarpum* W. Gujana. ʒ.
(*Vouapa Simira* Aublet.)
79. ROHRIA. Rohrie. T. I. p. 186.
 1. *petioliflora* W. Gujana. ʒ.
(*Tapura gujanensis* Aublet.)
80. RUMPHIA. Rumphie. T. I. p. 187.
 1. *amboinensis* L. India. ʒ.
81. CNEORUM. Zeiland. T. I. p. 187.
 1. *tricocon* L. Hispania, Gallia austr. ʒ.
82. COMOCLADIA. Comocladie. T. I. p. 187.
 1. *integrifolia* L. America calid. ʒ.
 2. *dendata* L. America merid. ʒ.
 3. *ilicifolia* Swartz. Ins. Carib. et Antigua. ʒ.
(*Ilex Dodonaea* L.)
 4. *angulosa* W. America. ʒ.
83. WILLICHIA. Willichie. T. I. p. 189.
 1. *repens* L. Mexico. ☉.
84. MELOTHIRA. Kümmerling. T. I. p. 189.
 1. *pendula* L. Canada, Virginia, Jamaica. ☉.
85. ROTALA. Wirtel. T. I. p. 189.
 1. *verticillaris* L. India orient. ☉.
86. ORTEGIA. Ortegie. T. I. p. 190.
 1. *hispanica* L. Hispania. 4.
 2. *dichotoma* L. Italia. 4.
87. LOEFLINGIA. Loefflingie. T. I. p. 191.
 1. *hispanica* L. Hispania, Barbaria. ☉.
 2. *indica* Retz. India orient.
(*Pharnaceum depressum* L.)
88. POLYCNEMUM. Knorpelkraut. T. I. p. 192.
 1. *monandrum* Pallas. Sibiria. 4.
 2. *sclerospermum* Pallas. ibid. ☉.
 3. *arvense* L. Europa. ☉.
 4. *salsum* W. Sibiria. 4.
(*P. triandrum* Pallas.)
 5. *oppositifolium* Pallas. Ad Mare Caspium. ☉.

89. HIPPOCRATEA. Hippocratee. T. I. p. 193.

1. volubilis L. America austral. H.

2. indica W. India orient. H.

3. comosa Swartz. Hispaniola. H.

90. TONSELLA. Tonselle. T. I. p. 194.

1. scandens Vahl. Gujana, Trinidad. H.

(Tontelea scandens Aublet.)

2. africana W. Guinea. H.

91. FISSILIA. Spaltblume. T. I. p. 194.

1. Psittacorum W. Ips. Bourbon. H.

92. CROCUS. Safran. T. I. p. 194.

1. sativus L. Oriens. 4.

1a. maesiacus Curtis. Graecia. 4. Enum. p. 55.

2. vernus W. Alpes Europae. 4.

(Crocus sativus β . vernus L.).

93. IXIA, Ixie. T. I. p. 195.

* *Caule ramisque foliosis.*

1. fruticosa L. Cap. b. sp. H.

** *Scapo foliis brevior.*

2. minuta L. Cap. b. sp. 4.

3. rosea L. ibid. 4.

4. chloroleuca Jacq. Cap. b. sp. 4.

5. Bulbocodium L. Ad mare Mediterran. 4.

6. cruciata Jacq. Cap. b. sp. 4.

7. fragrans Jacq. Cap. b. sp. 4.

8. humilis Thunb. ibid. 4.

*** *Scapo hirsuto, foliis longior.*

9 pilosa L. Cap. b. sp. 4.

10. hirta Thunb. Ibid. 4.

(I. secunda Jacq.)

11. secunda Berg. Cap. b. sp.

12. villosa Aiton. Ibid. 4.

13. rubro-cyanea Jacq. Ibid. 4.

14. punicea Jacq. Ibid. 4.

15. purpurea Jacq. Ibid. 4.

**** *Scapo glabro foliis longior, foliis crispis.*

16. crispa L. Cap. b. sp. 4.

17. *cinnamomea* L. Ibid. 24.

18. *corymbosa* L. Ibid. 24.

19. *heterophylla* W. Ibid.

(*Galaxia plicata* Jacq.)

***** *Scapo glabro foliis longiore, foliis planis.*

20. *anemonaeiflora* Jacq. Cap. bon. sp. 24.

21. *coelestina* Bartram. Carolina.

22. *spicata* W. Cap. b. sp. 24.

(*I. alopecuroidea* L. et *Gladiolus spicatus* L.)

23. *plantaginea* Aiton. Ibid. 24.

(*Gladiolus alopecuroides* L.)

24. *linearis* L. Ibid. 24.

25. *incarnata* Jacq. Ibid. 24.

26. *patens* Aiton. Ibid. 24.

27. *capillaris* L. Ibid. 24.

28. *flexuosa* L. Ibid. 24.

29. *angusta* Jacq. Ibid. 24.

30. *radiata* Jacq. Ibid. 24.

(*I. setacea* Thunb.)

31. *virgata* W. Ibid. 24.

(*Moraea virgata* Jacq.)

32. *longiflora* Berg. Ibid. 24.

(*Gladiolus longiflorus* L. Jacq. et Thunb. —

Enum. pag. 60.)

33. *scillaris* Thunb. Ibid. 24.

34. *aristata* Aiton. Cap. b. sp. 24.

α. *corollis purpureis* Ait.

(*I. uniflora* L. et Jacq.)

β. *corollis violaceis* Ait.

35. *pendula* L. Cap. b. sp. 24.

36. *bulbifera* L. Ibid. 24.

(*I. monanthos* de la Roche.)

37. *leucantha* Jacq. Ibid. 24.

38. *erecta* Berg. Ibid. 24.

(*I. polystachya* L., *I. thyrsiflora* de la Roche.)

38a. *speciosa* Andrews. Ibid. 24. Enum. p. 56.

39. *maculata* L. Ibid. 24.

- 39a. *viridiflora* *La Marck.* Ibid. 24. Enum. p. 56.
 40. *deusta* *Aiton.* Ibid. 24.
 40a. *hyalina* *L.* Ibid. 24. Enum. p. 57.
 41. *crocata* *L.* Ibid. 24.
 β. *floribus croceo — rufescentibus* *Ait.*
 γ. *floribus laete rubris* *Ait.*
 41a. *tricolor* *Curtis.* Ibid. 24. Enum. p. 57.
 42. *squalida* *Aiton.* Ibid. 24.
 α. *laminis-basi subhyalinis* *Ait.*
 β. *laminis basi concoloribus* *Ait.*
 43. *lancea* *Thunb.* Ibid. 24.
 44. *pentandra* *L.* Ibid. 24.
 45. *aulica* *Aiton.* Ibid. 24.
 46. *falcata* *L.* Ibid. 24.
 47. *excisa* *L.* Ibid. 24.
 94. GLADIOLUS. *Siegwurz.* T. I. p. 208.
 * *Simplices, scapo indiviso.*
 1. *montanus* *L.* Cap. b. sp. 24.
 2. *parviflorus* *Jacq.* 24.
 3. *flexuosus* *L.* Cap. b. sp. 24.
 4. *recurvus* *L.* Ibid. 24.
 5. *falcatus* *L.* Ibid. 24.
 6. *biflorus* *Thunb.* ad fretum Magellan. 24.
 7. *tenellus* *Jacq.* Cap. b. sp. 24.
 β. *Jacq.*
 8. *dichotomus* *Thunb.* 24.
 9. *striatus* *Jacq.* Cap. b. sp. 24.
 10. *crispus* *L.* Ibid. 24.
 11. *cuspidatus* *Jacq.* Ibid. 24.
 12. *tristis* *L.* Ibid. 24.
 12a. *venosus* *W.* Ibid. 24. Enum. p. 58.
 13. *albidus* *Jacq.* Ibid. 24.
 14. *hyalinus* *Jacq.* Ibid. 24.
 15. *gracilis* *Jacq.* Ibid. 24.
 16. *carinatus* *Aiton.* Ibid. 24.
 (*G. punctatus* *Jacq.*)
 17. *galeatus* *Burm.* Cap. b. sp. 24.

(*Gl. alatus* L.)

- 18. *imbricatus* L. Russia. 24.
- 19. *brevifolius* Jacq. Cap. b. sp. 24.
- 20. *communis* L. Europa. 24.
- 20a. *hastatus* Thunb. Cap. b. sp. 24. Enum. p. 59.
- 21. *carneus* de la Roche. Cap. b. sp. 24.

(*Gl. communis* Thunb.)

- 21a. *cardinalis* Vahl. Ibid. 24. Enum. p. 59.
- 22. *hirsutus* Jacq. Ibid. 24.
- 23. *Watsonius* Jacq. Ibid. 24.

(*Gl. recurvus* Houttuyn.)

- 24. *Merianellus* Thunb. Ibid. 24.

(*Antholyza Merianella* L.)

- 25. *Merianus* Thunb. Ibid. 24.

(*Antholyza Meriana* L.)

β. Jacq.

- 26. *laccatus* Jacq. Ibid. 24.

- 27. *iridifolius* Jacq. Ibid. 24.

(*Gl. cardinalis* Schneev. et Geuns.)

** *Ramosi*, *scapo polystachyo*.

- 28. *refractus* Jacq. Cap. b. sp. 24.

- 29. *alatus* Jacq. Ibid. 24.

- 30. *bicolor* Thunb. Ibid. 24.

- 31. *anceps* L. Ibid. 24.

- 32. *fissifolius* Jacq. Ibid. 24.

- 33. *silenoides* Jacq. Ibid. 24.

- 34. *roseus* Jacq. Ibid. 24.

- 35. *junceus* L. Ibid. 24.

- 36. *setifolius* L. Ibid. 24.

- 37. *marginatus* L. Ibid. 24.

(*Ixia marginata* Aiton.)

- 38. *angustus* L. Ibid. 24.

- 39. *undulatus* L. Ibid. 24.

- 40. *flavus* Aiton. Ibid. 24.

- 41. *securiger* Aiton. Ibid. 24.

- 42. *tubiflorus* L. Ibid. 24.

- 43. *tubatus* Jacq. Ibid. 24.

β. *Jacq.*

44. *floribundus Jacq. Ibid. 4.*

45. *blandus Aiton. Ibid. 4.*

46. *plicatus L. Ibid. 4.*

47. *strictus Aiton. Ibid. 4.*

α. *corolla caerulea Ait.*

β. *corolla purpurascente Ait.*

(*Gl. plicatus angustifolius Jacq.*)

48. *mucronatus Jacq. Ibid. 4.*

49. *spathaceus Thunb. Ibid. 4.*

50. *gramineus L. Ibid. 4.*

95. ANTHOLYZA. Rachenlilie. T. I. p. 221.

1. *Lucidor L. Cap. b. sp. 4.*

2. *aethiopica L. Ibid. 4.*

3. *nervosa Thunb. Ibid. 4.*

4. *Cunonia L. Ibid. 4.*

5. *ringens L. Ibid. 4.*

6. *plicata L. Ibid. 4.*

96. ARISTEA. Borstenlilie. T. I. p. 223.

1. *cyanea Aiton. Cap. b. sp. 4.*

(*Ixia africana L. — Moraea africana Thunb.*)

97. IRIS, Schwertlilie. T. I. p. 224.

* *Barbatae foliis ensiformibus.*

1. *ciliata L. Cap. b. sp. 4.*

2. *minuta L. Ibid. 4.*

3. *pumila Europa. 4.*

β. *flore purpureo-coeruleo Bauhin.*

γ. *flore rubello Bauhin.*

δ. *flore albo Bauhin.*

ε. *flore variegato Bauhin.*

4. *lutescens La Marck. Gallia. 4.*

4a. *arenaria, Waldstein. et Kit. Hungaria. 4.*

Enum. p. 62.

5. *cristata Aiton. Carolina. 4.*

6. *lusiana L. Oriens. 4.*

7. *florentina L. Europa austral. 4.*

8. *fla-*

8. *flavissima* Pallas. Sibiria. 24.
 9. *biflora* L. Lusitania, Sibiria. 24.
 9a. *chinensis* Curtis. China. 24. Enum. p. 63.
 (L. *fimbriata* Ventenat.)
 10. *aphylla* L. 24.
 11. *variegata* Thunb. Hungaria, Austria. 24.
 12. *squalens* Thunb. Europa austr. 24.
 (L. *variegata* Jacq.)
 13. *japonica* Thunb. Japonia. 24.
 14. *sambucina* L. Europa. austr. 24.
 15. *lurida* Alton. ibid. 24.
 16. *germanica* L. Europa. 24.
 17. *pallida* La Marck. Oriens? 24.
 β. *hortensis* Tournefort.
 17a. *plicata* La Marck. 24. Enum. p. 64.
 17b. *hungarica* Waldstein et Kit. Hungaria. 24.
 Enum. pag. 64.
 18. *compressa* L. Cap. b. sp. 5.
 19. *dichotoma* L. Dauria. 24.
 ** *Barbatae, foliis linearibus.*
 20. *tripetala* L. Cap. b. sp. 24.
 21. *tricuspis* Thunb. ibid. 24.
 (L. *tricuspidata* L. — *Ferraria tricuspis* Enum.
 p. 691. — *Moraea tricuspis* Curtis. —
Vicusseuxia glaucopis De Candol.)
 *** *Imberbes, foliis ensiformibus.*
 22. *Xiphium* L. Hispania, Lusitania, Sibiria. 24.
 23. *Xiphioides* Ehrhart. Hispania. 24.
 24. *Pseud-Acorus* L. Europa. 24.
 25. *foetidissima* L. Gallia, Italia, Anglia. 24.
 26. *virginica* L. Virginia. 24.
 27. *versicolor* L. America boreal. 24.
 28. *halophila* Pallas. Sibiria. 24.
 29. *ochroleuca* L. Oriens. 24.
 29a. *Güldenstaedtii* Lepechin. Sibiria. 24.
 Enum. p. 66.
 30. *spathacea* Thunb. Cap. b. sp. 24.

(*J. spathulata* L.)

31. *ramosa* Thunb. Ibid. 24.

(*J. ramosissima* L.)

**** *Imberbes, foliis linearibus.*

32. *Sisyrinchium* L. Hispania, Lusitania, Barbaria. 24.

β. *medium* Bauhin.

33. *verna* Thunb. Virginia. 24.

(*I. pusilla* Michaux.)

34. *persica* L. Persia. 24.

35. *junceae* Poir. Barbaria. 24.

36. *angusta* Thunb. Cap. b. sp. 24.

37. *setacea* Thunb. Ibid. 24.

(*I. setifolia* L.)

38. *tenuifolia* L. Davuria. 24.

39. *ventricosa* Pallas. Davuria. 24.

40. *graminea* L. Austria. 24.

41. *ensata* Thunb. Japonia. 24.

42. *spuria* L. Europa. 24.

43. *orientalis* Thunb. Japonia. 24.

44. *sibirica* L. Europa. 24.

45. *martinicensis* L. Martinica. 24.

46. *pavonia* L. Cap. b. sp. 24.

47. *crispa* L. Ibid. 24.

48. *papilionacea* L. Ibid. 24.

49. *edulis* L. Ibid. 24.

50. *tristis* L. Ibid. 24.

(*Moraea foetescens* Jacq.)

51. *polystachya* Thunb. Ibid. 24.

52. *viscaria* L. Ibid. 24.

53. *bituminosa* L. Ibid. 24.

***** *Imberbes, foliis tetragonis.*

54. *tuberosa* L. Arabia, Oriens. 24.

98. MORAEA. *Moraea*. T. I. p. 240.

* *Scapa ancipiti.*

1. *melaleuca* Thunb. Cap. b. sp. 24.

(*M. lugens* L.)

2. *spiralis* L. Cap. b. sp. 4.
3. *pusilla* Thunb. Ibid. 4.
4. *magellanica* W. Fret. Magellan. 4.
(*Galaxia obscura* Cavan.)
5. *gladiata* Thunb. Cap. b. sp. 4.
(*Ixia gladiata* L.)
6. *aphylla* L. Ibid. 4.
7. *filiformis* L. Ibid. 4.
- 7a. *Northiana* Schneevogt. Brasilia. 4.
(*Marica Northiana* Curtis. — *Ferraria elegans* Salisbury.)

** *Scapo tereti.*

8. *spathacea* L. Cap. b. sp. 4.
9. *flexuosa* L. Ibid.
10. *polyanthos* L. Ibid. 4.
11. *caerulea* Thunb. Ibid. 4.
(*Gladiolus capitatus* L.)
12. *plicata* W. In Ins. Caribaeis. 4.
(*Moraea palmifolia* Jacq.)
13. *umbellata* Thunb. Cap. b. sp. 4.
14. *crispa* Thunb. Ibid. 4.
15. *iriopetala* L. Ibid. 4.
(*Iris plumaria* Thunb.)
- a. *junceae* L.
- β. *vegeta* L.
16. *iridioides* L. Oriens. 4.
17. *chinensis* Thunb. India orient. China, Japonia. 4.
(*Ixia chinensis* L.)

99. MARICA. Morastilis. T. I. p. 246.

1. *paludosa* W. Gujana. 4.
(*Cipura paludosa* Aublet.)

100. DILATRIS. Dilatris. T. I. p. 246.

1. *corymbosa* Berg. Cap. b. sp. 4.
(*D. umbellata* L.)
2. *viscosa* L. Ibid. 4.
3. *paniculata* L. Ibid. 4.

101. WITSENIA. Witsenie. T. I. p. 247.

1. maura Thunb. Cap. b. sp. 4.

(*Antholyza Maura* L.)

102. XIPHIDIUM. Scheidenfilie. T. I. p. 248.

1. album W. Cumana. 4.

2. caeruleum Aublet. Gujana. 4.

103. WACHENDORFIA. Wachendorfie. T. I. pag. 248.

1. thyrsiflora L. Cap. b. sp. 4.

2. paniculata L. Ibid. 4.

3. hirsuta Thunb. Ibid. 4.

4. tenella Thunb. Ibid. 4.

5. graminea Thunb. ibid. 4.

(*W. graminifolia* L.)

104. COMMELINA. Commeline. T. I. p. 249.

* *Dipetalae, ob duo petala majora.*

1. communis L. America. ☉.

1a. polygama Roth. 4. Enum. p. 67.

1b. caroliniana Walter. Carolina. 4. Enumer. pag. 68.

2. africana L. Aethiopia. 4.

3. benghalensis L. Benghala. 4.

4. erecta L. Virginia. 4.

** *Tripetalae: Zanoniae Pl. petalis 3 majoribus.*

5. virginica L. Virginia. 4.

6. longicaulis Jacq. Carracas. 4.

7. mollis Jacq. Carracas. 4.

8. tuberosa L. Mexico. 4.

8a. coelestis W. 4. Enum. p. 69.

9. vaginata L. India orient. ☉

10. nudiflora L. India orient. ☉.

11. cucullata L. Ibid.

(*C. nervosa* Burman.)

12. japonica Thunb. Japonia.

12a. pallida Humb. et Bonpl. America merid. 4. Enum. p. 69.

13. spirata L. India orient. ☉.

105. CALLISIA. Zaertling. T. I. p. 254.

1. repens L. America merid. 24.

(*Hapalanthus repens* Jacq.)

106. SYENA. Syene. T. I. p. 254.

1. fluviatilis W. Gujana.

(*Mayaca fluviatilis* Aublet.)

107. XYRIS. Degenkraut. T. I. p. 254.

1. indica L. India. 24.

2. pauciflora W. Malabar. 24.

3. americana Aublet, America calid. 24.

4. capensis Thunb, Cap. b. sp. 24.

108. FUIRENA. Fuirene. T. I. p. 255.

1. umbellata Rottboel. Surinam, India.

(*F. paniculata* L.)

109. KYLLINGIA. Kyllingie. T. I. p. 256.

1. monocephala L. India orient. America. 24

2. brevifolia Rottb. India orient.

3. triceps L. Ibid. 24.

4. panicea L. India. orient.

5. filiformis Swartz. Hispaniola, Jamaica.

6. umbellata L. India orient.

β. sumatrensis Retz.

7. cyperina Retz. Ibid.

8. incompleta Jacq. Carracas, Cajenna. 24.

(*Mariscus elatus* W. Enum. p. 70.

(*Mariscus umbellatus* W. Enum, p. 70.)

109a. MARISCUS. Enum. p. 70.

1. aggregatus W. 24.

110. MAPANIA. Mapanie. T. I. p. 258.

1. Sylvatica Aublet. Gujana. 24.

111. SCHOENUS. Knopfgras. T. I. p. 259.

* *Culmo tereti.*

1. Mariscus L. Europa. 24.

2. junceus W. Guinea. 24.

3. mucronatus L. Europa. 24.

4. pilosus W. Guinea. 24.

5. filiformis Thunb, Cap. b. sp. 24.

LIBRARY

(*S. indicus* La Marck.)

- 6. *striatus* Thunb. Ibid. 4.
- 7. *Capitellum* Thunb. Ibid. 4.
- 8. *scariosus* Thunb. Ibid. 4.

Scirpus trigynus L. — *Scirpus bulbosus* Rottb.)

- 9. *nigricans* L. Europa. 4.
- 10. *ferrugineus* L. Europa. 4.
- 11. *fuscus* L. Europa. 4.
- 12. *tristachyus* Thunb. Cap. b. sp. 4.
- 13. *cuspidatus* Thunb. Ibid. 4.
- 14. *aristatus* Thunb. Ibid. 4.
- 15. *compar* L. ibid. 4.
- 16. *flexuosus* Thunb. Ibid. 4.

(*S. involucratus* Rottb.)

- 17. *capillaceus* Thunb. Ibid. 4.
- 18. *ustulatus* L. Ibid. 4.
- 19. *spicatus* Thunb. Ibid. 4.
- 20. *Bobartiae* Retz. Zeylon. 4.
- 21. *stellatus* Swartz. Florida, Ins. Carib. 4.
- 22. *bulbosus* L. Cap. b. sp. 4.
- 23. *inanis* Thunb. Ibid. 4.

** *Culmo triquetro.*

- 24. *cephalotes* Rottb. Surinam. 4.
- 25. *cyperoides* Swartz. Jamaica. 4.
- 26. *cymosus* W. America boreal. 4.
- 27. *glomeratus* L. Ibid, et Jamaica.
- 28. *Cladium* Swartz. Jamaica. 4.
- 29. *effusus* Swartz. Jamaica. 4.
- 30. *Restioides* Swartz. India occid.
- 31. *surinamensis* Swartz. Gujana. Ins. Carib. 4.
- 32. *thermalis* L. Cap. b. sp. 4.
- 33. *laevis* Thunb. Ibid.
- 34. *lanceus* Thunb. Ibid.
- 35. *albus* L. Europa. 4.

(*Rhynchospora alba* W. Enum. p. 71.)

- 36. *gracilis* Swartz. Jamaica.
- 37. *setaceus* Berg. Jamaica, Surinam.

38. pusillus Swartz. Jamaica.

39. capillaris Swartz. Hispaniola.

112. CYPERUS. Cyperagras. T.I. p. 269.

* Culmo tereti.

1. minimus L. Jamaica, Africa.

2. setaceus Retz. Calcutta.

3. arenarius Retz. India orient. 4.

4. prolifer Thunb. Cap. b. sp. 4.

5. effusus Rottb. Arabia.

6. articulatus L. Aegyptus, Jamaica. 4.

(C. niloticus Forsk.)

7. marginatus Thunb. Cap. b. sp. 4.

8. complanatus W. Java. 4.

9. texilis Thunb. Cap. b. sp. 4.

10. compactus Retz. China.

** Culmo triquetro, spiculis simplicibus.

11. monostachyos L. India orient. Jamaica.

12. distachyos W. Italia. 4.

13. triflorus L. India.

(Schoenus cyperoides Retz.)

13a. nodosus Humb. et Bonpl. Peru. 4. Enum. p. 72

*** Culmo triquetro, umbella glomerata sessili.

14. nanus W. Guinea.

15. filiformis Swartz. Jamaica.

16. dubius Rottb. Malabar.

17. capitatus Retz. India?

18. niveus Retz. India. 4.

19. pannonicus L. Austria. ☉

20. mucronatus Rottb. Arabia, India. 4.

21. laevigatus L. Cap. b. sp. 4.

22. squarrosus L. India.

23. nitens Retz. India.

24. polystachyos Rottb. India, Atlant. Cap.
bon. sp. 4.

(C. fascicularis Desfont.)

25. conglomeratus Rottb. Arabia. 4.

26. cruentus Rottb. Arabia.

**** *Culmo triquetro, spicis umbellatis.*

27. *aristatus* Rottb. India orient., Cap. b. sp.
(*Scirpus intricatus* L.)

28. *Luzulae* Rottb. America.

29. *confertus* Swartz. Jamaica. 24.

30. *viscosus* Swartz. Jamaica, Antigua, Venezuela. 24.

31. *ligularis* L. Jamaica, Africa.

32. *glomeratus* L. Italia, Hungaria. ☉.

32a. *alopecuroides* Rottb. Arabia, Cap. b. sp.
Enum. pag. 75.

32b. *cinnamomeus* Retz. Jamaica. Enum. p. 75.

33. *imbricatus* Retz. India.

***** *Culmo triquetro, umbella composita et decomposita.*

34. *maderaspatanus* W. India. ☉.
(*C. squarrosus* Rottb.)

35. *castaneus* W. India.

36. *elegans* L. Jamaica.

37. *surinamensis* Rottb. Surinam.

38. *flavidus* Retz. India.

39. *flavescens* L. Europa. ☉.

40. *fuscus* L. Europa. ☉.

41. *virescens* Hoffm. Silesia. ☉.

42. *difformis* L. India.

43. *jemenicus* Rottb. Arabia fel. Zeylon. 24.

44. *strigosus* L. Jamaica, Virginia, India. 24.

45. *tenuis* Swartz. Jamaica.

46. *tuberosus* Rottb. India.

47. *pumilus* L. India.

48. *stoloniferus* Retz. India.

49. *compressus* L. Jamaica, America sept.

50. *puleher* Thunb. Cap. b. sp.

51. *vegetus* W. America merid., Carolina.
(*C. monandrus* Roth. — *C. compressus* Jacq.)

52. *albidus* Retz. India.

53. *rotundus* L. Indiae. 24.

(*C. hexastachyos* Rottb.)

- 54. glaber L. Italia. ☉.
- 55. odoratus L. America. 2.
- 56. esculentus L. Oriens, Italia, Gallia, Hispania. 2.
- 56a. patulus Host. Banatus. 2. Enum. p. 74.
- 57. tenuiflorus Rottb. Sicilia. 2.
- 58. Pangorei Retz. India. 2.
- 59. denudatus L. Cap. b. sp. 2.
- 60. lanceus Thunb. Ibid.
- 61. longus L. Europa, Aegyptus, India. orient. 2.
(C. procerus Rottb.)
- 62. fastigiatus Rottb. India orient. 2.
- 63. canaliculatus Retz. India orient.
- 64. Monti L. Italia. 2.
- 65. Iria L. India.

***** Culmo triquetro, umbella supradecomposita.

- 66. Santonici Rottb. India.
- 67. corymbosus Thunb. Asia, Cap. b. sp.
- 68. racemosus Retz. India orient.
- 69. Haspan L. India, Aethiopia. 2.
- 70. elatus L. India.
- 71. distans L. Ins. Carib. 2.
(C. elatus. Rottb.)
- 72. diphyllus Retz. India orient.
- 73. Papyrus L. Aegyptus, Sicilia, Syria, Calabria 2.

***** Culmo triquetro, umbellis axillaribus,

- 74. flabelliformis Rottb. Arabia fel. 2.
- 75. alternifolius L. Madagascar. 2.
- 76. spathaceus L. Virginia. 2.
- 113. SCIRPUS. Binse. T. I. p. 290.

* Spica unica.

- 1. mutatus L. Jamaica. 2.
- 2. spiralis Rottb. India. 2.
- 3. articulatus L. Malabar.
- 4. plantagineus Retz. India. 2.
- 5. nutans Retz. Malacca. 2.

6. *palustris* L. Europa. 4.
 β. *alter* Scheuchzer.
- 6a. *obtusus* W. America. bor. 4. Enum. p. 76.
 6b. *glaucescens* W. ibid. 4. Enum. p. 76.
 6c. *tenuis* W. ibid. 4. Enum. p. 76.
7. *geniculatus* L. Jamaica.
8. *Caricis* Retz. Europa. 4.
 (*Schoenus compressus* L. et *Carex uliginosa* L.)
9. *caespitosus* L. Europa. 4.
10. *Bacothryon* L. Europa. 4.
11. *campestris* Roth. Germania. 4.
12. *capitatus* L. Virginia, Ins. Carib. 4.
13. *ovatus* Roth. Germania. 4.
14. *atropurpureus* Retz. India.
15. *polytrichoides* Retz. Zeylon.
16. *acicularis* L. Europa. 4.
17. *fluitans* L. Europa. 4.
 β. *stolonifer* Roth.
- ** *Calmo tereti polystachyo.*
18. *lacustris* L. Europa. 4.
19. *glomeratus* Retz. Zeylon. 4.
20. *arvensis* Retz. Zeylon. 4.
21. *truncatus* Thunb. Cap. b. sp.
22. *laciniatus* Thunb. Ibid.
23. *membranaceus* Thunb. Ibid.
24. *pilosus* Thunb. Ibid.
25. *Hystrix* Thunb. Ibid.
26. *Holoschoenus* L. Europa. 4.
27. *australis* L.
28. *romanus* L. Italia, Sibiria, Gallia. 4.
29. *nodosus* Rottb. Cap. b. sp.
30. *radiatus* L. Ibid.
31. *setaceus* L. Europa. 4.
32. *supinus* L. Germania, Gallia. 4.
33. *natans* Thunb. Cap. b. sp.
34. *vaginatus* Thunb. Ibid.
35. *tristachyos* L. Ibid.

36. *uncinatus* W. India.

37. *aristatus* W. India.

(*Sc. pilosus* Retz.)

38. *autumnalis* L. Virginia, Jamaica. 24.

39. *diphyllus* Retz. Tranquebar.

40. *fastigiatus* Thunb. Cap. b. sp.

41. *globulosus* Retz. India.

42. *globiferus* L. Teneriffa.

43. *capillaris* L. Zeylon.

*** *Culmo triquetro, panicula nuda.*

44. *trispicatus* L. Cap. b. sp. 24.

45. *lateralis* Retz. Zeylon.

46. *triquetus* L. Europa, America bor. 24.

47. *mucronatus* L. Europa. 24.

48. *dichotomus* L. India, Arabia, Italia. ☉.

(*Sc. annuus* Allion.)

49. *echinatus* L. India utrq.

50. *retrofractus* L. Virginia. 24.

51. *ferrugineus* L. Jamaica. 24.

52. *spadiceus* L. Jamaica.

**** *Culmo triquetro, panicula foliacea.*

53. *anomalus* Retz. India.

54. *miliaceus* L. India. 24.

55. *maritimus* L. Europa. 24.

β. *anglicus* Bauhin.

γ. *compactus* Scheuchz.

55a. *macrostachys* W. Italia. 24.

(*S. maritimus* d. W. Sp. pl.)

56. *grossus* L. India.

57. *luzulae* L. India.

58. *sylvaticus* L. Europa. 24.

58a. *atrovirens* W. America bor. 24. Enum.

pag. 79.

58b. *radicans* Schkuhr. Germania. 24. Enumer.

pag. 79.

59. *corymbosus* L. India.

60. *aestivalis* Retz. Zeylon. 24.

61. squarrosus L. India orient.

62. dipsaceus Rottb. India.

63. junciformis Retz. China.

64. michelianus L. Europa. ☉.

65. ciliaris L. India orient. ☉.

**** Culmo triquetro, Capitulo terminali.

66. hottentottus L. Cap. b. sp.

67. antarcticus L. Cap. b. sp. Guinée, 4.

68. argenteus Rottb. India.

69. monander Rottb. India.

70. cephalotes L. India.

114. MIEGIA Mieg. T. I. p. 311.

1. maritima W. Cajenna, Gujana. 4.

(*Remirea maritima* Aublet.)

115. ERIOPHORUM. Wollgras. T. I. p. 312.

1. vaginatum L. Europa. 4.

(*E. cespitosum* Host.)

2. polystachyon L. Ibid. 4.

β. panicula minori Vaillant.

3. angustifolium Reichard. Germania, Borussia,
Dania, Anglia. 4.

4. virginicum L. Virginia.

5. cyperinum L. America. sept. 4.

(*Scirpus thyrsiflorus* W. Enum. p. 78.)

6. alpinum L. Alpes Europae. 4.

116. POMMEREULLIA. Pommeruillia. Tom. I.
p. 314.

1. Cornucopiae L. India.

117. NARDUS. Borstengras. T. I. p. 314.

1. stricta L. Europa. 4.

(*Rottboellia monandra* Enum. p. 129.)

β. major Bauhin.

2. aristata L. Europa austr. ♂.

(*N. incurvus* Gouan.)

3. indica L. Tranquebar.

4. ciliaris L. India.

118. LYGEUM. Nussgras. T. I. p. 316.

1. *Spartum* L. Hispania. 4.
119. CENCHRUS. Klebgras. T. I. p. 316.
 1. *lappaceus* L. India.
 2. *capitatus* L. Gallia, Hispania, Ietria, Italia. ☉.
(*Sesleria echinata* Host. — W. Enum. p. 112.)
 3. *echinatus*, L. Jamaica, Curassao. ☉.
 4. *tribuloides* L. Virginia. ☉.
 5. *ciliaris* L. Cap. b. sp. ☉.
 6. *fetosus* Swartz. India occid.
 7. *geniculatus* Thunb. Cap. b. sp.
 8. *hordeiformis* Thunb. Cap. b. sp. India.
(*Alopecurus hordeiformis* L.)
 9. *purpurascens* Thunb. Japonia.
 10. *frutescens* L. Armenia. 5.
- 119a. ORYZOPSIS. Enum. p. 81.
 1. *asperifolia* Michaux. A sinu Hudsonis ad Quebec. 4.

D I G Y N I A.

120. CORNUCOPIAE. Füllhorngras. T. I. p. 319.
 1. *cucullatum* L. Oriens. ☉.
 2. *alopecuroides* L. Italia.
121. MÜHLENBERGIA. Mühlenbergie. Tom. I. pag. 320.
 1. *diffusa* Schreber. America bor. 4.
(*Dilepyrum minutiflorum* Michaux.)
122. SACCHARUM. Zuckerrohr. T. I. p. 320.
 1. *Teneriffae* L. Teneriffa.
 2. *spontaneum* L. Malabar. 4.
 3. *japonicum* Thunb. Japonia. 4.
 4. *officinarum* L. India utrq. 4.
 5. *polystachyon* Swartz. Ins. St. Christophor.
 6. *arundinaceum* Retz. Tranquebar.
 7. *benghalense* Retz. Benghal. 4.
 8. *repens* W. Guinea. 4.

9. *Ravennae* L. Italia. 4.
10. *cylindricum* La Marck. Europa austral.
Barbaria, Creta, Smyrna. 4.
(*Lagurus cylindricus* L.)
11. *Thunbergii* Retz. India orient.
- 11a. *aegyptiacum* W. Aegyptus. 4. Enumer.
pag. 82.
- 11b. *Koenigii* Retz. India orient. Jamaica. 4.
Enum. p. 82.
123. PEROTIS. Perotis. T. I. p. 324.
 1. *latifolia* Aiton. India. ☉.
(*Saccharum spicatum* L.)
 - β. *foliis planis lanceolatis* W.
(*Saccharum spicatum* Burman.)
 2. *polystachya* W. India.
(*Saccharum paniceum* La Marck.)
124. LEERSIA. Leersie. T. I. p. 325.
 1. *oryzoides* W. Europa, Persia. 4.
(*Phalaris oryzoides* L.)
 2. *virginica* W. America bor. 4.
 3. *monandra* Swartz. Jamaica.
 4. *hexandra* Swartz. Ibid.
125. PHALARIS. Glanzgras. T. I. p. 326.
 1. *canariensis* L. Ins. Canariens. ☉.
 2. *aquatica* L. Aegyptus, Cap. b. sp. Italia
(*P. minor* W. Enum. p. 83.)
 3. *capensis* Thunb. Cap. b. sp. ☉. 4.
 4. *bulbosa* L. Oriens, Hispania. 4.
 5. *nodosa* L. Europa austr.
 6. *dentata* L. Cap. b. sp. ☉.
 7. *phleoides* L. Europa. ☉.
(*Phleum Boehmeri* W. Enum. p. 85.)
 8. *arenaria* W. Europa. ☉.
(*Phleum arenarium* L.)
 9. *aspera* Retz. Gallia, Italia. ☉.
(*Phleum viride* Allion. *Phleum asperum* Villars.
W. Enum. p. 84.)

10. *utriculata* L. Italia. ☉.
 (*Alopecurus utriculatus* W. Enum. p. 87.)
11. *paradoxa* L. Oriens. ☉.
12. *hispida* Thunb. Japonia.
126. **PASPALUM.** Pfannengras. T.I. p. 330.
1. *dissectum* L. America calid. ☉.
2. *serobiculatum* L. India orient. 4.
3. *villosum* Thunb. Japonia.
 (P. *distichum*. Houttuyn.)
4. *virgatum* L. Jamaica. 4.
5. *paniculatum* L. Jamaica. ☉.
6. *stoloniferum* Bosc. Peru. 4.
 (P. *racemosum* Jacq.)
7. *repens* Berg. Surinam. 4.
8. *hirsutum* Retz. China.
9. *Kora* W. India orient. 4.
94. *pubescens* Mühlenberg. Carolina. 4. Enum.
 p. 89.
 (P. *ciliatifolium* Michaux.)
95. *orbiculare* Forster. Ins. Societatis, Bour-
 bon. 4. Enum. p. 89.
96. *tenellum* Hort. Paris. . . . Enum. p. 90.
10. *longiflorum* Retz. Malabar.
11. *distichum* L. Jamaica.
12. *conjugatum* Berg. Jamaica, Surinam.
13. *vaginatum* Swartz. Jamaica.
14. *filiforme* Swartz, ibid.
15. *decumbens* Swartz, ibid.
- 126a. **CERESIA.** Enum. pag. 88.
1. *elegans* Persoon. Peru. 4.
 (*Paspalum membranaceum* La Marck.)
127. **PANICUM.** Fennich. T.I. pag. 333.
- * *Spicata.*
1. *polystachyon* L. India. ♂.
2. *sericeum* Aiton. India occid. ☉.
3. *verticillatum* L. Europa, Oriens. ☉.
4. *helvolum* L. India orient. ☉.

5. glaucum L. India, Europa. ☉.
6. viride L. Europa. ☉.
7. germanicum Bauhin. Europa. ☉.
β. involucrellis flore brevioribus W.
8. italicum L. In Indiis. ☉.
9. fetosum Swartz. Jamaica.
10. lanceolatum Retz. India.
11. stagninum Retz. India orient.
12. Crus corvi L. In Indiis. ☉.
13. Crus galli L. Europa, Virginia. ☉.
β. aristis longissimis Bauhin.
14. fetigerum Retz. China.
15. colonum L. India. ☉.
16. fluitans Retz. Madagascar, Arabia, India.
17. brizoides L. India.
18. flavidum Retz. Zeylon.
19. dimidiatum L. India.
20. Burmanni Retz. India, Italia.
21. hirtellum L. India occid.
22. pilosum Swartz. Jamaica.
23. molle Swartz. India occid. 4.
24. fasciculatum Swartz. Jamaica.
25. carthaginense Swartz. America merid. 4.
26. conglomeratum L. India orient.
27. interruptum W. India.
28. sanguinale L. America, Europa. ☉.
(*Digitaria sanguinalis* Enum. p. 92.)
29. Dactylon L. Europa austr. Oriens. 4.
(*Cynodon Dactylon* Enum. p. 90.)
30. umbrosum Retz. India orient. 4.
31. filiforme L. America sept.
32. aegyptiacum Retz. Aegyptus, Oriens, America merid. ☉.
(*P. filiforme* Jacq. *Digitaria aegyptiaca*. Enum, pag. 93.)
33. ciliare Retz. Java, China, Germania. ☉.
(*Digitaria ciliaris* W. Enum. p. 93.)

34. *lineare* L. In Indiis.

35. *cimicinum* Retz. Malabar. ☉.

(*Milium cimicinum* L.)

36. *distachyon* L. India orient.

37. *squarrosus* Retz. India orient. ☉.

(*Cenchrus muricatus* L. — *Trachys mucronata*
Enum. pag. 92.)

38. *hispidum* Retz. India orient.

39. *compositum* L. Zeylon.

40. *elatus* L. Malabar. ☉.

** *Paniculata*.

41. *dichotomum* L. Virginia.

42. *ramosum* L. In Indiis.

43. *deustum* Thunb. Cap. b. sp.

44. *coloratum* L. Aegyptus. ☉.

45. *repens* L. In India. ☉.

46. *Ischaemoides* Retz. Malabar.

47. *remotum* Retz. India orient.

48. *aristatum* Retz. China.

49. *miliaceum* L. India. ☉.

β. *attenuatum* Moench.

50. *antidotale* Retz. Malabar.

51. *notatum* Retz. Sumatra.

52. *muricatum* Retz. India.

53. *capillare* L. Virginia, Jamaica. ☉.

54. *flexuosum* Retz. India.

β. *totum glabrum* Retz.

55. *grossarium* L. Jamaica.

56. *maximum* Jacq. Guadaloupe. 24.

57. *nemorosum* Swartz. Jamaica, Domingo.

58. *acuminatum* Swartz. Jamaica.

59. *rigens* Swartz. Ibid.

60. *fuscum* Swartz. Ibid.

61. *laxum* Swartz. Ibid.

62. *latifolium* L. America boreal. 24.

63. *flavescens* Swartz. Jamaica.

64. *diffusum* Swartz. Jamaica, Hispaniola.

65. *oryzoides* Swartz. Jamaica.

- 66. clandestinum L. Pennsylvania. 4.
- 67. arborescens L. India. 5.
- 68. curvatum L. India orient.
- 69. virgatum L. Virginia. 4.
- 70. patens L. India.
- 71. trigonum Retz. India.
- 72. pallens Swartz. Jamaica.
- 73. lanatum Swartz. Ibid.
- 74. arundinaceum Swartz. Ibid.
- 75. polygamum Swartz. India occid. 4.
- 76. glutinosum Swartz. Jamaica.
- 77. brevifolium L. India.
- 78. radicans Retz. China. 4.
- 79. trichoides Swartz. Jamaica Hispaniola.
- 80. divaricatum L. Jamaica.

127a. DIGITARIA. Enum. p. 91.

- 1. barbata Humboldt et Bonpl. Ind. or. Enum. p. 91.
- 2. didactyla Bory. Ins. Bourbon. Enum. p. 91.
- 3. debilis W. Barbaria. Enum. p. 91.
- (*Panicum debile* Desfont.)

- 4. praecox W. Carolina. Enum. p. 91.

(*Syntherisma praecox* Walter.)

- 5. pilosa W. Carolina. Enum. p. 92.
- 6. biformis Bory. Ins. Mauritiæ et Bourbon.
- Enum p. 92.

- 7. horizontalis W. St. Domingo. Enum. p. 92.
- 8. paspaloides Michaux. America bor. Enum. p. 92.
- 9. ferotina Michaux. Ibid. Enum. p. 92.
- 10. humifusa Persoon. Europa, Or. C. Enum. p. 93.

128. PHLEUM. Lieschgras. T. I. p. 354.

- 1. pratense L. Europa. 4.
- 2. alpinum L. Alpes Europae. 4.
- 3. Gerardi Jacq. Alpes Europae. 4.
- 4. nodosum L. Europa. 4.
- 4a. Michellii Schrader. Germania, Sabaudia. 4.

Enum. p. 85.

(*Phalaris alpina* Haenke.)

4b. *Bellaradi* W. Italia, Istria, Oriens. ☉.
(*Phalaris tenuis* Host.)

129. *ALOPECURUS*. Fuchsschwanz. T. I. p. 356.

1. *indicus* L. India orient. ☉.
2. *bulbosus* L. Europa. 4.
3. *pratensis* L. Europa. 4.
4. *capensis* Thunb. Cap. b. sp.
5. *antarcticus* Vahl. Fret. Magellan.

6. *agrestis* L. Europa. 4. ☉.

7. *geniculatus* L. Europa. 4.

8. *echinatus* Thunb. Cap. b. sp.

129a. *POLYPOGON*. Enum. p. 87.

1. *glomeratus* W. America bor. 4. Enum. p. 87.

2. *subspicatus* W. Lusitania. ☉. Enum. p. 88.

130. *MILIUM*. Hirsegras. T. I. p. 358.

1. *capense* L. Cap. b. sp.

2. *punctatum* L. Jamaica.

3. *lendigerum* L. Gallia, Lusitania. ☉.

4. *compressum* Swartz. Jamaica. India occid. 4.

5. *digitatum* Swartz. Jamaica. ☉.

6. *panicum* Swartz. Ibid.

7. *effusum* L. Europa. 4.

8. *confertum* L. Helvetia. 4.

9. *globosum* Thunb. Japomia.

10. *paradoxum* L. Carniolia, Gallia. ☉.

11. *villosum* Swartz. Jamaica. ☉.

(*Andropogon insulare* L.)

12. *ramosum* Retz. India orient.

131. *AGROSTIS*. Windhalm. T. I. p. 361.

* *Aristatae*.

1. *Spica venti* L. Europa. ☉.

2. *interrupta* L. Europa. ☉.

2a. *retrofracta* W. Nova-Hollandia. 4. En. p. 94.

3. *spicaeformis* L. Teneriffa.

4. *hirsuta* L. Ibid.

5. *panicea* Aiton. Europa. ☉.

α. *paniculae ramis divulsis*.

- (*Alopecurus monspeliensis* L. — *Polypogon monspeliensis* W. Enum. p. 87.)
- β. panicula ramis adpressis.
(*Alopecurus paniceus* L.)
6. miliacea L. Europa. 4.
(*Milium multiflorum* W. Enum. p. 94.)
7. tenuiflora W. America. bor. 4.
- 7a. sobolifera Mühlenb. America bor. 4. En. p. 95.
- 7b. filiformis W. Ibid. 4. Enum. p. 95.
- α. paniculis viridibus.
- β. paniculis rubicundis.
(*A. foliosa* Hortulanorum.)
8. bromoides L. Monspeli. 4.
9. arundinacea L. Europa. 4.
(*Arundo sylvatica* Enum. p. 128.)
10. Calamagrostis L. Europa. 4.
(*Arundo speciosa* Enum. p. 128.)
11. serotina L. Italia, Tyrol, Istria, Hungaria. 4.
(*Festuca serotina* Enum. p. 117.)
12. rubra L. Europa.
13. stricta W. America. bor.
14. ovata Forster. Nova Zeelandia.
15. Matrella L. Malabar.
16. canina L. Europa. 4.
(*Trichodium caninum* Schrader. — Enum. p. 97.)
17. alpina L. Alpes Europae. ☉.
(*Trichodium alpinum* Schrader. — Enum. p. 98.)
18. rupestris Allion. Italia, Helvetia. ☉.
19. compressa W. Germania.
(*A. dubia* Leers, Roth.)
20. vinealis Schreber. Germania. 4.
β. gigantea Roth.
γ. aristis calyce longioribus Roth.
- ** Muticae.
21. stolonifera L. Europa. 4.
- 21a. vulgaris Smith. Europa. 4. Enum. p. 96.
22. capillaris L. Lapponia. ☉.?

23. *hisipida* W. Europa. 4.
 (*A. capillaris* nonnull. auct.)
24. *scabra* W. America bor.
25. *anomala* W. Ibid. 4.
 (*Trichodium decumbens* Michaux. — Enum. p. 98.)
26. *diandra* Retz. India.
27. *sylvatica* L. Europa.
28. *alba* L. Europa. 4.
29. *pumila* L. Europa. 4.
30. *ciliata* Thunb. Japonia.
31. *capensis* Thunb. Cap. b. sp.
32. *tremula* W. India. 4.
 (*A. juncea* La Marck.)
33. *minima* L. Europa.
 (*Knappia agrostidea* Smith.)
34. *virginica* L. Virginia, Jamaica. 4.
35. *pungens* Vahl. Europa, Oriens. 4.
36. *spicata* Vahl. Arabia. 4.
37. *mexicana* L. America calid. 4.
38. *verticillata* Villars. Gallia. 4.
39. *coromandelina* Retz. Malabar, Arabia.
40. *tenacissima* L. India orient. 4.
41. *purpurascens* Swartz, Jamaica.
42. *indica* L. India occid. ☉.
43. *procera* Retz. Malabar.
44. *linearis* Retz. India.
 (*Cynodon linearis* Enum. p. 90.)
45. *lenta* Aiton. India. ☉.
46. *stellata* W. Ins. St. Helena. 4.
 (*Cynodon stellatus* Enum. p. 90.)
132. AIRA. Schmolen. T. I. p. 876.

* *Muticae.*

1. *arundinacea* L. Oriens.
2. *minuta* L. Hispania. ☉.
3. *aquatica* L. Europa. 4.
4. *involuta* Cavendish. Hispania. ☉.
44. *glauca* Schrader. Germania. 4. Enum. p. 100.

4^b. *femineutra* *Waldstein. et Kit.* Hungaria. 4.
Enum. p. 100.

** *Aristatae.*

5. *pubescens* *Vahl.* Gallia, Italia, Africa. 4.
(*Phalaris pubescens.* La Marck, Gerard ect.).
 6. *subspicata* *L.* Alpes Europae, 4.
 7. *cespitosa* *L.* Europa. 4.
 8. *flexuosa* *L.* Europa. 4.
 9. *montana* *L.* Alpes Europae. 4.
 10. *alpina* *L.* Alpes Europae.
 11. *antarctica* *Forster.* Nova - Zeelandia.
 12. *canescens* *L.* Europa. 4.
 13. *chinensis* *Retz.* China.
 14. *praecox* *L.* Europa. ☉.
 15. *caryophyllea* *L.* Europa, Oriens. ☉.
 - 15^a. *pulchella* *W.* Hispania. ☉. Enum. p. 101.
 16. *setacea* *Retz.*
133. MELICA. *Perlgras.* T. I. p. 381.
1. *ciliata* *L.* Europa, 4.
 - 1^a. *Bauhini* *Allion.* Comit. Nicaeensis. 4. Enum.
p. 101.
 2. *gigantea* *Thunb.* Cap. b. sp. 4.
(*Aira villosa* *L.*)
 3. *geniculata* *Thunb.* Ibid.
 4. *decumbens* *Thunb.* Ibid.
 5. *racemosa* *Thunb.* Ibid.
 6. *nutans* *L.* Europa. 4.
 7. *uniflora* *Retz.* Europa. 4.
(*M. nutans* *Pollich.* — *M. Lobelii* *Villars.*)
 8. *ramosa* *Thunb.* Cap. b. sp. 4.
 9. *capensis* *Thunb.* Ibid.
 10. *minuta* *L.* Italia.
 11. *coerulea* *L.* Europa. 4.
 12. *papilionacea* *L.* Brasilia.
 13. *altissima* *L.* Sibiria, Hungaria. 4.
 - 13^a. *speciosa* *Mühlenberg.* Pennsylvania, Virginia,
Carolina, Florida. 4. Enum. p. 102.

(*M. altissima* β. W. sp. pl. — *M. glabra* Michaux.)

134. POA. Rispengras. T. I. p. 385.

1. aquatica L. Europa. 4.

2. alpina L. Alpes Europae. 4.

γ. variegata Scheuchz.

2a. vivipara W. Ibid. 4. Enum. p. 103.

(*P. alpina* β. *vivipara* W. Sp. pl.)

3. laxa Haenke Alpes Europae. 4.

4. biflora Retz. India.

5. hirta Thunb. Japonia.

6. trivialis L. Europa. 4.

7. angustifolia L. Europa. 4.

β. trivialis Leers.

8. pratensis L. Europa. 4.

8a. serotina Schrauer. Europa 4. Enum. p. 105.

(*P. fertilis* Host. — *P. palustris* Roth.)

8b. glauca Fl. dan. Finmarkia. 4. Enum. p. 105.

9. ferruginea Thunb. Japonia.

10. cilianensis Allion. Italia.

11. nervata W. America bor. 4.

(*P. striata* Michaux.)

11a. festucaeformis Host. Dalmatia. 4. Enum.

pag. 105.

12. trinervata Ehrhart. Europa. 4.

β. sylvatica Pollich.

13. sudetica Haenke. Germania, Bohemia, Sile-

sia, Tyrol, Moravia. 4.

14. rubens Moench. Hassia. 4.

15. anceps Forster. Nova Zeelandia.

16. annua L. Europa. ☉

17. flava L. Virginia.

18. barbata Thunb. Japonia. ☉

19. pilosa L. Italia, Hispania, Germania. ☉

20. palustris L. Europa.

21. glutinosa Swartz. Jamaica.

22. prolifera Swartz. Ins. Carib.

23. amabilis L. India.

24. *Eragrostis* L. Europa. ☉.
25. *bādensis* Haenke. Germania, Italia, Austria. 2.
(*P. Molineri* Balbis.)
- 25a. *cenisia* Schrad. Alpes Europ. 2. Enum. p. 102.
26. *cynosuroides* Retz. Aegyptus, India.
| (*Briza bibinnata* L.)
27. *unioloides* Retz. - India.
28. *racemosa* Thunb. Cap. b. sp.
29. *cyperoides* Thunb. Ibid.
30. *verticillata* Cavanil. Hispania. ☉.
31. *abyssinica* Jacq. Abyssinia. ☉.
- 31a. *aegyptiaca* W. Aegyptus. ☉. Enum. p. 107.
32. *capillaris* L. Virginia, Canada, Jamaica. ☉.
33. *japonica* Thunb. Japonia.
34. *malabarica* L. India.
35. *chinensis* L. India, Ins. Ind. occid.
36. *punctata* L. Malabar.
37. *nutans* Retz. India.
38. *tenella* L. India.
39. *maritima* Ait. Europa. 2.
40. *rigida* L. Europa. ☉.
- 40a. *procumbens* Smith. Anglia. ☉. Enum. p. 107.
41. *spinosa* Thunb. Cap. b. sp. 2.
(*Festuca spinosa* L.)
42. *compressa* L. Europa, America sept. 2.
43. *farmentosa* Thunb. Cap. b. sp.
44. *striata* Thunb. Ibid.
45. *amboinensis* L. India.
46. *viscosa* Retz. Malabar. 2.
47. *nemoralis* L. Europa. 2.
48. *contracta* Retz. India.
49. *filiformis* Thunb. Cap. b. sp.
50. *bulbosa* L. Europa. 2.
α. *Xerampelinum* Lobel.
β. *panicula crispa* Bauhin.
γ. *radice ascalonica* Vaill.
51. *disticha* Jacq. Alpes Europae. 2.

(*Poa jesleroides* Allion.)

52. *bifaria* Vahl. India orient.
 53. *bromoides* Vahl. Lima?
 54. *spicata* L. Lusitania.
 55. *distans* L. Germania, Anglia. 4.
 (*P. falina*. Pollich. Roth.)
 55a. *elongata* W. India orient. 4.
 56. *divaricata* Gouan. Monspelii. ☉.
 57. *cristata* Pollich. Europa. 4.
 (*Aira cristata* L. — Enum. p. 100.)
 58. *peruviana* Jacq. Peru. ☉.
 59. *glomerata* Thunb. Cap. b. sp.
 60. *ciliaris* L. Jamaica. ☉.
 60a. *Boryana* W. Ins. Borbonia et Mauritii.
 Enum. p. 109.
 60b. *riparia* W. India orient. Enum. p. 109.
 61. *plumosa* Retz. India.
 135. BRIZA, Zittergras. T. I. p. 403.
 1. *minor* L. Europa, Cap. b. sp. ☉.
 2. *virens* L. Oriens, Hispania. ☉.
 3. *media* L. Europa. 4.
 4. *geniculata* Thunb. Cap. b. sp.
 5. *capensis* Thunb. Ibid.
 (*Poa brizoides*. L.)
 6. *maxima* L. Italia, Hispania, Gallia, India,
 Cap. b. sp. ☉.
 β. *monspessulana* Gouan.
 7. *Eragrostis* L. Europa. ☉.
 136. UNIOIA. Spitzgras. T. I. p. 406.
 1. *paniculata* L. Carolina.
 2. *mucronata* L. India.
 3. *spicata* L. Sibiria, Hispania.
 3a. *latifolia* Michaux. Pennsylvania. 4. Enum.
 pag. 110.
 137. DACTYLIS. Knaplgras. T. I. p. 407.
 1. *cynosuroides* L. America. bor. 4.
 (*Spartina cynosuroides* W. Enum. p. 80.)

2. *stricta* Aiton. Anglia, Lusitania. 2.
3. *capitata* Forster. Ins. Novi Anni. 2.
4. *glomerata* L. Europa. 2.
 β . *vivipara* Pollich.
- 4^a. *glaucescens* W. Venetiis 2. Enum. p. 111.
- 4^b. *hispanica* Roth. Hispania. 2. Enum. p. 111.
5. *littoralis* W. Europae. litt. mar. 2.
(Poa littoralis Vahl. Gouan.)
6. *laevis* Thunb. Cap. b. sp. 2.
(D. capitata L.)
7. *villosa* Thunb. Ibid.
8. *ferrata* Thunb. Ibid.
9. *ciliaris* L. Ibid.
10. *hispida* Thunb. Ibid.
11. *geniculata* Burman. Java.
12. *brevifolia* Koenig. Malabar. 2.
13. *lagopoides* Burman. Malabar.
14. *pungens* Schreber. Barbaria.
- 137^a. SESLERIA. Enum. p. 111.
 1. *elongata* Schrader. Austria. 2. Enum. p. 112.
138. CYNOSURUS. Kammgras. T. I. p. 411.
 1. *cristatus* L. Europa. 2.
 2. *falcatus* Thunb. Cap. b. sp. 2.
(Melica Falx L.)
 3. *echinatus* L. Europa, Oriens. ☉.
 4. *erucaeformis* Aiton. Europa. 2.
(Phalaris erucaeformis L. — Beckmannia erucaefor-
mis Enum. p. 88.
 5. *paniculatus* Thunb. Cap. b. sp.
 6. *Lima* L. Hispania. ☉.
 7. *durus* L. Europa. ☉.
 8. *retroflexus* Vahl. India orient. ☉.
(Dactylis paspaloides Enum. p. 111.)
 9. *sphaerocephalus* Wulfen. Alpes Europae. 2.
 10. *caeruleus* L. Europa. 2.
(Sesleria caerulea. Arduini. — Enum. p. 112.)
 11. *Uniolae* L. Cap. b. sp.

12. *filiformis* Vahl. India.
13. *monostachyos* Vahl. India orient.
14. *coracanus* L. India. orient. ☉.
(*Eleusine coracana* Enum. p. 112.)
15. *floccifolius* Forskål. Arabia.
16. *penicillatus* Vahl. India orient.
17. *palpaloides* Vahl. Cap. b. sp.
(*Chloris petraea* Thunb.)
18. *aegyptius* L. Africa, Asia, America. ☉.
19. *indicus* L. Indiae. ☉.
(*Eleusine indica* Enum. p. 113.)
20. *virgatus* L. Jamaica. 24.
(*Eleusine virgata*. Enum. p. 113.)
- 20^a. *domingensis* Jacq. 24.
(*Eleusine domingensis* Enum. p. 113.)
21. *aureus* L. Europa. ☉.
139. **FESTUCA**. Schwingel. T.I. p. 418.
* *Panicula secunda*.
1. *bromoides* L. Europa. ☉.
2. *tenella* W. America boreal. ☉.
- 2^a. *tenuifolia* Schrader. Germania, Anglia, Gal-
lia. 24. Enum. p. 113.
3. *ovina* L. Europa. 24.
β. *F. hirsuta* Host. — Enum. p. 114.
- 3^a. *vivipara* L. Europa. 24.
4. *rubra* L. Europa. 24.
5. *pumila* Villars, Alpes Europae. 24.
6. *amethystina* L. Europa. 24.
- 6^a. *glauca* Schrader. Europa. 24. Enum. p. 114.
(*F. pallens* Host.)
- 6^b. *flavescens* Host. Banatus, Italia. 24.
β. *floribus aristatis*.
- 6^c. *pumila* Host. Alpes Austriae, Syriae, Salis-
burgi. 24.
7. *reptatrix* L. Arabia, Palaestina. 24.
8. *heterophylla* Jacq. Alpes Europae. 24.
9. *duriuscula* L. Europa. 24.

10. *dumetorum* L. Europa. 4.
11. *Myurus* L. Europa, Barbaria. ☉. ♂.
12. *sciuroides* Roth. Germania. ☉.
13. *uniglumis* Aiton. Anglia. ☉.
14. *spedicea* L. Alpes Europae. 4.
(*Poa Gerardi* Allion.)
15. *scabra* Vahl. Cap. b. sp.
- 15^a. *unioloides* W., Carolina. ☉. Enum. p. 115.
- 15^b. *vaginata* Waldstein et Kit. Hungaria. 4.
Enum. pag. 116.
- 15^c. *nutans* Sprengel. America bor. 4. Enumer.
pag. 116.
- 15^d. *tenuiflora* Schrader, Istria. ☉. Enum. p. 118.
(*Triticum tenellum* Host.)
- ** *Panicula aequali*.
16. *fusca* L. Palaestina.
17. *decumbens* L. Europa. 4.
18. *pauciflora* Thunb. Japonia.
19. *elatio* L. Europa. 4.
β. *locustis tumidis* Bauhin.
20. *fluitans* L. Europa. 4.
(*Poa fluitans* Enum. p. 103.)
β. *vivipara* Leers.
21. *loliacea* W. Europa. 4.
(*F. elongata* Ehrhart.)
22. *cristata* L. Lusitania, Hispania, Barbaria,
Gallia. ☉.
(*Festuca phleoides* Schrader.)
23. *misera* Thunb. Japonia.
24. *indica* Retz. India orient.
25. *calycina* L. Hispania. ☉.
26. *pungens* Vahl. Arabia. 4.
- 26^a. *diandra* Michaux. Kentucky. 4. Enumer.
pag. 116.
- 26^b. *pratensis* Schrader. Europa. 4. Enum. p. 116.
- 26^c. *Alopeucuros* Schousboe. Barbaria. ☉.
- 26^d. *polystachya* Michaux. America bor. ☉.

- 26^e. *divaricata* Desfont. Barbaria. ☉.
 26^f. *rigida* Roth. Hispania. ☉. Enum. p. 119.
 140. **BROMUS**. Trespe. T. I. p. 428.
 1. *secalinus* L. Europa. ☉.
 2. *multiflorus* Weigel. Europa. ☉.
 (*B. hordeaceus* L.)
 3. *mollis* L. Europa. ☉. ♂.
 3^a. *nanus* Weigel. Europa. ☉.
 4. *pectinatus* Thunb. Cap. b. sp.
 5. *lanceolatus* Roth. Ad mare Caspicum. ☉.
 6. *alopecurus* Poiret. Barbaria.
 β. *locustis crassis* Buxbaum. Hispania.
 7. *squarrosus* L. Europa. ☉.
 8. *japonicus* Thunb. Japonia. ☉.
 9. *bifidus* Thunb. Ibid.
 10. *purgans* L. Canada, Pennsylvania. 4.
 10^a. *pubescens* Mühlenberg. Pennsylvania. 4.
 Enum. p. 120.
 11. *catharticus* Vahl. Lima 4.
 12. *inermis* L. Europa. 4.
 13. *asper* L. Europa. 4.
 14. *littorens* Retz. Europa. 4.
 15. *ciliatus* L. Canada. 4.
 16. *sterilis* L. Europa. ☉.
 17. *arvensis* L. Europa. ☉.
 18. *geniculatus* L. Lusitania. ☉.
 (*Festuca geniculata* Enum. p. 118.)
 19. *tectorum* L. Europa. ♂. ☉.
 20. *giganteus* L. Europa. 4.
 β. *glaber* Haller No. 1506.
 21. *rubens* L. Hispania. ☉. ♂.
 22. *scoparius* L. Ibid.
 23. *rigens* L. Lusitania.
 24. *racemosus* L. Europa.
 25. *triflorus* L. Europa.
 26. *madritensis* L. Hispania, Anglia, Italia. ☉.
 27. *rigidus* Roth. Hispania. ☉.

28. *ramosus* L. Europa, Oriens. 24.
(*B. Plukenetii* Allion.)
29. *gracilis* Weigel. Europa. 24.
(*Festuca gracilis*. Enum. p. 118.)
30. *pinnatus* L. Europa. 24.
(*Festuca pinnata*. Enum. p. 117.)
31. *cristatus* L. Sibiria, Tartaria. 24.
32. *distachyos* L. Europa, Oriens. ☉.
(*Festuca distachya*. Enum. p. 118.)
33. *stipoides* L. Majorca. ☉.
141. STIPA. Pfriemengras. T. I. p. 440.
1. *pennata* L. Europa. 24.
 2. *junceae* L. Europa. ♂.
 3. *capillata* L. Europa. 24.
 4. *Aristella* L. Gallia. 24.
 5. *paleacea* Poiret. Tuneti, in Aegypto, Guinea.
 6. *tenacissima* L. Hispania. 24.
 - 6a. *tortilis* Desfont. Lusitan. Barbar. ☉. En. p. 9.
 7. *capensis* Thunb. Cap. b. sp. 24.
 8. *spicata* L. Ibid.
 9. *bicolor* Vahl. Brasilia.
 10. *avenacea* L. Virginia.
 11. *membranacea* L. Hispania.
142. AVENA. Hafer. T. I. p. 443.
1. *sibirica* L. Sibiria. 24.
 2. *elatior* L. Europa. 24.
 - 2a. *bulbosa* W. Europa. 24.
 3. *stipiformis* L. Cap. b. sp.
 4. *aristidoides* Thunb. Cap. b. sp.
 5. *trifeta* Thunb. Ibid.
 6. *pallida* Thunb. Ibid.
 7. *pensylvanica* L. Pennsylvania.
 8. *loeflingiana* L. Hispania. ☉.
 9. *brevis* Roth, Germania. ☉.
 10. *alba* Vahl. Tuneti.
 11. *strigosa* Schreber. Europa. ☉.
 12. *orientalis* Schreber. Austria, Oriens. ☉.

13. *fativa* L. Ins. Juan Fernandez. ☉.
 - β. *hosculis omnibus muticis* Enum. p. 123.
 - α. *semine falso* Enum. p. 123.
14. *Forfkålei* Vahl. Aegyptus.
15. *nuda* L. Austria. ☉.
16. *fatua* L. Europa. ☉.
17. *elephantina* Thunb. Cap. b. sp.
18. *sesquitertia* L. Europa. 4.
19. *lutea* L. Martinica.
20. *tenuis* Moench. Germania. ☉.
 (A. *dubia* Leers.)
- 20a. *parviflora* Desfont. Europa austr. Barbaria,
 ☉. Enum. p. 123.
- 20b. *neglecta* Savi. Italia, Hispania. ☉. En. p. 124.
21. *pubescens* L. Europa, Sibiria. 4.
- 21a. *planiculmis* Schrader. Silesia, Moravia,
 Hungaria. 4. Enum. p. 124.
- 21b. *alpestris* Host. Alpes austriacae. 4.
22. *sterilis* L. Hispania, Italia. ☉.
23. *flavescent* L. Europa. 4.
24. *lupulina* L. Cap. b. sp.
25. *purpurea* L. Ibid.
26. *antarcta* Thunb. Ibid.
27. *fragilis* L. Hispania, Lusitania. ☉.
28. *hispida* L. Cap. b. sp.
 (A. *capensis*. Burman.)
29. *pratensis* L. Europa. 4.
30. *versicolor* Villars. Alpes Europae. 4.
 (A. *Scheuckzeri*, Allion.)
31. *distichophylla* Villars. Alpes Europae. 4.
- 31a. *argentea* W. Ibid. 4. Enum. p. 125.
 (Avena *distichophylla* Schrader.)
32. *filiformis* Forster. Nova-Zeeland. Ins.
 Paschatis.
33. *spicata* L. Pennsylvania. 4.
 - β. *calycina* Villars. Delphinatus.
34. *bromoides* Gouan. Alpes Europae.

143. LAGURUS. Sammetgras. T. I. p. 453.

1. ovatus L. Europa. merid. ☉.

144. ARUNDO. Rohr. T. I. p. 454.

1. Donax L. Europa. 2.

β. versicolor Morison.

2. Phragmites L. Europa. 2.

β. media Scheuchz.

3. bifaria Retz. India orient.

4. benghalensis Retz. Benghala.

5. tenax Vahl. Mauritania. 2.

(*A. mauritanica* Poiret.)

- 5a. festucacea W. Prope Berolinum. 2. Enum. pag. 126.

6. Karka Retz. India orient.

7. conspicua Forster. Nova - Zeelandia.

8. epigejos L. Europa. 2.

- 8a. littorea Schrader. Ins. Danubial., Austria. 2.

Enum. pag. 127.

- 8b. stricta Schrad. Germania. 2. Enum. p. 127.

- 8c. acutiflora Schrader. Ibid. 2. Enum. p. 127.

- 8d. confinis W. America bor. 2. Enum. p. 127.

9. Calamagrostis L. Europa. 2.

10. colorata Aiton. Europa. 2.

(*Phalaris arundinacea* L. — Enum. p. 84.)

β. folio variegato Bauhin.

11. arenaria L. Europa, America. 2.

145. PAPPOPHORUM. Federgras. T. I. p. 458.

1. alopecuroideum Vahl. America. 2.

146. ARISTIDA. Dreygranne. T. I. p. 458.

1. adscensionis L. Jamaica, Ins. Adscensionis. 2.

(*A. paniculata* Forsk.)

2. americana L. America calid.

3. gigantea L. Teneriffa.

- 3a. canariensis W. In Canariis. ☉. Enum. p. 99.

- 3b. divaricata Humboldt et Bonpl. Mexico. 2.

Enum. p. 99.

4. Hystrix L. Malabar, Cap. b. sp.

5. *vestita* Thunb. Cap. b. sp.
6. *plumosa* L. Armenia, 2.
(*A. lanata* Forsk.)
7. *capensis* Thunb. Cap. b. sp.
(*Avena capensis* L.)
8. *fetacea* Retz. Malabar.
9. *depressa* Retz. Malabar.
10. *arundinacea* L. India orient.
147. **LOLIUM** Ldlch. T. I. p. 461.
 1. *perenne* L. Europa. 2.
 14. *arvense* Smith. Anglia, Germania. ☉.
 2. *tenuis* L. Europa. 2.
 3. *temulentum* L. Europa. ☉.
β. *sine aristis* Bauhin.
 4. *maximum* W. Jamaica. ☉.
 5. *distachyon* L. Malabar.
148. **ROTTBOELLIA** Rottboellie. T. I. p. 463.
 1. *incurvata* L. Europa. ☉.
(*Aegylops incurvata* L.)
 2. *filiformis* Roth. Europa austr. 2.
 24. *pannonica* Host. Hungaria. ☉. Enum. p. 129.
(*R. biflora* Persoon.)
 3. *cylindrica* W. Europa.
 4. *Thomaea* W. Tranquebar.
(*Nardus Thomaea* L.)
 5. *repens* Forster. Ins. maris pacifici.
 6. *laevis* Retz. Tranquebar.
 7. *pilosa* W. Malabar.
 8. *compressa* L. In Indiis.
 9. *hirsuta* Vahl. Aegyptus. 2.
 10. *Cymbachne* W. Benghalia.
(*Cymbachne ciliata* Retz.)
 11. *Coelorachis* Forster. Tanna.
 12. *dimidiata* L. India.
 13. *exaltata* L. In Indiis.
 14. *corymbosa* L. Malabar.
(*R. punctata* Retz.)

15. *muricata* Retz. India orient.
 16. *sanguinea* Retz. China.
149. ELYMUS. Haargras. T. I. p. 467.
1. *arenarius* L. Europae littor. maris. 4.
 2. *geniculatus* Smith. Anglia. 4. Enum. p. 130.
 3. *fabulosus* Bieberst. Tauria, Caucasus. 4.
 Enum. p. 130.
 4. *giganteus* Vahl.
 5. *sibiricus* L. Sibiria. 4.
 β. *spiculis ternis* Gmelin.
 6. *tener* L. Sibiria. 4.
 7. *philadelphicus* L. Philadelphia. 4.
 8. *canadensis* L. Canada. 4.
 9. *glaucifolius* Mühlenb. Pennsylvania. 4. Enum.
 pag. 131.
 10. *caninus* L. Europa. 4.
 (*Triticum caninum* Enum. p. 134.)
 11. *villosus* Mühlenb. Pennsylvania. 4. Enum. p. 131.
 12. *virginicus* L. Virginia, Pennsylvania. 4.
 13. *striatus* W. America boreal. 4.
 14. *europaeus* L. Europa. 4.
 15. *Caput medusae* L. Lusitania, Hispania,
 Hungaria. ♂.
 16. *Hystrix* L. Oriens, Sibiria. ☉.
 (*Asperella Hystrix* Humboldt. — Enum. p. 132.)
150. SECALE. Roggen. T. I. p. 471.
1. *cereale* L. Creta, in deserto Caucasico-caspico. ☉. ♂.
 β. *spicis ramosis* Haller.
 2. *villosum* L. Europa, Oriens. ☉.
 3. *orientale* L. Archipelag.
 4. *creticum* L. Creta.
151. HORDEUM. Gerste. T. I. p. 472.
1. *vulgare* L. Sicilia, Russia. ☉.
 β. *coeleste* L.
 γ. *feminibus nigris* W.
 2. *hexastichon* L. ☉.

3. distichon L. Tartaria. ☉.
4. Zeocriton L. ☉.
5. bulbosum L. Italia, Oriens. 4.
6. nodosum L. India.
7. murinum L. Europa. ☉.
8. fecalinum Schreber. Europa. ☉.
(*H. murinum* β. L.)
9. maritimum Vahl. Europa, Barbaria. ☉.
(*H. geniculatum* Allion.)
10. jubatum L. Smyrnae. ☉.
152. TRITICUM. Weizen. T. I. p. 476.
* *Annua*.
 1. aestivum L. Apud Baschiros. ☉.
 2. hybernum L. ♂.
 3. compositum L. Aegyptus. ☉.
 4. turgidum L. ♂. ☉.
 5. polonicum L. ☉.
 6. Spelta L. ♂. ☉.
 7. monococcum L. Tauria, Caucasus. ☉
 - 7a. patulum W. Aegyptus. ☉. Enum. p. 134.
(*T. squarrosus* Roth. — *Secale pungens* Persoon.)
 8. hispanicum L. Hispania. ☉.
 9. prostratum L. In desertis Caspicis. ☉.
 10. pumilum L. Sibiria.
- ** *Perennia*.
 11. junceum L. Europa, Oriens. 4.
 12. distichum Thunb. Cap. b. sp.
 13. repens L. Europa. 4.
 14. maritimum L. Europae marit.
 15. tenellum L. Europa. ☉.
 - 15a. sibiricum W. Sibiria. 4. Enum. p. 135.
 - 15b. densiflorum W. Ibid. 4. Enum. p. 135.
 - 15c. rigidum Schrader. Imp. Austriacum, Helvetia. 4. Enum. pag. 135.
154. pectinatum Bieberst. Tauria. 4. Enumer.
pag. 135.
(*T. cristatum* Persoon.)

15. *muricata* Retz. India orient.
 16. *sanguinea* Retz. China.
149. ELYMUS. Haargras. T. I. p. 467.
 1. *arenarius* L. Europae littor. maris. 4.
 1a. *geniculatus* Smith. Anglia. 4. Enum. p. 130.
 1b. *fabulosus* Bieberst. Tauria, Caucasus. 4.
 Enum. p. 130.
 2. *giganteus* Vahl.
 3. *sibiricus* L. Sibiria. 4.
 β. *spiculis ternis* Gmelin.
 4. *tener* L. Sibiria. 4.
 5. *philadelphicus* L. Philadelphia. 4.
 6. *canadensis* L. Canada. 4.
 6a. *glaucifolius* Mühlenb. Pennsylvania. 4. Enum.
 pag. 131.
 7. *caninus* L. Europa. 4.
 (*Triticum caninum* Enum. p. 134.)
 7a. *villosus* Mühlenb. Pennsylvania, 4. Enum. p. 131.
 8. *virginicus* L. Virginia, Pennsylvania. 4.
 9. *striatus* W. America boreal. 4.
 10. *europaeus* L. Europa. 4.
 11. *Caput medusae* L. Lusitania, Hispania,
 Hungaria. ♂.
 12. *Hystrix* L. Oriens, Sibiria. ☉.
 (*Asperella Hystrix* Humboldt. — Enum. p. 132.)
150. SECALE. Roggen. T. I. p. 471.
 1. *cereale* L. Creta, in deserto Caucasico-cas-
 pico. ☉. ♂.
 β. *spicis ramosis* Haller.
 2. *villosum* L. Europa, Oriens. ☉.
 3. *orientale* L. Archipelag.
 4. *creticum* L. Creta.
151. HORDEUM. Gerste. T. I. p. 472.
 1. *vulgare* L. Sicilia, Russia. ☉.
 β. *coeleste* L.
 γ. *feminibus nigris* W.
 2. *hexastichon* L. ☉.

3. distichon L. Tartaria. ☉.
4. Zeocriton L. ☉.
5. bulbosum L. Italia, Oriens. 4.
6. nodosum L. India.
7. murinum L. Europa. ☉.
8. fecalinum Schreber. Europa. ☉.
(*H. murinum* β. L.)
9. maritimum Vahl. Europa, Barbaria. ☉.
(*H. geniculatum* Allion.)

10. jubatum L. Smyrnae. ☉.

152. TRITICUM. Weizen. T. I. p. 476.

* *Annua.*

1. aestivum L. Apud Baschiros. ☉.
2. hybernum L. ♂.
3. compositum L. Aegyptus. ☉.
4. turgidum L. ♂. ☉.
5. polonicum L. ☉.
6. Spelta L. ♂. ☉.
7. monococcum L. Tauria, Caucasus. ☉
- 7a. patulum W. Aegyptus. ☉. Enum. p. 134.
(*T. squarrosum* Roth. — *Secale pungens* Persoon.)
8. hispanicum L. Hispania. ☉.
9. prostratum L. In desertis Caspicis. ☉.
10. pumilum L. Sibiria.

** *Perennia.*

11. junceum L. Europa, Oriens. 4.
12. distichum Thunb. Cap. b. sp.
13. repens L. Europa. 4.
14. maritimum L. Europae marit.
15. tenellum L. Europa. ☉.
- 15a. sibiricum W. Sibiria. 4. Enum. p. 135.
- 15b. densiflorum W. Ibid. 4. Enum. p. 135.
- 15c. rigidum Schrader. Imp. Austriacum, Helve-
tia. 4. Enum. pag. 135.
- 15d. pectinatum Bieberst. Tauria. 4. Enumer.
pag. 135.
(*T. cristatum* Persoon.)

16. *unioloides* Aiton. Italia, Sicilia, Barbaria. 4.
 (*Poa sicula* Jacq.)
 17. *loliaceum* Smith. Anglia. ☉.
 18. *unilaterale* L. Europa austral.
 153. LAPPAGO. Stachelgras. T. I. p. 484.
 1. *racemosa* W. Europa, Arabia, India. ☉.
 (*Cenchrus racemosus* L.)

TRIGYNIA.

154. ERIOCAULON. Eckhalm. T. I. p. 485.
 1. *triangulare* L. Brasilia.
 2. *quinquangulare* L. India. 4.
 3. *sexangulare* L. India. 4.
 4. *seraceum* L. India.
 5. *decangulare* L. America sept.
 6. *repens* La Marck. Ins. Bourbon.
 7. *fasciculatum* La Marck. Gujana.
 8. *umbellatum* La Marck. Ibid.
 155. MONTIA. Montie. T. I. p. 487.
 1. *fontana* L. Europa. ☉.
 β. *major* Micheli.
 156. PROSERPINAEA. Hinlauf. T. I. p. 488.
 1. *palustris* L. Virginia.
 157. HOLOSTEUM. Spurre. T. I. p. 488.
 1. *cordatum* L. Jamaica, Surinam.
 2. *diandrum* Swartz. Jamaica. ☉.
 3. *succulentum* L. In Noveboraco.
 4. *hirsutum* L. Malabar.
 5. *umbellatum* L. Europa. ☉.
 158. KOENIGIA. Königie. T. I. p. 490.
 1. *islandica* L. Island. ☉.
 159. POLYCARPON. Nagelkraut. T. I. p. 490.
 1. *tetraphyllum* L. Europa austr. ☉.
 160. DONATIA. Donatie. T. I. p. 491.
 1. *fascicularis* Forster. Terra del Fuego. 4.
 (*Polycarpon magellanicum* L.)

161. MOLLUGO. Weichling. T. I. p. 491.

1. oppositifolia L. Zeylon.
2. stricta L. Africa. ☉.
3. hirta Thunb. Cap. b. sp. ☉.
4. pentaphylla L. Zeylon.
5. verticillata L. Virginia. ☉.

162. MINUARTIA. Minuartie. T. I. p. 492.

1. dichotoma L. Hispania. ☉.
2. campestris L. Ibid. ☉.
3. montana L. Ibid. ☉.

163. QUERIA. Querie. T. I. p. 493.

1. hispanica L. Hispania. ☉.
2. canadensis L. Canada, Virginia. 4.
3. trichotoma Thunb. Japonia.

164. LECHEA. Lechea. T. I. p. 495.

1. minor L. Canada. 4.
2. major L. Ibid.
3. verticillata W. India orient. 4.

Classis IV.

T E T R A N D R I A.

M O N O G Y N I A.

165. PROTEA. Silberbaum. T. I. p. 506.

* Pinnatae: foliis pinnatis, filiformibus.

1. decumbens Thunb. Cap. b. sp. 5.
(Protea procumbens L.)
2. florida Thunb. Ibid. 5.
3. cyanoides L. Ibid. 5.
4. patula Thunb. Ibid. 5.
6. pulchella Schrader. Nova Hollandia. 5.
6. sphaerocephala L. Cap. b. sp. 5.
7. Serraria L. Ibid. 5.

- 8. *triternata* Thunb. Ibid. 5.
- 9. *glomerata* L. Ibid. 5.
- 10. *phylicoides* Thunb. Ibid. 5.
- 11. *Lagopus* Thunb. Ibid. 5.
- 12. *spicata* L. Ibid. 5.
- 13. *Sceptrum* L. Ibid. 5.
- 130. *anemonefolia* Salisb. Nova Hollandia. 5.

Enum. p. 138. 1.

(*P. tridactylides* Cavanil.)

** *Dentatae: foliis dentatis, callosis.*

- 14. *crinita* Thunb. Cap. b. sp. 5.
- 15. *Conocarpa* Thunb. Ibid. 5.
- 16. *elliptica* Thunb. Ibid. 5.
- 17. *Hypophylla* Thunb. Ibid. 5.
- 18. *cucullata* Thunb. Ibid. 5.
- 19. *tomentosa* L. Ibid. 5.
- 20. *heterophylla* Thunb. Ibid. 5.

*** *Acerosae: foliis filiformibus subulatis.*

- 21. *pinifolia* L. Cap. b. sp. 5.
- 22. *racemosa* L. Ibid. 5.
- 23. *incurva* Thunb. Ibid. 5.
- 24. *caudata* Thunb. Ibid. 5.
- 25. *bracteata* L. Ibid. 5.
- 26. *comosa* Thunb. Ibid. 5.
- 27. *purpurea* L. Ibid. 5.
- 28. *prolifera* L. Ibid. 5.
- 29. *corymbosa* Thunb. Ibid.
- 30. *nana* Thunb. Ibid. 5.
- 31. *lanata* Thunb. Ibid. 5.

**** *Lineares: foliis linearibus.*

- 32. *torta* Thunb. Cap. b. sp. 5.
- 33. *alba* Thunb. Ibid. 5.

***** *Lanceolatae: foliis ellipticis et lanceolatis.*

- 34. *aulacea* Thunb. Cap. b. sp. 5.
- 35. *umbellata* L. Ibid. 5.
- 36. *linearis* Thunb. Ibid. 5.
- 37. *cinerea* Aiton. Ibid. 5.

(*P. fusciflora* Jacq.)

- 37a. *linifolia* Jacq. Ibid. H. Enum. p. 138.
- 37b. *hirsuta* W. Ibid. H. Enum. p. 139.
- 38. *Scolymus* Thunb. Ibid. H.
- 39. *abyssinica* W. Abyssinia. H.
- 40. *mellifera* Thunb. Cap. bon. sp. H.
- 41. *repens* Thunb. Ibid. H.
- 42. *plumosa* Aiton. Ibid. H.
- 43. *obliqua* L. Ibid. H.
- 44. *parviflora* L. Ibid. H.
- 45. *pallens* L. Ibid. H.
- 45a. *diversifolia* W. Ibid. H. Enum. p. 139.
- 46. *conifera* L. Ibid. H.
- 47. *Levisanus* L. Ibid. H.
- 48. *strobilina* L. Ibid. H.
- 49. *imbricata* L. Ibid. H.
- 50. *sericea* L. Ibid. H.
- 51. *saligna* Thunb. Ibid. H.
- 52. *argentea* L. Ibid. H.

***** Oblongae: *foliis oblongis, ovatis.*

- 53. *acaulis* Thunb. Cap. b. sp. H.
- 54. *myrtifolia* Thunb. Ibid. H.
- 55. *grandiflora* Thunb. Ibid. H.
- 56. *glabra* Thunb. Ibid. H.
- 57. *speciosa* L. Ibid. H.
- 58. *totta* L. Ibid. H.
- 59. *hirta* L. Ibid. H.
- 60. *pubera* L. Ibid. H.
- 61. *divaricata* L. Ibid. H.

***** Rotundatae: *foliis subrotundis.*

- 62. *spathulata* Thunb. Cap. b. sp. H.
- 63. *Cynaroides* L. Ibid. H.
- 64. *cordata* Thunb. Ibid. H.
- 166. BANKSIA. Banksie. T. I. p. 535.
- 1. *ferrata* L. Nova-Hollandia. H.
- 2. *grandis* W. Ibid. H.
- 3. *integrifolia* L. Ibid. H.

4. *pyriformis* *White*. Ibid. 5.

(*Conchium pyriforme* *W.* Enum. p. 141.)

5. *dentata* *L.* Ibid. 5.

6. *spinulosa* *Smith*. Ibid. 5.

7. *ericaefolia* *L.* Ibid. 5.

8. *gibbosa* *White* Ibid. 5.

166. CONCHIUM. Enumer. p. 140.

1. *corniculatum* *Smith*. Nova-Hollandia. 5.

(*Hakea glabra* *Schrader*. — *Hakea pugioniformis* *Persoon*.)

2. *aciculare* *Smith*. Ibid. 5.

3. *gibbosum* *W.* Ibid. 5.

(*Hakea gibbosa* *Persoon*.)

4. *Epiglottis* *W.* Ibid. 5.

(*Hakea Epiglottis* *Billard*.)

5. *pubescens* *W.* Ibid. 5.

6. *clavatum* *W.* Ibid. 5.

(*Hakea clavata* *Billard*.)

7. *ruscifolium* *W.* Ibid. 5.

(*Hakea ruscifolia* *Billard*.)

8. *nervosum* *Smith*. Ibid. 5.

(*Hakea dactyloides* *Persoon*.)

167. RUPALA. *Stinckbusch*. T.I. p. 536.

1. *montana* *Aublet*. Cajenna. 5.

2. *fessilifolia* *Richard*. Cajenna. 5.

168. EMBOTHRUM. *Prachtstrauch*. T.I. p. 537.

1. *speciosissimum* *Smith*. Nova-Hollandia. 5.

2. *coccineum* *L.* Terra del Fuego. 5.

3. *grandiflorum* *La Marck*. Peru. 5.

4. *umbellatum* *L.* Nova Caledonia. 5.

5. *hirsutum* *La Marck*. Peru. 5.

6. *buxifolium* *Smith*. Nova-Hollandia. 5.

7. *sericeum* *Smith*. Ibid.

α. minus.

β. majus.

γ. angustifolium.

7. *salicifolium* *Ventenat*. Ibid. 5. Enum. p. 142.

8. *filiaefolium* Smith. Ibid. 5.
169. GLOBULARIA. Kugelblume. T.I. p. 539.
1. *longifolia* Aiton. Madera. 5.
(*Gl. salicina* La Marck.)
2. *Alypum* L. Europa. austr. 5.
3. *bisnagarica* L. Bisnagarica. 4.
(*Gl. linifolia* La Marck.)
4. *vulgaris* L. Europa. 4.
β. *apula* Tabernem.
γ. *monspeliaca* Tabernem.
5. *spinosa* Tournefort. Granada. 4.
6. *cordifolia* L. Europa merid. 4.
7. *nana* La Marck. Gallia. 5.
8. *nudicaulis* L. Europa merid. 4.
9. *orientalis* Tournef. Natolia. 4.
170. CEPHALANTHUS. Kopfblume. T.I. p. 543.
1. *occidentalis* L. America sept. 5.
171. DIPSACUS. Karten. T.I. p. 543.
1. *fullonum* L. Europa. ♂.
2. *sylvestris* L. Europa. ♂.
3. *laciniatus* L. Europa. ♂.
4. *pilosus* L. Europa. ♂.
172. SCABIOSA, Scabiose. T.I. p. 545.
- * *Corollulis quadrifidis*,
1. *alpina* L. Alpes Europae. 4.
2. *ustulata* Thunb. Cap. b. sp. 4.
3. *rigida* L. Aethiopia. 5.
4. *attenuata* L. Cap. b. sp. 5.
5. *scabra* L. Ibid.
6. *transylvanica* L. Transylvania. ☉.
7. *syriaca* L. Syria. ☉.
β. *flore amethystino* Vaillant.
8. *leucantha* L. Gallia austr. 4.
β. *trenta* Hacquet. Carniolia.
- 8a. *albescens* W. Sibiria. 4. Enum. p. 144.
9. *Succisa* L. Europa. 4.
β. *hirsuta* Bauhin.

10. *integrifolia* L. Gallia, Helvetia. ☉.

10^a. *dichotoma* Ucria. Sicilia, Barbaria. ☉.

Enum. pag. 144.

(*S. parviflora* Desfont.)

10^b. *coriacea* W. Tauria, Caucasus. 4. Enum.

pag. 145.

(*S. cretacea* Bieberst.)

10^c. *centauroides* La Marck, Galloprovincia. 4.

Enum. pag. 145.

11. *amplexicaulis* L. ☉.

12. *humilis* Thunb. Cap. b. sp.

13. *decurrens* Thunb. Ibid.

14. *tatarica* L. Tataria. ♂.

15. *arvensis* L. Europa. 4.

β. *calyce flore longiore* W.

γ. *dubia* Moench.

15^a *montana* Bieberst. Caucasus. ♂. Enum.

pag. 145.

16. *uralensis* Murray. Sibiria. ☉.

17. *sylvatica* L. Europa. 4.

β. *montana* Bauhin.

17^a. *dumetorum* Broussonet. Teneriffa. 5. Enum.

pag. 146.

17^b. *pubescens* Waldst. et Kit. Hungaria. 4.

Enum. pag. 146.

** *Corollulis* quinquefidis.

18. *gramuntia* Sauvages. Monspeli. 4.

19. *Columbaria* L. Europa. 4.

β. *prolifera* Lobel.

19^a. *canescens* Waldst. et Kit. Imp. Austriac.

4. Enum. p. 146.

19^b. *agrestis* Waldst. et Kit. Croatia. ♂. Enum.

pag. 146.

19^c. *lucida* Villars. Sabaudia, Gallia. Enumer.

pag. 147.

19^d. *banatica* Waldst. et Kit. Banatus. ♂. Enum.

pag. 147.

20. *pyrenaica* *Allion.* Alpes Europae. ♂.
21. *ficula* *L.* Sicilia. ☉.
(*S. divaricata* *Jacq.*)
22. *rutaefolia* *Vahl.* Sicilia, Atlant. 4.
23. *maritima* *L.* Italia, Gallia. ☉.
24. *stellata* *L.* Hispania, Lusitania, Barbar. ☉.
25. *prolifera* *L.* Aegyptus, Barbaria. ☉.
26. *atropurpurea* *L.* India orient? ☉.
- 26^a. *caucasica* *Bieberst.* Caucasus, Armenia. 4.
Enum. pag. 148.
27. *argentea* *L.* Italia, Oriens, Russia,
Barbaria. 4.
28. *indurata* *L.* Africa. ♀.
- 28^a. *altissima* *Jacq.* Africa. ♀. Enum. p. 148.
29. *africana* *L.* Africa. ♀.
β. *foliis rugosis et crenatis* *Hermann.*
γ. *foliis tenuissime incisis* *Boerhaav.*
(*S. incisa* *Miller.*)
γ. *foliis lanuginosis* *Breyn.*
30. *monspeliensis* *Jacq.* Monspeli. ♂.
31. *pumila* *L.* Cap. b. sp. 4.
32. *cretica* *L.* Creta. ♀.
β. *auriculae ursi folio* *Tournef.*
33. *limonifolia* *Vahl.* Sicilia. ♀.
34. *graminifolia* *L.* Alpes Europae. 4.
35. *lyrata* *Forsk.* Ad Dardanellos.
36. *palaestina* *L.* Palaestina. 4.
37. *isetensis* *L.* Sibiria.
38. *ucranica* *L.* Ucraina.
39. *ochroleuca* *L.* Europa. ♂.
40. *papposa* *L.* Creta. ☉.
41. *pterocephala* *L.* Graecia? ♀.
173. KNAUTIA. *Knautie.* T. I. p. 561.
 1. *orientalis* *L.* Oriens. ☉.
 2. *propontica* *L.* Oriens. ♂.
 3. *palaestina* *L.* Palaestina. ☉.
 4. *plumosa* *L.* Oriens. ☉.

174. ALLIONIA. Allionie. T. I. p. 563.

1. violacea L. America merid.
2. incarnata L. Ibid. ☉.

175. OPERCULARIA. Deckelpflanze. T. I. p. 563.

1. umbellata Gaertner. Nova-Hollandia.
2. aspera Gaertner. Nova-Zeelandia, Nova-Hollandia. 4.
3. diphylla Gaertner. Ibid.

176. HEDYOTIS. Oehrling. T. I. p. 564.

1. fruticosa L. Zeylon. 5.
2. racemosa La Marck. India orient.
(*Oldenlandia paniculata* L.)

β. foliis ovalibus obtusis W.

3. Auricularia L. Zeylon. 4.
4. hispida Retz. China.
5. maritima L. India orient.
6. pumila L. Tranquebar. ☉.
7. diffusa W. India orient.
8. herbacea L. Zeylon.
9. graminifolia L. India orient. 4.
10. virgata W. Guinea. 4.
11. rupestris Swartz. India occid. 5.
(*H. americana* Jacq.)

11a. lactea W. India orient. ☉. Enum. p. 149.

177. SPERMATOCCE. Zahnwirbel. T. I. p. 568.

1. tenuior L. Carolina, Jamaica. ☉.
2. latifolia Aublet. Cajenna, Gujana.
3. caerulescens Aublet. Ibid.
4. alata Aublet. Ibid.
5. hexagona Aublet. Ibid.
6. prostrata Aublet. Ibid.
7. radicans Aublet. Ibid.
8. longifolia Aublet. Ibid.
9. verticillata L. Jamaica, Africa. 5.
10. sumatrensis Retz. Sumatra.
11. aspera Aublet. India occid.
12. hirta L. Jamaica. ☉.

13. *villosa* Swartz. Ibid. ☉.
14. *hispida* L. Zeylon. ☉.
- 14a. *rubra* Jacq. ☉. Enum. p. 150.
15. *scabra* W. India orient. 4.
16. *articularis* L. Ibid. ☉.
17. *stricta* L. Ibid. ☉.
18. *linifolia* Vahl. Cajenna.
19. *procumbens* L. India.
20. *spinosa* L. America calid.
178. **SHERARDIA.** Sherardie. T. I. p. 574.
 1. *arvensis* L. Europa. 4.
 2. *muralis* L. Italia, Graecia. ☉.
 3. *fruticosa* L. Ins. Ascensionis. 5.
179. **ASPERULA.** Waldmeister. T. I. p. 575.
 1. *odorata* L. Europa. 4.
 2. *hexaphylla* Allion. Pedemon. 4.
 3. *arvensis* L. Europa. ☉.
 4. *taurinensis* L. Europa merid. 4.
 5. *crassifolia* L. Creta, Oriens. 5.
 6. *calabrica* L. Italia, Atlant. 5.
(*Pavetta foetidissima* Cyrillo)
 7. *aristata* L. Europa austral.
 8. *tinctoria* L. Europa. 4.
 - 8a. *montana* Waldst. et Kit. Hungaria. 4.
Enum p. 151.
 9. *pyrenaica* L. Alpes Europae. 4.
 10. *cynanchica* L. Europa, Oriens. 4.
 11. *laevigata* L. Europa austral. 4.
180. **DIODIA.** Diodia. T. I. p. 580.
 1. *virginica* L. Virginia. 4.
 2. *simplex* Swartz. Jamaica.
 3. *verticillata* Vahl. Ins. Crucis.
 4. *prostrata* Swartz. Jamaica, Cumana. 5.
 6. *scandens* Swartz. Hispaniola. 5.
 6. *sarmentosa* Swartz. Jamaica. 5.
181. **HYDROPHYLLAX.** Wassermere. T. I. p. 581.
 1. *maritima* L. India. 4.

182. KNOXIA. Knoxie. T. I. p. 582.

1. zeylonica L. Zeylon.
2. corymbosa W. India orient.

183. CARPHALEA. Dürreblatt. T. I. p. 583.

1. corymbosa W. Madagascar. 5

184. HOUSTONIA. Houstonie. T. I. p. 583.

1. caerulea L. Virginia. 4.
2. longifolia W. America bor. 4.
3. purpurea L. Virginia.

185. GALIUM. Labkraut. T. I. p. 684.

* *Fractu glabro.*

1. rubioides L. Europa. 4.

2. palustre L. Europa. 4.

24. campestre Schousboe. Barbaria. ☉. Enum. pag. 152.

3. trifidum L. Dania, Canada.

4. fruticosum W. Creta. 5.

5. montanum L. Europa. 4.

6. tinctorium L. America sept. 4

7. capense Thunb. Cap. b. sp. 5.

8. mucronatum Thunb. Ibid.

9. expansum Thunb. Ibid.

10. asperum Thunb. Ibid.

11. glabrum Thunb. Ibid.

12. austriacum Jacq. Europa. 4.

(*G. argenteum* Villars. *G. cinereum* Allion.)

13. Bocconi Allion. Europa. 4.

(*G. sylvestre* Pollich.)

14. viscosum Vahl. Barbaria. ☉.

15. saxatile L. Alpes Europae. 4.

16. tenue Villars. Delphinatus. 4.

17. Jussieui Villars. Alpes Europae. 4.

18. pyrenaicum L. Pyrenaeae. 4.

(*G. hypnoides* Villars)

19. minutum L. Ruthenia. 4.

20. pusillum L. Galloprovincia. 4.

21. scabrum Jacq. Austria. 4.

- 22. *verum* L. Europa. 4.
- 23. *Mollugo* L. Europa. 4.
- 24. *sylvaticum* L. Europa. 4.
- 25. *linifolium* Aiton. Europa. 4.
- 25a. *tyrolense* W. Tyrol. 4. Enum. p. 153.
- 26. *rigidum* Aiton. 4.
- 27. *aristatum* L. Italia. 4.
- 28. *hierosolymitanum* L. Palaestina.
- 29. *paschale* Forsk. Constantinopoli.
- 30. *glaucum* L. Europa, Sibiria, Tataria. 4.
- 31. *purpureum* L. Europa merid. 4.
- 32. *rubrum* L. Italia, Palaestina. 4.

(*Galium sprengerianum* I. Baubin.)

** *Fructu scabro.*

- 33. *megalospermum* Allion. In Monte Cenisio.
- 34. *spurium* L. Europa. ☉.
- 35. *harcynicum* Weigel. Germania. 4.
- 36. *uliginosum* L. Europa. 4.
- 36a. *anglicum* Smith. Anglia. ☉. Enum. p. 154.

*** *Fructu hispido.*

- 37. *boreale* L. Europa. 4.
- 38. *rotundifolium* L. Europa, Japonia. 4.
- 39. *bermudianum*. Virginia.
- 40. *ericoides* La Mark. Brasilia.
- 41. *hirtum* La Mark. Brasilia.
- 42. *ruthenicum* W. Ad Wolgam inferiorem. 4.
- 43. *Aparine* L. Europa. ☉.
- 44. *aparinoides* Forsk. Arabia.
- 45. *album* Forsk. Smyrnae.
- 46. *microcarpum* Vahl.
- 47. *parisiense* L. Europa. ☉.
- 47a. *infestum* Waldst. et Kit. Hungaria. ☉. En. p. 154.
- 47b. *hispidum* W. Aegyptus. ☉. Enum. p. 154.

(*G. scaberrimum* Hornem.)

**** *Fructu villoso.*

- 48. *pilosum* Aiton. America bor. 4.
- 49. *maritimum* L. Oriens, Europa.

50. *graecum* L. Creta. 5.
186. CRUCIANELLA. Kreuzblatt. T.I. p. 601.
1. *angustifolia* L. Monspeli. ☉.
 - β. *mucronata* Roth.
 2. *latifolia* L. Creta, Monspeli. ☉.
 3. *aegyptiaca* L. Aegyptus. ☉.
 4. *patula* L. Hispania. ☉.
 5. *ciliata* La Mark. Oriens. ☉.
 6. *pubescens* W. Creta.
 7. *maritima* L. Creta, Monspeli. 5.
 8. *capitata* Billard. Syria. 4.
 9. *monspeliaca* L. Palaestina, Monspeli. ☉.
 - 9a. *molluginoides* Bieberst. Caucasus, Armenia, Hungaria. 4. Enum. p. 155.
187. RUBIA. Roethe. T.I. p. 603.
1. *tinctorum* L. Europa. 4.
 - β. *lativa* Bauhin.
 2. *chilensis* Molina. Chili. 4.
 3. *peregrina* L. Europa austr. et Africa bor. 4.
 4. *lucida* L. Majorca. 5.
 5. *fruticosa* Aiton. Teneriffa. 5.
 6. *angustifolia* L. Minorca.
 7. *cordifolia* L. Cap. b. sp. Europa, China, Japonia. 4.
188. MATTUSCHKAEA. Mattuschkaea. Tom. I. p. 606.
1. *hirsuta* Vahl. Gujana. ☉.
 - (*Perama hirsuta* Aublet.)
189. SIPHONANTHUS. Roehrenblume. T.I. p. 606.
1. *indica* L. America merid.
 2. *angustifolia* W.
190. ROUSSEAUEA, Roussee. T.I. p. 607.
1. *simplex* Smith. Ins. Mauritii. 5.
191. FROELICHIA. Froelichie. T.I. p. 607.
1. *paniculata* Vahl. Ins. Trinitatis. 5.
192. SCOLOSANTHUS. Tutenblume. T.I. p. 607.

1. *versicolor* Vahl. Ins. St. Crucis. H.
(*Catesbaea parviflora* La Marck.)
193. CATESBAEA. Catesbya. T.I. p. 608.
 1. *spinosa* L. Ins. Bahamenses. H.
 2. *parviflora* Swartz. Jamaica. H.
194. IXORA. Ixore. T.I. p. 609.
 1. *coccinea* L. India. H.
 2. *speciosa* W. India orient. H. En. p. 157.
(*I. incarnata* Roxburgh.)
 3. *parviflora* Vahl. India orient. H.
 4. *alba* L. India orient. H.
 5. *americana* L. Jamaica. H.
 6. *fasciculata* Swartz. Ibid. H.
 7. *multiflora* Swartz. Ibid. H.
195. PAVETTA. Scheelkorn. T.I. p. 610.
 1. *indica* L. India. H.
 2. *villosa* Vahl. Arabia fel. H.
 3. *longiflora* Vahl. Ibid. H.
 4. *caffra* L. Cap. b. sp. H.
 5. *pentandra* Swartz. India occid. H.
196. ERNODEA. Aestling. T.I. p. 611.
 1. *littoralis* Swartz. Jamaica. H.
197. SIDERODENDRON. Eisenbaum. T.I.
p. 612.
 1. *triflorum* Vahl. Martinica. 24.
198. PETESIA. Petesie. T.I. p. 612.
 1. *stipularis* L. Jamaica. H.
 2. *carnea* Forster. Ins. Namoka. H.
 3. *tomentosa* Jacq. Carthageria. H.
199. HOFFMANNIA. Hoffmannie. T.I. p. 613.
 1. *pedunculata* Swartz. Jamaica. 24.
200. CHOMELIA. Chomelie. T.I. p. 613.
 1. *spinosa* Jacq. Carthageria. H.
201. PETITIA. Petisie. T.I. p. 614.
 1. *domingensis* Jacq. Domingo. H.
202. MYONIMA. Rattenfras. T.I. p. 614.
 1. *obovata* W. Ins. Bourbon. H.

2. lanceolata *W.* Ibid. *H.*

203. PYROSTRIA. Birnstrich. T. I. p. 614.

1. salicifolia. *La Mark.* Ins. Mauritii. *H.*

204. CUNNINGHAMIA. Cunninghamie. T. I. p. 615.

1. farmentosa *W.* Gujana. *H.*

(*Malanea farmentosa* Aublet.)

2. verticillata *W.* Ins. Mauritii et Bourbon. *H.*

(*Malanea verticillata* La Marck.)

205. Aegiphila. Ziegenstrauch. T. I. p. 615.

1. martinicensis *L.* Martinica. *H.*

2. elata *Swartz.* India. occid. *H.*

3. Nuxia *W.* Ins. Bourbon. *H.*

4. villosa *W.* Cajenna. *H.*

(*Manabea villosa* Aublet.)

5. arborescens *W.* Cajenna, Gujana. *H.*

6. laevis *W.* Gujana. *H.*

7. foetida *Swartz.* Jamaica. *H.*

8. trifida *Swartz.* Ibid. *H.*

206. MITCHELLA. Mitchelle. T. I. p. 617.

1. repens *L.* America bor. *H.*

207. COCCOCYPSILUM. Fachbeere. T. I. p. 618.

1. repens *Swartz.* Jamaica. *H.*

2. uniflorum *W.* Ins. Mauritii. *H.*

(*Fernelia buxifolia* β . La Marck.)

2. biflorum *W.* Ins. Bourbon. *H.*

(*Fernelia buxifolia* α . La Marck.)

208. WALLEINIA. Wallenie. T. I. p. 618.

1. laurifolia *Swartz.* Jamaica, Hispaniola. *H.*

209. CALLICARPA. Schoenbeere. T. I. p. 619.

1. americana *L.* America sept. *H.*

2. cana *L.* Malabar, Cochinchina. *H.*

2^a. tomentosa *W.* *H.* Enum. p. 158.

3. lanata *L.* India. *H.*

4. macrophylla *Vahl.* India. *H.*

5. ferruginea *Swartz.* Jamaica. *H.*

6. reticulata *Swartz.* Ibid. *H.*

7. *longifolia* Vahl. Malacca. H.
8. *integrifolia* Jacq. Carthageria. H.
9. *villosa* Vahl. India orient.? H.
10. *japonica* Thunb. Japonia. H.
210. **AQUARTIA.** Aquartie. T. I. p. 621.
 1. *aculeata* Jacq. America merid. H.
 2. *microphylla* W. H.
211. **WITHERINGIA.** Witheringie. T. I. p. 622.
 1. *solanacea* l'Héritier. America merid. 4.
212. **MYRMECIA.** Ameisenstrauch. T. I. p. 623.
 1. *scandens* W. Gujana. H.
(*Tachia gujanensis* Aublet.)
213. **POLYPREMUM.** Vielast. T. I. p. 623.
 1. *procumbens* L. America sept. O.
214. **LABATIA.** Labatie. T. I. p. 623.
 1. *sessiliflora* Swartz. Hispaniola. H.
 2. *pedunculata* W. Gujana. H.
(*Pouteria gujanensis* Aublet.)
215. **LASIOSTOMA.** Wollenblume. T. I. p. 624.
 1. *cirrrosa* W. Gujana. H.
(*Rouhamon gujanense* Aublet.)
216. **MANETTIA.** Manettie. T. I. p. 624.
 1. *reclinata* L. Mexico. O.
 2. *Lygistum* Swartz. Jamaica. H.
(*Petesia Lygistum* L.)
 3. *coccinea* W. Gujana. H.
(*Nacibea coccinea* Aublet.)
 4. *picta* W. Gujana. H.
(*Nacibea alba* Aublet.)
 5. *lanceolata* Vahl. Arabia. H.
217. **BELLARDIA.** Bellardie. T. I. p. 626.
 1. *repens* W. Cajenna, Gujana. 4.
(*Tontanea gujanensis* Aublet.)
218. **PENAEA.** Penace. T. I. p. 626.
 1. *Sarcocolla* L. Aethiopia. H.
 2. *muconata* L. Ibid. H.
 3. *marginata* L. Cap. b. sp. H.

4. *lateriflora* L. Ibid. 5.
5. *tomentosa* Thunb. Ibid. 5.
6. *fucata* L. Ibid. 5.
7. *squamosa* L. Ibid. 5.
8. *fruticulosa* L. Ibid. 5.
9. *Myrtoides* L. Ibid. 5.
219. BLAERIA *). *Blaerie*. T. I. p. 629.
 1. *ericoides* L. Cap. b. sp. 5.
 2. *scabra* W. Ibid. 5.
(*Erica scabra* Thunb.)
 3. *fasciculata* W. Ibid. 5.
 4. *articulata* L. Ibid. 5.
 5. *purpurea* L. Ibid. 5.
 6. *muscosa* Aiton. Ibid. 5.
 7. *pusilla* L. Ibid. 5.
 8. *glabella* Thunb. Ibid. 5.
 9. *ciliaris* L. Ibid. 5.
220. BUDDLEJA. *Buddleje*. T. I. p. 631.
 1. *americana* L. In *Caribaeis* 5.
 2. *occidentalis* L. *America*. 5.
 3. *globosa* La Marck. *Chili*. 5.
(*B. capitata* Jacq.)
 4. *salvifolia* Aiton. Cap. b. sp. 5.
(*Lantana salvifolia* L.)
 5. *madagascariensis* La Marck. *Madagascar*. 5.
 6. *salicifolia* Vahl. *Bonaria?* 5.
 7. *diversifolia* Vahl. *Java*. 5.
(*B. indica* La Marck.)
 8. *virgata* L. Cap. b. sp. 5.
 9. *incompta* L. Ibid. 5.
 - 9^a. *saligna* W. Ibid. 5. Enum. p. 159.
(*B. salicifolia* Jacq.)
221. EXACUM *Bitterblatt*. T. I. p. 634.
 1. *viscosum* Smith. In *Canariis*. 2. ♂.

*) Cum genere *Ericae* junxis ill. THUNBERG.

2. pedunculatum L. India orient. ☉.
 3. albens L. Cap. b. sp. ☉.
 4. aureum L. Ibid. ☉.
 5. sessile L. Zeylon. ☉.
 6. cordatum L. Cap. b. sp. ☉.
 7. punctatum L. India.
 8. quadrangulare W. Lima.
(*Gentiana quadrangularis* La Marck.)
 9. gujanense Aublet. Cajenna. ☉.
 10. diffusum W. India orient. ☉.
(*Gentiana diffusa* Vahl.)
 11. tenuifolium Aublet. Cajenna, Gujana. ☉.
 12. filiforme W. Europa. ☉.
(*Gentiana filiformis* L.)
 13. aphyllum W. Martinica. ☉.
(*Gentiana aphylla* Jacq.)
 14. heteroclitum W. Malabar. ☉.
(*Gentiana heteroclita* L.)
 15. spicatum Vahl. Cajenna, Gujana. ☉.
(*Coutoubea spicata* Aublet.)
 16. ramosum Vahl. Ibid. ☉.
 17. verticillatum W. America calid.
(*Gentiana verticillata* L.)
 18. hyssopifolium W. India orient.
222. PLANTAGO. Wegetritt. T.I. p. 641.

* Scapo nudo,

1. major L. Europa, Japonia. 4.
β. minor Bauhin.
γ. floribus subspicatis Bauhin.
δ. spica multiplici sparsa Bauhin.
ε. flore expanso Bauhin.
η. rosea Bauhin.
2. crassa W. Europa? 4.
(*P. crispa* Jacq.)
3. asiatica L. China, Sibiria. 4.
4. maxima Jacq. Sibiria. 4.
5. media L. Europa. 4.

β. hirsuta *Bauhin.*

6. virginica *L.* America sept. ☉.

7. altissima *L.* Italia. 4.

8. lanceolata *L.* Europa, America boreal. 4.

β. folio angustissimo *Bauhin.*

γ. alpina *Bauhin.*

δ. caulium sammitate foliosa *Bauhin.*

ε. spica multifida *Leers.*

9. capensis *Thunb.* Cap. b. sp.

10. Lagopus *L.* Europa merid. 4.

11. lusitanica *L.* Hispania. 4.

11a. monspeliensis *W.* Gallia austr. ☉. Enum.
pag. 160.

(*P. victorialis* *Persoon.*)

12. patagonica *Jacq.* Patagonia. ☉.

13. albicans *L.* Gallia, Hispania. 4.

14. hirsuta *Thunb.* Cap. b. sp.

15. alpina *L.* Alpes Europae. 4.

15a. tenuiflora *Waldst. et Kit.* Hungaria. ☉.
Enum. pag. 160.

16. Bellardi *Allion.* Europa merid. Tuneti. ☉.

17. cretica *L.* Creta. ☉.

18. barbata *Forster.* Terra del Fuego. 4.

19. maritima *L.* Europa, America boreal. 4.

β. dentata *Roth.*

20. subulata *L.* Marit. Mediterran. 4.

β. massiliensis *Bauh.*

21. recurvata *L.* Europa austr., Oriens. ☉.

21a. Wulfeni *Bernhardi.* Carinthia. 4. Enumer.
pag. 161.

22. macrorhiza *Poiret.* Tuneti. 4.

23. Serraria *L.* Apulia, Mauritania. 4.

24. Coronopus *L.* Europa. ☉.

β. hortensis *Bauhin.*

γ. Columnae *Gouan.*

25. Loefflingii *L.* Hispania. ☉.

26. Cornuti *Jacq.* 4.

**** Caulescentes.**

27. *amplexicaulis* *Cavanil.* Hispania. ☉.
- 27a. *vaginata* *Ventenat.* Mauritania. ☿. Enum.
pag. 161.
28. *Psyllium* *L.* Europa austral. ☉.
- 28a. *arenaria* *Waldst. et Kit.* Germania, Hun-
garia. ☉. Enum. pag. 162.
29. *Isuarrosa* *Murray.* Aegyptus. ☉.
(*P. aegyptiaca* *Jacq.*)
- 29a. *stricta* *Schousboe.* Maroco. ☉. Enum. p. 162.
30. *indica* *L.* Aegyptus, Russia. ☉.
31. *pumila* *L.* Europa austral. ☉.
32. *Cynops* *L.* Europa. ☿.
33. *afra* *L.* Barbaria, Sicilia. ☿.
223. SCOPARIA. Besenpflanze. T. I. p. 652.
 1. *dulcis* *L.* Jamaica, Curassao. ☉.
β. *Tupeicava* *Pis.*
 2. *procumbens* *Jacq.* America calid. ☉.
 3. *arborea* *L.* Cap. b. sp. ☿.
224. CENTUNCULUS. Kleinling. T. I. p. 653.
 1. *minimus* *L.* Europa. ☉.
225. SANGUIS ORBA. Wiesenknopf. T. I. p. 653.
 1. *officinalis* *L.* Europa. 4.
β. *fabauda* *Miller.*
γ. *hispanica* *Miller.*
 2. *media* *L.* Canada. 4.
 3. *canadensis* *L.* Canada, Sibiria. 4.
β. *caule hirta* *W.* America. Enum. p. 163.
226. CISSUS. Klimme. T. I. p. 655.
 1. *vitiginea* *L.* India orient. ☿.
 - 1a. *antarctica* *Ventenat.* Nova-Hollandia. ☿.
Enum. pag. 163.
 2. *capensis* *W.* Cap. b. sp. ☿.
(*Vitis capensis* *Thunb.*)
 3. *repanda* *Vahl.* India orient. ☿.
 4. *latifolia* *La Marck.* India orient. Madagasc. ☿.
 5. *cordifolia* *L.* America. 4.

- 6. *rotundifolia* Vahl. Arabia fel.
- 7. *sicyoides* L. Jamaica. 4.
- 7a. *smilacina* W. Jamaica. H. Enum. p. 163.
- 8. *quadrangularis* L. Arabia, India orient. 4.
- 9. *acida* L. America calid. H.
- 10. *cirrhusa* W. Cap. b. sp.
(*Vitis cirrhosa* Thunb.)
- 11. *trifoliata* L. Jamaica. 4.
- 12. *microcarpa* Vahl. India occid. H.
- 13. *crenata* Vahl. India orient. H.
(*Vitis trifolia* L.)
- 14. *carnosa* La Marck. Ibid.
- 15. *obovata* Vahl. Ins. St. Crucis.
- 16. *japonica* W. Japonia. 4.
(*Vitis japonica* Thunb.)
- 17. *pentaphylla* W. Japonia. 4.
(*Vitis pentaphylla* Thunb.)
- 18. *pedata* La Marck. India orient. H.
- 18a. *orientalis* La Marck. Oriens. H. Enum.
pag. 164.

227. EPIMEDIUM. Seckenblume. T. I. p. 660.

- 1. *alpinum* L. Alpes Europae. 4.

228. CORNUS. Hartriegel. T. I. p. 660.

* *Involucratae umbellatae.*

- 1. *suecica* L. Europa bor. Asia, 4.
- 2. *canadensis* L. Canada, Labrador etc. 4.
- 3. *florida* L. America bor. H.
- 4. *mascula* L. Europa. H.
β. *hortensis* Bauhin.
γ. *foliis variegatis* du Roi.
δ. *fructu luteo* du Hamel.
- 5. *japonicum* Thunb. Japonia. H.

** *Nudae cymosae.*

- 6. *sanguinea* L. Europa, Asia, America. H.
β. *foliis variegatis* Hermann.
- 7. *alba* L. Sibiria, Canada. H.
- 8. *sericea* L. America sept. H.

9. *circinnata* l'Héritier. Pennsylvania. 5.
 10. *stricta* l'Héritier. America sept. 5.
 11. *paniculata* l'Héritier. Ibid. 5.
 β. albida Ehrh.
 12. *alternifolia* L. Ibid. 5.
 α. ramis rubris.
 β. ramis viridibus.
229. GLOSSOMA, Zungenblume. T. I. p. 664.
 1. *arborescens* W. Gujana. 5.
 (*Votomita gujanensis* Aublet.)
230. SAMARA. Samare. T. I. p. 665.
 1. *laeta* L. India orient. 5.
 2. *coriacea* Swartz. Jamaica. 5.
 3. *pentandra* Ait. Cap. b. sp. 5.
 4. *floribunda* W. Cajenna, Gujana. 5.
 (*Rapanea gujanensis* Aublet.)
231. FAGARA. Fagare. T. I. p. 666.
 1. *triphylla* La Marck. Ins. Philippin. 5.
 2. *Evodia* L. Ins. Amicorum et nov. Hebrid. 5.
 3. *Pterota* L. Jamaica. 5.
 4. *Piperita* L. Japonia. 5.
 5. *tragodes* L. America. 5.
 6. *zanthoxyloides* La Marck. Senegal, Guiana. 5.
 7. *horrida* Thunb. Japonia. 5.
 8. *capensis* Thunb. Cap. b. sp. 5.
 9. *armata* Thunb. Ibid. 5.
 10. *Avicennae* Clus. China. 5.
 11. *octandra* L. Curassao. 5.
 12. *Elaphrium* W. Carthagens. 5.
 (*Elaphrium glabrum* Jacq.)
 12a. *lentiscifolia* Humb. et, Borpl. America merid. 5. Enum. p. 166,
232. HARTOGIA. Hartoge. T. I. p. 669.
 1. *capensis* L. Cap. b. sp. 5.
233. MONETIA. Monetie. T. I. p. 669.
 1. *barlerioides* l'Héritier. India orient. Cap. bon. sp. 5.
 (*Azima tetracantha* La Marck.)

234. BLACKBURNIA. Blackburnie. T.I. p. 670.

1. pinnata *Forster*. Ins. Norfolk. 5.

(*Ptelea pinnata* L.)

235. PTELEA. Lederblume. T.I. p. 670.

1. trifoliata L. Virginia, 5.

β. pentaphylla *Fabric*.

236. SKIMMIA. Skimmie. T.I. p. 671.

1. japonica *Thunb*. Japonia. 5.

237. OTHERA. Othere. T.I. p. 671.

1. japonica *Thunb*. Japonia. 5.

238. ORIXA. Orixe. T.I. p. 672.

1. japonica *Thunb*. Japonia. 5.

239. LUDWIGIA. Ludwigie. T.L. p. 672.

1. alternifolia L. America bor. ☉.

(*L. macrocarpa* Michaux.)

2. hirsuta *La Marck*. Carolina. 5.

3. jussiaeoides *La Marck*. Ins. Maurit., India. 5.

4. oppositifolia L. India. 4.

5. erigata L. India. ☉.

- 5a. ramosa *W.* 4. Enum. p. 166.

240. OLDENLANDIA. Oldenlandie. T.I. p. 674.

1. verticillata L. Amboina, Jamaica.

2. digyna *Retz*. Tranquebar. ☉.

3. trinervia *Retz*. India.

4. depressa *W.* India orient.

5. capensis L. Cap. b. sp.

6. uniflora L. Virginia, Jamaica.

7. biflora L. India. ☉.

8. pentandra *Retz*. Tranquebar. ☉.

9. umbellata L. India. 4.

10. corymbosa L. America merid. ☉.

11. hirsuta L. Java.

12. debilis *Forster*. Tongatabu.

13. foetida *Forster*. Ibid.

241. AMMANNIA. Ammannie. T.I. p. 678.

1. latifolia L. Caribaeae. ☉.

2. ramosior L. America bor. ☉.

3. *debilis* Aiton. India orient. ☉.
4. *sanguinolenta* Swartz. Jamaica, Hispaniola. ☉.
5. *octandra* L. India orient.
6. *baccifera* L. China, Italia. ☉.
(*Cornelia verticillata* Arduin.)
7. *pinnatifida* L. Java.
- 7^a. *auriculata* W. Aegyptus. ☉. Enum p. 167.
- 7^b. *diffusa* W. ☉. Enum. p. 167.
- 7^c. *aegyptiaca* W. Aegyptus. ☉. Enum. p. 167.
242. **ISNARDIA**. Isnardie. T. I. p. 680.
 1. *palustris* L. Europa, austr. Jamaica, Virginia. ☉.
243. **TRAPA**. Wassernuss. T. I. p. 681.
 1. *natans* L. Europa Asia. ☉.
 2. *bicornis* L. China.
244. **DORSTENIA**. Dorstenie. T. I. p. 682.
 1. *cordifolia* Swartz. Jamaica, Domingo. 4.
 2. *brasiliensis* La Marck. Brasilia. 4.
 3. *arifolia* La Marck. Ibid. 4.
 - β. *foliis laciniatis* La Marck.
 4. *Houstoni* L. Campechia. 4.
 5. *Contrajerva* L. America merid. 4.
 6. *Drakena* L. Vera Crux. 4.
 7. *caulescens* L. America merid. 4.
 8. *radiata* La Marck. Arabia fel.
 9. *lucida* Forster. Ins. Societatis.
 10. *pubescens* Forster. Ibid.
245. **POTHOS**. Pothos. T. I. p. 684.
 1. *scandens* L. India. 5.
 2. *acaulis* L. America calid. 4.
 3. *lanceolata* L. Ibid. 4.
 4. *crenata* L. Ins. St. Thomae. 4.
 5. *violacea* Swartz. Jamaica, India occid. 4.
 6. *crassifolia* Jacq. Carracas. 4.
 7. *cordata* L. America calid. 4.
 8. *macrophylla* Swartz. India occid. 4.

9. *pinnata* L. India. \bar{h} .
10. *palmata* L. America calid. 2.
11. *digitata* Jacq. Carracas. \bar{h} .
12. *pentaphylla* W. Cajenna, Gujana. \bar{h} .
(*Dracontium pentaphyllum* Aublet.)
245. COMETES. Haarstern. T. I. p. 687.
 1. *alterniflora* L. Suratte. \odot .
247. CURTISIA. Curtisie. T. I. p. 687.
 1. *faginea* Aiton. Cap. b. sp. \bar{h} .
248. CHLORANTHUS. Grünblume. T. I. p. 688.
 1. *inconspicuus* Swartz. China, Japonia. \bar{h} .
249. ELAEAGNUS. Oleaster. T. I. p. 688.
 1. *angustifolia* L. Europa, Syria, Cappadocia. \bar{h} .
 2. *orientalis* L. Oriens. \bar{h} .
 3. *spinosa* L. Aegyptus. \bar{h} .
 4. *pungens* Thunb. Japonia. \bar{h} .
 5. *latifolia* L. Zeylon. \bar{h} .
 6. *crispa* Thunb. Japonia. \bar{h} .
 7. *multiflora* Thunb. Ibid. \bar{h} .
 8. *umbellata* Thunb. Ibid. \bar{h} .
 9. *glabra* Thunb. Ibid. \bar{h} .
 10. *macrophylla* Thunb. Ibid. \bar{h} .
250. GONATOCARPUS. Knotenfrucht. T. I. p. 690.
 1. *micranthus* Thunb. Japonia. \odot .
251. SANTALUM. Santelbaum. T. I. p. 691.
 1. *album* L. India. \bar{h} .
252. STRUTHIOLA. Spatzenstrauch. T. I. p. 691.
 1. *virgata* Thunb. Cap. b. sp. \bar{h} .
(*S. pubescens* L.)
 β . *floribus flavescentibus*.
 2. *nana* L. Ibid. \bar{h} .
 3. *juniperina* Retz. Ibid. \bar{h} .
 4. *erecta* Thunb. Ibid. \bar{h} .
(*S. glabra* L.)
 5. *ovata* Thunb. Ibid. \bar{h} .
253. KRAMERIA. Kramerie. T. I. p. 693.

1. *Ixina* L. Cumana. 5.
254. *ACAENA*. Acaena. T. I. p. 693.
1. *elongata* L. Mexico. 5.
255. *RIVINA*. Rivine. T. I. p. 694.
1. *humilis* L. Caribaeae, Jamaica, Barbados. 5.
- β. *canescens*.
2. *laevis* L. America. 5.
24. *purpurascens* Schrader. 5. En. p. 170.
3. *brasiliensis* Nocca. America merid. 5.
4. *octandra* L. America ealid. 5.
256. *SALVADORA*. Salvadore. T. I. p. 695.
1. *persica* L. Persia, India orient. 5.
257. *CAMPHOROSMA*. Kampferkraut. T. I. p. 696.
1. *paleacea* L. Cap. b. sp. 5.
2. *monspeliaca* L. Europa merid. Tataria. 5.
3. *acuta* L. Italia, Tartaria. 4.
4. *glabra* L. Helvetia. 4.
5. *Pteranthus* L. Africa. ☉.
258. *ALCHEMILLA*. Loewenfuss. T. I. p. 698.
1. *capensis* Thunb. Cap. b. sp.
2. *vulgaris* L. Europa. 4.
- β. *minor* Tournef.
24. *montana* W. Germania. 4. Enum. p. 170.
(*A. vulgaris* γ. *hybrida* W. Spec. pl.)
25. *pubescens* Bieberst. Caucasus. 4. Enum. p. 170.
3. *alpina* L. Europa. 4.
34. *sericea* W. Caucasus. 4. Enum. p. 171.
(*A. alpina* Bieberst.)
4. *pentaphylla* L. Alpes Europae. 4.
5. *Aphanoides* L. Nova Granada. ☉.
6. *Aphanes* L. Europa, Oriens. ☉.

DIGYNIA.

259. CRUZITA. Cruzette. T. I. p. 700.
 1. *hispanica* L. Cumana.
260. BUEFFONIA. Büffonie. T. I. p. 700.
 1. *tenuifolia* L. Europa. 2. ☉.
261. HAMAMELIS. Zaubernuss. T. I. p. 701.
 1. *virginica* L. Virginia. ♀.
262. CUSCUTA. Flachsseide. T. I. p. 702.
 1. *europaea* L. Europa. ☉.
 β. *Epithymum* L.
 2. *americana* L. America.
 3. *africana* W. Cap. b. sp.
 4. *monogyna* Vahl. Oriens, Europa.
 5. *chinensis* La Marck. China. ☉.
263. HYPECOUM. Lappenblume. T. I. p. 704.
 1. *procumbens* L. Europa, Oriens. ☉.
 2. *littorale* Jacq. Austria. ☉.
 3. *pendulum* L. Europa. ☉.
 4. *erectum* L. Davuria.
264. NERTERIA. Sumpfranke. T. I. p. 705.
 1. *depressa* Smith. Nova-Granada. ☉.
 (*Gomozia granadensis*. L.)
265. GALOPINA. Galopine. T. I. p. 706.
 1. *circaeoides* Thunb. Cap. b. sp. ☉.

TRIGYNIA.

266. BOSCIA. Boscie. T. I. p. 706.
 r. *undulata* Thunb. Cap. b. sp. ♀.

TETRAGYNIA.

267. ILEX. Hülsen. T. I. p. 707.
 1. *Aquifolium* L. Europa, Japonia, America. ♀.
 β. *heterophylla* Aiton.
 γ. *crassifolia* Aiton.

δ. recurva Aiton.

ε. ferox Aiton.

2. *japonica* Thunb. Japonia. H.

3. *opaca* Aiton. Carolina. H.

4. *crocea* Thunb. Cap. b. sp. H.

5. *ferrata* Thunb. Japonia. H.

6. *latifolia* Thunb. Japonia. H.

7. *Perado* Aiton. Madera. H.

8. *Prinoides* Aiton. America bor. H.

9. *Cassine* L. Carolina. H.

β. angustifolia Aiton.

9^a. *angustifolia* W. Carolina. H. Enum. p. 172.

10. *vomitaria* Aiton. Florida. H.

11. *crenata* Thunb. Japonia. H.

12. *emarginata* Thunb. Japonia. H.

13. *salicifolia* Jacq. Ins. Mauritii. H.

14. *asiatica* L. Asia. H.

15. *integra* Thunb. Japonia. H.

16. *rotunda* Thunb. Ibid. H.

17? *ochroleuca* Swartz. Jamaica.

18? *acuminata* W. Cajenna, Gujana. H.

(*Macoucoua gujanensis* Aublet.)

19. *cuneifolia* L. America merid. H.

268. **COLDENIA**. Coldenie. T. I. p. 712.

1. *procumbens* L. India. ☉.

269. **POTAMOGETON** *). Saamenkraut. T. I.
p. 712.

1. *natans* L. Europa. 4.

2. *fluitans* L. Ibid. 4.

3. *heterophyllum* Schreber. Europa.

4. *perfoliatum* L. Europa. 4.

5. *densum* L. Europa.

6. *lucens* L. Ibid. 4.

β. foliis angustioribus. W.

7. *crispum* L. Europa. 4.

*) Est nomen generis masculini!

- 8. serratum L. Ibid.
- 9. compressum L. Ibid. ☉.
- 10. pectinatum L. Ibid. 4.
- 11. fetaceum L. Ibid.
- 12. gramineum L. Ibid. ☉.
- 13. marinum L. Ibid. ☉.
- 14. pusillum L. Ibid. ☉. 4.
- 270. RUPPIA. Ruppie. T. I. p. 717.
 - 1. maritima L. Europa. ☉.
- 271. SAGINA. Mastkraut. T. I. p. 718.
 - 1. cerastoides Smith. Anglia. ☉.
 - 2. procumbens L. Europa. ☉.
 - 3. apetala L. Europa. ☉.
 - 4. erecta L. Europa. ☉.
 - 5. virginica L. Virginia.
- 272. TILLAEA. Tillaea. T. I. p. 720.
 - 1. aquatica L. Europa. ☉.
 - 2. prostrata Schkuhr. Germania. ☉.
 - 3. Vaillantii W. Gallia. ☉.
(*Buillarda Vaillantii* De Cand.)
 - 4. capensis L. Cap. b. sp. ☉.
 - 5. perfoliata L. Ibid. ☉.
 - 6. umbellata W. Ibid. ☉.
 - 7. decumbens W. Ibid. ☉.
 - 8. muscosa L. Europa. ☉.
- 273. MYGINDA. Myginde. T. I. p. 722.
 - 1. uragoga Swartz. America calid. H.
 - 2. Rhacoma Swartz. Jamaica. H.
(*Rhacoma Crassopetalum*. L.)
 - 3. latifolia Swartz. In Caribaeis. H.

Classis V.

P E N T A N D R I A.

M O N O G Y N I A.

274. HELIOTROPIMUM. Scorpionsschwanz. T.I.
pag. 740.

1. peruvianum L. Peru. H.
2. amplexicaule Vahl. Brasilia. H.
3. indicum L. India orient. O.
- β. horminifolium Miller.
4. parviflorum L. India orient. O.
5. inundatum Swartz. Ins. Carib. H.
6. villosum W. Ins. Melo. O.
7. europaeum L. Europa austr. O.
8. coromandelinum Retz. India.
9. malabaricum Retz. Ibid.
10. marifolium Retz. Ibid. H.
11. supinum L. Gallia, Hispania. O.
12. undulatum Vahl. Aegyptus. H.
13. lineatum Vahl. Ibid. H.
14. strigosum W. Guinea. H.
15. curassavicum L. America calid. O.
- 15a. chenopodioides Humboldt et Bonpl. Ame-
rica merid. O. Enum. p. 175.
16. zeylanicum La Marck. Zeylon. H.
17. persicum La Marck. Persia. H.
18. scabrum Retz. India. O.
19. orientale L. Asia. O.
20. gnaphalodes L. Barbados, Jamaica. H.
21. ternatum Vahl. India occid. H.
22. pinnatum Vahl Fret. Magellan.

275. MYOSOTIS. Mausohr. T. I. p. 746.

1. scorpioides L. Europa. 4.
- β. lithospermifolia W. Caucasus. Enum. p. 175.
- 1a. alpestris Hoppe. Carinthia. 4.

- a. *arvensis* L. Europa. ☉.
- β. *lutea* Bauhin.
(*Anchusa lutea* Cavanil.)
- 2a. *suaveolens* Waldst. et Kit. Hungaria 4.
Enum. pag. 176.
- 2b. *obtusa* Waldst. et Kit. Hungaria. 4. Enum.
pag. 176.
- 2c. *sparsiflora* Mikan. Bohemia. ☉. Enum.
pag. 176.
- 3. *nana* Villars. Alpes Europae. 4.
- 4. *fruticosa* L. Cap. b. sp. 5.
- 5. *spathulata* Forster. Nova-Zeelandia.
- 6. *rupestris* Pallas. Davuria. 4.
- 7. *virginiana* L. America bor. ☉.
- 8. *Lappula* L. Europa. ☉.
- 9. *squarrosa* Retz. Sibiria. ☉.
- 9a. *marginata* Bieberst. Caucasus, Astrachan.
☉. Enum. p. 176.
- 10. *echinophora* Pallas. Ibid. ☉.
- 11. *spinocarpos* Vahl. Alexandriae. 5.
- 12. *pectinata* Pallas, Sibiria. 4.
- 276. LITHOSPERMUM, Steinsame, T.I. p. 751.
- 1. *officinale* L. Europa. 4.
β. *majus* W.
- 2. *arvense* L. Europa. ☉.
- 3. *incanum* Forster. Savage-Island. 5.
- 4. *papillosum* Thunb. Cap. b. sp.
- 5. *virginianum* L. Virginia.
- 6. *tinctorium* Vahl. Aegyptus. ☉.
(*L. tetrastrigina* La Marck.)
- 7. *apulum* Vahl. Europa merid. ☉.
(*Myosotis apula* L.)
- 8. *scabrum* Thunb. Cap. b. sp.
- 9. *orientale* L. Oriens. ☉.
(*Anchusa lutea* Enum. p. 179.)
- 10. *purpureo-coeruleum* L. Europa. 4.
- 10a. *distichum* Persoon. Cuba. 4. Enum. p. 177.

MONOGYNIA.

99

11. fruticosum L. Europa austral. 5.

β. Anchusa arborea Alpin.

12. callosum Vahl. Kahira. 5.

13. ciliatum Vahl. Ibid. 5.

14. tenuiflorum L. Aegyptus. ☉.

15. dispernum L. Hispania. ☉.

16. retortum Pallas. Sibiria. ☉.

177. ANCHUSA. Ochsenzunge. T. I. p. 755.

1. peniculata Aiton. Madera. ♂.

2. capensis Thunb. Cap. b. sp.

3. officinalis L. Europa. 4.

4. italica Trew. Europa austral. Oriens. ♂.

5. angustifolia L. Italia. 4.

α. flore albo Boerh.

β. flore purpurascente Boerh.

6. undulata L. Hispania, Lusitania. 4.

7. tinctoria L. Monspeli, Hungaria. 4.

7a. ochroleuca Bieberst. Caucasus, Armenia. 4.
Enum. pag. 178.

8. hispida Forsk. Aegyptus.

9. virginica L. Virginia. 4.

10. lanata L. Barbaria.

11. sempervirens L. Europa austr. 4.

12. parviflora W. Oriens.

13. cespitosa La Marck. Creta. 4.

13a. Milleri Hortulan. . . . ☉. Enum. p. 179.

178. CYNOGLOSSUM. Hundszunge. T. I. p. 760.

1. officinale L. Europa. ♂.

β. montanum La Marck.

14. bicolor W. Germania. ♂. Enum. p. 180.

2. pictum Aiton. Europa, Barbaria, Madera. ♂.

3. lanceolatum Forsk. Arabia.

4. virginicum L. Virginia. ☉. ♂.

5. limense W. Lima.

6. cheirifolium L. Hispania, Creta, Oriens. ♂.

7. spezzinum L. Alpes Italiae. ♂.

G 2

U. B. GENT

- 7a. *canescens* *W.* India orient. ☉. En. p. 180.
 (*C. micranthum* Desfont.; *C. hispidum* Jacq.)
8. *hispidum* *Thunb.* Cap. b. sp. ☉.
9. *hirsutum* *Thunb.* Ibid. ☉.
10. *echinatum* *Thunb.* Ibid. ☿.
11. *muricatum* *Thunb.* Ibid.
12. *angustifolium* *W.* Armenia. 4.
13. *laevigatum* *L.* Sibiria. 4.
- 13a. *umbellatum* *Waldst. et Kit.* Banatus. 4.
 Enum. pag. 181.
14. *glastifolium* *W.* Armenia.
15. *cristatum* *La Marck.* Ibid.
 β. fructu umbilicato *Bauhin.* Italia.
16. *lusitanicum* *L.* Lusitania. ☉.
17. *linifolium* *L.* Ibid. ☉.
18. *latatum* *La Marck.* Oriens.
19. *japonicum* *Thunb.* Japonia. ☉.
20. *lateriflorum* *La Marck.* Lima. ☉.
21. *scorpioides* *Schmidt.* Germania. ☉.
22. *Omphalodes* *L.* Europa. 4.
- 22a. *nitidum* *W.* Lusitania. 4. Enum. p. 181.
 (*Omphalodes nitida* Hoffmannsegg. et Link.)
23. *cappadocicum* *W.* Cappadocia. 4.
24. *myosotoides* *Billard.* Liban. 4.
279. PULMONARIA. Lungenkraut. T. I. p. 768.
 * *Perianthium longitudine tubi corollae.*
1. *angustifolia* *L.* Europa. 4.
2. *officinalis* *L.* Europa. 4.
 β. flore albo *Tournef.*
 γ. non maculoso folio *Clusius.*
3. *suffruticosa* *L.* Italia. ☿.
 ** *Calyces tubo corollae dimidio breviores.*
4. *paniculata* *Ait.* Fret. Hudson. 4.
 α. floribus coeruleis.
 β. floribus albis.
5. *virginica* *L.* Virginia, Carolina. 4.
6. *sibirica* *L.* Sibiria. 4.

7. *maritima* L. Europa. 24.
280. SYMPHYTUM. Schwarzwurz. T. I. p. 770.
1. *officinale* L. Europa. 24.
- β. *florae purpureae* Tabern.
- γ. *bohemicum* Schmidt.
2. *tuberosum* L. Europa. 24.
24. *aspernum* Bieberst. Caucasus, Armenia. 24.
- Enum. pag. 183.
25. *tauricum* W. Tauria. 24. Enum. p. 184.
- (*S. orientale* Bieberst.)
3. *orientale* L. Constantinopoli. 24.
34. *cordatum* Waldst. et Kit. Hungaria, Iberia.
24. Enum. pag. 184.
281. CERINTHE. Wachsblume. T. I. p. 772.
1. *major* L. Europa. ☉.
2. *aspera* Roth. Europa austral. ☉.
3. *minor* L. Europa. ♂. 24.
282. ONOSMA *). Lotwurz. T. I. p. 773.
1. *simplicissima* L. Sibiria. 24.
2. *orientalis* L. Oriens. 24.
3. *echioides* L. Europa. 24.
- β. *major* Bauhin.
4. *sericea* W. Oriens. 24.
5. *coerulea* W. Armenia. 24.
6. *tenuiflora* W. Oriens.
7. *caspica* W. Ad Mare Casp. ☉.
- (*O. orientalis* Pallas.)
8. *micrantha* Pallas. Sibiria. ☉.
283. BORAGO. Boratsche. T. I. p. 776.
1. *officinalis* L. Europa. ☉.
2. *indica* L. India orient. ☉.
3. *africana* L. Aethiopia. ☉.
4. *longifolia* Poiret. Numidia.
5. *zeylanica* L. Zeylon.
54. *crassifolia* Ventenat. Persia. 24. Enum. p. 185.
6. *orientalis* L. Oriens. 24.

*) Est nomen generis nostris?

74. *canescens* *W.* India orient. ☉. En. p. 180.
(*C. micranthum* Desfont.; *C. hispidum* Jacq.)
8. *hispidum* *Thunb.* Cap. b. sp. ☉.
9. *hirsutum* *Thunb.* Ibid. ☉.
10. *echinatum* *Thunb.* Ibid. ☿.
11. *muricatum* *Thunb.* Ibid.
12. *angustifolium* *W.* Armenia. 4.
13. *laevigatum* *L.* Sibiria. 4.
- 13a. *umbellatum* *Waldst. et Kit.* Banatus. 4.
Enum. pag. 181.
14. *glastifolium* *W.* Armenia.
15. *cristatum* *La Marck.* Ibid.
β. fructu umbilicato *Bauhin.* Italia.
16. *lusitanicum* *L.* Lusitania. ☉.
17. *linifolium* *L.* Ibid. ☉.
18. *lanatum* *La Marck.* Oriens.
19. *japonicum* *Thunb.* Japonia. ☉.
20. *lateriflorum* *La Marck.* Lima. ☉.
21. *scorpioides* *Schmidt.* Germania. ☉.
22. *Omphalodes* *L.* Europa. 4.
- 22a. *nitidum* *W.* Lusitania. 4. Enum. p. 181.
(*Omphalodes nitida* *Hoffmansegg. et Link.*)
23. *cappadocicum* *W.* Cappadocia. 4.
24. *myosotoides* *Billard.* Liban. 4.
279. PULMONARIA. Lungenkraut. T. L. p. 768.
* *Perianthium longitudine tubi corollae.*
1. *angustifolia* *L.* Europa. 4.
2. *officinalis* *L.* Europa. 4.
β. flore albo *Tournef.*
γ. non maculoso folio *Clusius.*
3. *suffruticosa* *L.* Italia. ☿.
** *Calyces tubo corollae dimidio breviores.*
4. *paniculata* *Ait.* Fret. Hudson. 4.
α. floribus coeruleis.
β. floribus albis.
5. *virginica* *L.* Virginia, Carolina. 4.
6. *sibirica* *L.* Sibiria. 4.

7. *maritima* L. Europa. 24.
280. SYMPHYTUM. Schwarzwurz. T. I. p. 770.
1. *officinale* L. Europa. 24.
- β. *florae purpureae* Tabern.
- γ. *bohemicum* Schmidt.
2. *tuberosum* L. Europa. 24.
24. *aspernum* Bieberst. Caucasus, Armenia. 24.
- Enum. pag. 183.
25. *tauricum* W. Tauria. 24. Enum. p. 184.
- (*S. orientale* Bieberst.)
3. *orientale* L. Constantinopoli. 24.
34. *cordatum* Waldst. et Kit. Hungaria, Iberia.
24. Enum. pag. 184.
281. CERINTHE. Wachsblume. T. I. p. 772.
1. *major* L. Europa. ☉.
2. *aspera* Roth. Europa austral. ☉.
3. *minor* L. Europa. ♂. 24.
282. ONOSMA*). Lotwurz. T. I. p. 773.
1. *simplicissima* L. Sibiria. 24.
2. *orientalis* L. Oriens. 24.
3. *echioides* L. Europa. 24.
- β. *major* Bauhin.
4. *sericea* W. Oriens. 24.
5. *coerulea* W. Armenia. 24.
6. *tenuiflora* W. Oriens.
7. *caspica* W. Ad Mare Casp. ☉.
- (*O. orientalis* Pallas.)
8. *micrantha* Pallas. Sibiria. ☉.
283. BORAGO. Borsetche. T. I. p. 776.
1. *officinalis* L. Europa. ☉.
2. *indica* L. India orient. ☉.
3. *africana* L. Aethiopia. ☉.
4. *longifolia* Poiret. Numidia.
5. *zeylanica* L. Zeylon.
54. *crassifolia* Ventenat. Persia. 24. Enum. p. 185.
6. *orientalis* L. Oriens. 24.

*) Est nomen generis nostrum?

7. *cretica* *W.* Creta.

884. **ASPERUGO.** Scharfkraut. T. I. p. 778.

1. *procumbens* *L.* Europa. ☉.

2. *aegyptiaca* *L.* Aegyptus. ☉.

885. **LYCOPSIS.** Krummhals. T. I. p. 779.

1. *vesicaria* *L.* Europa. ☉.

2. *pulla* *L.* Europa. 4.

3. *ciliata* *W.* Oriens.

4. *obtusifolia* *W.* Chio. ☉.

β. *lesbia* *Tournef.* Lesbos.

5. *variegata* *L.* Creta. ☉.

6. *arvensis* *L.* Europa. ☉.

7. *echioides* *L.* Armenia. 4.

8. *orientalis* *L.* Oriens. ☉.

9. *virginica* *L.* Virginia. 4.

886. **ECHIUM.** Natterkopf. T. I. p. 781.

1. *fruticosum* *L.* Aethiopia. 5.

2. *candicans* *L.* Madera. 5.

3. *giganteum* *L.* Teneriffa. 5.

4. *strictum* *L.* Ibid. ♂.

5. *argenteum* *L.* Cap. b. sp. 5.

6. *sericeum* *Vahl.* Aegyptus. 5.

7. *setosum* *Vahl.* Ibid. 5.

8. *trichotomum* *Thunb.* Cap. b. sp. 5.

9. *hispidum* *Thunb.* Ibid. 5.

10. *paniculatum* *Thunb.* Ibid. 5.

11. *trigonum* *Thunb.* Ibid. 5.

12. *capitatum* *L.* Ibid. 5.

13. *laevigatum* *L.* Ibid. 5.

14. *glabrum* *Thunb.* Ibid. 5.

15. *incanum* *Thunb.* Ibid.

16. *spicatum* *L.* Ibid.

17. *caudatum* *Thunb.* Ibid.

18. *plantagineum* *L.* Italia. ☉.

19. *italicum* *L.* Europa. ♂.

β. *Lycopsis* *Bauhin.*

19^a. *pyrenaicum* *L.* In Pyrenaeis. ♂. En. p. 187.

(*E. italicum*. γ. W. Spec. pl.)

- 20. *rubrum* Host. Austriae imper. ☉.
- 21. *vulgare* L. Europa. ♂.
- 22. *violaceum* L. Europa. ☉.
- 23. *maritimum* W. Italia. ☉.
- 24. *creticum* L. Oriens, Creta. ☉.
- 24a. *parviflorum* W. Barbaria. ☉. Enum.
p. 188.

(*E. micranthum* Schusboe.)

- 25. *orientale* L. Ibid. ☉.
- 26. *lusitanicum* L. Europa. ♀.
- 287. **MESSERSCHMIDTIA**. Messerschmidtia.
T. I. p. 789.

- 1. *fruticosa* L. Teneriffa. ♀.
- 2. *Arguzia* L. Davuria. ♀.
- 3. *cancellata* Abo. Hispania.
- 288. **TOURNEFORTIA**. Tournefortia. T. I. p. 791.
- 1. *ferrata* L. America calid. ♀.
- β. *minor* Plumier.
- 2. *hirsutissima* L. Ibid. ♀.
- 3. *volubilis* L. Ibid. ♀.
- 3a. *scandens* W. Peru. ♀.

(*T. volubilis* Ruiz et Pavon.)

- 4. *lyringiaefolia* Vahl. Cajenna. ♀.
- 5. *foetidissima* L. Mexico, Jamaica. ♀.
- 6. *humilis* L. America calida. ♀.
- 7. *bicolor* Swartz. Jamaica. ♀.
- 8. *cymosa* L. Ibid. ♀.
- 9. *argentea* L. Zeylon. ♀.
- 10. *sericea* Vahl. Ins. Montserrat. ♀.
- 11. *suffruticosa* L. Jamaica. ♀.
- 289. **NOLANA**. Nolana. T. I. p. 794.
- 1. *prostrata* L. Peru. ☉.
- 290. **DIAPENSIA**. Trauerblume. T. I. p. 795.
- 1. *lapponica* L. Lapponia. ♀.
- 291. **ARETIA**. Aretia. T. I. p. 795.
- 1. *helvetica* L. Helvetia. ♀.

2. alpina L. Alpes Europae. 4.

3. Vitaliana L. Ibid. 4.

291. ANDROSACE. Mannsschild. T. I. p. 796.

1. maxima L. Europa. ☉.

2. elongata L. Ibid. ☉.

3. filiformis Retz. Sibiria. ☉.

4. septentrionalis L. Alpes Europae. ☉.

β. foliis rotundioribus Gmelin.

5. odoratissima Schreber. Cappadocia. 4.

6. villosa L. Alpes Europae. 4.

7. Chamæjasme Host. Alpes Austriae. 4.

8. obtusifolia Allion. Alpes Europae. ☉.

β. brevifolia Villars.

8a. lactiflora Fischer. Ad lac. Baical. 4. Enum.
pag. 190.

9. lactea L. Alpes Europae. 4.

10. carnea L. Ibid. 4.

β. Halleri L.

293. PRIMULA. Primel. T. I. p. 860.

1. verticillata Forsk. In monte Kurma. 4.

2. veris L. Europa. 4.

3. elatior L. Ibid. 4.

α. inodora Hoffmann.

3a. vulgaris W. Enum. p. 190. Germania, Gallia, Anglia. 4.

(*P. elatior* β. *acaulis* W. Sp. pl.; *P. grandiflora* De Cand.; *P. acaulis* Persoon.)

β. calycantha Retz.

4. farinosa L. Europa. 4.

5. cortusoides L. Sibiria. 4.

6. villosa Jacq. Alpes Europae. 4.

β. pubescens Jacq.

7. nivalis Pallas. Davuria. 4.

8. longiflora Allion. Alpes Europae. 4.

9. glutinosa L. Alpes austriacae. 4.

10. *marginata* Curt. Helvetia, Delphinatus, Sa-
baudia. 24.

(*P. crenata* La Marek.)

11. *Auricula* L. Alpes Europae. 24.

11a. *Palinuri* Petagna. In *Palinuri rupibus*. 24.

Enum. pag. 191.

12. *gigantea* Jacq. Sibiria. 24.

13. *minima* L. Alpes Europae. 24.

14. *integrifolia* L. Ibid. 24.

15. *carniolica* Jacq. Carniolia. 24.

16. *finmarchica* Jacq. Norvegia. 24.

17. *viscosa* Allion. Pedemons. 24.

18. *sibirica* Jacq. Sibiria. 24.

194. CORTUSA. Cortuse. T. I. p. 807.

1. *Matthioli* L. Alpes Europae. 24.

2. *Gmelini* L. Sibiria. 24.

195. TRICRATUS. Prachtblume. T. I. p. 807.

1. *admirabilis* l'Héritier. California.

196. SOLDANELLA. Alpenglöckchen. T. I. p. 808.

1. *alpina* L. Alpes Europae. 24.

β. *Clusii* Schmidt.

1a. *montana* W. Montes Bohemic. et Passaviens.

24. Enum. pag. 191.

(*S. alpina* Schmidt.)

197. DODECATHEON. Götterblume. T. I. p. 808.

1. *Meadia* L. Virginia. 24.

198. CYCLAMEN. Erdscheibe. T. I. p. 809.

1. *coum* Miller. Europa. 24.

2. *europaeum* L. Ibid. 24.

3. *persicum* Miller. Persia. 24.

4. *hederasfolium* Aiton. Italia. 24.

5. *indicum* L. Zeylon. 24.

199. MENYANTHES. Zottenblume. T. I. p. 810.

1. *nymphoides* L. Europa. 24.

(*Waldschmidtia nymphoides* Wiggers.)

2. *ovata* L. Cap. b. sp. 24.

3. *indica* L. India. 24.

4. trifoliata L. Europa. 2.
300. DORAENA. Doraene. T. I. p. 812.
1. japonica Thunb. Japonia. 5.
301. HOTTONIA. Hottonia. T. I. p. 812.
1. palustris L. Europa. 2.
2. sessiliflora Vahl. India.
3. indica L. India.
302. BACOPA. Bacope. T. I. p. 814.
1. aquatica Aublet. Cajenna.
303. HYDROPHYLLUM. Rinnenblume. T. I. p. 814.
1. virginicum L. Virginia. 2.
2. canadense L. Canada. 2.
304. ELLISIA. Ellisia. T. I. p. 815.
1. Nyctelea L. Virginia. ☉.
305. LYSIMACHIA. Lysimachie. T. I. p. 816.
- * *Pedunculis racemosis.*
1. vulgaris L. Europa. 2.
2. decurrens Forster. Tanna.
3. Ephemeron L. Media, Sibiria, Hispania. ☉.
4. atropurpurea L. Oriens. ☉.
5. dubia Aiton. Oriens. ♂.
6. stricta Aiton. America bor. 2.
- (*L. racemosa* La Marck.; *L. bulbifera* Curtis.)
7. thyrsiflora L. Europa. 2.
- ** *Pedunculis unifloris.*
8. quadrifolia L. America bor. 2.
- 8a. hirsuta Michaux. Carolina, Pennsylvania. 2.
- Enum. p. 195.
- (*L. quadrifolia* L.)
- 8b. verticillata Bieberst. Tauria, Caucasus. 2.
- Enum. p. 195.
- 8c. angustifolia W. Pennsylvania, Carolina. 2.
- Enum. p. 195.
- (*L. dubia* Michaux.)
- 8d. ciliata L. Virginia, Canada. 2. Enumer.
- pag. 196.
- (*L. quadrifolia* β. *ciliata* W. Sp. pl.)

9. *punctata* L. Europa. 4.
 10. *Linum stellatum* L. Gallia, Italia. ☉.
 11. *mauritiana* La Mark. Ins. Bourbon.
 12. *nemorum* L. Europa. 4.
 13. *japonica* Thunb. Japonia. ☉.
 14. *Nummularia* L. Europa. 4.
306. **ANAGALLIS.** Gauchheil. T.I. p. 821.
1. *arvensis* L. Europa. ☉.
 - α. flore coeruleo.
(*A. coerulea* Schreber.)
 - β. flore phoeniceo.
 2. *pumila* Swartz. Jamaica. ☉.
 3. *Monelli* L. Italia. 4.
 - β. *verticillata* Allion.
 4. *latifolia* L. Hispania. ☉.
 5. *linifolia* L. Hispania, Lusitania. ☉.
 6. *tenella* L. Europa. 4.
307. **THEOPHRASTA.** Theophraste. T.I. p. 824.
1. *americana* L. America aequin. 5.
 2. *longifolia* Jacq. Caracas. 5.
308. **SPIGELIA.** Spigelia. T.I. p. 824.
1. *Anthelmia* L. Brasilia, Cajenna, Cumana. ☉.
 2. *marilandica* L. America boreal. 4.
309. **OPHIORRHIZA.** Schlangenwurz. T.I. p. 826.
1. *Mungos* L. India orient. 4.
 2. *Mitreola* L. America merid. ☉.
 3. *subumbellata* Forster. Otaheiti. 5.
310. **LISIANTHUS.** Bauchblume. T.I. p. 826.
1. *longifolius* L. Jamaica. 5.
 2. *glaucifolius* Jacq. 4.
 3. *coerulescens* Aublet. Gujana. ☉.
 4. *alatus* Aublet. Gujana, Cajenna. ☉.
 5. *Chelonoides* L. Surinam, Cajenna.
 6. *purpurascens* Aublet. Gujana. ☉.
 7. *grandiflorus* Aublet. Ibid., Cajenna. ☉.
 8. *exsertus* Swartz., Jamaica. 5.
 9. *glabra* L. America merid.

10. *frigidus* Swartz. Ins. Dominica: 2.
11. *latifolius* Swartz. Jamaica. 5.
12. *umbellatus* Swartz. Jamaica. 5.
13. *cordifolius* L. Jamaica: 5.
14. *carinatus* La Marck. Madagascar: 5.
15. *trinervis* La Marck. Ibid.
311. FAGRAEA. Fagraea. T. I. p. 830.
 1. *zeylanica* Thunb. Zeylon. 5.
312. AZALEA. Azalea. T. I. p. 830.
 1. *pontica* L. Pontus, Trapezunt, Gallicia, Caucasus. 5.
 2. *indica* L. India. 5.
 3. *nudiflora* L. America bor. 5.
 - α . *coccinea* Aiton.
 - β . *rutilans* Aiton.
 - γ . *carnea* Aiton.
 - δ . *alba* Aiton.
 - ϵ . *bicolor* Aiton.
 - ζ . *papilionacea* Aiton.
 - η . *partita* Aiton.
 4. *viscosa* L. Virginia. 5.
 - α . *odorata* Aiton.
 - β . *vittata* Aiton.
 - γ . *fissa* Aiton.
 - δ . *floribunda* Aiton.
 - 4a. *glauca* Aiton. Virginia, Carolina. 5. Enum. pag. 197.
 (*A. viscosa* s. *glauca* W. Sp. pl.)
 5. *lapponica* L. Lapponia. 5.
 6. *procumbens* L. Alpes Europ. 5.
313. SHEFFIELDIA. Sheffieldie. T. I. p. 833.
 1. *repens* L. Nova-Zeelandia, Ins. Paschatis. 2.
314. SPRENGELIA. Sprengelie. T. I. p. 833.
 1. *incarnata* Smith. Nova-Hollandia. 5.
315. EPACRIS. Felsbusch. T. I. p. 834.
 1. *grandiflora* Smith. Nova-Hollandia. 5.
 2. *longifolia* Forster. Nova-Zeelandia. 5.

3. *rosmarinifolia* Forster. Nova-Zeelandia. 5.

4. *pumila* L. Nova-Zeelandia. 4.

4a. *pulchella* Cavanil. Nova-Hollandia. 5.

Enum. p. 198.

316. STYPHELIA. Styphelie. T. I. p. 835.

1. *tubiflora* Smith. Nova-Hollandia. 5.

2. *ericoides* Smith. Ibid. 5.

3. *lrigosa* Smith. Ibid. 5.

4. *scoparia* Smith. Ibid. 5.

5. *daphnoides* Smith. Ibid. 5.

6. *lanceolata* Smith. Nova-Zeelandia. 5.

(*Epacris juniperina* L.)

7. *elliptica* Smith. Nova-Hollandia. 5.

8. *juniperina* Smith. Nova-Zeelandia. 5.

(*Epacris juniperina* Forster.)

317. WEIGELIA. Weigelia. T. I. p. 836.

1. *japonica* Thunb. Japonia. 5.

2. *coraeensis* Thunb. Ibid. 5.

318. PLUMBAGO. Bleywurz. T. I. p. 837.

1. *europaea* L. Europa austr., Oriens. 4.

(*P. lapathifolia* Bieberst)

2. *lapathifolia* W. Iberia.

3. *capensis* Thunb. Cap. b. sp. 5.

4. *zeylanica* L. Zeylon, India orient. 5.

5. *rosea* L. India orient. 5.

6. *scandens* L. America calid. 5.

7. *auriculata* La Marck. India. 5.

319. TRIGUERA. Triguere. T. I. p. 839.

1. *ambrosiaca* Cavanil. Boëtia. ☉.

2. *inodora* Cavanil. Ibid. ☉.

320. PHLOX. Flammenblume. T. I. p. 839.

1. *paniculata* L. America sept. 4.

2. *undulata* Aiton. Ibid. 4.

3. *suaveolens* Aiton. Ibid. 4.

4. *maculata* L. Virginia, Carolina. 4.

5. *pilosa* L. Ibid. 4.

6. *carolina* L. Carolina. 4.

7. glaberrima L. Virginia. 4.

8. divaricata L. Ibid. 4.

8a. suffruticosa W. America bor. 5. Enum.
pag. 200.

9. ovata L. Virginia. 4.

9a. reptans Michaux. Carolina. 4. Enum. p. 201.
(*P. stolonifera* Curtis; *P. obovata* Mühlenberg.)

10. subulata L. Ibid. 4.

11. sibirica L. Asia boreal. 4.

12. setacea L. Virginia. 4.

321. RETZIA, Retzie. T. I. p. 843.

1. spicata Thunb. Cap. b. sp. 5.

322. PORANA. Porane. T. I. p. 843.

1. volubilis L. India orient. 5.

322a. CALDASIA. Enum. p. 202.

1. heterophylla W. Nova-Hispania. 4.

(*Bonplandia geminiflora* Cavanil.)

323. CONVOLVULUS. Winde. T. I. p. 844.

* *Caule volubili.*

1. arvensis L. Europa. 4.

β. minimus Boccon.

2. sepium L. Europa. 4.

2a. sylvestris Waidst. et Kit. Hungaria. 4.
Enum. pag. 202.

3. Wheeleri Vahl. Barbaria, Hispania.

4. Scammonia L. Syria, Mysia, Cappadocia. 4.

5. involucrata W. Guinea.

6. sibiricus L. Sibiria. ☉.

7. rypestris W. Sibiria? 4.

8. farinosus L. Madera. ☉. 4.

9. lanuginosus Vahl. Oriens?

10. incanus Vahl. America.

11. emarginatus Vahl. India orient.

12. Medium L. India. ☉.

13. filicaulis Vahl. Guinea. ☉.

14. tridentatus L. India orient. ☉.

β. minor Plucknet.

15. *angustifolius* Vahl. India orient.
16. *japonicus* Thunb. Japonia.
17. *dentatus* Vahl. India orient.
18. *hastatus* Forsk. Aegyptus.
19. *panduratus* L. Virginia, Carolina. 4.
20. *bracteatus* Vahl. India orient.
21. et 22. *trilobus* Thunb. Cap. b. sp.
23. *platanifolius* Vahl. America austr. 4.
24. *acuminatus* Vahl. Ins. St. Crucis.
- 24^a. *tiliaceus* W. Brasilia. 4. Enum. p. 204.
25. *carolinus* L. Carolina. 4.
26. *hederaceus* L. Asia, Africa, America. ☉.
27. Nil L. America calid. ☉.
- 27^a. *bogotensis* Humb. et Bonpl. St. Fe de Bogota. 5. Enum. pag. 203.
28. *purpureus* L. America. ☉.
 β. *coeruleus* Dillen.
 γ. *folio glabro* Dillen.
- 28^a. *pubescens* W. 4. Enum. p. 203.
 (*Ipomoea tuberosa* Hortulan.)
29. *obscurus* L. China, Batavia, Zeylon, Surinam, ☉.
30. *flavus* W. India orient.
31. *angularis* L. Java.
32. *Batatas* L. India utrq. 4.
33. *maximus* L. Zeylon. 4.
34. *biflorus* L. China. ☉.
35. *gemellus* Burman. Java, Tranquebar.
36. *striatus* Vahl. India orient.
37. *pentanthus* Jacq. 5.
38. *gujanensis* Aublet. Cajenna, Gujana. 4.
39. *capitatus* Vahl. India orient.
40. *hispidus* Vahl. Ibid.
41. *parviflorus* Vahl. Java.
 (*Ipomoea paniculata* Burm.)
42. *triflorus* Vahl. India orient.
43. *verticillatus* L. America.

44. *violaceus* Vahl. Ins. St. Crucis.
 45. *umbellatus* L. Martinica, Domingo, Jamaica. 4.
 46. *tuguriorum* Forster. Nova-Zeelandia.
 47. *cordifolius* Thunb. Cap. b. sp.
 48. *bifidus* Vahl. Java, India orient.
 β . *foliis glabris*.
 49. *malabaricus* L. Malabar. 5.
 50. *coelestis* Forster. Tanna.
 51. *canariensis* L. Ins. Canarienses. 5.
 52. *ferrugineus* Vahl. America merid. 5.
 53. *muricatus* L. Surate. 5.
 54. *triqueter* Vahl. Ins. St. Crucis.
 55. *anceps* L. Zeylon. 4.
 56. *Turpethum* L. Zeylon. Java. 4.
 57. *grandiflorus* L. India. 5.
 58. *speciosus* L. India orient. 5.
 58a. *arborescens* Humb. et Bonpl. America merid. 5. Enum. p. 204.
 59. *trinervius* Thunb. Japonia.
 60. *peltatus* L. Amboina, Ins. Societatis.
 61. *Jalapa* L. Mexico, Vera-Cruz. 5.
 62. *macrosperrmus* W. Gujana. 5.
 (*Mouroucoa violacea* Aublet.)
 63. *tenellus* La Marck. America sept.
 64. *sericeus* L. India. 5.
 65. *tomentosus* L. Jamaica.
 66. *quinqueflorus* Vahl. Ins. Bourbon?
 67. *Hermanniae* l'Héritier. Peru. 4.
 (*C. crenatus* Jacq.)
 68. *arenarius* Vahl. Ins. Azor. et St. Crucis.
 69. *althaeoides* L. Europa, Oriens, Africa. 4.
 β . *sericeus* Forskål.
 69a. *bryoniaefolius* Curtis. China. 4. Enumer.
 pag. 205.
 70. *cairicus* L. Aegyptus. 4.
 71. *quinquelobus* Vahl. Ins. St. Crucis.

72. *copticus* L. Oriens, India. ☉.
 73. *vitifolius* L. India orient.
 74. *dissectus* L. America calid. 2.
 75. *mucronatus* Forster. Tanna.
 76. *macrocarpus* L. America. ☉.
 77. *paniculatus* L. Malabar. 2.
 β. *Modecca* Rheed.
 78. *macrorhizos* L. America.
 79. *quinquefolius* L. Ibid. ☉.
 80. *venosus* Vahl.
 81. *glaber* Aublet. Cajenna. 2.
 82. *pentaphyllus* L. America. ☉.
 β. *folio dentato* Plumier.
 83. *tenuifolius* Vahl. India orient.
 ** *Caule prostrato* s. non volubili.
 84. *ficulus* L. Sicilia. ☉.
 84a. *elongatus* W. ☉.
 (*C. pseudo-ficulus* Broussonet.)
 85. *pentapetaloides* L. Majorca. ☉.
 85a. *prostratus* Roth.
 86. *lineatus* L. Europa. 2.
 86a. *ciliatus* Roth. ☉. Enum. p. 206.
 (*C. undulatus* Cavanil.)
 87. *saxatilis* Vahl. Europa merid. 2.
 88. *Cneorum* Vahl. Hispania, Creta, Syria. 5.
 89. *linearis* Curtis. 5.
 90. *Cantabrica* L. Europa austr. Tauria, Af-
 rica. 2.
 β. *terrestris* L.
 91. *Ammanni* La Marck. Sibiria. 2.
 92. *pilosellaefolius* La Marck. Oriens. 2.
 93. *Dorycnium* L. Oriens. 5.
 94. *proliferus* Vahl. America merid. 5.
 95. *lanatus* Vahl. Aegyptus, Sinai. 5.
 96. *Hystrix* Vahl. Arabia. 5.
 97. *spinosus* L. Sibiria. 5.

- 98. scoparius L. Teneriffa. 5.
- 99. Oenotheroides L. Cap. b. sp.
- 100. floridus L. Teneriffa. 5.
- 101. cuneatus W. India orient. 5.
- 102. corymbosus L. America.
- 103. spithameus L. Virginia.
- 104. persicus L. Persia. 4.
- 105. tricolor L. Africa, Mauritania, Hispania,
Sicilia. ☉.
- 106. acetosaeifolius Vahl. America merid. 4.
- 107. repens L. India, Arabia fel. 4.
(*Ipomoea aquatica* Forsk.)
- 108. reptans L. India.
- 109. edulis Thunb. Japonia. 4.
- 110. hirtus L. India.
- 111. Soldanella L. Europa. ☉.
- 112. Imperati Vahl. Italia.
(*C. stoloniferus* Cyrillo.)
- 113. Pes caprae L. India. ☉.
- 114. brasiliensis L. Brasilia, St. Domingo. 4.
- 115. multifidus Thunb. Cap. b. sp.
- 116. sublobatus L. India ☉.
- 117. capensis W. Cap. b. sp.
(*C. hastatus* Thunb.)
- 118. sagittatus Thunb. Ibid.
- 119. littoralis L. America.
- 120. martinicensis Jacq. Martinica.

324. CANTUA. Cantua. T. I. p. 878.

- 1. pyrifolia La Marck. Peru. 5.
- 2. buxifolia La Marck. Ibid. 5.
- 3. Hoitzia W. Mexico. 5.
(*Hoitzia mexicana* La Marck.)
- 4. coronopifolia W. Carolina. 5.
(*Ipomoea rubra* L.)

324. VESTIA. W. Enum. p. 208.

- 1. lycioides W. Chili. 5.

325. IPOMOEAE. Trichterwinde. T.I. p. 879.

* *Floribus distinctis.*

1. Quamoclit L. India orient. ☉.
2. dissecta W. Guinea.
3. umbellata L. America.
4. carolina L. Carolina.
5. coccinea L. Domingo. ☉.
- 5a. luteola Jacq. Guatemala. ☉. Enum. p. 207.
(*L. coccinea* β. W. sp. pl.)
6. lacunosa L. America bor. ☉.
7. leucantha Jacq. America torrida. ☉.
8. solanifolia L. America.
9. tuberosa L. Jamaica. 4.
10. digitata L. America.
11. bona nox L. India. ☉.
12. campanulata L. India.
13. violacea L. America merid.
14. verticillata Forsk. Arabia fel.
15. carnea Jacq. America. 5.
16. repanda Jacq. Ibid. ☉.
17. filiformis Jacq. Martinica. 5.
18. hastata L. Java.
19. glaucifolia L. Mexico.
20. simplex Thunb. Cap. b. sp.
- 20a. stans Cavanil. Mexico. 4. Enum. p. 207.
- 20b. longiflora Humb. et B. America merid.
4. Enum. p. 207.
21. hederacea Jacq. America torrida. ☉.
22. triloba L. America. ☉.
23. sanguinea Vahl. Ins. St. Crucis. ☉.
- 23a. heterophylla W. 4 Enum. p. 207.
- 23b. gossypifolia W. 4. Enum. p. 208.
24. hederæfolia L. America. ☉.
25. parviflora Vahl. Ins. St. Crucis. ☉.

** *Floribus aggregatis.*

26. hepaticæfolia L. Zeylon.

27. *tenuifolia* L. Carolina. ☉.

28. *Pes tigridis* L. India. ☉.

326. POLEMONIUM. Sperrkraut. T. I. p. 886.

1. *coeruleum* L. Europa, Asia.

β. *calycibus lanatis* L.

γ. *floribus albis*.

2. *reptans* L. Virginia. 4.

3. *dubium* L. Ibid.

4. *Roëlloides* L. Cap. b. sp.

5. *Campanuloides* L. Ibid.

327. LIGHTFOOTIA. Lightfootie. T. I. p. 887.

1. *oxycoccoides* l'Héritier. Cap. b. sp. 5.

(*Lobelia tenella* L.)

2. *subulata* l'Héritier. Ibid.

328. JASIONE. Jasione. T. I. p. 888.

1. *montana* L. Europa. ☉.

β. *perennis* La Marck.

γ. *flore albo*.

329. CAMPANULA. Glockenblume. T. I. p. 890.

* *Foliis laevioribus*.

1. *cenisia* L. Alpes Europae. 4.

2. *uniflora* L. Alpes Lapponiae. 4.

3. *Bellardi* Allion. Alpes Italiae. 4.

4. *pulla* L. Alpes Austriae. 4.

β. *foliis subrotundis* Bauhin.

5. *Zoysii* Jacq. Carniolia. 4.

6. *gracilis* Forster. Nova-Zeelandia, Nova-Caledonia.

7. *glauc*a Thunb. Japonia. 4.

8. *grandiflora* L. Sibiria, Tataria. 4.

(*C. gentianoides* La Marck.)

9. *tetraphylla* Thunb. Japonia.

10. *triphylla* Thunb. Japonia. 4.

11. *verticillata* L. Davuria. 4.

12. *rotundifolia* L. Europa. 4.

β. *cespitosa* Scopol.

12. *pusilla* Jacq. Alpes Europae. 4. Enum.
pag. 209.
(*C. rotundifolia* β. W. Sp. pl.)
13. *linifolia* Jacq. Alpes Europae. 4.
(*C. rotundifolia* γ. L.)
β. *Scheuchzeri* Villars.
14. *pubescens* Schmidt. Bohemia. 4.
15. *Linarioides* La Marck. Bonaria.
16. *carpetica* L. Pannonia. 4.
17. *Lobelioides* L. Madera, Teneriffa. ☉.
18. *porosa* L. Cap. b. sp.
19. *undulata* L. Ibid.
20. *linearis* L. Ibid.
21. *fessiliflora* L. Ibid.
22. *patula* L. Europa. ♂.
- β. *decurrens* L.
23. *Rapunculus* L. Europa. ♂.
24. *unidentata* L. Cap. b. sp.
25. *fasciculata* L. Ibid. ♀.
26. *persicifolia* L. Europa. 4.
β. *magno flore* Bauhin.
27. *pyramidalis* L. Carniola, Italia. ♂.
27. *planiflora* W. 4. Enum. p. 210.
27. *obliqua* Jacq. ♂. Enum. p. 210.
28. *americana* L. Pennsylvania. ☉.
29. *nitida* L. America boreal. 4.
30. *lilifolia* L. Sibiria, Tartaria. 4.
31. *ensifolia* La Marck. Ins. Bourbon. ♀.
32. *rhomboides* L. Alpes Europae. 4.
β. *Alpini* L.
- ** *Foliis scabris.*
33. *latifolia* L. Europa. 4.
34. *urticaefolia* Schmidt. Germanis, Bohemia. 4.
35. *stylosa* La Marck. Sibiria. 4.
36. *Rapunculoides* L. Europa. 4.
37. *bononiensis* L. Italia. 4.

37a. *ruthenica* Bieberst. Tauria, Caucasus. 4.

Enum. pag. 211.

38. *vesula* Allion. Italia. 4.

39. *ptarmicaefolia* La Marck. Armenia.

40. *graminifolia* L. Italia, Carniolia. 4.

41. *Trachelium* L. Europa. 4.

42. *glomerata* L. Eūropa. 4.

β. *alpina* Boccon.

43. *Cervicaria* L. Europa. ♂.

44. *marginata* Thunb. Japonia 4.

45. *thyrsoides* L. Alpes Europae. ♂.

46. *petraea* L. In monte Baldo.

47. *adpressa* L. Cap. b. sp.

48. *subulata* Thunb. Ibid.

49. *hispidula* L. Ibid.

50. *paniculata* L. Ibid.

51. *cinerea* L. Ibid.

52. *peregrina* L. ♂.

53. *cernua* Thunb. Cap. b. sp.

*** *Capsulis obtectis calycis sinubus reflexis.*

54. *Allioni* Villars. Alpes Europae. 4.

(*C. alpestris* Allion.)

55. *punctata* La Marck. Sibiria.

56. *Medium* L. Europa. ♂.

56a. *divergens* Waldst. et Kit. Hungaria. ♂.

Enum. p. 212.

57. *barbata* L. Alpes Europae. 4.

57a. *macrostachya* Waldst. et Kit. Hungaria.

♂. Enum. pag. 213.

57b. *lingulata* Waldst. et Kit. Hungaria. ♂.

Enum. pag. 213.

58. *spicata* L. Valesia. ♂.

59. *strigosa* Vahl. Oriens.

60. *alpina* L. Alpes Europae. 4.

61. *mollis* L. Syria, Sicilia, Hispania. ♂.

β. *dichotoma* L.

62. *saxatilis* L. Creta.

63. *alliariaefolia* *W.* Oriens.
64. *sibirica* *L.* Sibiria, Austria. ♂.
- 64a. *lanuginosa* *W.* . . . ♂. Enum. p. 213.
65. *tridentata* *L.* Oriens. 4.
66. *laciniata* *L.* Graecia. 4.
67. *stricta* *L.* Syria, Palaestina.
68. *aurea* *L.* Madera. 5.
69. *fruticosa* *L.* Cap. b. sp. 5.
70. *Speculum* *L.* Europa. ☉.
71. *hybrida* *L.* Europa. ☉.
72. *Prismatocarpus* *Aiton.* Cap. b. sp. ☉.
73. *cochleariaefolia* *La Marck.* In Apenninis. 4.
74. *limonifolia* *L.* Oriens. ☉.
75. *pentagonia* *L.* Thracia. ☉.
76. *perfoliata* *L.* Virginia. ☉.
77. *capensis* *L.* Cap. b. sp. ☉.
78. *procumbens* *L.* Ibid.
79. *tenella* *L.* Ibid. 5.
80. *Elatines* *L.* Alpes Europae. 4.
81. *diffusa* *Vahl.* Calabria. 4.
82. *hederacea* *L.* Europa. 4.
83. *erinoides* *L.* Africa.
84. *heterophylla* *L.* Oriens. 4.
85. *Erinus* *L.* Europa merid. ☉.
330. ROELLA. Thaupflanze. T. I. p. 918.
 1. *ciliata* *L.* Mauritania, Aethiopia. 5.
 2. *squarrosa* *L.* Cap. b. sp. 4.
 3. *decurrens* *Aiton.* Cap. b. sp. ☉.
 4. *muscosa* *L.* Ibid. ☉.
 5. *spicata* *L.* Ibid. 5.
331. PHYTEUMA. Rapwurz. T. I. p. 919.

* *Floribus capitato - spicatis.*

 1. *pauciflora* *L.* Alpes Europae. 4.
 2. *Scheuchzeri* *Allion.* Ibid. 4.
 - 2a. *scorzonerifolia* *Villars.* Delphinatus, Helvetia, 4. Enum. pag. 215.
 3. *Michellii* *Allion.* Alpes Europae 4.
 4. *hemisphaerica* *L.* Ibid. 4.

5. *comosa* L. Ibid. ♂.
 6. *orbicularis* L. Ibid. 2.
 β. *lanceolata* Villars.
 γ. *elliptica* Villars.
 δ. *Charmelii* Villars.
 7. *nigra* Schmidt. Bohemia, 2.
 (*P. cordata*. Villars.)
 8. *betonicaefolia* Villars. Delphinatus. 2.
 9. *spicata* L. Alpes Europae 2.
 10. *ovata* Schmidt. Ibid. 2.
 (*P. Halleri*. Allion.)
 104. *canescens* Waldst et Kit. Hungaria, Transylvania. 2. Enum. p. 215.
 ** *Floribus axillaribus sparsis.*
 11. *virgata* W. In Libano. ♂.
 (*Campanula virgata* La Billard.)
 12. *lobelioides* W. Armenia.
 13. *lanceolata* W. Armenia.
 14. *rigida* W. Oriens.
 15. *amplexicaulis* W. Oriens.
 16. *pinnata* L. Creta.
332. TRACHELIUM Halskraut. T.I. p. 926.
 1. *coeruleum* L. Italia, Oriens. ♂.
 2. *diffusum* L. Cap. b. sp.
 3. *tenuifolium* L. Ibid.
333. SAMOLUS. Pungen. T I. p. 927.
 1. *Valerandi* L. Europa, Asia, America. ♂. ☉.
 β *africanus* L.
334. SPHENOCLEA. Keilfrucht. T. I. p. 927.
 1. *zeylanica* Gaertner. Malabar, Zeylon, Guinea. ☉.
335. NAUCLEA. Morgenstern. T.I. p. 928.
 1. *orientalis* L. India orient. ♀.
 2. *purpurea* Roxburgh. Ibid. ♀.
 (*Cephalanthus chinensis* La Marck.)
 3. *parvifolia* Roxb. Ibid. ♀.
 4. *africana* W. Guinea, ♀.

5. *aculeata* W. Gujana. H.

(*Ourouparia gujanensis* Aublet.)

6. *cordifolia* Roxb. India orient. H.

336. RONDELETIA. Rondeletie. T. I. p. 930.

* *Seminibus pluribus.*

1. *americana* L. America. H.

2. *odorata* L. Ibid. H.

3. *trifoliata* L. Ibid. H.

4. *virgata* Swartz. Hispaniola. H.

5. *pilosa* Swartz. St. Crucis, Montserrat. H.

** *Seminibus subsolitariis.*

6. *thyrsoides* Swartz. Jamaica. H.

7. *racemosa* Swartz. Ibid. H.

8. *laurifolia* Swartz. Ibid. H.

9. *tomentosa* Swartz. Ibid. H.

10. *umbellulata* Swartz. Ibid. H.

11. *incana* Swartz. Ibid. H.

12. *hirsuta* Swartz. Ibid. H.

13. *hirta* Swartz. Ibid. H.

337. MACROCNEMUM Stengelblume. T. I. p. 933.

1. *jamaicense* L. Jamaica. H.

2. *candidissimum* Vahl. St. Martha. H.

3. *coccineum* Vahl. Trinidad. H.

338. BELLONIA. Bellonie. T. I. p. 934.

1. *aspera* L. America. H.

2. *spinosa* Swartz. Hispaniola. H.

339. THOUINIA. Thouinie. T. I. p. 935.

1. *spectabilis* Smith. Madagascar. H.

340. PORTHLANDIA. Porthlandie. T. I. p. 935.

1. *tetrandra* L. Savage Island. H.

2. *grandiflora* Swartz. Jamaica. H.

3. *coccinea* Swartz. Jamaica. H.


4. *hexandra* L. Gujana, Cajenna. H.

341. SOLANDRA. Solandre. T. I. p. 936.

1. *grandiflora* Swartz. Jamaica. H.

342. COBAEA. Enum. p. 216.

1. *scandens* Cavanil. Mexico. H.



342. LOBELIA. Lobelie. T. I. p. 937.

* *Foliis integerrimis.*

1. linearis Thunb. Cap. b. sp.
2. simplex L. Ibid. ☉.
3. pinifolia L. Ibid. ☿.
4. Dortmanna L. Europa. 4.
5. Tupa L. Peru. 4.
6. Kalmii L. Canada, Carolina. ☉.
7. paniculata L. Aethiopia.
8. graminea La Marck. Peru.
9. grandis L. America merid.
10. cornuta L. Cajenna.
11. depressa L. Cap. b. sp.
12. Columnnea L. Nova-Granada. 4. ☿.

** *Gaule erecto, foliis incisis.*

13. arborea Forster. Ins. Societatis. ☿.
14. bellidifolia L. Cap. b. sp. ☉.
15. triquetra L. Ibid. 4.

β. comosa L.

16. cinerea Thunb. Ibid. ☉.
17. longiflora L. Jamaica. 4.
18. tomentosa L. Cap. b. sp.
19. secunda L. Ibid.
20. acuminata Swartz. Jamaica. ☿.

(L. salicina La Marck.)

21. stricta Swartz. In Antillis, Guadeloupe, St. Vincent. 4.

22. patula L. Cap. b. sp.
23. assurgens L. Jamaica. ☿.
- 23a. fulgens W. Mexico. 4. Enum. p. 217.
- 23b. splendens W. Ibid. 4. Enum. p. 217.
24. cardinalis L. Virginia, Carolina. 4.
25. ferruginea L. America.
26. debilis L. Cap. b. sp. ☉.
27. siphilitica L. Virginia. 4.
28. surinamensis L. Surinam. ☿.
29. inflata L. Virginia, Canada. ☉.

30. *cliffortiana* L. Ibid. ☉.
 31. *urens* L. Gallia, Hispania, Anglia. ☉.
 32. *minuta* L. Cap b. sp. 4.
 *** *Caule prostrato, foliis incisis.*
 33. *Laurentia* L. Italia, Creta. ☉.
 β. *flore maculato Tournef.*
 34. *radicans* Thunb. Japonia.
 35. *campanuloides* Thunb. Japonia.
 36. *Erinus* L. Cap. b. sp. ☉.
 37. *Erinoides* L. Ibid. ☉.
 38. *anceps* L. Ibid. ☉.
 39. *repens* Thunb. Ibid.
 40. *thermalis* Thunb. Ibid.
 40^a. *bicolor* Curtis. Ibid. 4. Enum. p. 218.
 41. *pubescens* Aiton. Ibid. 4.
 42. *zeylanica* L. China, India.
 β. *hirta* L.
 43. *lytea* L. Cap. b. sp. ☉.
 44. *angulata* Forster. Nova-Zeelandia,
 45. *hirsuta* L. Cap. b. sp. 5.
 46. *pygmaea* Thunb. Ibid.
 47. *coronopifolia* L. Ibid. 4.
 48. *crenata* Thunb. Ibid.
 343. CYPHIA. Cyphie. T. I. p. 952.
 1. *volubilis* Berg. Cap. b. sp.
 (*Lobelia volubilis* L.)
 2. *digitata* W. Cap. b. sp.
 (*Lobelia Cyphia* Thunb.)
 3. *bulbosa* Berg. Ibid. 4.
 (*Lobelia bulbosa* L.)
 4. *cardamines* W. Ibid.
 (*Lobelia cardamines* Thunb.)
 5. *incisa* W. Ibid.
 (*Lobelia incisa* Thunb.)
 6. *Phyteuma* W. Ibid.
 (*Lobelia Phyteuma* L.)

344. GOODENIA. Goodenoughie. T.I. p. 954.

1. ovata Smith. Nova-Hollandia. H.
2. albida Smith. Ibid.
3. laevigata Curtis. Ibid.
4. paniculata Smith. Ibid.
5. bellidifolia Smith. Ibid.
6. stricta Smith. Ibid.
7. ramosissima Smith. Ibid.
8. heterophylla Smith. Ibid.
9. hederacea Smith. Ibid.
- 9^a. grandiflora Curtis. Ibid. 4. Enum. p. 219.
(*G. appendiculata* Jacq.)
- 9^b. calendulacea Andrews. Ibid. H. Enumerat.
p. 219.

345. SCAEVOLA. Scaevola. T.I. p. 955.

1. Lobelia Vahl. In Indiis. H.
(*Lobelia Plumieri* L.)
2. Koenigii Vahl. India orient. H.
3. sericea Forster. Savage Island. H.

346. CINCHONA. Fiebertindenbaum. T.I. p. 957.

* *Floribus tomentosis, staminibus inclusis.*

1. officinalis L. Peru. H.
2. pubescens Vahl. Ibid. H.
3. macrocarpa Vahl. Santa fé. H.
(*C. officinalis* L. Supplem.)

** *Corollis glabris, staminibus exsertis.*

4. caribaea Vahl. In Caribaeis. H.
5. corymbifera Forster. Tongatabu, Eaove. H.
6. lineata Vahl. St. Dominica. H.
7. floribunda Swartz. Jamaica, Hispaniola, St.
Lucia, Dominica, Guadeloupe.
8. brachycarpa Swartz. Jamaica. H.
9. angustifolia Swartz. Hispaniola. H.

347. SOLENA. Röhrenblume. T.I. p. 961.

1. longiflora W. Gujana. H.
(*Posoqueria longiflora* Aublet.)

348. UCRIANA. Ucriane. T. I. p. 961.

1. *Speciosa* W. Gujana. H.
(*Tocoyena longiflora* Aublet.)

349. PSYCHOTRIA. Psychotrie. T. I. p. 961.

1. *asiatica* L. India orient. H.
2. *glabrata* Swartz. Jamaica. H.
3. *axillaris* W. Gujana. H.
(*Ronabea latifolia* Aublet.)

β. erecta Aublet.

4. *laurifolia* Swartz. Jamaica, Hispaniola. H.
5. *parviflora* W. Gujana. H.
(*Simira tinctoria* Aublet.)
6. *hirsuta* Swartz. Jamaica. H.
7. *foetens* Swartz. Jamaica. H.
8. *citrifolia* Swartz. India occid. H.
9. *nitida* W. Gujana. H.
(*Mapouria gujanensis* Aublet.)

10. *marginata* Swartz. Jamaica. H.
11. *tenuifolia* Swartz. Hispaniola. H.
12. *nervosa* Swartz. Jamaica. H.
13. *carthaginensis* Jacq. Carthagera. H.
14. *Myrstiphyllum* Swartz. Jamaica. H.
15. *laxa* Swartz. Ibid. H.
16. *parasitica* Swartz. Ins. Martinica, Domini-
ca, Guadeloupe, St. Christopher. Mont-
serrat. H.

17. *horizontalis* Swartz. Hispaniola. H.
18. *nutans* Swartz. Ibid. H.
19. *Speciosa* Forster. Tahiti. H.
20. *involuta* Swartz. Jamaica, Gujana. H.
(*Nonatelia officinalis* Aublet.)

21. *flexuosa* W. Cajenna. H.
(*Nonatelia paniculata* Aublet.)
22. *racemosa* W. Gujana. H.
(*Nonatelia racemosa* Aublet.)

23. *violacea* W. Gujana. H.
(*Nonatelia violacea* Aublet.)

- 24. *brachiata* Swartz. Jamaica. H.
- 25. *grandis* Swartz. Ibid. H.
- 26. *patens* Swartz. Ibid. H.
- 27. *uliginosa* Swartz. Ibid. 4.
- 28. *serpens* L. India orient. 4.
- 29. *herbacea* L. India utrq. 4.
- 30. *emetica* L. America calidiss. H.
- 31. *corymbosa* Swartz. Jamaica. H.
- 32. *pubescens* Swartz. Jamaica. H.
- 33. *pedunculata* Swartz. Ibid. H.
- 34. *crocea* Swartz. India. occid. H.
- 35. *alpina* Swartz. Jamaica. H.
- 36. *paniculata* W. Surinam, America merid. H.
(*Chiococca paniculata* L.)
- 37. *Palicourea* Swartz. India occid. Gujana. H.
(*Palicourea gujanensis* Aublet.)
- 38. *lutea* W. Gujana. H.
(*Nonatelia lutea* Aublet.)
- 39. *longiflora* W. Gujana. H.
(*Nonatelia longiflora* Aublet.)
- 39^a. *undata* Jacq. Bahama. H. Enum. p. 219.
- 350. CHIMARRHIS. Buchholz. T.I. p. 971.
 - 1. *cymosa* Jacq. Martinica. H.
- 351. DENTELLA. Zahnblume. T.I. p. 972.
 - 1. *repens* Forster. India orient. Nova Caledonia.
(*Oldenlandia repens* L.)
- 352. VIRECTA. Virecte. T.I. p. 972.
 - 1. *biflora* L. Surinam. O.
- 353. COFFEA. Coffe. T.I. p. 973.
 - 1. *sambucina* Forster. Ins. Amicorum. H.
 - 2. *opulina* Forster. Nova-Caledonia. H.
 - 3. *odorata* Forster. Tanna, Ins. Amicorum. H.
 - 4. *arabica* L. Arabia fel. Aethiopia. H.
 - β. *mauritiana* La Marck.
 - 5. *triflora* Forster. Taheiti. H.
 - 6. *gujanensis* Aublet. Gujana. H.
 - 7. *paniculata* Aublet. Gujana. H.

8. *occidentalis* L. America calid. H.
354. CHIOCOCCA. Schneebeere. T. I. p. 975.
1. *racemosa* L. Jamaica, Barbados. H.
 - β. *scandens* Brown.
 2. *barbata* Forster. Ins. Marchionis, Societatis, Amicorum. H.
355. VANGUERIA. Vanguerie. T. I. p. 976.
1. *edulis* Vahl. China? H.
356. CANEPHORA. Glockenfullhorn. T. I. p. 976.
1. *axillaris* W. Madagascar.
 2. *capitata* W. Ibid. H.
357. CEPHAËLIS. Kopfbeere. T. I. p. 977.
1. *violacea* Swartz. Gujana, India occid. H.
 2. *tomentosa* Vahl. Gujana, Trinidad. H.
 3. *punicea* Vahl. Jamaica. H.
 4. *elata* Swartz. Jamaica. H.
 5. *axillaris* Swartz. Ins. St. Christophori. H.
 6. *purpurea* W. Gujana. 4.
(*Tapogomea purpurea* Aublet.)
 7. *alba* W. Gujana. H.
 8. *glabra* W. Ibid. H.
 9. *involuta* W. Ibid. H.
(*Carapichea gujanensis* Aublet.)
 10. *tetrandra* W. Ibid. H.
(*Evea gujanensis* Aublet.)
 11. *fessiliflora* W. Ibid. H.
(*Patabea coccinea* Aublet.)
 12. *muscosa* Swartz. Martinica. H.
(*Morinda muscosa* Jacq.)
358. BERTIERA. Bertiere. T. I. p. 780.
1. *gujanensis* Aublet. Gujana, Cayenna. H.
359. HAMELLIA. Hamelie. T. I. p. 980.
1. *patens* L. Hispaniola. H.
 14. *erecta* Jacq.
 2. *axillaris* Swartz. Ibid., Jamaica. 4.
 3. *Chrysantha* Swartz. Jamaica, Caracas. H.
 4. *ventricosa* Swartz. Jamaica. H.

5? sessiliflora *W.* Gujana. *H.*

(*H. glabra* La Marck, *Amajova gujanensis* Aublet.)

360. SCHWENKFELDIA. Schwenkfeldie. T.I. p. 982.

1. hirta *Swartz.* Jamaica. *H.*

2. cinerea *Swartz.* Cajenna, Gujana. *H.*
(*Sabicea cinerea* Aublet.)

3. aspera *W.* Gujana. *H.*
(*Sabicea aspera* Aublet.)

361. LONICERA. Lonicere. T.I. p. 982.

* *Periclymena caule volubili.*

1. Caprifolium *L.* Europa austr. *H.*
α alba.

β rubra.

2. dioica *L.* America bor. *H.*

3. sempervirens *L.* America. *H.*

4. grata *Aiton.* America bor. *H.*

5. implexa *Aiton.* Minorca. *H.*

6. Periclymenum *L.* Europa. *H.*

β serotina *Aiton.*

γ belgica *Aiton.*

δ quercifolia *Aiton.*

7. japonica *Thunb.* Japonia. *H.*

** *Chamaecerasa pedunculis bifloris.*

8. nigra *L.* Europa merid. *H.*

9. quadrifolia *W.* . . . *H.*

10. tatarica *L.* Tartaria. *H.*

β flore albo.

11. Xylosteum *L.* Europa. *H.*

12. pyrenaica *L.* In Pyrenaeis, Sibiria. *H.*

13. alpigena *L.* Alpes Europae. 4.

14. cerulea *L.* Helvetia. *H.*

15. orientalis *La Marck.* Asia minor. *H.*

16. flexuosa *Thunb.* Japonia. *H.*

*** *Caule erecto, pedunculis multifloris.*

17. Symphoricarpos *L.* Virginia, Carolina. *H.*

(*Symphoricarpos vulgaris* Enum. p. 221.)

18. *Diervilla* L. Acadia, Noveboracum, Carolina, Canada. \bar{h} .

(*Diervilla canadensis* Enum. p. 222.)

19. *bubalina* L. Cap. b. sp. \bar{h} .

20. *corymbosa* L. Peru. \bar{h} .

362. **TRIOSTEUM**. Dreystein. T.I. p. 990.

1. *perfoliatum* L. Carolina. 2.

2. *angustifolium* L. Ibid. 2.

3. *triflorum* Vahl. Madagascar?

363. **MORINDA**. Morinde. T.I. p. 991.

1. *umbellata* L. India. \bar{h} .

2. *citrifolia* L. Ibid. \bar{h} .

3. *Royoc* L. America calid. \bar{h} .

364. **BAEOBOTRYS**. Kleintraube. T.I. p. 992.

1. *nemoralis* Vahl. Tanna. \bar{h} .

2. *lanceolata* Vahl. Arabia fel. \bar{h} .

365. **STROEMIA**. Stroemie. T.I. p. 993.

1. *farinosa* Vahl. Arabia fel. \bar{h} .

(*Cadaba farinosa* Forsk.)

2. *tetrandra* Vahl. India. \bar{h} .

(*Cleome fruticosa* L.)

3. *glandulosa* Vahl. Arabia fel. \bar{h} .

(*Cadaba glandulosa* Forsk.)

4. *rotundifolia* Vahl. Ibid. \bar{h} .

(*Cadaba rotundifolia* Forsk.)

366. **CONOCARPUS**. Knopfbaum. T.I. p. 994.

1. *erecta* L. Jamaica, Brasilia, Bermudes. \bar{h} .

2. *procumbens* L. Cuba. \bar{h} .

3. *racemosa* L. In Caribaeis. \bar{h} .

367. **SCHOEPFIA**. Schoepfie. T.I. p. 996.

1. *americana* Schreber. Ins. St. Crucis, Montserrat. \bar{h} .

368. **ERITHALIS**. Erithalis. T.I. p. 996.

1. *fruticosa* L. Jamaica, Martinica. \bar{h} .

2. *inodora* Jacq.

2. *polygama* Forster. Ins. Societatis. 5.
 β. *Timonius* Rumph.

369. MENAIS. Menais. T. I. p. 997.

1. *topiaria* L. America merid. 5.

370. MUSSAENDA. Mussaende. T. I. p. 997.

1. *frondosa* L. India. 5.

2. *glabra* Vahl. India orient. 5.

371. GENIOSTOMA. Borstenblume. T. I. p. 998.

1. *rupestris* Forster. Tanna.

372. MATTHIOLA. Matthiole. T. I. p. 998.

1. *scabra* L. America. 5.

373. MIRABILIS. Jalape. T. I. p. 999.

1. *dichotoma* L. Mexico. 4.

2. *Jalapa* L. India utrq. 4.

- α. flore rubro.

- β. flore variegato.

- γ. flore luteo.

- 2a. *hybrida* W. . . . 4. Enum. p. 222.

3. *longiflora* L. Mexico. 4.

374. CORIS. Erdkiefer. T. I. p. 1000.

1. *monspeliensis* L. Europa austral. ☉.

375. BROSSAEA. Brossaea. T. I. p. 1000.

1. *coccinea* L. America calid. 5.

376. VERBASCUM. Koenigskerze. T. I. p. 1001.

1. *Thapsus* L. Europa. ♂.

- 1a. *elongatum* W. . . . ♂. Enum. p. 223.

2. *Thapsoides* L. Europa. ♂.

3. *Boerhaavii* L. Europa. ☉.

4. *haemorrhoidale* Aiton. Madera. ♂.

5. *phlomoides* L. Europa. ♂.

- 5a. *floccosum* Waldst et Kit. Hungaria, Croatia.
 ♂. 4. Enum. 224.

- 5b. *rugulosum* W. . . . ♂. Enum. p. 224.

- 5c. *pyramidatum* Bieberst. Caucasus. ♂. Enum.
 p. 224.

6. *Lychnitis* L. Europa. 4.

- β. *album* Miller.

γ. alter Lobel.

7. *ferrugineum Aiton.* Europa. 4.

8. *nigrum L.* Europa. 4.

β. floribus albis. Enum. p. 225.

9. *phoeniceum L.* Europa. ♂. 4.

10. *Blattaria L.* Ibid. ♂.

β. alba Bauhin.

10a. *glabrum W.* . . . ♂. Enum. p. 225.

10b. *repandum W.* . . . ♂. Enum. p. 226.

11. *gallicum W.* In Delphinatu. ♂.

(*V. Chaixi Villars.*)

12. *sinuatum L.* Gallia, Italia. ♂.

13. *pinnatifidum Vahl.* Ins. Archipelagi.

14. *Barnadesii Vahl.* Hispania.

15. *Osbeckii L.* Hispania, circa Bosphorum. ♂.

16. *spinosum L.* Creta. ♀.

17. *Myconi L.* Pyrenaeae. 4.

(*Ramondia pyrenaica* Enum p. 223.)

377. **DATURA.** Stechapfel. T.I. p. 1008.

1. *ferox L.* China. ☉.

2. *Stramonium L.* America, Europa. ☉.

3. *Tatula L.* Cap. b. sp. ☉.

4. *fastuosa L.* Aegyptus. ☉.

γ. flore pleno Bauhin.

5. *Metel L.* Asia, Africa, Ins. Canariae. ☉.

6. *laevis L.* Abyssinia. ☉.

7. *arborea L.* Peru. ♀.

7a. *suaveolens Humb. et B.* Mexico. ♀. En. p. 227.

7b. *ceratocaula Jacq.* Cuba. ☉. Enum. p. 227.

378. **HYOSCYAMUS.** Bilsenkraut. T.I. p. 1010.

1. *niger L.* Europa. ♂.

1a. *pallidus Waldst. et Kit.* Hungaria. ☉. Enum. p. 228.

2. *reticulatus L.* Creta, Syria, Aegyptus. ☉.

3. *albus L.* Europa austr. ☉.

β. minor Bauhin.

4. aureus L. Creta, Oriens. ♂.
5. muticus L. Arabia, Aegyptus. ♂.
- 5^a. Sepecionis Hort. paris. Aegyptus. 4. Enum.
p. 228.
6. pusillus L. Persia. ☉.
7. physaloides L. Sibiria. 4.
8. Scopolia L. India. 4.
379. NICOTIANA. Taback. T. I. p. 1014.
1. Tabacum L. America. ☉.
- 1^a. macrophyllus Sprengel. America. ☉. Enum.
p. 229.
2. fruticosa L. Cap. b. sp. China. 5.
3. rustica L. America. ☉.
4. paniculata L. Peru. ☉.
- 4^a. plumbaginifolia Hortulan. America. 4. Enum.
p. 230.
- 4^b. undulata Ventenat. Nova - Hollandia. 4.
Enum. p. 230.
5. urens L. America merid. 5.
6. glutinosa L. Peru. ☉.
7. pusilla L. Vera Crux.
380. JABOROSA. Alraun. T. I. p. 1016.
1. integrifolia La Marck. Bonaria. 4.
2. runcinata La Marck. Ibid. 4.
381. ATROPA Tollkraut. T. I. p. 1016.
1. Mandragora L. Europa. 4.
(Mandragora officinalis. Enum. p. 230.)
- β. minor La Marck.
2. Belladonna L. Europa. 5.
3. physaloides L. Peru. ☉.
(Nicandra physaloides. Enum. p. 231.)
4. procumbens Cavanil. Mexico. ☉.
5. solanacea L. Cap. b. sp. 5.
(Solanum aggregatum. Enum. p. 234.)
6. arborescens L. Jamaica. 5.
7. frutescens L. Hispania. 4.
382. PHYSALIS. Schlutte. T. I. p. 1019.

* *Perennes.*

1. *lumnifera* L. Hispania, Mexico, Creta, 4.
2. *aristata* Aiton. In Canariis. 5.
3. *flexuosa* L. India. orient. 5.
4. *arborescens* L. Campechia. 5.
5. *curassavica* L. Curassao, 5.
6. *tomentosa* Thunb. Cap. b. sp. 5.
7. *viscosa* L. Bonaria, Virginia. 4.
8. *pensylvanica* L. America bor. 4.
9. *Alkekengi* L. Europa, Japonia. 4.
- 9a. *tuberosa* W. 4. Enum. p. 232.
10. *peruviana* L. Lima. 5.

** *Annuæ.*

11. *angulata*, L. India utrq. ☉.
 - β. capsici folio* Dillen.
 12. *pubescens* L. Virginia. ☉.
 13. *barbadensis* Jacq. Barbados. ☉.
 14. *chenopodifolia* W. ☉.
 15. *minima* L. India. ☉.
 16. *pruinosa* L. America. ☉.
 17. *prostrata* l'Héritier. Peru. ☉.
383. SOLANUM. Nachtschatten, T. I. p. 1025.

* *Inermia.*

1. *laurifolium* L. America austr. 5.
2. *verbascifolium* Jacq. America calid. 5.
3. *auriculatum* Aiton. Ins. Madagascar, Mauritii et Bourbon. 5.
4. *pubescens* W. India orient. 5.
5. *bombense* Jacq. Carthagens. 5.
6. *Pseudo-Capsicum* L. Madera. 5.
7. *microcarpum* Vahl. Aegyptus. 5.
8. *terminale* Forsk. Arabia fel. 5.
9. *pauciflorum* Vahl. Martinica.
10. *diphyllum* L. America calid. 5.
11. *fugax* Jacq. Caracas. 5.
12. *gemipatum* Vahl. Cajenna. 5.
13. *retrofractum* Vahl. America merid. 5.

14. stellatum *Jacq.* h.
 14a. betaceum *Cavanil.* h. Enum, p. 234.
 15. Dulcamara *L.* Europa. h.
 β. foliis hirsutis *Dillen.*
 16. triquetrum *Cavanil.* Nova-Hispania. h.
 17. scandens *L.* Surinam.
 18. lyratum *Thunb.* Japonia.
 19. Tegore *Aublet.* Gujana. h.
 20. quercifolium *L.* Peru. 4.
 21. laciniatum *Aiton.* Nova-Zeelandia. h.
 (*S. aviculare* *Forster.*)
 22. radicans *L.* Peru. 4.
 23. havanense *L.* Martinica, Jamaica. h.
 24. triste *Jacq.* Martinica. h.
 25. racemosum *L.* Martinica, Surinam. h.
 26. corymbosum *Aiton.* Peru. 4.
 27. quadrangulare *L.* Cap. b. sp. h.
 28. repandum *Forster.* Ins. Marchionis et Societatis.
 29. bonariense *L.* Bonaria. h.
 29a. fastigiatum *W.* h. Enum, p. 235.
 30. macrocarpon *L.* Peru. h.
 31. tuberosum *L.* Peru. 4.
 32. pimpinellifolium *L.* Ibid. h.
 33. Lycopersicum *L.* America calid. ☉.
 β. racemosum *Bauhin.*
 34. Pseudo-Lycopersicum *Jacq.* ☉.
 34a. Humboldtii *W.* America merid. ☉. Enum, pag. 235.
 35. peruvianum *L.* Peru. 4.
 36. montanum *L.* Ibid. 4.
 37. rubrum *L.*
 38. nodiflorum *Jacq.* Ins. Mauritii. h.
 38a. suffruticosum *Schousboe.* Barbaria. h.
 Enum. p. 236.
 39. nigrum *L.* Europa. ☉.
 α. vulgatum. Europa.

- β. patulum. India.
 γ. virginicum. Virginia.
 δ. judaicum. America calid.
 ε. rubrum. America calid.
 ζ. hirsutum. Aegyptus.
 39a. villosum *W.* Europa. ☉. Enum. p. 236.
 (*S. nigrum* γ. *villosum* *W.* Sp. pl.)
 39b. miniatum *Bernhardi.* Europa. ☉. Enumer.
 pag. 236.
 39c. humile *Bernhardi.* Europa. ☉. Enum. p. 236.
 39d. melanocerasum *W.* Europa. ☉. Enum.
 pag. 237.
 39e. guineense *W.* Guinea. ☉. Enum. p. 237.
 (*S. nigrum* δ. *guineense* *W.* Sp. pl.)
 40. aethiopicum *L.* Aethiopia, China. ☉.
 41. Melongena *L.* Asia, Africa, America. ☉.
 42. subinerme *Swartz.* India occid. ☿.
 43. longiflorum *Vahl.* Cajenna. ☿.
 44. muricatum *Aiton.* Peru. ☿.
 ** *Aculeata.*
 45. insanum *L.* In Indiis. ☉.
 46. torvum *Swartz.* Jamaica, Hispaniola, Ins.
 Bermudens. ☿.
 47. volubile *Swartz.* Hispaniola. ☿.
 48. ferox *L.* Malabar.
 49. campechiense *L.* America. ☿.
 49a. ciliare *W.* . . . ☿. Enum. p. 237.
 50. fuscum *L.* America. ☉.
 51. mammosum *L.* Virginia, Barbados. ☉.
 52. hirtum *Vahl.* Trinidad. ☿.
 53. paniculatum *L.* Brasilia.
 54. aculeatissimum *Jacq.* America. ☿.
 55. virginianum *L.* America. ☉.
 56. Jacquini *W.* India orient. ☉.
 (*S. virginianum* *Jacq.*)
 57. xanthocarpum *Schrader.* Aethiopia. ☉.
 58. coagulans *Forsk.* Arabia fel. ☿.

59. *jamaicense* Swartz. Jamaica, Hispaniola. H.
 60. *indicum* L. India. H.
 61. *carolinense* L. Carolina. ☉.
 62. *sinuatum* W. ☉.
 62a. *Pyracantha* La Marck. Madagascar. H.
 Enum. p. 238.
 62b. *oporinum* W. H. Enum. p. 238.
 62c. *Lichtensteinii* Cap. b. sp. H. Enum. p. 238.
 63. *sodomeum* L. Africa. H.
 64. *capense* L. Cap. b. sp. H.
 65. *marginatum* L. Abyssinia. H.
 66. *stramonifolium* Jacq. India occid. H.
 67. *Vespertilio* Aiton. In Canariis. H.
 68. *sanctum* L. Palaestina. H.
 68a. *ferrugineum* Jacq. . . . H. Enum. p. 239.
 69. *hybridum* Jacq. Guinea. H.
 70. *tomentosum* L. Aethiopia. H.
 70a. *coccineum* Jacq. Cap. b. sp. H. Enumer.
 pag. 240.
 71. *polygamum* Vahl. Ins. St. Crucis. H.
 72. *bahamense* L. America. H.
 73. *obscurum* Vahl. Cajenna. H.
 74. *giganteum* Jacq. Cap. b. sp. H.
 75. *flexuosum* Vahl. Cajenna. H.
 76. *lanceaefolium* Jacq. America merid. H.
 77. *lanceolatum* Cavanil. Mexico. H.
 78. *eleagnifolium* Cavanil. America calid. H.
 79. *polyacanthos* Vahl. Ins. Dominica.
 80. *igneum* L. America calid. H.
 β. *parvifolium* Vahl.
 80a. *subarmatum* W. H. Enum. p. 240.
 81. *Milleri* Jacq. Cap. b. sp. H.
 82. *trilobatum* L. Jamaica, India orient. H.
 *** *Spinosa*,
 83. *lycioides* L. Peru. H.
 384. **CAPSICUM.** Beilsbeere. T. I. p. 1050.
 1. *annuum* L. America merid. ☉.

- e. baccatum L. In Indiis. H.
- sa. ciliare W. H. Enum. p. 243.
- 3. sinense Jacq. China. H.
- 4. grossum L. India orient. O.
- 5. frutescens L. In Indiis. H.
- 5a. sphaericum W. H. Enum. p. 241.
- 5b. pendulum W. H. Enum. p. 242.
- 5c. nigrum W. H. Enum. p. 242.
- (C. bicolor Jacq.)
- 6. cerasiforme Miller. H.
- 385. STRYCHNOS. Kräbenaug. T. I. p. 1052.
- 1. Nux vomica L. India. H.
- 2. colubrina L. India. H.
- 3. potatorum L. Madras. H.
- 386. IGNATIA. Fiebernufs. T. I. p. 1053.
- 1. amara L. India. H.
- 387. CESTRUM. Hammerstrauch. T. I. p. 1054.
- 1. laurifolium l'Héritier. America calid. H.
- 2. nocturnum L. Jamaica, Chili. H.
- 2a. foetidissimum Jacq. India occid. H. Enum. pag. 243.
- 3. Perqui l'Héritier. Chili. H.
- 3a. salicifolium Jacq. Carracas. H. Enum. p. 243.
- 3b. pendulinum Jacq. Ibid. H. Enum. p. 243.
- 4. auriculatum l'Héritier. Lima. H.
- 5. scandens Vahl. St. Martha. H.
- 6. vespertinum L. America. H.
- (Ixora alternifolia Jacq.)
- 7. diurnum L. Chili, Hayana. H.
- 8. venenatum Thunb. Cap. b. sp. H.
- 9. tomentosum L. America merid. H.
- 10. hirtum Swartz. Jamaica. H.
- 11. latifolium La Mark. Trinidad. H.
- 11a. fastigiatum Jacq. Cuba. H. Enum. p. 244.
- 11b. tinctorium Jacq. Carracas. H. Enum. p. 244.
- 11c. hirsutum Jacq. H. Enum. p. 244.

388. LYCIUM. Bocksborn. T. I. p. 1057.

1. afrum L. Africa bor., in regno Valentino. H.
12. tenue W. . . . H. Enum. p. 245.
2. rigidum Thunb. Cap. b. sp. H.
3. ruthenicum Murray. Sibiria. H.
β. minus Pallas. Ad mare Caspium.
4. tetrandrum L. Cap. b. sp.
5. barbarum L. Asia, Africa, Europa. H.
α. vulgare Aiton.
β. chinense La Marck.
6. cinereum Thunb. Cap. b. sp. H.
7. europaeum L. Europa. H.
8. horridum Thunb. Cap. b. sp. H.
9. barbatum Thunb. Ibid. H.

(L. incerne L.)

10. boerhaaviaefolium L. Peru. H.

(Erethia halimifolia l'Héritier.)

11. capsulare L. Mexico. H.

389. SERISSA. Serisse. T. I. p. 1061.

1. foetida W. India orient., China, Cochinchina, Japonia. H.

(Lycium foetidum L.)

390. CRYPTOSTOMUM. Kappenblume. T. I. pag. 1061,

1. laurifolium W. Cajenna, Gujana. H.

(Montabea gujanensis Aublet.)

391. ARDISIA. Spitzblume. T. I. p. 1062.

1. tinifolia Swartz. Jamaica. H.
2. coriacea Swartz. In Antillis. H.
3. ferrulata Swartz. Hispaniola. H.
4. acuminata W. Gujana. H.

(Icacorea gujanensis Aublet.)

5. humilis Vahl. Siam, Zeylon, Malacca. H.
6. folanacea Roxb. India orient. H.
7. lateriflora Swartz. India occid. H.
8. excelsa Aiton. Madera. H.

(Anguillaria bahamensis Gaertner.)

9. *parasitica* Swartz. Ins. Dominicae. H.
 392. JACQUINIA. Jacquinie. T. I. p. 1064.
 1. *arborea* Vahl. Ins. Montserrat. H.
 2. *armillaris* L. America. H.
 24. *macrocarpa* Cavanil. Panama, Acapulco. H.
 Enum. pag. 246.
 3. *venosa* Swartz. India occid. H.
 4. *ruscifolia* Jacq. America merid. H.
 (*Medeola aculeata* L.)
 5. *linearis* Jacq. America. H.
 393. BASSOVIA. Bassovie. T. I. p. 1065.
 1. *sylvatica* Aublet. Gujana. 4.
 394. CHIRONIA. Chironie. T. I. p. 1065.
 1. *trinervia* L. Zeylon. ☉.
 2. *Jasminoides* L. Cap. b. sp.
 3. *Lychnoides* L. Ibid.
 4. *nudicaulis* L. Ibid.
 5. *campanulata* L. Canada.
 6. *angularis* L. Virginia.
 7. *pulchella* W. Suecia. ☉.
 (*Gentiana pulchella* Swartz.)
 8. *chilensis* W. Chili. ☉.
 (*Gentiana Cachanlaken* Molina.)
 9. *Centaurium* Schmidt. Europa. ☉.
 (*Gentiana Centaurium* L. — *Erythraea Centaurium*
 Enum, p. 247.)
 β. *Gerardi* Schmidt,
 10. *inaperta* W. Europa. ☉.
 (*Ch. Vaillantii* Schmidt.)
 11. *maritima* W. Europa austr. ☉.
 (*Gentiana maritima* L.)
 12. *spicata* W. Europa austr. ☉.
 (*Gentiana spicata* L.)
 β. *flore rubello* Tournef.
 13. *linoides* L. Cap. b. sp. 4.
 14. *baccifera* L. Aethiopia. H.
 15. *frutescens* L. Ibid. Cap. b. sp. H.

β. *C. decussata* Ventenat.

16. *tetragona* L. Cap. b. sp. 5.

395 LITA. Dünning. T.I. p. 1071,

1. *rosea* W. Gujana. 2.

(*Voyria rosea* Aublet.)

2. *coerulea* W. Gujana. 2.

(*Voyria coerulea* Aublet.)

396. CORDIA. Cordie. T.I. p. 1072.

1. *Myxa* L. Aegyptus, Malabar. 5.

2. *obliqua* W. India orient. 5.

3. *monoica* Roxb. India. 5.

4. *Ipinescens* L. India orient. 5.

5. *Sebestena* L. India orient. 5.

6. *aspera* Forster. Tongatabu. 5.

7. *dichotoma* Forster. Nova-Caledonia. 5.

8. *Geraschanthus* Jacq. Jamaica. 5.

9. *flavescens* Aublet. Gujana, Cajenna. 5.

10. *Toqueve* Aublet. Gujana. 5.

11. *macrophylla* L. Jamaica, Ins. Antil. 5.

12. *micranthus* Swartz. Jamaica. 5.

13. *elliptica* Swartz. Jamaica, Dominica. 5.

14. *Collococca* L. Jamaica. 5.

15. *birsuta* W. Cajenna, Gujana. 5.

16. *tetrandra* Aublet. Ibid.

17. *Patagonula* Aiton. Patagonia.

(*Patagonula americana* L.)

18. *tetraphylla* Aublet. Gujana.

397. EHRETIA. Ehretie. T.I. p. 1077,

1. *tinifolia* L. Jamaica. 5.

2. *aspera* W. India. 5.

3. *laevis* Roxb. India. 5.

4. *internodis* l'Héritier. Ins. Mauritii. 5.

5. *spinosa* Jacq. America. 5.

6. *Beurreria* Miller. Jamaica. 5.

(*Cordia Beurreria* L.)

7. *virgata* Swartz. Hispaniola. 5.

8. *exsueca* L. America merid. 5.

9. *buxifolia* Roxburgh. India orient. H.

398. VARRONIA. Varronie. T.I. p. 1079.

1. *lineata* L. America. H.

2. *bullata* L. Jamaica. H.

3. *mirabiloides* Jacq. Hispaniola. H.

4. *martinicensis* Jacq. Martinica. H.

5. *globosa* L. America. H.

6. *curassavica* L. Jamaica. H.

7. *angustifolia* West. Ins. St. Crucis. H.

8. *alba* Jacq. America. H.

9. *monosperma* Jacq. Carracas. H.

399. LAUGIERA. Laugierie. T.I. p. 1081.

1. *odorata* Jacq. America. H.

2. *lucida* Swartz. Ins. St. Luciae et St. Crucis. H.

3. *coriacea* Vahl. Ins. Montserrat. H.

4. *resinosa* Vahl. Ibid. H.

5. *tomentosa* Swartz. Jamaica. H.

400. CHRYSOPHYLLUM. Goldblatt. T.I. p. 1083.

1. *Cainito* L. Martinica. H.

β. *foliis oblongo-ovatis* Miller.

γ. *jamaicense* Jacq.

δ. *coeruleum* Jacq.

2. *monopyrenum* Swartz. Jamaica, Hispaniola. H.

3. *microcarpum* Swartz. Hispaniola. H.

4. *argenteum* Jacq. Martinica. H.

5. *rugosum* Swartz. Jamaica. H.

6. *pyriforme* W. Gujana. H.

(*C. Macoucou* Aublet.)

7. *glabrum* L. Martinica.

401. BUMELIA. Hochstamm. T.I. p. 1085.

1. *nigra* Swartz. Jamaica. H.

2. *pallida* Swartz. Ibid. H.

3. *tenax* W. Carolina. H.

(*Sideroxylon tenax* L.)

4. *retusa* Swartz. Jamaica. H.

5. *foetidissima* W. Domingo. H.

(*Sideroxylon foetidissimum* L.)

6. *salicifolia* Swartz. Jamaica, Ins. St. Crucis, Bahamens. H.

(*Achras salicifolia* L.)

7. *Manglillo* W. Peru. H.

(*Sideroxylon Manglillo* La Marck.)

8. *montana* Swartz. Jamaica. H.

9. *nervosa* Vahl. Cajenna. H.

10. *pentagona* Swartz. Ins. Dominica. H.

11. *rotundifolia* Swartz. Jamaica. H.

12. *cuneata* Swartz. Jamaica, India occid. H.

402. TECTONA. Tectone. T. I. p. 1088.

1. *grandis* L. Java, Zeylon, Malabar, Coromandel. H.

403. SIDEROXYLON. Eisenholtz. T. I. p. 1089.

1. *mite* L. Africa. H.

(*Scleroxylum mite* Enum. p. 249.)

2. *inermis* L. Aethiopia. H.

3. *melanophleum* L. Cap. b. sp. H.

(*Scleroxylum melanophleum* Enum. p. 249.)

4. *cymosum* L. Ibid. H.

5. *sericeum* Aiton. Nova Hollandia. H.

6. *argenteum* Thunb. Cap. b. sp. H.

7. *tomentosum* Roxb. India orient. H.

8. *Lycioides duRoi*. Canada. H.

(*Bumelia lycioides* Enum. p. 249.)

9. *decandrum* L. America sept. H.

404. SCHREBERA. Schreber. T. I. p. 1092.

1. *albans* Retz. Zeylon. Coromandel. H.

(*Mangifera glauca* Rottb.)

405. RHAMNUS. Wedd. T. I. p. 1092.

* *Spinosi*.

1. *catharticus* L. Europa. H.

2. *infectarius* L. Europa merid. H.

3. *lycioides* L. Hispania. H.

4. *Erythroxylon* Pallas. Sibiria. H.

β. *angustifolius* W. Terek.

5. *oleoides* L. Hispania. H.

6. *crenulatus* Aiton. Teneriffa. H.
7. *saxatilis* L. Europa. H.
8. *theezans* L. China. H.
** *Inermes*.
9. *Sarcomphalus* L. America. H.
10. *ferreus* Vahl. Ins. St. Crucis. H.
11. *laevigatus* Vahl. Ibid. H.
12. *tetragonus* L. Cap. b. sp. H.
13. *polifolius* Vahl. H.
14. *valentinus* W. Hispania. H.
(*Rh. pumilus* Cavanil.)
15. *cubensis* L. Cuba. H.
16. *colubrinus* L. America. H.
17. *davuricus* Pallas. Davuria. H.
18. *alpinus* L. Alpes Europae. H.
19. *pumilus* L. Carniolia, Italia. H.
20. *Frangula* L. Europa. H.
21. *latifolius* l'Héritier. In Azoribus. H.
22. *glandulosus* Aiton. Madera, Ins. Canariens. H.
23. *ellipticus* Aiton. Jamaica, Ins. St. Bartholomaei. H.
24. *Prinoides* l'Héritier. Cap. b. sp. H.
25. *mystacinus* Aiton. Abyssinia. H.
26. *alpifolius* l'Héritier. America sept.? H.
27. *Sphaerospermus* Swartz. Jamaica. H.
28. *hybridus* l'Héritier. H.
29. *Alaternus* L. Europa. H.
β. *latifolius* Aiton.
- 29a. *Clusii* W. Lusitania. H. Enum. p. 250.
(*R. Alaternus* β. *angustifolius* W. Sp. pl.)
30. *carpinifolius* Pallas. Sibiria. H.
(*Ulmus parvifolia* Enum. p. 295.)
- *** *Aculeati*.
31. *capensis* Thunb. Cap. b. sp. H.
32. *circumcissus* L. India orient. H.
406. ZIZYPHUS, Judendorn. T. L. p. 1102.
* *Inermes*,

1. lineatus *W.* China, Zeylon. *H.*
(*Rhamnus lineatus* L.)
2. volubilis *W.* Carolina. *H.*
(*Rhamnus volubilis* L.)
- ** *Aculeati.*
3. Paliurus *W.* Europa, Oriens. *H.*
(*Rhamnus Paliurus* L.)
4. Lotus *La March.* In regno Tunetano, Guineæ. *H.*
(*Rhamnus Lotus* L.)
- 4a. mucronatus *W.* Cap. b. sp. *H.* En. p. 251.
5. Napeca *W.* Zeylon. *H.*
(*Rhamnus Napeca* L.)
6. Jujuba *W.* India. *H.*
(*Rhamnus Jujuba* L.)
7. Xylopyrus *W.* India orient. *H.*
(*Rhamnus Xylopyrus* Retz.)
8. Oenoplia *Miller.* Zeylon. *H.*
(*Rhamnus Oenoplia* L.)
9. vulgaris *W.* Europa. *H.*
(*Rhamnus Zizyphus* L.)
10. Spina Christi *W.* Aethiopia, Palaestina. *H.*
(*C. Rhamnus Spina Christi* L.)
407. VENTILAGO. Windsaame. T. I. p. 1106.
 1. maderaspatana *Roxb.* India.
408. CORYMBIUM. Wollkorn. T. I. p. 1106.
 1. scabrum L. Cap. b. sp. 4.
 2. filiforme L. Ibid.
 3. glabrum L. Ibid. 4.
 4. villosum L. Ibid.
409. PHYLICA. Phylica. T. I. p. 1108.
 1. ericeides L. Aethiopia, Cap. b. sp. *H.*
 - 1a. acerosa *W.* Cap. b. sp. *H.* Enum. p. 252.
 2. lanceolata *Thunb.* Cap. b. sp. *H.*
 3. bicolor L. Ibid. *H.*
 4. capitata *Thunb.* Ibid. *H.*
 - 4a. pubescens *Wendland.* Ibid. *H.* Enum. p. 252.
 - 4b. pumila *Wendland.* Ibid. *H.* Enum. p. 252.

- 4c. *cylindrica* *Wendland*. Ibid. *H. Enum.* p. 253.
5. *eriophoros* *Thunb.* Ibid. *H.*
6. *plumosa* *L.* Aethiopia. *H.*
7. *villosa* *Thunb.* Cap. b. sp. *H.*
8. *imberbis* *L.* Ibid. *H.*
9. *stipularis* *L.* Ibid. *H.*
10. *pinifolia* *L.* Ibid. *H.*
11. *cordata* *L.* Ibid. *H.*
12. *dioica* *L.* Ibid. *H.*
13. *buxifolia* *L.* Aethiopia. *H.*
14. *spicata* *L.* Cap. b. sp. *H.*
15. *callosa* *L.* Ibid. *H.*
16. *paniculata* *W.* Ibid. *H.*
17. *imbricata* *Thunb.* Ibid. *H.*
18. *racemosa* *L.* Ibid. *H.*
19. *parviflora* *L.* Ibid. *H.*
410. CARPODETUS. Ringbeere. T.I. p. 1113.
 1. *ferratus* *Forster*. Nova Zeelandia.
411. COLLETIA. Colletie. T.I. p. 1113.
 1. *horrida* *La Marck*. Brasilia. *H.*
412. CEANOTHUS. Ceanothus. T.I. p. 1114.
 1. *americanus* *L.* America bor. *H.*
 2. *macrocarpus* *Cavanil.* Nova Hispania. *H.*
 3. *asiaticus* *L.* Zeylon. *H.*
 4. *africanus* *L.* Aethiopia, Cap. b. sp. *H.*
 5. *capsularis* *Forster*. Tahiti. *H.*
413. SCOPOLIA. Scopolie. T.I. p. 1115.
 1. *aculeata* *Smith.* India. orient. *H.*
(*Paullinia asiatica* *L.*)
 2. *inermis* *W.* Ins. Bourbon? *H.*
(*Toddalia* *La Marck.*)
414. RUYSCHIA. Ruyschie. T.I. p. 1116.
 1. *clusiæefolia* *Swartz.* Martinica. *H.*
 2. *Souroubea* *Swartz.* Gujana. *H.*
(*Souroubea gujanensis* *Aublet.*)
415. ARDUINA. Arduine. T.I. p. 1117.
 1. *bispinosa* *L.* Cap. b. sp. *H.*

416. CAMAX. Pallisadenholtz. T.I. p. 1117.

1. fraxinea *W.* Gujana. \bar{h} .

(*Ropourea gujanensis* Aublet.)

417. BUETTNERIA. Büttnerie. T.I. p. 1117.

1. scabra *L.* America merid. \bar{h} .
2. tereticaulis *La Marck.* Peru. \bar{h} .
3. microphylla *L.* America. \bar{h} .
4. ovata *La Marck.* Peru. \bar{h} .
5. cordata *La Marck.* Lima. \bar{h} .
6. herbacea *Roxb.* India. 4.

7. catalpaefolia *Jacq.* Carracas. \bar{h} .

418. AYENIA. Ayenia. T.I. p. 1119.

1. pusilla *L.* Jamaica, Cumana, Peru. \odot .
2. laevigata *Swartz.* Jamaica. \bar{h} .
3. tomentosa *L.* Cumana.
4. magna *L.* Cumana.

419. GLUTA. Gluta. T.I. p. 1120.

1. Benghas *L.* Java. \bar{h} .

420. POLYCARDIA. Herzblüte. T.I. p. 1121.

1. madagascarensis *La Marck.* Madagascar. \bar{h} .

421. MYRSINE. Myrsine. T.I. p. 1121.

1. africana *L.* Aethiopia. Cap. b. sp. \bar{h} .
2. retusa *Aiton.* In Azoribus. \bar{h} .

422. BLADHIA. Bladhie. T.I. p. 1122.

1. japonica *Thunb.* Japonia. \bar{h} .
2. glabra *Thunb.* Ibid. \bar{h} .
3. villosa *Thunb.* Ibid. \bar{h} .
4. crispa *Thunb.* Japonia. \bar{h} .

423. CELASTRUS. Celaster. T.I. p. 1123.

* *Inermes, foliis integerrimis,*

1. lucidus *L.* Cap. b. sp. \bar{h} .
2. microphyllus *L.* Ibid. \bar{h} .
3. bullatus *L.* Virginia. \bar{h} .
4. laurinus *Thunb.* Cap. b. sp. \bar{h} .
5. rostratus *Thunb.* Ibid. \bar{h} .
6. undulatus *l'Héritier.* Borbonia. \bar{h} .
7. octogonus *l'Héritier.* Peru. \bar{h} .

8. filiformis L. Cap. b. sp. H.

** *Inermes, foliis dentatis.*

9. scandens L. Canada, Connecticut. H.

10. paniculatus W. India orient. H.

11. procumbens L. Cap. b. sp. H.

12. acuminatus L. Ibid. H.

13. cassinoides l'Héritier. In Canariis. H.

14. striatus Thunb. Japonia. H.

15. cernuus Thunb. Cap. b. sp. H.

16. undatus Thunb. Ibid. H.

17. edulis Vahl. Arabia fel. H.

18. crenatus Forster. Ins. Marchionis. H.

19. dilatatus Thunb. Japonia. H.

20. myrtifolius L. Virginia. H.

21. Maytenus W. Chili. H.

(*Maytenus Boaria* Molina.)

22. tetragonus Thunb. Cap. b. sp. H.

23. articulatus Thunb. Japonia. H.

24. alatus Thunb. Japonia. H.

*** *Spinosi, foliis integerrimis.*

25. linearis L. Cap. b. sp. H.

26. integrifolius L. Ibid. H.

27. emarginatus W. India orient. H.

**** *Spinosi, foliis dentatis.*

28. phyllacanthus l'Héritier. Senegal. H.

29. buxifolius L. Aethiopia, Cap. b. sp. H.

30. pyracanthus L. Ibid. H.

31. rotundifolius Thunb. Cap. b. sp. H.

32. parviflorus Vahl. Arabia fel. H.

424. EVONYMUS. Spindelbaum. T. I. p. 1130.

1. Tobira Thunb. Japonia. H.

2. japonicus L. Japonia. H.

3. europaeus L. Europa. H.

4. verrucosus Aiton. Borussia, Austria, Polonia. H.

5. latifolius Bauhin. Silesia, Imper. Austriae. H.

6. atropurpureus Aiton. Kentucky, Tennassée. H.

7. americanus L. Virginia, Carolina. H.

425. PILOCARPUS. Schleuderfrucht. T.I. p. 1138.

1. racemosus Vahl. Ins. Montserrat. H.

425a. AGATHOSMA. Enum. p. 259.

1. acuminatum W. Cap. b. sp. H. En. p. 260.

(Bucco acuminata Wendland.)

426. DIOSMA. Buccostrach. T.I. p. 1133.

1. oppositifolium L. Cap. b. sp. H.

2. obtusatum Thunb. Ibid. H.

3. lineare Thunb. Ibid. H.

4. virgatum Thunb. Ibid. H.

5. album Thunb. Ibid. H.

6. hirsutum L. Ibid. H.

7. rubrum L. Aethiopia. H.

8. pectinatum Thunb. Cap. b. sp. H.

(D. oppositifolia Hortulan.)

- 8a. tenuifolium W. Ibid. H. Enum. p. 258.

(D. linifolia Hortulan.)

- 8b. succulentum Wendland. Ibid. H. Enumerat. pag. 258.

9. ericoideum L. Aethiopia. H.

10. hispidum Thunb. Cap. b. sp. H.

(Hartogia capensis L.)

11. ciliatum L. Ibid. H.

12. bifurcum Thunb. Ibid. H.

13. bifidum Jacq. Ibid. H.

14. capitatum L. Ibid. H.

15. villosum Thunb. Ibid. H.

(Agathosma villosum Enum. p. 259.)

16. cupressinum L. Ibid. H.

17. imbricatum L. Ibid. H.

(Agathosma imbricatum Enum. p. 259.)

18. marginatum L. Ibid. H.

19. lanceolatum L. Aethiopia. H.

20. pubescens Thunb. Cap. b. sp. H.

(Hartogia ciliaris L.; Agathosma pubescens Enum. pag. 259.)

- a. Bucco obtusa Wendland.

β. Bucco obtusa oblonga *Wendland.*

21. latifolium *Thunb.* Ibid. 5.

22. crenatum *L.* Ibid. 5.

23. tetragonum *L.* Ibid. 5.

24. uniflorum *L.* Ibid. 5.

(*Adenandra uniflora* Enum. p. 256.)

25. rugosum *Thunb.* Ibid. 5.

26. ovatum *Thunb.* Ibid. 5.

(*D. pulchella* Houttuyn.)

27. barbigerum *L.* Ibid. 5.

28. pulchellum *L.* Ibid. 5.

29. betulinum *Berg.* Ibid. 5.

30. orbiculare *Thunb.* Ibid. 5.

426a. ALÉNANDRA. Enum. p. 256.

1. umbellata *W.* Cap. b. sp. 5. Enum. p. 257.

(*Glandulifolia umbellata* *Wendland.* — *Diosma umbellata* *Hortulan.*)

426b BAROSMA. Enum. p. 257.

1. serratifolium *W.* Cap. b. sp. 5. Enum. p. 257.

(*Parapetalifera serrata* *Wendland.*)

427. HOVENIA, *Hovenie.* T. I. p. 1141.

1. dulcis *Thunb.* *Japonia.* 5.

428. BRUNIA. *Brunie.* T. I. p. 1141.

1. nodiflora *L.* *Aethiopia.* 5.

2. paleacea *L.* Cap. b. sp. 5.

3. lanuginosa *L.* *Aethiopia,* Cap. b. sp. 5.

4. verticillata *L.* Cap. b. sp. 5.

5. abrotanoides *L.* *Aethiopia.* 5.

6. superba *Donn.* Cap. b. sp. 5.

7. fragarioides *W.* 5.

8. ciliata *L.* *Aethiopia.* 5.

429. STAAVIA. *Staavie.* T. I. p. 1144.

1. radiata *Thunb.* Cap. b. sp. 5.

(*Brunia radiata* *L.*)

2. glutinosa *Thunb.* Ibid. 5.

(*Brunia glutinosa* *L.*)

430. WALKERA. Walkere. T. I. p. 1145.

1. ferrata
- W.*
- India orient.
- H.*

(Meesia ferrata Gaertner)

431. PITTOSPORUM. Klebsaame. T. I. p. 1145.

1. coriaceum
- Aiton.*
- In Canariis.
- H.*

2. undulatum
- Ventenat.*
- Ibid.
- H.*
- Enum. p. 261.

3. hirtum
- W.*
- Ibid.
- H.*
- Enum. p. 261.

432. BARRERIA. Barrerie. T. I. p. 1145.

1. theobromaefolia
- W.*
- Gujana.
- H.*

(Poraqueiba gujanensis Aublet.)

433. ITEA. Itea. T. I. p. 1146.

1. virginica
- L.*
- Virginia.
- H.*

2. Cyrilla
- Swartz.*
- Carolina.
- H.*

(Cyrilla racemiflora *L.*)

434. GALAX. Galax. T. I. p. 1146.

1. aphylla
- L.*
- Virginia.
- H.*

435. HUMBOLDTIA Humboldtia. T. I. p. 1147.

1. laurifolia
- Vahl.*
- Zeylon
- H.*

436. CEDRELA. Cedrele. T. I. p. 1147.

1. odorata
- L.*
- America merid.
- H.*

437. CALODENDRUM. Schönbaum. T. I. p. 1148.

1. capense
- Thunb.*
- Cap. b. sp.
- H.*

(Dictamnus capensis *L.*; Pallasia capensis *Houttuyn.*)

438. ELAEODENDRUM, Oelstrauch. T. I. p. 1148.

1. orientale
- Jacq.*
-
- H.*

2. Argan
- Retz.*
- Maroc.
- H.*

439. ESCALLONIA. Escallonie. T. I. p. 1149.

1. myrtilloides
- L.*
- Nova-Granada.
- H.*

2. ferrata
- Smith.*
- America merid.
- H.*

440. BILLARDIERA. Billardiere. T. I. p. 1150.

1. scandens
- Smith.*
- Nova-Hollandia.
- H.*

441. MANGIFERA. Mango. T. I. p. 1150.

1. indica
- L.*
- India.
- H.*

2. laxiflora
- La Marck.*
- Ins. Mauriti.
- H.*

3. axillaris
- La Marck.*
- India.
- H.*

442. HIRTELLA. Hirtelle. T. I. p. 1151.

1. *americana* Aublet. Brasilia, Gujana, Cajenna. H.
2. *triandra* Swartz, Jamaica, Hispaniola, Martinica. H.
3. *paniculata* Swartz. Cajenna. H.
443. STRUMPFIA. Strumpfie. T. I. p. 1152.
 1. *maritima* L. Curaçao. H.
444. PLECTRONIA. Plectronie. T. I. p. 1152.
 1. *ventosa* L. Cap. b. sp. H.
445. RIBES. Johannisbeere. T. I. p. 1153.
 - * *Ribesia inermia*.
 - 1. *rubrum* L. Europa. H.
 - β. *hortense* Bauhin.
 - 2. *petraeum* Jacq. Alpes Europae. H.
 - 3. *procumbens* Pallas. Davuria. H.
 - 4. *glandulosum* Aiton. Newfoundland. H.
 - (*R. prostratum* La Marck.)
 - 5. *alpinum* L. Europa. H.
 - 6. *fragrans* Pallas. Sibiria. H.
 - 7. *triste* Pallas. Ibid. H.
 - 8. *nigrum* L. Europa. H.
 - 9. *floridum* d'Héritier. Pensylvania. H.
 - (*R. pensylvanicum* La Marck.)
 - ** *Grossulariae aculeatae*.
 - 10. *Diacantha* L. Davuria. H.
 - 11. *saxatile* Pallas. Sibiria. H.
 - 12. *reclinatum* L. Europa. H.
 - 13. *Grossularia* L. Europa. H.
 - 14. *Uva crispa* L. Europa. H.
 - 14a. *triflorum* W. America bor. H. En. p. 263.
 - 15. *oxyacanthoides* L. Canada. H.
 - 16. *cynobati* L. Ibid. H.
446. VIOLEA. Veilchen. T. I. p. 1159
 - * *Acaules*.
 - 1. *palmata* L. Virginia. 4.
 - 2. *pedata* L. Ibid. 4.
 - 3. *pinnata* L. Alpes Europae. 4.
 - 4. *sagittata* Aiton. Pensylvania. 4.

5. lanceolata L. Canada, Sibiria. 4.
6. obliqua Aiton. Pensylvania, Virginia. 4.
7. cucullata Aiton. America bor. 4.
- 7a. lororia W. America bor. 4. Enum. p. 263.
8. primulaefolia L. Sibiria, Virginia. 4.
9. hirta L. Europa. 4.
10. magellanica Forster. Tierra del Fuego. 4.
11. palustris L. Europa. 4.
12. odorata L. Europa. 4.
 - β. alba Bauhin.
 - γ. multiplici flore Bauhin.
 - δ. Peloria,
- ** Caulescentes.
13. canina L. Europa. 4.
- 13a. cordata Broussonet. Teneriffa. 4. Enumerat,
pag. 264.
14. montana L. Europa. 4.
 - β. persicifolia Hoffmann.
15. nummulariaefolia Villars. Alp. Europae. 4.
16. cenisia L. In m. Cenisii. 4.
- 16a. valderia Allion. Alpes Pedemont. 4. Enumer,
pag. 265.
17. canadensis L. Canada. 4.
18. striata Aiton. America bor. 4.
19. pubescens Aiton. Ibid. 4.
20. mirabilis L. Europa. 4.
21. biflora L. Alpes Europae. 4.
22. uniflora L. Sibiria. 4.
23. decumbens L. Cap. b. sp. 4.
 - *** Stipulis pinnatifidis; Stigmate praeolato,
24. tricolor L. Europa. ☉.
 - β. repens Bauhin.
- 24a. rothomagensis Persoon, Prope Rouen Gallo-
rum. 4. Enum. pag. 265.
- 24b. lutea Smith. Anglia. 4. Enum. pag. 265.
25. grandiflora L. Alpes Europae. 4.
26. Zoyzii Jacq. Ibid. 4.

27. *calcarata* L. Ibid. 24.
 28. *cornuta* L. Ibid. 24.
 29. *capensis* Thunb. Cap. b. sp. 5.
 30. *arborescens* L. Hispania. 5.
 **** *Floribus erectis, nec resupinatis.*
 31. *stipularis* Swartz. India occid., S. Christoph. 24.
 32. *parviflora* L. America merid. 24.
 33. *enneasperma* L. India. 24.
 34. *suffruticosa* L. Ibid. 5.
 35. *Calceolaria* L. Cumana, Cajenna, Marti-
 nica. 24.
 36. *oppositifolia* L. Cumana. 5.
 37. *Hybanthus* L. America merid. 5.
 38. *Ipecacuanha* L. Brasilia. 5.
 39. *diandra* L.
 39^a. *verticillata* Ortega, America merid. 24.
 Enum. p. 266.

(*Jonidium polygalæfolium* Ventenat. — *Solea*
verticillata Sprengel.)

447. IMPATIENS. Balsamine. T. I. p. 1173.

* *Pedunculis unifloris,*

1. *bifida* Thunb. Cap. b. sp.
 2. *chinensis* L. China, ☉.
 3. *latifolia* L. India. ☉.
 4. *capensis* Thunb. Cap. b. sp.
 5. *oppositifolia* L. Zeylon.
 6. *fasciculata* La Marck. Malabar.
 β. *foliis ovato-lanceolatis* La Marck.
 7. *cornuta* L. Zeylon. ☉.
 8. *Balsamina* L. India orient. ☉.

** *Pedunculis multifloris.*

9. *biflora* Walter. Carolina.
 10. *triflora* L. Zeylon.
 11. *natans* W. India orient.
 12. *Nolitangere* L. Europa, Canada. 24. ☉.

448. GRONOVIA. Gronovie. T. I. p. 1176.

1. *scandens* L. Vera Crux. 24.



449. LEEA. Leea. T.I. p. 1177.

1. sambucina L. India orient. H.

(*Aquilicia sambucina* Cavanil.)

2. aequata L. Ibid. H.

3. crispa L. Cap. b. sp. 4.

450. ARGOPHYLLUM. Silberblatt. T.I. p. 1178.

1. nitidum L. Nova Caledonia. H.

451. CORYNOCARPUS. Keulenauss. T.I. p. 1178.

1. laevigata L. Nova Zeelandia. H.

452. HEDERA. Epheu. T.I. p. 1179.

1. Helix L. Europa. H.

β. poetica Bauhin.

γ. major sterilis Bauhin.

δ. humi repens Bauhin.

2. nutans Swartz. Jamaica. H.

3. terebinthinacea Vahl Zeylon. H.

453. VITIS. Wein. T.I. p. 1180.

1. vinifera L. Asia. H.

β. aepyrena Bauhin.

γ. sylvestris Enum. p. 267.

2. palmata Vahl. Virginia. H.

3. indica L. In India utraque. H.

4. flexuosa Thunb. Japonia. H.

5. Labrusca L. America sept. H.

6. vulpina L. Virginia. H.

7. heterophylla Thunb. Japonia. H.

8. laciniosa L. . . . H.

9. hederacea L. Canada, Pennsylvania. H.

10. heptaphylla. L. India orient. H.

11. pinnata Vahl. . . . H.

12. arborea L. Carolina, Virginia. H.

454. EUPAREA. Euparie. T.I. p. 1183.

1. amoena Gaertner, Nova Hollandia.

455. AEGICERAS. Ziegenhorn. T.I. p. 1183.

1. majus Gaertner. In Moluccis. H.

(*Rhizophora corniculata*. L.)

2. minus Gaertner. Ibid. H.

456. LAGOEZIA. Federknopf. T. I. p. 1184.

1. *cuminoides* L. Creta, Lemnos, Lybia, Galatia. ☉.

457. RORIDULA. Tropfkraut. T. I. p. 1184.

1. *dentata* L. Cap. b. sp. 5.

458. SAUVAGESIA. Sauvagesie. T. I. p. 1185.

1. *erecta* L. Domingo, Jamaica. Surinam, Guinea. ☉.

459. CLAYTONIA. Claytonie. T. I. p. 1185.

1. *virginica* L. Virginia. 4.

α. *foliis linearibus* Aiton.

β. *foliis lanceolatis* Aiton.

2. *sibirica* L. Sibiria. 4.

3. *perfoliata* Donn. America bor. Cuba. ☉.

(*C. cubensis* Humboldt et Bonpl.)

460. HELICONIA. Heliconie. T. I. p. 1187.

1. *caribaea* La Marck. In Caribaeis. 4.

2. *Bihai* Swartz. America calid. 4.

(*Musa Bihai* L.)

3. *humilis* Jacq. Carracas, Gujana. 4.

4. *psittacorum* L. Jamaica, Surinam, Brasilia. 4.

5. *hirsuta* L. America merid. 4.

- 5a. *flava* Jacquin.

461. STRELITZIA. Strelitzie. T. I. p. 1190.

1. *Reginae* Aiton. Cap. b. sp. 4.

2. *angusta* Thunb. Ibid. 4.

461a. MOLLIA. Enum. p. 269.

1. *diffusa* W. Teneriffa. ☉.

(*Polycarpaea Teneriffae* La Marck.)

2. *latifolia* W. Ibid. 5.

462. ACHYRANTHES. Spreublume. T. I.

p. 1191.

1. *argentea* La Marck. Sicilia, Cap. b. sp. 4.

2. *aspera* L. Zeylon, Jamaica. 5.

- 2a. *porrigens* Jacq. Peru. 5. Enum. p. 270.

- 2b. *axillaris* Hornem. . . . 5. Enum. p. 270.

3. *lappacea* L. India. 5.

4. *echinata* Retz. Ibid. 5.
5. *muricata* L. Aegyptus, Arabia. 4.
 β . *alternifolia* Ibid. ☉.
6. *patula* L. India orient. 5.
7. *prostrata* L. India. 4.
8. *sarmentosa* Vahl. India orient. 5.
9. *alternifolia* L. Ibid.
10. *polygonoides* Retz. Arabia fel. India.
11. *altissima* Swartz. Jamaica. 5.
12. *nivea* Aiton. In Canariis. 5.
13. *stellata* W. Guinea. 5.
14. *corymbosa* L. Zeylon. 4.
15. *tenuifolia* W. Sierra Leona.
16. *dichotoma* L. Virginia.
463. CELOSIA. Hahnenkamm. T.I. p. 1197.
1. *argentea* L. China. ☉.
2. *albida* W. India orient. ☉.
(C. pyramidalis Burm.)
3. *margaritacea* L. Malabar. ☉
4. *cristata* L. Asia. ☉.
 α . *spicis rubris dilatatis* Enum. p. 271.
 β . *spicis rubris compressis* Enum. p. 271.
 γ . *spicis flavis* Enum. p. 271.
5. *comosa* Retz. India orient.
6. *paniculata* L. Jamaica. ☉.
7. *nitida* Vahl. India occid.
8. *coccinea* L. India. ☉.
9. *castrensis* L. India. ☉.
10. *Monsoniae* Retz. India orient. ☉.
(Illecebrum Monsoniae L.)
11. *corymbosa* Retz. India orient. 4.
12. *caudata* Vahl. Arabia fel.
13. *trigynia* L. Senegal. ☉.
14. *virgata* Jacq. . . . 5.
15. *polygonoides* Retz. Malabar. 4.
16. *baccata* Retz. India.
17. *gnaphaloides* L. Brasilia.

28. *nodiflora* L. Zeylon. ☉.
 464. CHENOLEA. Chenolie. T.I. p. 1203.
 1. *diffusa* Thunb. Cap. b. sp.
 (*Salsola sericea* Aiton. — Enum. p. 293.)
 465. ILLECEBRUM. Knorpelblume. T.I. p. 1203.
 1. *brachiatum* L. India orient. ☉.
 2. *sanguinolentum* L. India. 4.
 3. *lanatum* L. India orient. ♂.
 α. *spicis aggregatis* Aiton.
 β. *spicis solitariis* Aiton.
 34. *pubescens* W. . . . 5. Enum. p. 271.
 4. *javanicum* L. India orient. 5.
 β. *latifolium* Vahl.
 γ. *obcordatum* Vahl.
 5. *verticillatum* L. Europa. 4. ☉.
 54. *polygonifolium* Villars. Galka, 4. Enum.
 pag. 272.
 6. *aristatum* Aiton. In Canariis. ♂.
 7. *canariense* L. Teneriffa. 5.
 8. *cymosum* L. Europa. ☉.
 9. *Paronychia* L. Hispania, Gallia. 4.
 (*I. narbonense* Villars.)
 10. *capitatum* L. Europa, Oriens. 4.
 11. *divaricatum* Aiton. In Canariis. ☉.
 12. *benghalense* L. India orient. ☉.
 13. *arabicum* L. Arabia.
 14. *Achyrantha* L. Bonaria. 4.
 15. *frutescens* l'Héritier. Lima. 5.
 16. *polygonoides* L. America.
 17. *ficoides* L. America, Hispania. 4.
 18. *fessile* L. India orient. ☉.
 19. *alsinefolium* L. Hispania.
 466. GLAUX. Milchkraut. T.I. p. 1210.
 1. *maritima* L. Europa. 4.
 467. PLOCAMA. Flechtling. T.I. p. 1210.
 1. *pendula* Aiton. In Canariis. 5.
 468. HEDYCREA. Zuckerpflume. T.I. p. 1210.

1. *incana* *W.* Gujana. \bar{h} .

(*Licania incana* Aublet.)

469. THESIUM. Thesium. T.I. p. 1211.

1. *Linophyllum* *L.* Europa, Oriens. $\bar{4}$.

α . *pratense* *Schrader*.

β . *intermedium* *Schrader*.

γ . *montanum* *Schrader*.

1a. *ebracteatum* *Hayne*. Germania. $\bar{4}$. Enumer.
pag 273.

2. *alpinum* *L.* Alpes Europae. \odot .

3. *humile* *Vahl*. Tuneti. \odot .

4. *lineatum* *L.* Cap. b. sp.

5. *squarrosum* *L.* Ibid.

6. *Frisea* *L.* Ibid.

7. *funale* *L.* Ibid. \bar{h} .

8. *spicatum* *L.* Ibid.

9. *capitatum* *L.* Aethiopia. \bar{h} .

10. *strictum* *L.* Cap b sp. \bar{h} .

11. *umbellatum* *L.* America bor. $\bar{4}$.

12. *fragile* *L.* Cap. b. sp.

13. *scabrum* *L.* Ibid. \bar{h} .

14. *paniculatum* *L.* Ibid. \bar{h} .

15. *amplexicaule* *L.* Ibid. \bar{h} .

16. *triflorum* *L.* Ibid. \bar{h} .

17. *euphorbioides* *L.* Ibid. \bar{h} .

18. *Colpoon* *L.* Ibid. \bar{h} .

19. *spinosum* *L.* Ibid.

470. QUINCHAMALA. Quinchamali. T.I. p. 1217.

1. *chilensis* *W.* Chili.

471. RAUWOLFIA. Rauwolfie. T.I. p. 1217.

1. *nitida* *L.* America merid. \bar{h} .

2. *glabra* *Cavanil.* Nova Hispania. \bar{h} .

3. *canescens* *L.* Jamaica. \bar{h} .

4. *tomentosa* *Jacq.* Carthagens. \bar{h} .

472. PAEDERIA. Knackbeere. T.I. p. 1219.

1. *foetida* *L.* India orient. $\bar{4}$.

2. *fragrans* *La Marck.* Ins. Mauritii. $\bar{4}$.

473. **CARISSA.** Carisse. T. I. p. 1219.* *Spinosae.*

1. *Carandas* L. India. H.
2. *spinarum* L. India orient. H.
3. *edulis* Vahl. Arabia fel. H.

** *Inermes.*

4. *inermis* Vahl. India orient. H.
5. *mitis* Vahl. Ibid. H.

474. **GYNOPOGON.** Griffelbart. T. I. p. 1220.

1. *stellatum* Forster. Ins. Societatis et Amicorum. H.

2. *Alyxia* Forster. Ins. Norfolk. H.
3. *scandens* Forster. Ins. Societatis. H.

475. **CERBERA.** Schellenbaum. T. I. p. 1222.

1. *Ahovai* L. Brasilia. H.
2. *ovata* Cavanil. Nova-Hispania. H.
3. *parviflora* Forster. Ins. Amicorum et Savage Island. H.

4. *Manghas* L. In Indiis. H.
5. *maculata* W. Ins. Bourbon. H.

(Ochrosia maculata Jacq.)

6. *Thevetia* L. Cuba, Martinica. H.

476. **WEBERA.** Webere. T. I. p. 1224.

1. *corymbosa* W. Malabar, Zeylon. H.

(Rondeletia asiatica L.)

2. *cymosa* W. India orient. H.
3. *tetrandra* W. India orient. H.

(Canthium parviflorum Roxb.)

477. **GARDENIA.** Gardenia. T. I. p. 1225.* *Inermes.*

1. *radicans* Thunb. Japonia. H.
2. *florida* L. India orient. H.
 - α. Flore simplici Enum. p. 274.
 - β. Flore pleno Enum. p. 274.
3. *Thunbergia* L. Cap. b. sp., Manilla. H.
4. *latifolia* Aiton. India orient. H.
5. *clusiaefolia* Jacq. Ins. Bahamenses. H.

6. *gummifera* L. Zeylon. 5.
7. *Mussaenda* L. Carthageria. 5.
8. *Genipa Swartz.* America merid. 5.
(*Genipa americana* L.)
9. *Rothmannia* L. Cap. b. sp. 5.
** *Spinosae.*
10. *uliginosa* Retz. India. 5.
11. *armata Swartz.* Martinica, Carthageria. 5.
(*Mussaenda spinosa* L.)
12. *spinosa* Thunb. China. 5.
13. *dumetorum* Retz. India orient. 5.
(*G. spinosa* L.)
14. *Randia Swartz.* Jamaica, Martinica. 5.
(*Randia aculeata* L.)
β. mitis Swartz.
(*Randia mitis* L.)
15. *micrantha* Thunb. China, Zeylon. 5.
16. *scandens* Thunb. China. 5.
17. *multiflora W.* India orient. 5.
(*Randia longiflora* La Marck.)
478. WILLUGHBEJA. Willughbeje. T.I. p. 1231.
1. *acida W.* Cajenna, Gujana. 5.
(*Ambelania acida* Aublet.)
2. *scandens W.* Gujana. 5.
(*Pacouria gujanensis* Aublet.)
479. ALLAMANDA. Allamanda. T.I. p. 1231.
1. *cathartica* L. Gujana, Surinam. 5.
480. VINCA. Sinngrün. T.I. p. 1232.
1. *minor* L. Europa. 5.
12. *herbacea Waldst. et Kit.* Hungaria. 4.
2. *major* L. Europa. 5.
3. *lutea* L. Carolina. 5.
4. *rosea* L. Madagascar, Java. 5.
α. flore rubro Enum. p. 175.
β. flore albo Enum. p. 275.
5. *parviflora Aiton.* Tranquebar. 5.
(*V. pusilla* L.)

481. NERIUM. Oleander. T. I. p. 1234.

1. Oleander L. Africa bor. H.
2. odorum Aiton. India orient. H.
β. latifolium Hermann.
- γ. flore pleno Enum. p. 275.
3. latifolium Vahl Arabia fel. H.
4. obesum Vahl. Ibid. H.
5. zeylanicum L. India. H.
6. divaricatum L. India. ♂.
7. antidysentericum L. Malabar, Zeylon, Russia. H.
8. coronarium Jacq. India orient. H.

(Tabernae montana coronaria Enum. p. 275.)

482. ECHITES. Klammerstrach. T. I. p. 1237.

1. biflora Jacq. In Caribaeis. H.
2. quinquangularis Jacq. America merid. H.
3. annularis L. Surinam.
4. tomentosa Vahl. Cajenna.
5. subereota L. Jamaica. H.
6. domingensis Swartz. Jamaica, Hispaniola. H.
7. agglutinata L. St. Domingo. 4.
8. asperuginis Swartz. Jamaica, Hispaniola. H.
9. torulosa Jacq. Jamaica. H.
10. umbellata L. Ibid.
11. circinalis Swartz. Hispaniola. H.
12. floribunda Swartz. Jamaica. H.
13. trifida Jacq. America. H.
14. repens Jacq. St. Domingo. H.
15. corymbosa Jacq. St. Domingo. H.
16. corymbosa Forsk. Ins. Societatis. H.
17. spicata Jacq. Carthago. H.
18. siphilitica L. Surinam. H.
19. caudata L. India. H.
20. scholastica L. Ibid. H.
21. succulenta L. Cap. b. sp. H.
22. bispinosa L. Ibid. H.

483. PLUMIERA. Plumiere. T. I. p. 1242.

1. rubra L. Jamaica, Surinam. H.

2. alba L. Jamaica. H.

3. obtusa L. America calid. H.

4. pudica Jacq. Ibid.? H.

484. CAMERARIA. Camerarie. T. I. p. 1243.

1. latifolia L. America calid. H.

2. zeylanica Retz. Zeylon. H.

3. lutea La Marck. Gujana. H.

β. gujanensis Aublet.

4. angustifolia L. America calid. H.

485. TABERNAEMONTANA. Tabernamontane. T. I. p. 1244.

1. citrifolia L. America. H.

2. laurifolia L. Jamaica. H.

3. echinata Aublet. Gujana. H.

4. grandiflora L. Carthago. H.

5. cymosa L. Ibid. H.

6. amygdalifolia Jacq. Ibid. H.

7. discolor Swartz. Jamaica. H.

8. persicariaefolia Jacq. Ins. Mauriti. H.

9. elliptica Thunb. Japonia. 24.

10. alternifolia L. Malabar. H.

11. Amsonia L. Virginia, Carolina. 24.

(Amsonia latifolia Rnum. p. 276.)

12. angustifolia Aiton. Carolina, Virginia. 24.

DIGYNIA.

486. PERGULARIA. Laubenstranch. T. I. p. 1247.

1. glabra L. India. H.

2. edulis Thunb. Csp. b. sp. 24.

3. tomentosa L. Arabia. H.

4. purpurea Vahl. India orient. China.

5. japonica Thunb. Japonia.

487. PERIPLOCA. Schlingt. T. I. p. 1248.

1. graeca L. Syria, Sibiria. H.

2. *Secamone* L. Aegyptus. 5.
3. *laevigata* Aiton, In Canariis. 5.
4. *angustifolia* Billard. Regn. Tunet. 5.
5. *esculenta* L. Zeylon, Malabar. 4.
6. *emetica* Retz. India orient. 5.
7. *indica* L. Zeylon. 5.
8. *capsularis* Forster. Nova-Zeelandia.
9. *africana* L. Cap. b. sp. 5.

β. *Cynanchum* Burman.

10. *tunicata* Retz. Tranquebar.
 11. *sylvestris* Retz. Zeylon. 5.
488. CYNANCHUM. Hundswürger. T.L. p. 1252.
1. *viminale* L. Africa, India. 5.
 2. *filiforme* L. Cap. b. sp.
 3. *crispum* Thunb. Ibid.
 4. *tenellum* L. Nova-Granada.
 5. *obtusifolium* L. Cap. b. sp.
 6. *capense* L. Ibid.
 7. *acutum* L. Europa austr. 4.
 8. *planiflorum* L. Carthagera. 4.
 9. *rostratum* Vahl. Trinidad.
 10. *grandiflorum* Cavanil. America calid. 4.
 11. *nigrum* Cavanil. Mexico. 4.
 12. *racemosum* L. Carthagera.
 13. *maritimum* L. In Terra Bomba. 5.
 14. *suberosum* L. America calid. 5.
 15. *carolinense* Jacq. Carolina. 4.
 16. *obliquum* Jacq. Carolina. 4.
 17. *hirtum* L. America. 5.
 18. *crispiflorum* Swartz. Jamaica. 5.
 19. *prostratum* Cavanil. Mexico. 4.
 20. *monspeliacum* L. Europa merid. 5.
 21. *extensum* Aiton. India orient. 5.
 22. *reticulatum* Retz. Ibid. 5.
 23. *undulatum* L. Carthagera. 5.
 24. *parviflorum* Swartz. India occid. 5.
 25. *erectum* L. Syria. 5.

489. APOCYNUM. Apocynum. T. I. p. 1259.

1. filiforme L. Cap. b. sp.
2. hastatum Thunb. Cap. b. sp. 4.
3. androsaemifolium L. Virginia, Carolina. 4.
4. cannabinum L. Ibid. 4.
5. hypericifolium Aiton. Ibid. 4.
6. venetum L. Ins. mar. Adriat. 4.
7. frutescens L. Zeylon. 5.
8. paniculatum La March. Gujana. 5.
9. umbellatum Aublet. Cajenna. 5.
10. reticulatum L. India. 5.
11. cordatum Thunb. Cap. b. sp. 4.
12. lanceolatum Thunb. Ibid.
13. triflorum L. Ibid.
14. lineare L. Ibid.

490. ASCLEPIAS. Schwalbenwurz. T. I. p. 1262.

* *Foliis nullis.*

1. aphylla Thunb. Cap. b. sp.

** *Foliis oppositis planis.*

2. undulata L. Cap. b. sp. 5.
3. crispa L. Cap. b. sp. 5.
4. pubescens L. Ibid. 5.
5. mucronata Thunb. Ibid.
6. procera Aiton. Persia. 5.
7. gigantea L. India orient. 5.
8. grandiflora L. Cap. b. sp.
9. carnosae L. China, India orient. 5.
10. syriaca L. America bor. Astracan, Oriens. 4.
- β. exaltata L.
11. amoena L. America sept. 4.
12. purpurascens L. Carolina. 4.
13. variegata L. America bor. 4.
14. curassavica L. Curacao. 5.
15. nivea L. America. 4.
16. laniflora Forsk. Arabia fel.
17. parviflora Aiton. Carolina, Florida. 4.
18. incarnata Canada, Virginia. 4.

19. *pulchra* Ehrhartz. America bor. 2.
20. *citrifolia* Jacq. Ibid. 2.
21. *decumbens* L. Ibid. 2.
22. *lactifera* L. Zeylon. 2.
- 22a. *villosa* Balbis. . . . 2. Enum. p. 278.
23. *Vincetoxicum* L. Europa. 2.
24. *nigra* L. Monspeli. 2.
25. *foetida* Cavanil. Mexico. 2.
26. *convolvulacea* W. Guinea. 2.
27. *volubilis* L. Zeylon. 5.
28. *alexicaca* Jacq. Ibid. 2.
29. *asthmatica* L. Ibid. 2.

β. *foliis ovato-lanceolatis* W.

30. *viminalis* Swartz. Jamaica. 2.

*** *Foliis lateribus revolutis.*

31. *arborescens* L. Cap. b. sp. 5.

32. *fruticosa* L. Ibid. 5.

β. *crassifolia* L.

33. *sibirica* L. Sibiria. 2.

34. *davurica* W. Davuria. 2.

35. *setosa* Forsk. Arabia fel. 5.

36. *filiformis* L. Cap. h. sp.

37. *verticillata* L. Virginia. 2.

38. *mexicana* Cavanil. Mexico. ♂. 2.

*** *Foliis alternis*

39. *linaria* Cavanil. Mexico. 2.

40. *rubra* L. Virginia.

41. *tuberosa* L. America bor. 2.

491. *HOSTEA*. Hostea. T.I. p. 1274.

1. *viridiflora* W. Gujana. 2.

(*Matelea palustris* Aublet.)

β. *latifolia*.

(*Matelea latifolia* Aublet.)

492. *MELODINUS*. Windeapfel. T.I. p. 1274.

1. *scandens* L. Nova-Caledonia. 5.

493. *CEROPEGIA*. Leuchterblume. T.I. p. 1275.

1. *Candelabrum* L. Malabar. 2.

2. *tuberosa* Roxb. India. 4.
3. *bullosa* Roxb. Ibid. 4.
4. *biflora* L. Zeylon. 4.
5. *junceae* Roxb. India. 4.
6. *acuminata* Roxb. India. 4.
7. *sagittata* L. Cap. b. sp. 4.
8. *tenuiflora* L. Ibid. 4.

494. STAPELIA. Stapel. T.I. p. 1277.

* *Corolla quinquefida.*

1. *ciliata* Thunb. Cap. b. sp. 5.
2. *revoluta* Masson. Ibid. 5.
3. *hirsuta* L. Ibid. 5.
4. *lororia* Masson. Ibid. 5.
- 4^a. *patula* W. Ibid. 5. Enum. p. 281.
5. *grandiflora* Masson. Ibid. 5.
6. *ambigua* Masson. Ibid. 5.
7. *pulvinata* Masson. Ibid. 5.
8. *Asterias* Masson. Ibid. 5.
9. *gemmiflora* Masson. Ibid. 5.
- 9^a. *glauca* Jacq. Ibid. 5. Enum. p. 279.
- 9^b. *lepida* Jacq. Ibid. 5. Enum. p. 280.
10. *divaricata* Masson. Ibid. 5.
- 10^a. *Vetula* Jacq. Ibid. 5. Enum. p. 280.
11. *rufa* Masson. Ibid. 5.
- 11^a. *Juvencula* Jacq. Ibid. 5. Enum. p. 280.
- 11^b. *hircosa* Jacq. Ibid. 5. Enum. p. 281.
12. *acuminata* Masson. Ibid. 5.
13. *reclinata* Masson. Ibid. 5.
- 13^a. *radiata* Jacq. Ibid. 5. Enum. p. 285.
- 13^b. *hirtella* Jacq. Ibid. 5. Enum. p. 285.
14. *elegans* Masson. Ibid. 5.
15. *caespitosa* Masson. Ibid. 5.
- 15^a. *replicata* Jacq. Ibid. 5. Enum. p. 286.
16. *arida* Masson. Ibid. 5.
17. *parviflora* Masson. Ibid. 5.
18. *tubulata* Forsk. Arabia fel. 5.
19. *concinna* Masson. Cap. b. sp. 5.

20. glandulifera Masson. Ibid. f.
21. pedunculata Masson, Cap. b. sp. f.
22. aperta Masson. Ibid. f.
23. Gordoni Masson? Ibid. f.
24. pilifera L. Ibid. f.
25. caudata Thunb. Ibid. f.
26. articulata Aiton. Ibid. f.
27. mammillaris L. Ibid. f.
28. pruinosa Masson. Ibid. f.
29. ramosa Masson. Ibid. f.
30. pulla Aiton. Ibid. f.
31. adscendens Roxb. India orient. f.
32. quadrangula Forsk. Arabia fel. f.
33. incarnata L. Cap. b. sp. f.
34. punctata Masson. Ibid. f.
35. geminata Masson. Ibid. f.
- 35a. serrulata Jacq. Ibid. f. Enum. p. 287.
36. decora Masson. Ibid. f.
37. pulchella Masson. Ibid. f.
38. retula Masson. Ibid. f.
39. verrucosa Masson. Ibid. f.
- 39a. roriflua Jacq. Ibid. f. Enum. p. 285.
40. irrorata Masson. Ibid. f.
41. mixta Masson. Ibid. f.
42. variegata L. Ibid. f.
- 43a. maculosa Jacq. Ibid. f. Enum. p. 283.
- 42b. bufonia Jacq. Ibid. f. Enum. p. 283.
- 42c. planiflora Jacq. Ibid. f. Enum. p. 284.
- 42d. rugosa Jacq. Ibid. f. Enum. p. 284.
- 42e. conspurcata W. Ibid. f. Enum. p. 284.
- ** Corolla decedentata.
43. campanulata Masson. Cap. b. sp. f.
44. barbata Masson. Ibid. f.
45. venusta Masson. Ibid. f.
46. gattata Masson. Ibid. f.
47. humilis Masson. Ibid. f.
- 47a. tubata Jacq. Ibid. f. Enum. p. 287.

48. *reticulata* Masson. Ibid. 5.
 β. *deformis* Jacq.

*** *Incertae, quarum flores nondum detecti.*

49. *clavata* W. Cap. b. sp. 5.
 495. LINCONIA. Linconie. T. I. p. 1296.
 1. *alopecuroides* L. Cap. b. sp. 5.
 496. HERNIARIA. Bruchkraut. T. I. p. 1296.

1. *glabra* L. Europa. ☉.
 2. *hirsuta* L. Europa. ☉.
 3. *alpina* Villars. Alpes Delphinatus. 24.
 4. *fruticosa* L. Hispania. 5.
 5. *lentibularia* L. Europa. 5.
 6. *polygonoides* Cavanth. Hispania. 5.
 (*Illecebrum suffruticosum* L.)

497. CHENOPODIUM. Gänsefuß. T. I. p. 1299.

* *Folius angulosis.*

1. *Bonus; Helicis* L. Europa. 24.
 2. *mucronatum* Thunb. Cap. b. sp. 5.
 3. *triandrum* Forster. Nova Zeelandia.
 4. *urbicum* L. Europa. ☉.
 5. *Atriplicis* L. China. ☉.
 6. *rubrum* L. Europa. ☉.
 7. *guineense* Jacq. Guinea. ☉.
 7a. *rhombifolium* Mühlenberg. America bor.
 ☉. Enum. p. 288.
 8. *murale* L. Europa. ☉.
 9. *Quinoa* Feuillée. Chili. ☉.
 10. *ferotinum* L. Hispania, Gallia. ☉.
 11. *album* L. Europa. ☉.
 12. *viride* L. Ibid. ☉.
 13. *hybridum* L. Ibid. ☉.
 13a. *foetidum* Schrader. ☉. Enum. p. 289.
 14. *Botrys* L. Europa austr. ☉.
 15. *ambrosioides* L. Mexico, Lusitania. ☉.
 15a. *suffruticosum* W. Pennsylvania, Mexico.
 5. Enum. p. 290.
 16. *multifidum* L. Borussia. 5.

17. *anthelminticum* L. America. β .
 17a. *graveolens* W. \odot . Enum. p. 290.
 18. *glaucescens* L. Europa. \odot .
 ** *Foliis integerrimis*.
 19. *Vulvaria* L. Europa. \odot .
 20. *polyspermum* L. Europa. \odot .
 21. *caudatum* Jacq. Götting. \odot .
 21a. *lanceolatum* Mühlenb. Pennsylvania. \odot . Enum.
 pag. 291.
 22. *laterale* Aiton. \odot .
 23. *Scoparia* L. Europa, Japonia, China. \odot .
 24. *maritimum* L. Europa. \odot .
 25. *oppositifolium* L. Sibiria.
 26. *aristatum* L. Sibiria, Virginia. \odot .

β . *foliis linearibus* L.

498. BETA. Mangold. T.I. p. 308.

1. *vulgaris* L. Europa. \odot .
 a. *rubra vulgaris* Bauhin.
 β . *rubra major* Bauhin.
 γ . *rubra, radice rapae* Bauhin.
 δ . *lutea major* Bauhin.
 e. *pallide viridis major* Bauhin.
 2. *pauciflora* Aiton. Madera. \odot .
 3. *Cicla* L. Lusitania. \odot .
 4. *maritima* L. Europa. \odot .
 4a. *trigyna* Waldstein et Kit. Hungaria, Taurin;
 Iberia. β . Enum. p. 292.

499. MICROTER. Zwergblüte. T.I. p. 309.

- a. *debilis* Swartz. In Caribaeis, Grenada, St.
 Eustachii, Guadeloupe. \odot .

500. SALSOLA. Salzkrant. T.I. p. 310.

1. *Kali* L. Europa. \odot .
 2. *Tragus* L. \odot .
 3. *rosacea* L. Asia. \odot .
 4. *Soda* L. Europa. \odot .
 5. *fativa* L. Hispania. \odot .
 6. *spicata* W. \odot .

- (*S. fava* Cavanil.)
7. *altissima* L. Europa. ☉.
(*Chenopodium altissimum* Roum. p. 291.)
8. *trigyna* W. Hispania. ☉.
(*S. altissima* Cavanil.)
9. *falsa* L. Astracan. ☉.
10. *nudiflora* W. India orient. 24.
11. *flavescens* Cavanil. Hispania. 24.
12. *hirsuta* L. Europa. ☉.
13. *laniflora* L. Sibiria.
14. *hyssopifolia* Pallas. Sibiria. ☉.
- 14a. *arenaria* Waldst. et Kit. Hungaria, Germania. ☉. Enum. p. 292.
(*Kochia arenaria* Roth.)
- 14b. *platyphylla* Michaux. America boreal. ☉.
Enum. p. 293.
(*Kochia dentata* W. hort. Berol. t. 28.)
- 14c. *verrucosa* Bieberst. Ad mare Caspium. ☿.
Enum. p. 293.
15. *polyclonos* L. Sicilia, Hispania.
16. *prostrata* L. Europa, Asia. ☿.
17. *monandra* Pallas. Sibiria. ☉.
18. *vermiculata* L. Hispania, Sibiria. ☿.
19. *Arbuscula* Pallas. Tataria. ☿.
20. *aphylla* L. Cap. b. sp. ☿.
21. *arborescens* L. Sibiria. ☿.
22. *fruticosa* L. Europa, Persia. ☿.
(*Chenopodium fruticosum* Enum. p. 291.)
- 22a. *oppositifolia* Desfont. Hesp., Rega. Tun. ☿.
(*S. fruticosa* Cavanil.)
23. *indica* W. India orient. ☿.
24. *fedoides* Pallas. Sibiria. 24.
25. *muricata* L. Europa, Aegyptus. ☿.
(*Bassia muricata* Allion.)
501. ANABASIS. Kalistrauch. F.F. p. 1318.
1. *aphylla* L. Ad mar. Caspic. Tripolis. ☿.
2. *cretacea* Pallas. Sibiria. 24.

3. foliosa L. Litt. mar. Casp. ☉.
4. spinosissima L. Aegyptus, Persia, Arab. ☿.
(*Salsola Echinus* Billard.)
5. tamariscifolia L. Hispania. ☿.
502. CRESSA. Matzkrant. T. I. p. 1326.
1. cretica L. Creta, Roma.
2. indica Retz. India. ☉.
503. GOMPHRENA. Winterblume. T. I. p. 1327.
1. globosa L. India orient. ☉.
2. decumbens Jacq. Mexico. ☉. Enum. p. 294.
3. perennis L. Bonaria. 2.
3. hispida L. Malabar. 1.
4. angustifolia Vahl. India orient. 2.
5. vermicularis L. America. 2.
6. brasiliensis L. Brasilia. ☿.
6. aggregata Humboldt et Bonpl. Cumana. 2.
Enum. p. 294.
7. ferrata L. America. 2.
8. interrupta D. Jamaica, Hispaniola. ☉.
(*Celosia procumbens* Jacq.)
9. flava L. Vera Cruz. 2.
10. arborescens L. Nova Granada. ☿.
504. BOSEA. Goldruthenbaum. T. I. p. 1323.
1. Yervamera L. In Canariis. ☿.
505. ULMUS. Raster. T. I. p. 1324.
1. campestris L. Europa. ☿.
2. suberosa Moench. Europa. ☿.
(*U. tetrandra* Schkuhr.)
- α. arborea W.
- β. fruticosa W.
- γ. pumila W.
3. effusa W. Europa. ☿.
(*U. octandra* Schkuhr.)
4. americana L. Pennsylvania, Virginia, Carolina. ☿.
- α. rubra Aiton.
- β. alba Aiton.

483. PLUMIERA. Plumiere. T. I. p. 1242.

1. rubra L. Jamaica, Surinam. H.
2. alba L. Jamaica. H.
3. obtusa L. America calid. H.
4. pudica Jacq. Ibid.? H.

484. CAMERARIA. Camerarie. T. I. p. 1243.

1. latifolia L. America calid. H.
2. zeylanica Retz. Zeylon. H.
3. lutea La Marck. Gujana. H.
- β. gujanensis Aublet.

4. angustifolia L. America calid. H.

485. TABERNAEMONTANA. Tabernamontane. T. I. p. 1244.

1. citrifolia L. America. H.
2. laurifolia L. Jamaica. H.
3. echinata Aublet. Gujana. H.
4. grandiflora L. Carthago. H.
5. cymosa L. Ibid. H.
6. amygdalifolia Jacq. Ibid. H.
7. discolor Swartz. Jamaica. H.
8. persicariaefolia Jacq. Ins. Mauriti. H.
9. elliptica Thunb. Japonia. 2.
10. alternifolia L. Malabar. H.
11. Amsonia L. Virginia, Carolina. 2.
(*Amsonia latifolia* Enum. p. 276.)
12. angustifolia Aiton. Carolina, Virginia. 2.

DIGYNIA.

486. PERGULARIA. Laubenstrach. T. I. p. 1247.

1. glabra L. India. H.
2. edulis Thunb. Csp. b. sp. 2.
3. tomentosa L. Arabia. H.
4. purpurea Vahl. India orient. China.
5. japonica Thunb. Japonia.

487. PERIPLOCA. Schling. T. I. p. 1248.

1. graeca L. Syria, Sibiria. H.

2. *Sesamone* L. Aegyptus. 5.
3. *laevigata* Aiton. In Canariis. 5.
4. *angustifolia* Billard. Regn. Tunet. 5.
5. *esculenta* L. Zeylon, Malabar. 4.
6. *emetica* Retz. India orient. 5.
7. *indica* L. Zeylon. 5.
8. *capsularis* Forster. Nova-Zeelandia.
9. *africana* L. Cap. b. sp. 5.

β. *Cynanchum* Burman.

10. *tunicata* Retz. Tranquebar.
 11. *sylvestris* Retz. Zeylon. 5.
488. CYNANCHUM. Hundswürger. T.L. p. 1252.
1. *viminale* L. Africa, India. 5.
 2. *filiforme* L. Cap. b. sp.
 3. *crispum* Thunb. Ibid.
 4. *tenellum* L. Nova-Granada.
 5. *obtusifolium* L. Cap. b. sp.
 6. *capense* L. Ibid.
 7. *acutum* L. Europa austr. 4.
 8. *planiflorum* L. Carthagera. 4.
 9. *rostratum* Vahl. Trinidad.
 10. *grandiflorum* Cavanil. America calid. 4.
 11. *nigrum* Cavanil. Mexico. 4.
 12. *racemosum* L. Carthagera.
 13. *maritimum* L. In Terra Bomba. 5.
 14. *suberosum* L. America calid. 5.
 15. *carolinense* Jacq. Carolina. 4.
 16. *obliquum* Jacq. Carolina. 4.
 17. *hirtum* L. America. 5.
 18. *crispiflorum* Swartz. Jamaica. 5.
 19. *prostratum* Cavanil. Mexico. 4.
 20. *monspeliacum* L. Europa merid. 5.
 21. *extensum* Aiton. India orient. 5.
 22. *reticulatum* Retz. Ibid. 5.
 23. *undulatum* L. Carthagera. 5.
 24. *parviflorum* Swartz. India occid. 5.
 25. *erectum* L. Syria. 5.

489. APOCYNUM. Apocynum. T. I. p. 1259.

1. filiforme L. Cap. b. sp.
2. hastatum Thunb. Cap. b. sp. 4.
3. androsaemifolium L. Virginia, Carolina. 4.
4. cannabinum L. Ibid. 4.
5. hypericifolium Aiton. Ibid. 4.
6. venetum L. Ins. mar. Adriat. 4.
7. frutescens L. Zeylon. 5.
8. paniculatum La March. Gujana. 5.
9. umbellatum Aublet. Cajenna. 5.
10. reticulatum L. India. 5.
11. cordatum Thunb. Cap. b. sp. 4.
12. lanceolatum Thunb. Ibid.
13. triflorum L. Ibid.
14. lineare L. Ibid.

490. ASCLEPIAS. Schwalbenwurz. T. I. p. 1262.

* *Foliis nullis.*

1. aphylla Thunb. Cap. b. sp.

** *Foliis oppositis planis.*

2. undulata L. Cap. b. sp. 5.
3. crispa L. Cap. b. sp. 5.
4. pubescens L. Ibid. 5.
5. mucronata Thunb. Ibid.
6. procera Aiton. Persia. 5.
7. gigantea L. India orient. 5.
8. grandiflora L. Cap. b. sp.
9. carnosa L. China, India orient. 5.
10. syriaca L. America bor. Astracan, Oripus. 4.
- β. exaltata L.
11. amoena L. America sept. 4.
12. purpurascens L. Carolina. 4.
13. variegata L. America bor. 4.
14. curassavica L. Curassao. 5.
15. nivea L. America. 4.
16. laniflora Forsk. Arabia fel.
17. parviflora Aiton. Carolina, Florida. 4.
18. incarnata Canada, Virginia. 4.

19. *pulchra* Ehrhartz. America bor. 4.
20. *citrifolia* Jacq. Ibid. 4.
21. *decumbens* L. Ibid. 4.
22. *lactifera* L. Zeylon. 4.
- 22a. *villosa* Balbis. . . . 4. Enum. p. 278.
23. *Vincetoxicum* L. Europa. 4.
24. *nigra* L. Monspeli. 4.
25. *foetida* Cavanil. Mexico. 4.
26. *convolvulacea* W. Guinea. 4.
27. *volubilis* L. Zeylon. 5.
28. *alexicaea* Jacq. Ibid. 4.
29. *asthmatica* L. Ibid. 4.
 β . *foliis ovato-lanceolatis* W.
30. *viminalis* Swartz. Jamaica. 4.
 *** *Foliis lateribus revolutis.*
31. *arborescens* L. Cap. b. sp. 5.
32. *fruticosa* L. Ibid. 5.
 β . *crassifolia* L.
33. *sibirica* L. Sibiria. 4.
34. *davurica* W. Davuria. 4.
35. *setosa* Forsk. Arabia fel. 5.
36. *filiformis* L. Cap. h. sp.
37. *verticillata* L. Virginia. 4.
38. *mexicana* Cavanil. Mexico. ♂. 4.
 *** *Foliis alternis*
39. *linaria* Cavanil. Mexico. 4.
40. *rubra* L. Virginia.
41. *tuberosa* L. America bor. 4.
491. HOSTEA. Hostea. T.I. p. 1274.
 1. *viridiflora* W. Gujana. 4.
 (*Matelea palustris* Aublet.)
 β . *latifolia*.
 (*Matelea latifolia* Aublet.)
492. MELODINUS. Windeapfel. T.I. p. 1274.
 1. *scandens* L. Nova-Caledonia. 5.
493. CEROPEGIA. Leuchterblume. T.I. p. 1275.
 1. *Candelabrum* L. Malabar. 4.

2. *tuberosa* Roxb. India. 2.
3. *bullosa* Roxb. Ibid. 2.
4. *biflora* L. Zeylon. 2.
5. *junceae* Roxb. India. 2.
6. *acuminata* Roxb. India. 2.
7. *sagittata* L. Cap. b. sp. 2.
8. *tenuiflora* L. Ibid. 2.

494. STAPELIA. Stapelio. T.I. p. 1277.

* *Corolla quinquefida.*

1. *ciliata* Thunb. Cap. b. sp. 5.
2. *revoluta* Masson. Ibid. 5.
3. *hirsuta* L. Ibid. 5.
4. *fororia* Masson. Ibid. 5.
- 4^a. *patula* W. Ibid. 5. Enum. p. 281.
5. *grandiflora* Masson. Ibid. 5.
6. *ambigua* Masson. Ibid. 5.
7. *pulvinata* Masson. Ibid. 5.
8. *Asterias* Masson. Ibid. 5.
9. *gemmaeflora* Masson. Ibid. 5.
- 9^a. *glaucæ* Jacq. Ibid. 5. Enum. p. 279.
- 9^b. *lepida* Jacq. Ibid. 5. Enum. p. 280.
10. *divaricata* Masson. Ibid. 5.
- 10^a. *Vetula* Jacq. Ibid. 5. Enum. p. 280.
11. *rufa* Masson. Ibid. 5.
- 11^a. *Juvenacula* Jacq. Ibid. 5. Enum. p. 280.
- 11^b. *hircosa* Jacq. Ibid. 5. Enum. p. 281.
12. *acuminata* Masson. Ibid. 5.
13. *reclinata* Masson. Ibid. 5.
- 13^a. *radiata* Jacq. Ibid. 5. Enum. p. 285.
- 13^b. *hirtella* Jacq. Ibid. 5. Enum. p. 285.
14. *elegans* Masson. Ibid. 5.
15. *caespitosa* Masson. Ibid. 5.
- 15^a. *replicata* Jacq. Ibid. 5. Enum. p. 286.
16. *arida* Masson. Ibid. 5.
17. *parviflora* Masson. Ibid. 5.
18. *tubulata* Forsk. Arabia fel. 5.
19. *concinna* Masson. Cap. b. sp. 5.

20. glandulifera Masson. Ibid. f.
21. pedunculata Masson, Cap. b. sp. f.
22. aperta Masson. Ibid. f.
23. Gordoni Masson. Ibid. f.
24. pilifera L. Ibid. f.
25. caudata Thunb. Ibid. f.
26. articulata Aiton. Ibid. f.
27. mammillaris L. Ibid. f.
28. pruinosa Masson. Ibid. f.
29. ramosa Masson. Ibid. f.
30. pulla Aiton. Ibid. f.
31. adscendens Roxb. India orient. f.
32. quadrangula Forsk. Arabia fel. f.
33. incarnata L. Cap. b. sp. f.
34. punctata Masson Ibid. f.
35. geminata Masson. Ibid. f.
- 35a. serrulata Jacq. Ibid. f. Enum. p. 287.
36. decora Masson. Ibid. f.
37. pulchella Masson. Ibid. f.
38. vetula Masson. Ibid. f.
39. verrucosa Masson. Ibid. f.
- 39a. roriflua Jacq. Ibid. f. Enum. p. 285.
40. irrorata Masson. Ibid. f.
41. mixta Masson. Ibid. f.
42. variegata L. Ibid. f.
- 43a. maculosa Jacq. Ibid. f. Enum. p. 283.
- 42b. bufonia Jacq. Ibid. f. Enum. p. 283.
- 42c. planiflora Jacq. Ibid. f. Enum. p. 284.
- 42d. rugosa Jacq. Ibid. f. Enum. p. 284.
- 42e. conspurcata W. Ibid. f. Enum. p. 284.
- ** Corolla decemdentata.
43. campanulata Masson. Cap. b. sp. f.
44. barbata Masson. Ibid. f.
45. vanusta Masson. Ibid. f.
46. gattata Masson. Ibid. f.
47. humilis Masson. Ibid. f.
- 47a. tubata Jacq. Ibid. f. Enum. p. 287.

48. *reticulata* Masson. Ibid. 5.

β. *deformis* Jacq.

*** *Incertae, quarum flores nondum detecti*

49. *clavata* W. Cap. b. sp. 5.

495. LINCONIA. Linconie. T. I. p. 1296.

1. *alopecuroides* L. Cap. b. sp. 5.

496. HERNIARIA. Bruchkraut. T. I. p. 1296.

1. *glabra* L. Europa. ☉.

2. *hirsuta* L. Europa. ☉.

3. *alpina* Villars. Alpes Delphinatus. 2.

4. *fruticosa* L. Hispania. 5.

5. *lentibutaria* L. Europa. 5.

6. *polygonoides* Cavanth. Hispania. 5.

(*Illecebrum suffruticosum* L.)

497. CHENOPODIUM. Gänsefuß. T. I. p. 1299.

* *Foliis angulosis.*

1. *Bonus Henrius* L. Europa. 2.

2. *mucronatum* Thunb. Cap. b. sp. 5.

3. *triandrum* Forster. Nova Zeelandia.

4. *urbicum* L. Europa. ☉.

5. *Atriplicis* L. China. ☉.

6. *rubrum* L. Europa. ☉.

7. *guineense* Jacq. Guinea. ☉.

7a. *rhombifolium* Mühlenberg. America bor.

☉. Enum. p. 288.

8. *murale* L. Europa. ☉.

9. *Quinoa* Feuillée. Chili. ☉.

10. *serotinum* L. Hispania, Gallia. ☉.

11. *album* L. Europa. ☉.

12. *viride* L. Ibid. ☉.

13. *hybridum* L. Ibid. ☉.

13a. *foetidum* Schrader. ☉. Enum. p. 289.

14. *Botrys* L. Europa austr. ☉.

15. *ambrosioides* L. Mexico, Lusitania. ☉.

15a. *suffruticosum* W. Pennsylvania, Mexico.

5. Enum. p. 290.

16. *multifidum* L. Borussia. 5.

17. anthelminticum L. America. ♂.
- 17a. graveolens W. & A. Enum. p. 290.
18. glaucum L. Europa. ♂.
- ** Foliis integerrimis.
19. Vulvaria L. Europa. ♂.
20. polyspermum L. Europa. ♂.
21. caudatum Jacq. Gambia. ♂.
- 21a. lanceolatum Mühlenb. Pennsylvania. ♂. Enum. pag. 291.
22. laterale Aiton. ... ♂.
23. Scoparia L. Europa, Japonia, China. ♂.
24. maritimum L. Europa. ♂.
25. oppositifolium L. Sibiria.
26. aristatum L. Sibiria, Virginia. ♂.

β. foliis linearibus L.

498. BETA. Mangold. T. I. p. 308.

1. vulgaris L. Europa. ♂.
- α. rubra vulgaris Bauhin.
- β. rubra major Bauhin.
- γ. rubra, radice rapae Bauhin.
- δ. lutea major Bauhin.
- ε. pallide virens major Bauhin.
2. patula Aiton. Madeira. ♂.
3. Cicla L. Lusitania. ♂.
4. maritima L. Europa. ♂.
- 4a. trigyna Waldstein et Kit. Hungaria, Taurin, Iberia. ♂. Enum. p. 292.

499. MICROTER. Zwergblüte. T. I. p. 309.

1. debilis Swartz. In Caribaeis, Grenada, St. Eustachii, Guadeloupe. ♂.

500. SALSOLA. Salzkraut. T. I. p. 310.

1. Kali L. Europa. ♂.
2. Tragus L. Ibid. ♂.
3. rosacea L. Asia. ♂.
4. Soda L. Europa. ♂.
5. sativa L. Hispania. ♂.
6. spicata W. Ibid. ♂.

(*S. feta* Cavanil.)

7. *altissima* L. Europa. ☉.

(*Chenopodium altissimum* Radm. p. 291.)

8. *trigyna* W. Hispania. ☉.

(*S. altissima* Cavanil.)

9. *falsa* L. Asracan. ☉.

10. *nudiflora* W. India orient. 24.

11. *flavescens* Cavanil. Hispania. 24.

12. *hirsuta* L. Europa. ☉.

13. *laniflora* L. Sibiria.

14. *byssopifolia* Pallas. Sibiria. ☉.

14a. *arenaria* Waldst. et Kit. Hungaria, Germania. ☉. Enum. p. 292.

(*Kochia arenaria* Roth.)

14b. *platyphylla* Michaux. America boreal. ☉.

Enum. p. 293.

(*Kochia dentata* W. hort. Berol. t. 285.)

14c. *verrucosa* Bieberst. Ad mare Caspium. ☿.

Enum. p. 293.

15. *polyclonos* L. Sicilia, Hispania.

16. *prostrata* L. Europa, Asia. ☿.

17. *monandra* Pallas. Sibiria. ☉.

18. *vermiculata* L. Hispania, Sibiria. ☿.

19. *Arbuscula* Pallas. Tataria. ☿.

20. *aphylla* L. Cap. b. sp. ☿.

21. *arborescens* L. Sibiria. ☿.

22. *fruticosa* L. Europa, Persia. ☿.

(*Chenopodium fruticosum* Enum. p. 291.)

22a. *oppositifolia* Desfont. Hiep. Regn. Tun. ☿.

(*S. fruticosa* Cavanil.)

23. *indica* W. India orient. ☿.

24. *sedoides* Pallas. Sibiria. 24.

25. *muricata* L. Europa, Aegyptus. ☿.

(*Bassia muricata* Allion.)

501. ANABASIS. Kalistrauch. F.H. p. 1318.

1. *aphylla* L. Ad mar. Caspic. Tripolis. ☿.

2. *cretacea* Pallas. Sibiria. 24.

3. foliosa L. Litt. mar. Casp. ☉.

4. spinosissima L. Aegyptus, Persia, Arab. ☿.
(*Salsola Echinus* Billard.)

5. tamariscifolia L. Hispania. ☿.

502. CRESSA. Matzkraut. T. I. p. 1326.

1. cretica L. Creta, Roma.

2. indica Retz. India. ☉.

503. GOMPHRENA. Waterblasse. T. I. p. 1327.

1. globosa L. India orient. ☉.

2. decumbens Jacq. Mexico. ☉. Enum. p. 294.

3. perennis L. Bonaria. ☿.

4. hispida L. Malabar. ☿.

5. angustifolia Vahl. India orient.

6. vermicularis L. America. ☿.

7. brasiliensis L. Brasilia. ☿.

8. aggregata Humboldt et Bonpl. Cumana. ☿.

Enum. p. 294.

9. ferrata L. America. ☿.

10. interrupta ☉. Jamaica, Hispaniola. ☉.

(*Celosia procumbens* Jacq.)

11. flava L. Vera Cruz. ☿.

12. arborescens L. Nova Granada. ☿.

504. BOSEA. Goldruthenbaum. T. I. p. 1328.

1. Yervamora L. in Canariis. ☿.

505. ULMUS. Rüster. T. I. p. 1329.

1. campestris L. Europa. ☿.

2. suberosa Moench. Europa. ☿.

(*U. tetrandra* Schkuhr.)

α. arborea W.

β. fruticosa W.

γ. pumila W.

3. effusa W. Europa. ☿.

(*U. octandra* Schkuhr.)

4. americana L. Pennsylvania, Virginia, Carolina. ☿.

α. rubra Aiton.

β. alba Aiton.

7. *pendula* Aiton.
 4. *crispata* W. America bor. H. Enum. p. 295.
 5. *nemoralis* Aiton. Ibid. H.
 6. *pumila* L. Sibiria. H.
 7. *integrifolia* Roxb. India orient. H.
 506. NAMA. Nama. T. I. p. 1326.
 1. *jamaicensis* L. Jamaica. O.
 507. HYDROLEA. Klaber. T. I. p. 1327.
 1. *spinosa* L. America merid. H.
 2. *strigosa* Swartz. Ibid. H.
 3. *zeylanica* Vahl. India orient. O.
 (*Nama zeylanica* L.)
 508. ROCHEFORTIA. Rochefortia. T. I. p. 1328.
 1. *cuneata* Swartz. Jamaica. H.
 2. *ovata* Swartz. Ibid. H.
 509. HEUCHERA. Heuchera. T. I. p. 1328.
 1. *americana* L. Virginia, Carolina. 4.
 510. VELEZIA. Velezia. T. I. p. 1329.
 1. *rigida* L. Europa austr. O.
 511. SWERTIA. Swertia. T. I. p. 1329.
 1. *perennis* L. Alpes Europae. 4.
 2. *difformis* L. Virginia.
 3. *decumbens* Vahl. Arabia fel.
 (*Parnassia polynostaxia* Forsk.)
 4. *corniculata* L. Sibiria, Canada. O.
 5. *dichotoma* L. Sibiria. O.
 6. *tetrapetala* Pallas. Camtschatea. O.
 512. GENTIANA. Gentiana. T. I. p. 1331.
 * *Corollis* 5 — 9. *fidis subcampanulatis*.
 1. *lutea* L. Alpes Europae. 4.
 β. *parvo flore* Barrel.
 2. *purpurea* L. Alpes Europae. 4.
 β. *corollis roseis* Froelich.
 γ. *corollis subimmaculatis* Froelich.
 3. *pannonica* Froelich. Ibid. 4.
 β. *caule humili* Froelich.
 γ. *corollis albidis* Froelich.

δ. caule alto *Froelich.*

4. punctata *L.* Ibid. 24.

5. campanulata *Froelich.* Ibid. 24.

6. septemfida *Pallas.* Persia, Tauria. 24.

7. asclepiaden *L.* Alpes Europae. 24.

β. plicata *W.*

(*Pneumonanthe plicata* Schmidt.)

8. montana *Forster.* Nova-Zeelandia.

9. cruciata *L.* Europa. 24.

β. minor *Camer.*

γ. corollis laciniis acutis *Froelich.*

10. macrophylla *Pallas.* Sibiria. 24.

11. adaeuclens *Pallas.* Ibid. 24.

12. *Pneumonanthe.* *L.* Europa. 24.

13. triflora *Pallas.* Sibiria. 24.

14. frigida *Haenke.* Alpes Europae. 24.

15. algida *Pallas.* Russia. 24.

16. saxosa *L.* Nova-Zeelandia. 24.

17. *Saponaria.* *L.* America sept. 24.

18. ochroleuca *Froelich.* Virginia, Carolina. 24.

19. villosa *L.* Virginia. 24.

20. linearis *Froelich.* Pennsylvania. 24.

21. quinqueflora *L.* Pennsylvania, Carolina. ○?

22. aurea *L.* Alpes Europae. ○.

23. glauca *Pallas.* Camtschatka, Ins. Bering. 24.

** *Corollis infundibuli formibus nudis quinque s. decemfidis.*

24. exaltata *L.* America. ○.

25. acaulis *L.* Alpes Europae. 24.

β. angustifolia *Villars.*

26. altaica *Pallas.* Sibiria. 24.

27. pyrenaica *L.* In Pyrenaeis. 24.

28. verna *L.* Alpes Europae. 24.

β. bavarica *Jacq.*

γ. elongata *Haenke.*

δ. foliis caulicis ternis *Froelich.*

ε. corolla alba *Froelich.*

29. *utriculosa* L. Europa. ☉.
30. *bavarica* L. Alpes Europae. 2.
 β. flore caulem excedente *Froelich*.
 γ. caule elongato *Froelich*.
 δ. foliis caulinis oblongis *Froelich*.
31. *imbricata* *Froelich*. Alpes Europae. 2.
32. *prostrata* *Haenke*. Alpes Salzburg. 2.
33. *nivalis* L. Alpes Europae. ☉.
 β. caule elongato *Froelich*.
 γ. caule humili subunifloro *Froelich*.
 δ. corollis albis *Froelich*.
34. *pumila* *Jacq.* Ibid. 2.
35. *aquatica* L. Sibiria, Japonia, China. ☉.
36. *scilloides* L. In ins. Azoreis.
 *** Corollis fauce squamis capillaceo multifidis acutis,
 quinque — s. quadrifidis.
37. *uniflora* W. Alpes Europae. ☉.
 (*Hippion Gentianella* Schmidt.)
38. *germanica* W. Europa. ☉.
 (*G. Amarella*. *Froel.* Villars, Pollich.)
39. *Amarella* L. Europa. ☉.
40. *obtusifolia* W. In Sudetis. ☉.
 (*Hippion obtusifolium* Schmidt.)
41. *uliginosa* W. In Marchia Electorali. ☉.
42. *pratensis* *Froelich*. Russia. ☉.
43. *campestris* L. Europa. ☉.
 β. *Gentiana campestris* Villars, Allioni.
 γ. corollis albis *Froelich*.
 δ. minima *Columnae*.
44. *auriculata* Pallas. Sibiria, Camtschatka etc. ☉.
45. *tenella* Rottb. Alpes Europae. ☉.
46. *glacialis* Villars. Ibid. ☉.
 β. caule simplici unifloro *Froelich*.
 (*Gentiana nana* Allion.)
47. *dichotoma* Pallas. Sibiria. ☉.
48. *nana* *Jacq.* Alpes Europae. ☉.
 β. caule simplici unifloro *Froelich*.

- γ. corollis albis *Froelich.*
 49. *carinthiaca* *Froelich.* Ibid. ☉.
 50. *fulcata* *Oeder.* Islandia. ☉.
 51. *rotata* *Froelich.* Sibiria. ☉.
 (*Swertia rotata* L.)
 *** *Corollis quadrifidis hypocrateriformibus, fauce nudis.*
 52. *ciliata* L. Europa. 2.
 β. caule paucifloro *Froelich.*
 γ. caule multifloro *Froelich.*
 δ. caule unifloro *Froelich.*
 53. *crinita* *Froelich.* America bor.
 54. *barbata* *Froelich.* Sibiria, Caucasus. ♂.
 55. *detonsa* *Rottb.* Norvegia, Islandia.
 56. *ferrata* *Owmer.* Norland, Island.
 513. **DICHONDRA.** Zweykorn. T.I. p. 1353.
 1. *repens* L. Nova-Granada, Nova-Zeelandia.
 2. *sericea* *Swartz.* Jamaica, Peru, Ins. Mauritii. 2.
 24. *argentea* *Humb. et Bonpl.* America merid.
 24. *Enum.* p. 297.
 514. **VAHLIA.** Vahlie. T.I. p. 1354.
 1. *capensis* *Thunb.* Cap. b. sp. 2.
 515. **BUMALDA.** Bumalde. T.I. p. 1354.
 1. *trifolia* *Thunb.* Japonia. 5.
 516. **PHYLLIS.** Phyllis. T.I. p. 1354.
 1. *nobla* L. In Canariis. 5.

UMBELLATAE.

517. **CUSSONIA.** Cussonis. T.I. p. 1355.
 1. *thyrsiflora* L. Cap. b. sp. 5.
 2. *spicata* L. Ibid. 5.
 518. **ERYNGIUM.** Mannstreu. T.I. p. 1356.
 1. *foetidum* L. Florida, Mexico, Jamaica,
 Surinam. ♂.
 2. *aquaticum* L. Virginia, Carolina. 2.
 β. *virginianum* *Plucknet.*

3. planum L. Europa. 2.
- 3a. corniculatum *Encycl. method.* Lusitania. 2.
Enum. p. 298.
- β. E. odoratum *Encycl. method.*
4. pusillum L. Hispania, Oriens. 2.
5. tricuspidatum L. Ibid. Italia. ♂.
6. maritimum L. Europa. 2.
7. campestre L. Ibid. 2.
8. amethystinum L. Syria, Croatia. 2.
β. hispanicum *Barrel.*
9. triquetrum *Vahl.* Reg. Tunet. 2.
10. alpinum L. Alpes Europae. 2.
11. Bourgati *Gouan.* Gallia, Graecia. 2.
519. HYDROCOTYLE. Wassernabel. T. I. p. 1360.
1. vulgaris L. Europa, Jamaica. 2.
2. umbellata L. America. ○.
3. bonariensis *Comers.* Bonaria.
4. americana L. America sept., India orient.
5. hirsuta *Swartz.* Hispaniola. 2.
6. moschata *Forster.* Nova Zeelandia.
7. asiatica L. India orient. 2.
8. erecta L. Jamaica.
9. villosa L. Cap. b. sp.
10. glabrata L. Ibid.
11. Spananthe *W.* Carracas. ○.
(*Spananthe paniculata* Jacq.)
12. Ranunculoides L. Mexico.
13. Saniculaefolia *La March.* Bonaria.
14. Solandra L. Cap. b. sp. 5.
15. tridentata L. Ibid.
16. chinensis L. China.
17. linifolia L. Cap. b. sp.
18. virgata L. Ibid.
520. AZORELLA. Rasendolde. T. I. p. 1365.
1. filamentosa *La March.* Terra del Fuego. 2.
β. integrifolia.
(*Chamitis integrifolia* Gaertner)

2. *cespitosa* Vahl. In freto Magellan. et ins. Maclovianis. 24.

α. *trifurcata*.

(*Chamitis trifurcata* Gaertner.)

β. *foliis densissime imbricatis*.

(*Hydrocotyle gummifera* β. La March.)

γ. *laminis foliorum integerrimis*.

(*Hydrocotyle gummifera* γ. La March.)

521. *SANICULA*. Sanickel. T. I. p. 1366.

1. *europaea* L. Europa. 24.

2. *canadensis* L. America. 24.

3. *marilandica* L. Marilandia, Virginia. ♂. 24.

522. *ASTRANTIA*. Astrantie. T. I. p. 1367.

1. *Epipactis* L. In Supalpinis Europae. 24.

2. *major* L. Alpes Europae. 24.

3. *carniolica* Jacq. Alpes austriacae. 24.

4. *minor* L. Alpes Europae. 24.

5. *ciliaris* L. Cap. b. sp. 24.

523. *BUPLEURUM*. Hasenöhrlein. T. I. p. 1369.

* *Herbacea*.

1. *rotundifolium* L. Europa. ☉.

β. *Perfoliata minor* Bauhin.

γ. *flöre multiplici* Bauhin.

2. *stellatum* L. Alpes Helvet. 24.

3. *petraeum* L. Alpes Europae. 24.

4. *graminifolium* Vahl. Ibid. 24.

(*B. petraeum* Jacq. Villars. Allion.)

5. *angulosum* L. In Pyrenaeis, Helvetia. 24.

β. *minus* Burser. In Alpibus Vallesiae.

5a. *Isorzoneraefolium* W. Ad lacum Baical.

24. Enum. p. 300.

6. *pyrenaicum* Gouan. In Pyrenaeis. 24.

7. *longifolium* L. Europa. 24.

8. *falcatum* L. Europa. 24.

9. *caricifolium* W. Delphinatus, Vallesia. 24.

(*B. gramineum* Villars.)

10. *Odontites* L. Alpes Europae. ☉.
11. *femicompositum* L. Gallia, Hispania. ☉.
12. *ranunculoides* L. Helvetia, in Pyrenaeis. 24.
13. *rigidum* L. Gallia. 24.
14. *tenuissimum* L. Europa. ☉.
15. *baldense* Host. In monte Baldo. 24.
16. *Gerardi* Jacq. Europa. ☉.
17. *juncum* L. Ibid. ☉.
18. *nudum* Aiton. Cap. b. sp. 24.

** *Frutescentia.*

19. *arborescens* Thunb. Cap. b. sp. 5.
 20. *fruticosum* L. Gallia, Oriens. 5.
 21. *coriaceum* Aiton. Hispania. 5.
 22. *fruticans* L. Hispania. 5.
 23. *spinosum* L. Ibid. 5.
 24. *difforme* L. Cap. b. sp. 5.
524. EXOACANTHA. Dornendolde. T. I. p. 1378.
1. *heterophylla* Billard. Syria. ♂.
525. ECHINOPHORA. Stachelholde. T. I. p. 1379.
1. *spinosus* L. Litt. maris Mediterranei. 24.
 2. *tenuifolia* L. Apulia. 24.
526. HASSELQUISTIA. Hasselquistie. T. I. p. 1379.
1. *aegyptiaca* L. Aegyptus, Arabia. ☉.
 2. *cordata* L. . . . ☉.
527. TORDYLIUM. Zirmet. T. I. p. 1381.
1. *syriacum* L. Syria. ☉.
 2. *officinale* L. Europa merid. ☉.
 3. *peregrinum* L. Oriens.
 4. *apulium* L. Italia, Apulia. ☉.
 5. *maximum* L. Europa. ☉.
 6. *trifolium* Scopoli. Carniola.
528. CAUCALIS. Hasldolde. T. I. p. 1383.
1. *grandiflora* L. Europa. ☉.
 2. *daucoides* L. Ibid. ☉.
 3. *latifolia* L. Ibid. Oriens. ☉.
 - 3a. *pulcherrima* W. Iberia, Caucasus, ♂. En. pag. 303.

4. *mauritanica* L. Mauritania: ☉.
5. *pumila* Gouan. Europa austr.; Barbaria: ☉.
6. *orientalis* L. Oriens. ♂.
7. *africana* Thunb. Cap. b. sp.
8. *leptophylla* L. Europa. ♂. ☉.
9. *platycarpus* Gouan. Gallia, Italia: ☉.
10. *arvensis* Hudson. Europa. ☉.
(*C. helvetica* Jacq. Hoffmann.)
11. *Anthriscus* Aiton. Europa. ♂. ☉.
(*Tordylium Anthriscus* L.)
12. *japonica* Houttuyn. Japonia.
13. *nodosa* Aiton. Europa. ☉.
(*Tordylium nodosum* L.)
529. **ARTEDIA.** Artedie. T. I. p. 1389.
1. *Isquamata* L. In Libano. ☉.
530. **DAUCUS.** Mohrrübe. T. I. p. 1389.
1. *Carota* L. Europa ♂.
- β. *radice lutea* Bauhin.
- γ. *radice atrorubente* Tournef.
- δ. *in medio umbellae rudimento carnosio rubro.*
2. *mauritanicus* L. Hispania, Italia, Mauritania. ☉.
3. *lucidus* L. Ibid. ♂.
4. *Vishaga* L. Europa, Mauritania. ☉.
5. *Gingidium* L. Gallia, Italia. ☉.
- β. *polygamus* Gouan ♂.
6. *muricatus* L. Mauritania. ♂. ☉.
531. **AMMI.** Ammi. T. I. p. 1393.
1. *majus* L. Europa, Oriens. ☉.
2. *copticum* L. Aegyptus. ☉.
3. *glaucofolium* L. Gallia. 2.
4. *daucifolium* L. In Pyrenaeis, Carniola. 2.
532. **BUNIUM.** Erbknoten. T. I. p. 1394.
1. *Bulbocastanum* L. Europa. 2.
2. *majus* Gouan. Gallia. 2.
3. *aromaticum* L. Creta, Syria. ☉.

533. **CONIUM**. Schierling. T. II p. 1395.
 1. maculatum L. Europa. ♂.
 1a. croaticum Waldst. et Kit. Croatia. ♂. Enum.
 pag. 305.
 1b. dichotomum Desfont. Lusitania, Barbaria. ☉.
 2. rugosum Thunb. Cap. b. sp. 5.
 3. rigens L. Ibid.
 4. africanum L. Africa. ☉.
534. **SELINUM**. Silge. T. I. p. 1396.
 1. sylvestre L. Germania, Gallia. 4.
 2. palustre L. Europa. 4.
 2a. montanum Schleicher. Helvetia. 4. Enumer.
 pag. 306.
 3. austriacum Jacq. Austria, Gallia, Italia. 4.
 (S. argenteum Villars.)
 3a. peregrinum W. 4. Enum. p. 306.
 3b. baicalense Redowski. Ad lacum Baical. 4.
 Enum. p. 306.
 4. sibiricum Retz. Sibiria. ♂.
 5. Carvifolia L. Europa. 4.
 6. Chabraei Jacq. Germania, Gallia, Italia. 4.
 7. Segnieri L. Italia, Carniolia. 4.
 8. Monnieri L. Gallia. ☉.
 8a. latifolium Bieberst. Caucasus. 4.
 9. decipiens Schrader. 5.
535. **ATHAMANTA**. Hirschwurz. T. I. p. 1400.
 1. Libanotis L. Europa. 4.
 β. pyrenaica Jacq.
 2. Cervaria L. Europa. 4.
 3. sibirica L. Sibiria. 4.
 4. condensata L. Sibiria. 4.
 5. incana Stepan. Sibiria.
 6. Oreoselinum L. Europa. 4.
 7. ficula L. Sicilia. 4.
 8. Matthioli Wulffen. Croatia, Carniolia. 4. ♂.
 9. cretensis L. Helvetia, Austria. 4.
 10. annua L. Cræta. ☉.

11. chinensis L.
536. PEUCEDANUM. Haarstrang. T. I. p. 1405.
1. officinale L. Europa. 2.
β. italicum Bauhin.
 2. alpestre L. Alpes Europae. 2.
α. arvense Waldst. et Kit. Hungaria. 2.
 3. capillaceum Thunb. Cap. b. sp.
 4. tenuifolium Thunb. Ibid.
 5. sibiricum W. Sibiria, Hungaria. 2.
 6. japonicum Thunb. Japonia.
 7. Silaus L. Europa. 2.
 8. alsaticum L. In Palatinatu, Austria, Alta-
tia. 2.
 9. aureum Aiton. In Canariis. ♂.
 10. nodosum L. Creta.
 11. geniculatum Forster. Nova Zeelandia.
537. CRITHMUM. Baëlle. T. I. p. 1408.
1. maritimum L. Europa. 2.
 2. latifolium L. Teneriffa, Salvages. ♂.
538. CACHRYA. Nussbolder. T. I. p. 1409.
1. odontalgica L. Sibiria. 2.
 2. Libanotis L. Sicilia. 2.
 3. Morisoni Allion. Europa austr. 2.
 4. ficula L. Sicilia, Hispania. 2.
 5. taurica W. Teuria. Sibiria.
 6. cretica La Marck. Creta. 2.
 7. panacisfolia Vahl. Italia, Barbaria. 2.
539. FERULA. Sockenkraut. T. I. p. 1411.
1. communis L. Europa austr. 2.
 2. sibirica W. Sibiria. 2.
 3. glauca L. Italia, Sicilia. 2.
 4. fablensis Wulffen. Carinthia. 2.
 5. tingitana L. Hispania, Barbaria. ♂.
 6. Ferulago L. Sicilia.
 7. orientalis L. Oriens.
 8. meoides L. Oriens.
 9. nodiflora L. Europa austr. 2.

10. canadensis L. Virginia 4.
30. *Asa foetida* L. Persia. 4.
12. persica W. Persia. 4.
540. LASERPITIUM. Laserkraut. T. L. p. 2414.
1. latifolium L. Europa. 4.
14. triquetrum Ventenat. Prope Byzantium. 4.
Enum. p. 310
2. Libanotis La Marck. Italia. 4.
3. capense Thunb. Cap. b. sp.
4. trilobum L. In monte Gargano. 4.
5. aquilegiaefolium Jacq. Austria. 4.
6. gallicum L. Europa austr. 4.
7. angustissimum W. Europa austr. 4.
8. formosum W. . . . 4.
9. angustifolium L. Europa australis.
10. aureum W. Oriens.
11. prutenicum L. Borussia, Germania, Austria. 4.
12. dauricum Jacq. Sibiria, Alpes Italiae. 4.
13. filanifolium Jacq. Imper. Austriae. 4.
14. Aciphylla L. Nova Zeelandia.
(*Aciphylla squarrosa* Forster.)
15. peucedanoides L. Alpes Austriae. 4.
β. foliis angustissimis W.
16. Siler L. Austria, Helvetia, Gallia. 4.
β. angustifolium Bauhin.
16. pilosum W. . . . ♂. Enum. p. 310.
17. Archangelica Jacq. Carniolia, Croatia. 4.
18. Chironium L. Monspeli. 4.
19. lucidum Aiton. Helvetia. ♂.
20. ferulaceum L. Oriens. 4.
21. hirsutum La Marck. Alpes Europae. 4.
22. scabrum Cavendish. Hispania. ♂.
23. simplex L. Alpes Europae. 4.
(*Ligusticum simplex* Villars.)
541. HERACLEUM. Heilkraut. T. L. p. 1421.
1. Sphondylium L. Europa. ♂.

2. *flavescens* W. Austria. 24.
3. *angustifolium* L. Europa boreal. 24.
 β . *longifolium*.
4. *elegans* Jacq. Austria. 24.
5. *sibiricum* L. Sibiria. ♂.
6. *panaces* L. Sibiria, in Apenninis ♂.
7. *tuberosum* Molina. Chili. 24.
8. *austriacum* L. Austria. 24.
9. *alpinum* L. Alpes Europae. 24.
10. *pumilum* Villars. Delphinatus. 24.
- 10a. *pyrenaicum* Bieberst. Caucasus, Taurin, 24.
 Enum. p. 312.

- 10b. *gummiferum* W. Africa. ♂.
542. **LIGUSTICUM.** Liebstöckel. T.I. p. 1424.
1. *Levisticum* L. Italia, Gallia. 24.
 2. *scoticum* L. Anglia, Suecia, Danis, Canada. 24.
 - 2a. *obtusifolium* Hornem. In regno Tingitano. 24.
 Enum. pag. 312.

3. *aquilegiaefolium* W. Pedemont. 24.
 (*Danaa aquilegifolia* Allion.)
4. *nodiflorum* Villars. Gallia, Italia. 24.
 (*Angelica paniculata* Ea Marck. — *Smyrniium nodiflorum* Allion.)
5. *peloponense* L. Pelopon. Carniol. Helvetia. 24.
6. *austriacum* L. Alpes Europae. 24.
7. *cornubiense* L. Cornubia. 24.
8. *pyrenaicum* L. Alpes Europae. 24.
9. *candicans* Aiton. . . . 24.
10. *peregrinum* L. Lusitania. ♂.
11. *balearicum* L. Balear., pr. Romam. ♂.
12. *Gingidium* Forster. Nova Zeelandia.
13. *longifolium* W. Sibiria. 24.

543. **ANGELICA.** Angelik. T.I. p. 1429.
1. *Archangelica* L. Europa. ♂.
 2. *sylvestris* L. Ibid. 24.
 3. *Razoulii* Gouan. Pyrenaeae. 24.
 4. *verticillaris* Jacq. . . . ? 24. ♂.

5. *atrovirens* L. Canada. 24.
 6. *lucida* L. Ibid. ♂.
544. SIUM. Merk. T.I. p. 1431.
 1. *filifolium* Thunb. Cap. b. sp.
 2. *latifolium* L. Europa. 24.
 3. *angustifolium* L. Ibid. 24.
 4. *nodiflorum* L. Ibid. 24.
 5. *repens* L. Imp. Austriae, Germania. 24.
 6. *Sisarum* L. China. 24.
 β. *Ninsi* L.
 7. *rigidius* L. Virginia, Pennsylvania. 24.
 8. *japonicum* Thunb. Japonia.
 9. *Falcaria* L. Europa, Oriens. 24.
 10. *grandiflorum* Thunb. Cap. b. sp.
 11. *paniculatum* Thunb. Ibid.
 12. *patulum* Thunb. Ibid.
 13. *graecum* L. Graecia.
 14. *decumbens* Thunb. Japonia.
 15. *ficulum* L. Sicilia.
 16. *asperum* Thunb. Cap. b. sp.
 17. *hispidum* Thunb. Ibid.
 18. *villosum* Thunb. Ibid.
545. SISON. Sison. T.I. p. 1436.
 1. *Amomum* L. Anglia, Carniolia. ♂.
 2. *legetum* L. Anglia, Helvetia. ♂.
 3. *canadense* L. Canada, Pennsylvania. 24.
 4. *Ammi* L. Lusitania, Apulia, Aegyptus. ☉.
 5. *inundatum* L. Europa. ☉.
 6. *verticillatum* L. Europa. 24.
 7. *falsum* L. Sibiria. 24.
 (*Peucedanum redivivum* Pallas.)
 8. *crinitum* Pallas. Sibiria. 24.
546. BUBON. Bubon. T.I. p. 1439.
 1. *macedonicum* L. Macedonia, Mauritania. ♂.
 2. *Galbanum* L. Cap. b. sp. ♀.
 3. *laevigatum* Aiton. Ibid. ♀.
 4. *gummiferum* L. Aethiopia. ♀.

5. rigidus L. Sicilia. 2.
547. CUMINUM. Krutzkümmel. T.I. p. 1440.
1. Cyminum L. Aegyptus, Aethiopia. ☉
548. OENANTHE. Rebendölde. T.I. p. 1442.
1. fistulosa L. Europa. 2.
2. crocata L. Ibid. 2.
3. prolifera L. Sicilia, Apulia. 2.
4. globulosa L. Lusitania. ♂.
5. peucedanifolia Pollich. Germania, Helvetia. 2.
6. pimpinellifolia L. Europa austr. 2.
6a. apiifolia Brotero. Lusitania. 2.
7. inebrians Thunb. Capl b. sp.
8. tenuifolia Thunb. Ibid.
9. ferulacea Thunb. Ibid.
10. interrupta Thunb. Ibid.
11. exaltata Thunb. Ibid.
549. PHELLANDRIUM. Wasserfenchel. T.I. p. 1444.
1. aquaticum L. Europa. ♂.
β. coriandri folio Bauhin.
2. Mutellina L. Europa. 2.
550. CICUTA. Wasserschiefel. T.I. p. 1445.
1. virosa L. Europa. 2.
2. bulbifera L. Virginia, Canada.
3. maculata L. Ibid. 2.
551. AETHUSA. Gleits. T.I. p. 1446.
1. Cynapium L. Europa. ☉.
2. Bunius L. Pyrenæae. ♂.
3. Meum L. Europa. 2.
4. fatua Aiton. 2.
552. CORIANDRUM. Coriander. T.I. p. 1448.
1. sativum L. Italia. ☉.
2. testiculatum L. Europa. ☉.
553. SCANDIX. Kerbel. T.I. p. 1449.
1. odorata L. Europa. 2.
2. Pecten L. Ibid. ☉.

2. pinnatifida *Bisbert.* Taurin, Pelsa. ☉.
3. chilensis *Molina.* Chili.
4. Cerefolium *L.* Europa. ☉.
5. Anthriscus *L.* Europa. ☉.
6. australis *L.* Gallia, Italia, Creta. ☉.
7. nodosa *L.* Sicilia. ☉.
8. trichosperma *L.* Aegyptus. ☉.
9. infesta *L.* ☉.
10. grandiflora *L.* Oriens.
11. procumbens *L.* Virginia.

554. CHAEROPHYLLUM, Kalberkropf. T. I.
p. 1452.

1. sylvestre *L.* Europa. 2.
2. bulbosum *L.* Europa. 2.
3. aristatum *Thunb.* Japonia.
4. temulum *L.* Europa. 2.
5. capense *Thunb.* Cap. b. sp.
6. scabrum *Thunb.* Japonia.
7. hirsutum *L.* Europa. 2.
β. canadense *Cornuti.* Canada.
γ. *C. Cicutaria Villars.*
8. aromaticum *L.* Europa. 2.
β. tuberosa *radice Tournesf.* Oriens.
9. coloratum *L.* Illyria. 2.
10. aureum *L.* Germania, Helvetia. 2.
11. arborescens *L.* Virginia. 2.

555. IMPERATORIA. Meisterwurz. T. I. p. 1458.

1. Ostruthium *L.* Germania, Gallia, Helv. 2.

556. SESELI. Sesel. T. I. p. 1458.

1. filifolium *Thunb.* Cap. b. sp.
2. pimpinelloides *L.* Europa. 2.
3. montanum *L.* Gallia, Italia. 2.
β. multicaule *Jacq.*
4. striatum *Thunb.* Cap. b. sp.
5. glaucum *L.* Gallia, Germania. 2.
- 5a. gracile *Waldst. et Kit.* Hungaria. 2. Enum.
pag. 320.

56. *leucospermum* Walst. et Kit. Hungaria. 2.
Enum. p. 320.
6. *aristatum* Aiton. In Pyrenaeis. 23.
7. *annuum* L. Germania, Gallia, Helvetia. ①.
8. *Chamaephyloides* Thunb. Cap. b. sp.
9. *ammoides* L. Lusitania, Italia. ①.
10. *tortuosum* L. Europa. ①.
11. *Turbith* L. Ibid. 2.
12. *Hippomarathrum* L. Germania, Imper.
 Austriae. 2.
13. *pyrenaeum* L. In Pyrenaeis. 2.
 (*Selinum pyrenaeum* Gouan.)
14. *Saxifragum* L. Germania, Helvetia. 2.
15. *elatum* L. Gallia, Austria. 2.
557. THAPSI A. Thapsia. Fl. p. 1464.
1. *villosa* L. Europa austr. 2.
2. *foetida* L. Hispania. 2.
3. *Asclepium* L. Apulia, Oriens. 2.
4. *garganica* L. Barbaria, Apulia. 2.
5. *trifoliata* L. Virginia, Pennsylvania, Caro-
 lina. 2.
 (*Sison trifoliatum* Enum. p. 314.)
558. PASTINACA. Pastinaca. Fl. p. 1465.
1. *lucida* L. Europa austr. 2.
2. *fativa* L. Europa. ①.
 β. *latifolia* Bauhin.
3. *Opopanax* L. Italia, Sicilia. 2.
559. SMYRNIUM. Smyrniolum. Fl. p. 1467.
1. *perfoliatum* L. Italia, Creta, Imper. Aus-
 triacum. ①.
2. *aegyptiacum* L. Aegyptus.
3. *laterale* Thunb. Cap. b. sp.
4. *Olusatrum* L. Europa. ①.
5. *apiifolium* W. Creta.
6. *aureum* L. America bor. 2.
 β. *foliis decompositis* Gronov.
7. *integerrimum* L. Virginia. 2.

560. ANETHUM. Dill. T. I. p. 1469.

1. graveolens L. Lusitania, Hispania, Astrachan. ☉.

2. fegetum L. Lusitania. ☉.

3. Roeniculum L. Narbona, Germania, Madagascara. 4.

β. germanicum Bauhin.

γ. italicum Bauhin.

δ. sylvestre Bauhin.

561. CARUM. Kümmel. T. I. p. 1470.

1. Carvi L. Europa. ♂.

2. simplex Steph. Sibiria.

562. PIMPINELLA. Bibernell. T. I. p. 1471.

1. Saxifraga L. Europa. 4.

2. nigra W. Germania. 4.

2a. bubonoides Brotero. Lusitania. 4.

3. magna L. Europa. 4.

β. orientalis Gökne.

4. dissecta L. Germania, Suecia, Helvetia. 4.

5. glauca Pollich. Germania, Gallia, Italia. ♂.

9. capensis Thunb. Cap. b. sp.

7. peregrina L. Italia. 4.

8. Aegyptium L. Aegyptus. ☉.

β. Cuminum semine rotundiore et minore Bauhin.

9. dichotoma L. Hispania.

10. dioica L. Austria, Galloprovincia, Helvetia. 4. ♂.

563. APIUM. Eppich. T. I. p. 1475.

1. Petroselinum L. Sardinia. ♂.

β. crispum Bauhin.

2. graveolens L. Europa. ♂.

β. dulce Tournef.

564. AEGOPODIUM. Giersch. T. I. p. 1476.

1. Podagraria L. Europa. 4.

T R I G Y N I A.

565. SEMECARPUS. Acajou. T.I. p. 1476.

1. Anacardium L. India orient. H.

566. RHUS. Sumach. T.I. p. 1477.

* *Foliis pinnatis.*

1. Corjaria L. Europa, Syria, Palaestina. H.

2. typhinum L. America bor. H.

α. arborescens Enum. p. 323.

β. frutescens Enum. p. 323.

3. javanicum L. China. H.

4. glabrum L. America sept. H.

5. elegans Aiton. Carolina. H.

6. Vernix L. America sept., Japonia. H.

7. succedapeum L. Japonia, China. H.

8. semialatum Murray. Macao, India orient. H.

9. copallinum L. America sept. H.

10. alatum Thunb. Cap. b. sp. H.

11. pauciflorum L. Ibid. H.

12. Metopium L. America. H.

13. digitatum Thunb. Cap. b. sp. H.

** *Foliis ternatis.*

14. cirrhiflorum L. Cap. b. sp. H.

15. tridentatum L. Ibid. H.

16. radicans L. Virginia, Canada. H.

β. rectum Dillen.

17. Toxicodendron L. Ibid. H.

18. aromaticum Aiton. Carolina. H.

19. suaveolens Aiton. America bor. H.

20. dentatum Thunb. Cap. b. sp. H.

21. sinuatum Thunb. Ibid. H.

22. cuneifolium L. Ibid. H.

23. incisum L. Ibid. H.

24. tomentosum L. Ibid. H.

25. villosum L. Ibid. H.

26. pubescens Thunb. Ibid. H.

27. viminale Aiton. Ibid. H.

28. *angustifolium* L. Aethiopia. H.

29. *rosmarinifolium* Vahl. Cap. b. sp. H.

30. *laevigatum* L. Ibid. H.

(*R. elongatu* Jacq.)

30a. *pendulinum* Jacq. Ibid. H. Enum. p. 324.

31. *lucidum* L. Ibid., Mexico. H.

31a. *pentaphyllum* Desfont. Barbaria, Sicilia. H.

Enum. p. 325

31b. *dioicum* Broussonet. Mogador H. Enum. p. 325.

31c. *albicans* Schousboe. Ibid. H. Enum. p. 325.

*** *Follis simplicibus.*

32. *Cotinus* L. Italia, Helvetia, Sibiria, Imper. Austriae H.

33. *atrum* Forster. Nova Caledonia. H.

567. VIBURNUM. Schneeball. T. I. p. 1486.

1. *Tinus* L. Lusitania, Hispania, Italia, Barbaria. H.

α. *hirtum* Aiton.

β. *lucidum* Aiton.

γ. *virgatum* Aiton.

δ. *strictum* Aiton.

2. *Tinoides* L. America merid. H.

3. *villosum* Swartz. Jamaica. H.

4. *scandens* L. Japonia. H.

5. *nudum* L. Virginia, Carolina, Georgia. H.

6. *prunifolium* L. Virginia, Canada. H.

7. *davuricum* Pallas. Davuria. H.

8. *dentatum* L. Virginia, Carol., Pensylvanica. H.

α. *lucidum* Aiton.

β. *pubescens* Aiton.

9. *plicatum* Thunb. Japonia. H.

10. *erosum* Thunb. Ibid. H.

11. *Lantana* L. Europa. H.

α. *europaeum* Aiton.

β. *grandifolium* Aiton. America bor.

12. *tomentosum* Thunb. Japonia. H.

13. *hirtum* Thunb. Japonia. H.

14. *acerifolium* L. Virginia, Carolina, Pennsylvania. H.
15. *orientale* Pallas. Oriens. H.
16. *Opulus* L. Europa, America. H.
 - α . *europaeum* Aiton.
 - β . *americanum* Aiton.
 - γ . *roseum*.
17. *dilatatum* Thunb. Japonia. H.
18. *macrophyllum* Thunb. Ibid. H.
19. *cuspidatum* Thunb. Ibid. H.
20. *Lentago* L. Canada. H.
- 20a. *sqamatum* Mühlenberg. Pennsylvania. Enum. p. 327.
21. *cassinoides* Carolina, Georgia. H.
22. *nitidum* Aiton. Ibid. H.
23. *laevigatum* L. Carolina, Virginia. H.
568. CASSINE. Cassine. T. I. p. 1492.
 1. *capensis* L. Cap. b. sp. H.
 2. *Colpoon* L. Ibid. H.
 3. *barbara* L. Ibid. H.
 4. *Maurocena* L. Aethiopia. Cap. b. sp. H.
569. SAMBUCUS. Hollunder. T. I. p. 1494.
 1. *Ebulus* L. Europa. 4.
 - β . *humilis* Miller.
 2. *canadensis* L. A Canada ad Carolinam. H.
 3. *nigra* L. Europa, Japonia. H.
 - α . *fructu nigro*.
 - β . *fructu viridi*.
 - γ . *fructu albo*.
 - δ . *foliis variegatis*.
 - ϵ . *Sambucus laciniata* De Roi.
 4. *japonica* Thunb. Japonia. H.
 5. *racemosa* L. Europa. H.
 - 5a. *pubens* Michaux. Canada, Pennsylvania, Carolina. H. Enum. p. 328.
570. SPATHELIA. Schaftbaum. T. I. p. 1496.
 1. *simplex* L. Jamaica. H.

571. STAPHYLEA. Pimpernuss. T.I. p. 1497.

1. occidentalis Swartz, Jamaica. H.

2. pinnata L. Europa austral. H.

3. trifolia L. Virginia. H.

572. TAMARIX. Tamarisken. T.I. p. 1498.

1. gallica L. Europa, austr. H.

β. cana Pallas. Ad mar. Caspic.

γ. africana Poiret. Barbaria.

2. articulata L. India orient. Arabia. H.

3. longarica Pallas. Sibiria H.

4. germanica L. Germania, Oriens. 4.

β. caule herbaceo. Pallas. Ad mare Casp. 4.

573. XYLOPHYLLA. Holtzblatt. T.I. p. 1500.

1. longifolia L. India orient. H.

2. latifolia L. America calid. Surinam, Jamaica. H.

3. arbuscula Swartz Jamaica. H.

(Phyllanthus speciosa Jacq.)

4. falcata Swartz. Ins. Bahamens., Porto-Rico, Ins. St. Crucis. H.

5. angustifolia Swartz. Jamaica. H.

(Phyllanthus Epiphyllanthus. L.)

β. linearis Swartz.

6. montana Swartz. Jamaica. H.

7. ramiflora Aiton. Sibiria. H.

(Pharnaceum suffruticosum Pallas.)

7^a obovata W. . . . H. Enum. p. 329.

(Phyllanthus lucidus Hortulan.)

574. REICHELIA. Reichelie. T.I. p. 1502.

1. palustris W. Gujana. 4.

(Sagonea palustris Aublet.)

575. SALMASIA. Salmasie. T.I. p. 1502.

1. racemosa W. Gujana. H.

(Tachibota gujanensis Aublet.)

576. TURNERA. Turnere. T.I. p. 1503.

1. ulmifolia L. Jamaica, America calid. H.

β. folio mucronato Miller.

7. *angustifolia* Curtis.
 2. *Pumilea* L. Jamaica. ☉.
 3. *rupestris* Aublet. Gujana. ☿.
 4. *fidoides* L. Brasilia.
 5. *frutescens* Aublet. Gujana. ☿.
 6. *rugosa* W. Gujana, Cajenna. ☉.
 (*Piriqueta villosa* Aublet.)
 7. *cistoides* L. America merid., Jamaica, Surinam. ☉.
 8. *racemosa* Jacq. ☉.
 9. *gojanensis* Aublet. Gujana. ☉.
 577. TELEPHIUM. Telephium. T. I. p. 1506.
 1. *Imperati* L. Galloprovincia, Helvetia. 4.
 2. *oppositifolium* L. Barbaria.
 578. CORRIGIOLA. Hirschsprung. T. I. p. 1506.
 1. *pittoralis* L. Europa. ☉.
 2. *capensis* W. Cap. b. Ip. ☉.
 579. PHARNACEUM. Pharnaceum. T. I. p. 1507.
 1. *Cerviana* L. Europa, Asia, Africa. ☉.
 2. *lineare* L. Cap. b. Ip.
 3. *teretifolium* Thunb. Ibid.
 4. *microphyllum* L. Ibid.
 5. *marginatum* Thunb. Ibid.
 6. *Mollugo* L. India orient. ☉.
 7. *glomeratum* L. Cap. b. Ip. ☉.
 8. *serpyllifolium* L. Ibid. ☉.
 9. *quadrangulare* L. Ibid. ☿.
 10. *incanum* L. Africa. ☿.
 11. *albens* L. Cap. b. Ip. ☿.
 12. *dichotomum* L. Ibid. ☉.
 13. *distichum* L. India orient.
 14. *cordifolium* L. Cap. b. Ip. ☉. ♂.
 580. ALSINE. Vogelmiere. T. I. p. 1511.
 1. *media* L. Europa. ☉.
 2. *segetalis* L. Gallia, Germania. ☉.
 3. *mucronata* L. Ibid., Helvetia. ☉.

581. DRYPIS. Knotenkraut. T. I. p. 1513.

1. Ipinosa L. Mauritania, Italia, Istria. ♂.

582. BASELLA. Beerblume. T. I. p. 1514.

1. rubra L. India orient. ♂. ☉.

2. alba L. China, Amboina. ♂.

3. lucida L. India. ☉.

4. cordifolia La Marck. India orient. ☉.

5. vesicaria La Marck. Peru. ☉.

583. SAROTHRA. Sarothre. T. I. p. 1515.

1. gentianoides L. Virginia, Pennsylvania. ☉.

584. PORTULACARIA. Portulacbaum. Tom. I.
pag. 1515.

1. afra Jacq. Africa. ♀.

TETRAGYNIA.

585. PARNASSIA. Parnassie. T. I. p. 1516.

1. palustris L. Europa. ♀.

β. flore pleno.

586. EVOLVULUS. Evolvulus. T. I. p. 1516.

1. nummularius L. Jamaica, Barbados. ☉.

2. gangeticus L. India.

3. emarginatus L. India orient. ☉.

4. alsinoides L. Malabar, Zeylon. ☉.

5. hirsutus La Marck. India orient. ☉.

6. linifolius L. Jamaica. ☉.

7. sericeus Swartz. Ibid.

PENTAGYNIA.

587. ARALIA. Aralie. T. I. p. 1518.

* *Foliis integris.*

1. arborea L. Jamaica. ♀.

2. capitata Swartz. Antillae, Jamaica. ♀.

3. cordata Thunb. Japonia. ♀.

** *Foliis lobatis.*

4. japonica Thunb. Japonia. 5.

*** Foliis digitatis.

5. pentaphylla Thunb. Japonia. 5.

6. Sciodaphyllum Swartz. Jamaica. 5.

**** Foliis supradecompositis et decompositis.

7. spinosa L. Virginia, Carolina. 5.

8. chinensis L. China. 5.

9. racemosa L. Canada. 4.

10. nudicaulis L. Virginia, Canada, Java. 4.

588. GLOSSOPETALUM. Zungenblume. T.L.

p. 1521.

1. glabrum W. Gujana. 5.

(Goupia glabra Aublet.)

2. tomentosum W. Gujana. 5.

(Goupia tomentosa Aublet.)

588a. ARMERIA. Enum. p. 333.

1. maritima W. Saccia, Anglia, Tyrol. 4. Enum.
p. 333.

(Statice Armeria β. W. Sp. pl.)

2. alpina W. Alpes Charinthiae, Tyrolis. 4.
Enum. p. 333.

3. littoralis W. Europa austr. 4. Enum. p. 333.
(Statice Armeria Brotero.)

4. hirta W. Giberaltaria, Africa bor. 4. Enum.
p. 333.

5. fasciculata W. Corsica, Lusitania. 5. Enum.
p. 334.

(Statice fasciculata Ventenat.)

6. plantaginea W. Europa austr. 4. Enum.
p. 334.

7. scorzoneraefolia W. Ibid. 4. Enum. p. 334.

589. STATICE. Graselke. T.L. p. 1522.

1. Armeria L. Europa, America sept. 4.

(Armeria vulgaris Enum. p. 333.)

2. juniperifolia Vahl. Hispania, Lusitania. 4.

3. alliacea Cavanil. Hispania. 4.

4. *cephalotes* Aiton. Europa austr. 4.
(*Armeria latifolia* Enum. p. 335.)
5. *graminifolia* Aiton. Ad Wolgam. 4.
6. *Limnium* L. Europa, Virginia. 4.
7. *Gmelini* W. Sibiria, Hungaria. 4.
8. *scoparia* W. Sibiria. 4.
9. *latifolia* Smith. Sibiria, Tauria. 4.
10. *oleaeifolia* Scopoli. Italia, Hispania.
11. *incana* L. Arabia, Sibiria. 4.
12. *auriculaeifolia* Willd. Barbaria. 4. 10 532
13. *cordata* L. Litt. Mediterr. 4.
14. *scabra* Thunb. Cap. b. sp.
15. *tetragona* Thunb. Ibid.
- 15a. *spathulata* W. Barbaria. 4. Enum. p. 336.
- 15b. *emarginata* W. Giberaltar. 4. Enum. p. 335.
16. *reticulata* L. Melita, Hispania, Sibiria. 4.
- 16a. *caspia* W. Ad mare Caspium. 4. Enum. p. 336.
- 16b. *dichotoma* Cavanil. Hispania. 4. Enum. p. 336.
(*S. reticulata* β. W. Sp. pl.)
- 16c. *virgata* W. Hispania. 4. Enum. p. 336.
(*S. reticulata* γ. W. Sp. pl.)
17. *echioides* L. Gallia, Hispania. ♂. ☉.
18. *speciosa* L. Tataria. ♂.
19. *tatarica* L. Ibid. ♂.
20. *Echinus* L. Graecia, Media.
β. *Juniperi folio* Tournef.
21. *flexuosa* L. Sibiria. 4.
22. *purpurata* L. Cap. b. sp. 4.
23. *longifolia* Thunb. Ibid.
24. *minuta* L. Ad Mare Mediterr. 5.
25. *pectinata* Aiton. In Canariis. 5.
26. *suffruticosa* L. Sibiria. 5.
27. *monopetala* L. Sicilia. 5.
β. Enum. p. 337.
28. *axillaris* Forsk. Arabia fel. 5.
29. *cylindrifolia* Forsk. Africa. 5.
30. *linifolia* L. Cap. b. sp. 5.

31. aurea L. Dauria. 5.
 32. ferulacea L. Barbaria, Hispania, Lusitania.
 33. pruinosa L. Palaestina.
 34. sinuata L. Sicilia, Africa, Palaestina. 4.
 β africanum Mart.
 γ. Asplenii foliis Shaw.
 35. lobata L. Africa.
 36. spicata W. Persia.
 37. mucronata L. Barbaria. 4.
 37. arborea Broussonet. Teneriffa. 5. Enum. p. 337.
 590. LINUM. Flachs. T. I. p. 1533.
 * Foliis alternis.
 1. usitatissimum L. Europa. ☉.
 β. lativum Bauhin.
 γ. humile Miller.
 δ. africanum Tournef.
 1a. angustifolium W. . . . 4. Enum. p. 338.
 1b. squamulosum Rudolphi. . . . 4. Enum. p. 338.
 2. perenne L. Sibiria. 4.
 3. viscosum L. Italia, Germania. 4.
 4. hirsutum L. Austria, Tartaria. 4.
 5. aquilinum Molina. Chili. 4.
 6. narbonense L. Helvetia, Gallia. 4.
 7. reflexum Aiton. Europa. 4.
 8. tenuifolium L. Gallia, Helvetia, Germania. 4.
 β. flore caeruleo Tournef.
 γ. flore violaceo Tournef.
 δ. flore lineis purpureis distincto Tournef.
 ε. floribus purpurascens v. carneis Bauhin.
 ζ. capillaceo folio Bauhin.
 η. album Tournef.
 θ. flore minore Bauhin.
 9. Selaginoides La Marck. Brasilia. 5.
 10. prostratum La Marck. Peru. 4.
 11. gallicum L. Gallia. ☉.
 12. maritimum L. Austria, Italia, Gallia,
 Oriens. 4.
 13. alpinum L. Alpes Europae. 4.

- 14. austriacum L. Austria, Hungaria. ♂.
- 15. virginianum L. A Pennsylvania ad Carolinam. 2.
- 16. flavum L. Austria, Germania. 2.
- 17. monoyetatum Stephan. Russia.
- 18. strictum L. Gallia, Hispania, Sicilia. ♂.
- 19. monogynum Forster. Nova-Zeelandia. 5.
- 20. suffruticosum L. Hispania. 5.
- 21. arboreum L. Creta, Italia. 5.
- 22. campanulatum L. Gallia, Hispania. 2.
- 22a. tauricum W. Tauria, ad Caucasum 5. Enum.
p. 339.

** *Foliis oppositis.*

- 23. africanum L. Cap. b. sp. 5.
- 24. Aethiopicum Thunb. Ibid. 5.
- 25. nodiflorum L. Italia.
- 26. catharticum L. Europa. ☉.
- 27. Radiola L. Ibid. ☉.

(*Radiola linoides* Roth.)

- 28. quadrifolium L. Aethiopia.
- 29. verticillatum L. Italia.

591. ALDROVANDA. Aldrovande. T.I. p.1543.

- 1. vesiculosa L. Italia, India.

592. DROSER A. Sonnenthan. T.I. p.1543.

- 1. acaulis L. Cap. b. sp.
- 2. rotundifolia L. Europa, America bor. ☉.
- 2a. uniflora W. Ad fretum Magellan. Enum.
p. 340.

- 3. cuneifolia L. Cap. b. sp.

- 4. Burmani Vahl. Zeylon, Cochin-China.

- 4a. tenuifolia W. Nova-Caesaria, 2. Enum.
p. 340.

- 5. longifolia L. Europa. ☉.

- 5a. americana W. Canada. 2. Enum. p. 340.

(*D. longifolia* Michaux.)

- 6. capensis L. Aethiopia.

- 7. lusitanica L. Lusitania.

- 8. cistiflora L. Cap. b. sp.

- 8^a. *violacea* *W.* Cap. b. sp. 2^a. Enum. p. 340.
 9. *peltata* *Smith.* Nova-Hollandia.
 10. *indica* *L.* India.
 593. GISEKIA. Gisekie. T. I. p. 1547.
 1. *pharnacioides* *L.* India orient. ☉.
 594. CRASSULA. Dickblatt. T. I. p. 1547.

* *Frutescentes.*

1. *coccinea* *L.* Aethiopia; Cap. b. sp. 5.
 2. *cymosa* *L.* Cap. b. sp. 5.
 3. *flava* *L.* Ibid. 5.
 4. *pubescens* *L.* Ibid. 5.
 5. *pruinosa* *L.* Ibid. 5.
 6. *scabra* *L.* Ibid.
 7. *corallina* *L.* Ibid. 5.
 8. *vestita* *L.* Ibid.
 9. *argentea* *L.* Ibid. 5.
 9^a. *odoratissima* *Andrews.* Cap. b. sp. ♂. Enum.
 pag. 341.
 9^b. *falcata* *Wendland.* Ibid. 5. Enum. p. 341.
 (*C. decussata* Hortulan. — *Röchea falcata* de
 Candol.)
 10. *perfoliata* *L.* Aethiopia. 5.
 11. *perforata* *L.* Cap. b. sp.
 (*C. perfossa* de Cand. — *C. perfolata* Scopol.)
 12. *fruticulosa* *L.* Ibid. 5.
 β. *cafra*.
 13. *ramosa* *Thunb.* Ibid. 5.
 13^a. *acutifolia* de Candol. Ibid. 5. Enum. p. 342.
 14. *mollis* *L.* Ibid.
 15. *tetragona* *L.* Aethiopia. 5.
 16. *muricata* *Thunb.* Cap. b. sp. 5.
 17. *imbricata* *Aiton.* Ibid. 5.
 18. *obvallata* *L.* Ibid. 5.
 19. *cultrata* *L.* Aethiopia. 5.
 19^a. *portulacæa* de Cand. Cap. b. sp. 5. En. p. 343.
 20. *obliqua* *Aiton.* Ibid. 5.
 21. *spathulata* *Thunb.* Ibid. 5.

- 22. punctata L. Ibid. 5.
- 23. marginalis Aiton. Ibid. 5.
- 24. cordata L. Ibid. 5.
- 25. lactea Thunb. Ibid. 5.
- 26. arborescens W. Ibid. 5.
(Cr. Cotyledon Jacq. Aiton.)
- 27. rupestris L. Ibid. 5.
- 28. pinnata L. China. 5.

** *Herbaceae.*

- 29. spinosa L. Sibiria. 4.
(*Sedum spinosum* Enum. p. 485.)
- 30. retroflexa L. Cap. b. sp. ☉.
- 31. lineolata Aiton. Ibid. ♂.
- 32. centauroides L. Ibid. ☉.
- 33. dichotoma L. Aethiopia. ☉.
- 34. glomerata L. Cap. b. sp. ☉.
β. caule scabrido Aiton.
γ. caule glabrato Aiton.
- 35. pulchella Aiton. Cap. b. sp. ☉.
- 36. strigosa L. Aethiopia.
- 37. muscosa L. Ibid. ☉.
- 38. pyramidalis L. Cap. b. sp. 4.
- 39. columnaris L. Ibid.
- 40. hemisphaerica Thunb. Ibid. ☉.
- 41. alooides Aiton. Ibid. ♂.
- 42. capitella L. Ibid. ♂.
- 43. Cotyledonis L. Ibid.
- 44. barbata L. Ibid.
- 45. ciliata L. Aethiopia. 4.
- 46. thyrsiflora L. Cap. b. sp.
- 47. spicata L. Ibid.
- 48. subulata L. Ibid. ☉.
- 49. alternifolia L. Aethiopia.
- 50. rubens L. Europa austr ☉.
- 51. cespitosa Cavanth. Hispania. ☉.
- 52. minima Thunb. Cap. b. sp.
- 53. moschata Forster. Terra del Fuego.

54. *verticillaris* L. Europa austr. ☉.
 55. *expansa* Aiton. Cap. b. sp. ☉.
 56. *dentata* Thunb. Ibid.
 57. *nudicaulis* L. Aethiopia. 24.
 58. *tecta* L. Cap. b. sp.
 59. *cephalophora* L. Ibid.
 60. *montana* L. Ibid.
 61. *turrita* L. Ibid. ☉.
 62. *alpestris* L. Ibid.
 63. *marginata* Thunb. Ibid.
 64. *tomentosa* L. Ibid.
 65. *crenulata* L. Ibid.
 66. *deltoides* L. Ibid.
 67. *orbicularis* L. Ibid. 24.
 68. *sparsa* Aiton. Ibid. ♂.
 69. *diffusa* Aiton. Ibid. ☉.
 70. *prostrata* Thunb. Ibid.
 71. *pellucida* L. Ibid.
 595. MAHERNIA. Mahernie. T. I. p. 1564.
 1. *verticillata* L. Cap. b. sp. ♀.
 2. *pinnata* L. Ibid. ♀.
 3. *pulchella* Cavanil. Ibid. ♀.
 (*Hermannia pulchella* L.)
 4. *diffusa* Jacq. Ibid. ♀.
 (*Hermannia diffusa* L.)
 5. *incisa* Jacq. Ibid. ♀.
 6. *glabrata* Cavanil. Ibid. ♀.
 (*Hermannia glabrata* L.)
 7. *heterophylla* Cavanil. Ibid. ♀.
 8. *biserrata* Cavanil. Ibid. ♀.
 (*Hermannia biserrata* L.)
 596. COMMERSONIA. Commersonie. T. I. p. 1566.
 1. *echinata* L. Mus. Societatis. ♀.
 597. SIBBALDIA. Sibbaldie. T. I. p. 1567.
 1. *procumbens* L. Alpes Europae. 24.
 2. *erecta* L. Sibiria.
 3. *altaica* L. Ibid. 24.

DECA GYNIA.

598. SCHEFFLERA. Schefflera. T. I. p. 1568.

1. digitata Forster. Nova-Zeelandia.

POLY GYNIA.

599. MYOSURUS. Mouseschwänzchen. Tom. I.
pag. 1568.

1. minimus L. Europa. ♀.

600. XANTHORRHIZA. Gelbwurz. T. I. p. 1568.

1. apiifolia l'Héritier. Nova-Georgia, Carol. ♀.

Classis VI.

HEX ANDRIA.

MONO GYNIA.

601. URANIA. Uranie. T. II. p. 7.

1. speciosa IV. Madagascar. ♀.

(*Ravenalia madagascariensis* Sonnerat, Jussieu,
Jacquin.)

602. BROMELIA. Ananas. T. II. p. 7.

1. Ananas L. Nova-Hispania, Surinam. ♀.

β. carne aurea Tournef.

γ. lucida Miller.

δ. viridis Miller.

10. semiserrata IV. America calid. ♀. Enum.
pag. 345.

16. lucida IV. Ibid. ♀. Enum. p. 345.

β. Ananas Dillen. elth. t. 21. f. 22.

2. Pinguin L. Jamaica, Barbados. ♀.

3. Karatas L. America merid. ♀.

4. lingulata L. Ibid. ♀.

5. *bracteata* Swartz. Jamaica, Vera-Cruz. 5.
 6. *paniculigera* Swartz. India occid. 5.
 7. *chrysantha* Jacq. Carraças. 5.
 8. *nudicaulis* L. America merid. 5.
 9. *humilis* Jacq. 5.
 10. *Acanga* L. Brasilia. 5.
603. PITCAIRNIA. Pitcairnie. T. II. p. 10.
1. *bromeliaefolia* Aiton. Jamaica. 5.
 2. *angustifolia* Aiton. Ins. St. Crucis. 5.
 3. *latifolia* Aiton. India occid. 5.
 - 3a. *furfuracea* Humboldt et Bonpl. America merid. 5. Enum. p. 347.
604. TILLANDSIA. Tillandsie. T. II. p. 11.
1. *utriculata* L. America merid. 4.
 2. *ferrata* L. Ibid.
 3. *lingulata* L. Ibid.
 4. *tenuifolia* L. Ibid. 4.
 5. *flexuosa* Swartz. Jamaica, Carthagera. 4.
 6. *setacea* Swartz. Jamaica. 4.
 7. *paniculata* L. America merid.
 8. *fasciculata* Swartz. Jamaica. 4.
 9. *nutans* Swartz. Ibid. 4.
 10. *polystachya* L. America calid.
- β. *Renealmia* Plumier.
11. *monostachya* L. Ibid.
 12. *pruinosa* Swartz. Jamaica. 4.
 13. *canescens* Swartz. Ibid. 4.
 14. *angustifolia* Swartz. Ibid. Hispaniola. 4.
 15. *recurvata* L. Ibid.
 16. *usneoides* L. Virginia, Jamaica, Brasilia.
605. XEROPHYTA. Dürnbüsch. T. II. p. 15.
1. *pinifolia* W. Madagascar. 5.
606. BURMANNIA. Burmannie. T. II. p. 16.
1. *disticha* L. Zeylon. 4.
 2. *biflora* L. Virginia.
607. TRADESCANTIA. Tradescantie. T. II. p. 16.
1. *virginica* L. Virginia. Carolina. 4.

1. *rosea* Michaux. Carolina. 2. Enum. p. 347.
 2. *crassifolia* Cavanil. Mexico. 2.
 3. *erecta* Jacq. Ibid. ☉.
(*T. undulata* Vahl, *T. bifida* Roth.)
 - 3a. *undata* Humboldt et Bonpl. Mexico. ☉. Enum.
p. 347.
 4. *Zanonia* L. Jamaica, Gujana. 2.
 5. *discolor* Swartz. America merid. 2.
 6. *malabarica* L. Malabar. 2.
 7. *nervosa* L. . . . 2.
 8. *divaricata* Vahl. Gujana, Cajenna, Ins.
Trinitatis.
 9. *geniculata* L. America merid. 2.
 10. *monandra* Swartz. Hispaniola. ☉.
 11. *multiflora* Swartz. Jamaica.
 12. *cordifolia* Swartz. Ibid. ☉.
 13. *procumbens* W. Caracas. 2.
 14. *axillaris* L. India. ☉.
 15. *formosa* L. Cap. b. sp.
 16. *cristata* Jacq. Zeylon. ☉.
(*Commelina cristata* L.)
 17. *papilionacea* L. India. ☉.
608. MNASIUM. Spathelkraut. T. II. p. 21.
1. *paludosum* W. Gujana. 2.
(*Rapatea paludosa* Aublet.)
609. PONTEDERIA. Pontedere. T. II. p. 22.
1. *rotundifolia* L. Surinam.
 2. *azurea* Swartz. Jamaica. 2.
 3. *vaginalis* L. India orient. 2.
 4. *limosa* Swartz. Jamaica, Hispaniola. 2.
 5. *cordata* L. Virginia. 2.
 6. *hastata* L. India. 2.
β. *foliis sagittatis obtusis* W. Java.
610. HAEMANTHUS. Blutblume. T. II. p. 24.
1. *coccineus* L. Cap. b. sp. 2.
 2. *coarctatus* Jacq. Ibid. 2.
 3. *puniceus* L. Ibid. 2.

4. *multiflorus* Martyn. Sierra Leone 24.
5. *tigrinus* Jacq. Cap. b. sp. 24.
6. *quadrivalvis* Jacq. Ibid. 24.
7. *pubescens* L. Ibid. 24.
8. *ciliaris* L. Ibid. 24.
9. *albiflos* Jacq. Ibid. 24.
10. *toxicarius* L. Ibid. 24.
11. *lanceaefolius* Jacq. Ibid. 24.
12. *carinatus* L. Ibid. 24.
13. *pumilio* Jacq. Ibid. 24.
14. *spiralis* Thunb. Ibid. 24.
(*Crinum tenellum* Jacq.)
611. **MASSONIA**. Massoniet. T. II. p. 28.
 1. *latifolia* L. Cap. b. sp. 24.
 2. *angustifolia* L. Ibid. 24.
 3. *undulata* Thunb. Ibid. 24.
 4. *echinata* L. Ibid. 24.
612. **GALANTHUS**. Schneeglöckchen. T. II. p. 29.
 1. *nivalis* L. Germania, Italia, Helvetia. 24.
613. **LEUCOIUM**. Knotenblume. T. II. p. 30.
 1. *vernum* L. Germania, Italia, Helvetia. 24.
 2. *aestivum* L. Austria, Pannonia, Hetruria, Montpelii. 24.
 3. *autumnale* L. Lusitania. 24.
614. **STRUMARIA**. Kropfblie. T. II. p. 31.
 1. *linguaefolia* Jacq. Cap. b. sp. 24.
 2. *truncata* Jacq. Ibid. 24.
 3. *rubella* Jacq. Ibid. 24.
 4. *undulata* Jacq. Ibid. 24.
 5. *angustifolia* Jacq. Ibid. 24.
 6. *filifolia* Jacq. Ibid. 24.
(*Leucoium strumosum* Anton. Thunb.)
615. **FULBAGHIA**. Fulbaghie. T. II. p. 33.
 1. *alliacea* L. Cap. b. sp. 24.
 2. *cepacea* L. Ibid. 24.
616. **NARCISSUS**. Narcisse. T. II. p. 34.
 1. *poëticus* L. German., Gallia, Helvet., Italia. 24.

(*N. angustifolius* Curtis)

- β. multiplex* Bauhin.
- 2. *incomparabilis* Curtis. Hispania, Lusitania. 24.
- 3. *Pseudo-Narcissus* L. Europa. 24.
 - β. multiplex* Bauhin.
 - γ. tubo aureo* Bauhin.
- 4. *bicolor* L. Europa austr. 24.
 - β. hispanicus* Gouan.
 - γ. multiplex* Bauhin.
- 5. *minor* L. Hispania. 24.
- 6. *moschatus* L. Ibid. 24.
- 7. *triandrus* L. In Pyrenaeis. 24.
- 8. *orientalis* L. Oriens. 24.
 - β. major* Besler.
 - γ. odoratus* Rudbeck.
- 9. *trilobus* L. Europa austr. 24.
- 10. *odorus* L. Ibid. 24.
- 11. *biflorus* Curtis. Hispania, Anglia. 24.
- 12. *calathinus* L. Europa austr. Oriens. 24.
- 13. *Tazetta* L. Gallia, Lusitania, Hispania. 24.
- 14. *dubius* Gouan. Monspeli. 24.
- 15. *Bulbocodium* L. Lusitania, Hispania. 24.
- 16. *ferotinus* L. Hispania, Italia, Barbaria. 24.
- 17. *Jonquilla* L. Hispania, Oriens. 24.
- 17^a. *longiflorus* W. Enum. p. 351.
- 17^b. *angustifolius* W. 24. Enum. p. 351.
- 617. **PANCRATIUM.** Gilgen. T. II. p. 41.
 - 1. *zeylanicum* L. India. 24.
 - 2. *mexicanum* L. Mexico. 24.
 - 3. *humile* Cavanil. Hispania. 24.
 - 4. *caribaeum* L. Jamaica, in Caribaeis. 24.
 - 5. *maritimum* L. Europa merid. America, India orient. 24.
 - 6. *fragrans* Salisbury. Barbados. 24.
 - 7. *littorale* Jacq. Terra Bomba. 24.

8. *speciosum* Salisbury. 2.
 9. *amoenum* Salisb. Gujana.
(*P. declinatum* Jacq.)
 10. *illyricum* L. Gallia. 2.
(*P. stellare* Salisb.)
 11. *amboinense* L. Amboina. 2.
618. CRINUM. Hackenlilie. T. II. p. 45.
1. *asiaticum* L. Malabar, Zeylon, America. 2.
 2. *americanum* L. America. 2.
 3. *erubescens* Aiton. America calid. 2.
 - 3a. *Commelini* Jacq. Ibid. 2. Enum. p. 353.
 4. *bracteatum* W. 2.
 5. *nervosum* l'Héritier. In Philippinis. 2.
619. AGAPANTHUS. Schmucklilie. T. II. p. 47.
1. *umbellatus* l'Héritier. Cap. b. sp. 2.
(*Crinum africanum* L.)
 2. *ensifolius* W. Ibid. 2.
(*Mauhlia ensifolia* Thunb.)
 - 2a. *praecox* W. Ibid. 2. Enum. p. 353.
 - 2b. *multiflorus* W. Enum. p. 353.
620. EUSTEPHANIA. Glockenlilie. T. II. p. 48.
1. *coccinea* Cavanil. 2.
621. CYRTANTHUS. Bogenlilie. T. II. p. 48.
1. *angustifolius* Aiton. Cap. b. sp. 2.
(*Crinum angustifolium* L.)
 2. *ventricosus* W. Ibid. 2.
 3. *obliquus* Aiton. Ibid. 2.
(*Crinum obliquum* L. = *Amaryllis umbellata* l'Héritier.)
622. AMARYLLIS. Amarillis. T. II. p. 50.
- * *Spatha uniflora*.
1. *lutea* L. Hispania, Italia, Thracia. 2.
 2. *pumilio* Aiton. Cap. b. sp. 2.
 3. *tubispatha* l'Héritier. Bonaria. 2.
 4. *tubiflora* l'Héritier. Lima. 2.
 5. *Atamasco* L. Virginia, Carolina. 2.
 6. *maculata* l'Héritier. Chili. 2.

7. chilensis l'Héritier. Ibid. 4.
8. clavata l'Héritier. Africa austr. 4.
9. formosissima L. America merid. 4.
 ** *Spatha biflora*.
10. reginae L. In Caribaeis. 4.
11. purpurea Aiton. Cap. b. sp. 4.
 (A. elata Jacq. — A. speciosa l'Héritier. — *Crinum speciosum* L.)
12. linearis W. Cap. b. sp. 4.
 (*Crinum lineare* L.)
13. equestris Aiton. America calid. 4.
14. reticulata Aiton. Brasilia. 4.
15. tatarica Pallas. Sibiria. 4.
 *** *Spatha multiflora*.
16. Belladonna L. Surinam, Barbados, in Caribaeis. 4.
17. vittata Aiton. . . . ? 4.
18. falcata Aiton. Cap. b. sp. 4.
19. ornata Aiton. Guinea. 4.
 (A. Jagus Hoitulan. — A. Bröussonnetii Redouté. — *Crinum giganteum* Andrews.)
20. longifolia L. Cap. b. sp. 4.
21. montana Bithard. Syria. 4.
22. zeylanica L. India orient. 4.
23. revoluta Aiton. Cap. b. sp. 4.
24. latifolia l'Héritier. India orient. 4.
 (*Crinum latifolium* L.)
25. aurea Aiton. China. 4.
26. orientalis L. Cap. b. sp. 4.
27. sarniensis L. Japonia, Ins. Sarnia Angliae. 4.
 β. capensis. Cap. b. sp.
 (A. sarniensis Jacq.)
28. marginata Jacq. Cap. b. sp. 4.
29. curvifolia Jacq. Ibid. 4.
 (A. Fothergillii Andrews.)
30. undulata L. Ibid. 4.

31. *radiata* Aiton. . . . 4.
 32. *humilis* Jacq. Cap. p. sp. 4.
 23. *flexuosa* Jacq. Ibid. 4.
 34. *Radula* Jacq. Ibid. 4.
 35. *striata* Jacq. Ibid. 4.
 36. *crispa* Jacq. Ibid. 4.
 37. *stellaris* Jacq. Ibid. 4.
 38. *caspia* Pallas. Ad mare Caspium. 4.
 623. MILLEA. Mille. T. II. p. 62.
 1. *biflora* Cavanil. Mexico. 4.
 624. BULBOCODIUM. Uchtblume. T. II. p. 62.
 1. *vernum* L. Hispania, Helvetia, Russia. 4.
 624^a. STERNBERGIA. Enum. p. 356.
 1. *colchiciflora* W. Hungaria. 4.
 625. APHYLLANTHES. Nelkenlilie. T. II. p. 63.
 1. *monspeliensis* L. Gallia, Hispania. 4.
 626. ALLIUM. Lauch. T. II. p. 63.
 * *Folia caulina plana. Umbella capsulifera.*
 1. *Ampeloprasum* L. Oriens, Anglia. 4.
 2. *Porrum* L. Helvetia. ♂. 4.
 β. *sectile* Matthiol.
 3. *lineare* L. Sibiria. 4.
 4. *suaveolens* Jacq. Austria. 4.
 5. *deflexum* W. 4.
 6. *rotundum* L. Europa. 4.
 7. *Victorialis* L. Silesia, Austria, Helvetia,
 Italia. 4.
 8. *subhirsutum* L. Africa, Italia Hispania, Oriens. 4.
 9. *magicum* L. 4.
 10. *obliquum* L. Sibiria. 4.
 11. *ramosum* L. Ibid. 4.
 12. *tataricum* L. Ibid. 4.
 13. *roseum* L. Gallia, Italia. 4.
 ** *Folia caulina plana. Umbella bulbifera.*
 14. *fativum* L. Sicilia. 4.
 15. *Scorodoprasum* L. Europa. 4.

β. staminibus alterne trifidis *Haller.*

16. *arenarium* L. Europa. 4.

17. *carinatum* L. Europa. 4.

β. *montanum* *Bauhin.*

17^a. *controversum* *Schrader.* . . . 4. Enum. p. 358.

*** *Folia caulina teretia. Umbella capsulifera v. bulbifera.*

18. *Sphaerocephalon* L. Europa. 4.

19. *parviflorum* L. Ibid. 4.

20. *Pallasii* *Murray.* Sibiria. 4.

20^a. *proliferum* *Schrader.* 4. Enum. p. 358.

21. *descendens* L. Helvetia. 4.

22. *moschatum* L. Europa austr. 4.

23. *flayum* L. Gallia, Austria. 4.

23^a. *carneum* *W.* 4. Enum. p. 359.

24. *pallens* L. Europa merid. 4.

25. *paniculatum* L. Europa, Oriens. 4.

26. *vineale* L. Europa. 4.

β. *gemino capite* *Bauhin.*

27. *oleraceum* L. Europa. 4.

**** *Folia radicalia. Scapus nudus.*

28. *nutans* L. Sibiria. 4.

28^a. *cerpnum* *Roth.* 4. Enum. p. 360.

28^b. *rubens* *Schrader.* 4. Enum. p. 360.

29. *ascalonicum* L. Palaestina. 4.

30. *senescens* L. Europa. 4.

31. *illyricum* *Jacq.* Austria. 4.

31^a. *baicalense* *W.* Ad lacum Bajcal. 4. Enum. pag. 360.

31^b. *fragrans* *Ventenat.* 4. Enum. p. 360.

32. *odorum* L. Europa austr. 4.

33. *inodorum* *Aiton.* Carolina. 4.

54. *angulosum* L. Europa. 4.

34^a. *atropurpureum* *Waldst. et Kit.* Hungaria. 4. Enum. pag. 361.

35. *striatum* *Jacq.* Cap. b. sp. 4.

36. *narcissiflorum* *Villars.* Gallia. 4.

37. *pedemontanum* *W.* Pedemont. 2.
 38. *nigrum* *L.* Gallia, Barbaria. 2.
 39. *canadense* *L.* Canada. 2.
 40. *ursinum* *L.* Europa. 2.
 41. *clusianum* *Retz.* Europa austr. 2.
 42. *triquestrum* *L.* Hispania. 2.
 43. *Cepa* *L.* 2.
 44. *Moly* *L.* Italia, Gallia, Hungaria. 2.
 45. *tricoccum* *Aiton.* America bor. 2.
 46. *fistulosum* *L.* 2.
 β. altaicum *Pallas.* Sibiria.
 47. *Schoenoprasum* *L.* Sibiria, Oelandia. 2.
 48. *sibiricum* *L.* Sibiria, Silesia. 2.
 49. *stellarianum* *W.* Sibiria. 2.
 (*All. saxatile* *Bieberst.*)
 49^a. *ochroleucum* *Waldst. et Kit.* Hungaria. 2.
 Enum. pag. 362.
 49^b. *fetaceum* *Waldst. et Kit.* Ibid. 2. Enumer.
 pag. 362.
 50. *capillare* *Cavanil.* Hispania. 2.
 51. *tenuissimum* *L.* Sibiria. 2.
 52. *gracile* *Aiton.* Jamaica. 2.
 53. *Chamae-Moly* *L.* Italia, Hispania. 2.
 627. LILIUM. Liliæ. T. II. p. 84.
 1. *cordifolium* *Thunb.* Japonia. 2.
 2. *longiflorum* *Thunb.* Ibid. 2.
 3. *candidum* *L.* Palaestina, Syria, Hispania,
 Helvetia. 2.
 β. peregrinum *Miller.*
 γ. caule compresso *Gronov.*
 4. *japonicum* *Thunb.* Japonia. 2.
 5. *lancifolium* *Thunb.* Ibid. 2.
 6. *bulbiferum* *L.* Europa. 2.
 β. flore pleno.
 γ. minus *Bauhin.*
 δ. phoeniceum *Bauhin.*

- δ. majus *Bauhin.*
 - ξ. angustifolium *Bauhin.*
 - η. humile *Miller.*
 - θ. incanum *Bauhin.*
- 7. *Catesbaei* *Walter.* Carolina. 4.
- 8. *speciosum* *Thunb.* Japonia. 4.
- 9. *pomponium* *L.* Gallia, Sibiria. 4.
 - β. *miniaturum* *Bauhin.*
 - γ. *angustifolium* *Miller.*
- 10. *chalconicum* *L.* Persia, Carniola. 4.
 - β. *polyanthos* *Bauhin.*
- 104. *pyrenaicum* *de Candol.* In *Pyrenaeis.* 4.
 - Enum. p. 362.
 - (*L. chalconicum* γ. *W. Sp. pl.*)
- 11. *superbum* *L.* America sept. 4.
- 12. *Mertagon* *L.* Germ., Hungar., Helv., Sibir. 4.
 - β. *hirsutum* *Bauhin.*
- 13. *canadense* *L.* Canada, Pennsylvania. 4.
- 14. *maculatum* *Thunb.* Japonia. 4.
- 15. *kamschatcense* *L.* Canada, Kamschatka. 4.
- 16. *philadelphicum* *L.* Canada, Pennsylvania. 4.
- 628. FRITILLARIA. *Schachblume.* T. II. p. 90.
 - 1. *imperialis* *L.* Persia. 4.
 - 2. *persica* *L.* ?
 - β. *minima* *Swart.*
 - 3. *verticillata* *W.* Sibiria. 4.
 - 4. *pyrenaica* *L.* Gallia, Russia. 4.
 - 5. *Meleagris* *L.* Europa. 4.
 - β. *alba variegata* *Bauhin.*
 - γ. *alba praecox* *Bauhin.*
 - 5a. *nervosa* *W.* 4. Enum. p. 364.
 - (*Fr. Meleagris* δ *W. Sp. pl.*)
 - 6. *latifolia* *W.* Ad *Caucasum.* 4.
- 629. EUCOMIS. *Schopfilie.* T. II. p. 92.
 - 1. *nana* *Aiton.* Cap. b. sp. 4.
 - (*Fritillaria nana* *L.*)
 - 2. *bifolia* *Jacq.* Ibid. 4.

3. *regia* Aiton. Ibid. 2.

(*Fritillaria regia* L.)

4. *undulata* Aiton. Ibid. 2.

5. *punctata* Aiton. Ibid. 2.

β. *E. striata* Hortulan. Enum. p. 364.

630. UVULARIA. Zäpfchenkraut. T. II. p. 93.

1. *amplexifolia* L. German?, Helvet., Gallia. 2.

2. *hirta* Thunb. Japonia. 2.

3. *lanceolata* Aiton. America bor. 2.

4. *perfoliata* L. Virginia, Canada. 2.

5. *fessilifolia* L. Canada. 2.

6. *cirrhusa* Thunb. Japonia. 2.

6a. *grandiflora* Smith. America bor. 2. Enum. p. 365.

631. GLORIOSA. Prachtblü. T. II. p. 95.

1. *superba* L. Malabar. 2.

2. *simplex* L. Senegal.

632. ERYTHRONIUM. Hundszahn. T. II. p. 96.

1. *Dens Canis* L. Helvetia, Italia, Gallia, Sibiria, Virginia. 2.

β. *longifolium* Miller.

γ. *foliis nigro maculatis* Gronov.

δ. *flore pleno* Gmelin.

633. TULIPA. Tulpe. T. II. p. 97.

1. *sylvestris* L. Germania, Italia, Sibiria, Helvetia. 2.

β. *turcica* Roth.

γ. *caule trifloro* Enum. p. 365.

2. *suaveolens* Roth. Europa austr. 2.

3. *Gesneriana* L. Cappadocia, Russia. 2.

4. *biflora* L. Ad Wolgam. 2.

4a. *celsiana* W. Ibid. 2. Enum. p. 366.

5. *breyniana* L. Cap. b. sp. 2.

634. ALBUCA. Stiftblume. T. II. p. 98.

* *Staminibus tribus fertilibus.*

1. *altissima* Dryander. Cap. b. sp. 2.

2. *major* L. Ibid. 2.

3. *flaccida* Jacq. Ibid. 24.
4. *minor* L. Ibid. 24.
5. *viridiflora* Jacq. Ibid. 24.
6. *coarctata* Dryander. Ibid. 24.
- ** *Staminibus omnibus fertilibus.*
7. *fastigiata* Dryander. Ibid. 24.
8. *caudata* Jacq. Ibid. 24.
9. *setosa* Jacq. Ibid. 24.
10. *aurea* Jacq. Ibid. 24.
11. *abyssinica* Dryander. 24.
12. *fragrans* Jacq. Cap. b. sp. 24.
13. *viscosa* L. Ibid. 24.
14. *spiralis* L. Ibid. 24.
635. GETHYLLIS. Papierlilie. T. II. p. 104.
1. *spiralis* L. Cap. b. sp. 24.
2. *ciliaris* L. Ibid. 24.
3. *villosa* L. Ibid. 24.
4. *plicata* Jacq. Ibid. 24.
- (*Hypoxis plicata* L.)
5. *lanceolata* L. Ibid. 24.
636. CURCULIGO. Rüsselblie. T. II. p. 105.
1. *orchioides* Roxb. India. 24.
637. HYPOXIS. Haertling. T. II. p. 106.
1. *erecta* L. Virginia, Canada, Pennsylvania. 24.
2. *sobolifera* Jacq. Cap. b. sp. 24.
3. *villosa* L. Ibid. 24.
4. *decumbens* L. Jamaica. 24.
5. *obliqua* Jacq. Cap. b. sp. 24.
6. *aquatica* L. Ibid. 24.
7. *minuta* L. Ibid. 24.
8. *alba* L. Ibid. 24.
9. *ovata* L. Ibid. 24.
10. *veratrifolia* W. Ibid. 24.
11. *stellata* L. Ibid. 24.
12. *ferrata* L. Ibid. 24.
13. *junccea* Smith Carolina. 24.
14. *fascicularis* L. Aleppo. 24.

15. sessilis L. Carolina. 4.

638. ERIOSPERMUM. Wollensame. T.H. p. 110.

1. latifolium Jacq. Cap. b. sp. 4.

(*Ornithogalum capense* L.)

2. lanceaefolium Jacq. Ibid. 4.

3. parvifolium Jacq. Ibid. 4.

639. ORNITHOGALUM. Vogelmilch. T.H. p. 111.

* *Staminibus omnibus subulatis.*

1. uniflorum L. Sibiria. 4.

2. striatum W. Ibid. 4.

3. bulbiferum L. Ad Wolgam et Jaicum. 4.

4. spathaceum Hayne. Germania. 4.

α. umbella triflora, involucro pentaphyllo.

β. umbella biflora, involucro tetraphyllo.

γ. umbella uniflora, involucro triphylo.

5. bohemicum Zeuschn. Bohemia. 4.

6. luteum L. Europa, Asia. 4.

(*O. pratense* Persoon.)

6a. sylvaticum Persoon. Ibid. 4. Enum. p. 368.

(*Ornithogalum luteum* β. W. Sp. pl.)

6b. pygmaeum W. Hispania. 4. Enum. p. 367.

7. minimum L. Suecia, Russia, Caucasus. 4.

7a. villosum Bieberst. Germania, Helvetia, Gallia.

4. Enum. p. 368.

(*O. arvense* Persoon.)

β bulbiferum Column.

8. circinatum L. Astrachan. 4.

9. paradoxum Jacq. Cap. b. sp. 4.

10. niveum Aiton. Ibid. 4.

11. umbellatum L. Germania, Gallia, Helvetia, Oriens. 4.

12. pyrenaicum Aiton. Alpes Europae. 4.

13. stachyoides Aiton. Europa austr. 4.

(*O. pyrenaicum* L.)

14. lacteum Jacq. Cap. b. sp. 4.

15. ovatum Thunb. Ibid. 4.

16. ciliatum L. Ibid. 4.

17. *crenulatum* L. Ibid. 2.
18. *filosum* L. Ibid. 2.
19. *revolutum* Jacq. Ibid. 2.
20. *conicum* Jacq. Ibid. 2.
21. *narbonense* L. Europa. 2.
22. *latifolium* L. Arabia, Aegyptus. 2.
23. *altissimum* L. Cap. b. sp. 2.
24. *scilloides* Jacq. Ibid. 2.
25. *longebracteatum* Jacq. Ibid. 2.
26. *japonicum* Thunb. Japonia. 2.
27. *comosum* L. Austria. 2.
28. *pyramidale* L. Lusitania. 2.
29. *tenellum* Jacq. Cap. b. sp. 2.
30. *odoratum* Jacq. Ibid. 2.
31. *inaveolens* Jacq. Ibid. 2.
32. *secundum* Jacq. Ibid. 2.
33. *fuscatum* Jacq. Ibid. 2.
34. *barbatum* Jacq. Ibid. 2.
35. *polyphyllum* Jacq. Ibid. 2.
36. *juncifolium* Jacq. Ibid. 2.
37. *rupestre* L. Ibid. 2.
38. *arabicum* L. Aegyptus, Madera. 2.
39. *thyrsoides* Aiton. Cap. b. sp. 2.
 - α. floribus luteis, bracteis pedunculo brevioribus.
(*O. dubium* Houttuyn.)
 - β. floribus albis, bracteis longitudine pedunculi.
(*O. thyrsoides* Jacq. Thunb.)
40. *aureum* W. Cap. b. sp. 2.
 - α. *O. miniatum* Jacq.
 - β. *O. aureum* Curtis.
 - γ. *O. flavescens* Jacq.
 - δ. *O. flavissimum* Jacq.
41. *coarctatum* Jacq. Ibid. 2.
42. *caudatum* Jacq. Ibid. 2.
43. *nutans* L. Germania, Helvetia, Gallia, Italia. 2.
640. SCILLA. Meerzwiebel. T. II. p. 125.

1. *maritima* L. Hispania, Lusitania, Sicilia,
Syria. 24.
 β. radice alba Bauhin.
2. *Lilio Hyacinthus* L. Hispania. 24.
3. *italica* L. 24.
4. *tetraphylla* L. Africa.
5. *peruviana* L. Lusitania. 24.
 β. flore albo.
6. *japonica* Thunb. Japonia. 24.
7. *amoena* L. Europa. 24.
 β. corolla campanulata W.
8. *praecox* W. 24.
9. *campanulata* Aiton. Hispania, Lusitania. 24.
10. *bifolia* L. Gallia, Germania. Helvetia: 24.
 β. albo flore Clusius.
- 10a. *umbellata* Ramond. In Pyrenaeis. 24. En. p. 370
11. *verna* Aiton. Hispania. 24.
12. *lusitanica* L. Lusitania 24.
13. *orientalis* Thunb. Japonia. 24.
14. *hyacinthoides* L. Madera. 24.
15. *autumnalis* L. Hispania, Gallia, Italia. 24.
16. *unifolia* L. Lusitania. 24.
641. CYANELLA. Capillie T. II. p. 131.
 1. *capensis* L. Cap. b. sp. 24.
 2. *orchidiformis* Jacq. Ibid. 24.
 3. *lutea* L. Ibid. 24.
 4. *alba* L. Ibid. 24.
642. ASPHODELUS. Affodil. T. II. p. 132.
 1. *luteus* L. Sicilia, Oriens. ♂.
 1a. *tauricus* Bieberst. Tauria, Caucasus. 24. Enum.
 p. 371.
 2. *creticus* La Marck. Creta.
 3. *ramosus* L. Europa merid. 24.
 4. *albus* W. Ibid. 24.
 5. *fistulosus* L. Gallia, Hispania, Creta. 24.
 6. *altaicus* Pullas. M. Altai. 24.
 7. *liburnicus*. Scopoli. Istria.

U. S. GENT

643. ANTHERICUM. Zaunblume. T. II. p. 134.

* *Phalangium foliis canaliculatis, Filamentis Jacpius glabris.*

1. serotinum L. Alpes Europae. 24.
2. fragrans Jacq. Cap. b. sp. 24.
3. filifolium Jacq. Ibid. 24.
4. flexifolium L. Ibid. 24.
5. filiforme Aiton. Ibid. 24.
6. exuviatum Jacq. Ibid. 24.
7. elongatum W. Ibid.
8. graecum L. Oriens. 24.
9. planifolium Vandelli. Lusitania. 24.
10. squameum L. Cap. b. sp. 24.
11. comosum Thunb. Ibid. 24.
12. floribundum Aiton. Ibid. 24.
13. revolutum Thunb. Ibid. 24.
14. ramosum L. Europa. 24.
- 14a. pendulum Hornemann. Nova-Hollandia. 24.
15. elatum Aiton. Cap. b. sp. 24.
16. falcatum L. Ibid. 24.
17. contortum L. Ibid.
18. vespertinum Jacq. Ibid. 24.
19. graminifolium W. Ibid. 24.
(*A. undulatum* Jacq.)
20. japonicum Thunb. Japonia, Java, China.
21. longifolium Jacq. Cap. b. sp. 24.
22. hirsutum Thunb. Ibid. 24.
23. Adenpanthera Forster. Nova-Caledonia.
24. reflexum Cavanil. . . . 24.
25. pilosum Jacq. Cap. b. sp. 24.
26. undulatum Thunb. Ibid. 24.
27. triflorum Aiton. Ibid. 24.
(*A. bipedunculatum* Jacq.)
28. canaliculatum Aiton. Ibid. 24.
29. albucoides Aiton. Ibid. 24.
30. Liliago L. Europa. 24.
- 30a. sulphureum Waldst. et Kit. Hungaria. 24.

31. *Liliastrum* L. Alpes Europae. 4.
(*Hemerocallis Liliastrum* Enum. p. 386.)
32. *Spirale* L. Cap. b. sp. 4.
** *Bulbine foliis carosis. Filamentis barbatis.*
(*Bulbine* Enum. p. 372.)
33. *frutescens* L. Cap. b. sp. 5.
34. *rostratum* Jacq. Ibid. 5.
35. *Alooides* L. Ibid. 4.
36. *nutans* L. Ibid. 4.
37. *incurvum* Thunb. Ibid. 4.
38. *latifolium* L. Ibid. 4.
39. *pugoniforme* Jacq. Ibid. 4.
40. *praemorsum* Jacq. Ibid. 4.
41. *Asphodeloides* L. Aethiopia. ☉.
42. *longiscapum* Jacq. Cap. b. sp. 5.
43. *annuum* L. Aethiopia. ☉.
44. *hispidum* L. Cap. b. sp. 4.
45. *muricatum* L. Ibid.
46. *ciliatum* L. Ibid.
47. *Cauda felis* L. Ibid.
(*A. caudatum* Thunb.)
48. *triquetrum* L. Ibid.
49. *scabrum* L. Ibid.
50. *cirrhatum* Forster. Nova-Zeelandia.
51. *crispum* Thunb. Cap. b. sp.
*** *Narthectum foliis ensiformibus.*
52. *ossifragum* L. Europa. 4.
**** *Scilloides staminibus medio ventricosis, radice bulbosa.*
53. *physodes* Jacq. Cap. b. sp. 4.
54. *pusillum* Jacq. Ibid. 4.
644. LEONTICE. Löwenblatt. T. II. p. 148.
1. *Chrysogonum* L. Graecia. 4.
2. *Leontopetalum* L. Apulia, Hetruria, Croatia. 4.
β. *polyanthes* Barrel.
3. *vesicaria* W. Sibiria. 4.

(*L. incerta* Pallas.)

4. *altaica* Pallas. M. Altai. 4.

5. *thalictroides* L. Virginia. 4.

(*Caulophyllum thalictroides* Enum. p. 372.)

645. POLLIA. Pollie. T. II. p. 149.

1. *japonica* Thunb. Japonia, Java. 4.

647. ASPARAGUS. Spargel. T. II. p. 150.

1. *officinalis* L. Europa. 4.

α. *maritimus* L.

β. *altilis* L.

(*A. sativa* Miller.)

10. *sylvaticus* Waldst. et Kit. Banatus, Croatia,
Gallia. 4. Enum. p. 373.

(*A. officinalis* β. W. Sp. pl.)

2. *declinatus* L. Cap. b. sp. 4.

3. *decumbens* Jacq. Ibid. 4.

4. *flexuosus* Thunb. Ibid.

5. *scandens* Thunb. Ibid.

6. *falcatus* L. Zeylon. 5.

7. *racemosus* W. India orient. 5.

8. *retrofractus* L. Africa. 5.

9. *aethiopicus* L. Cap. b. sp. 4.

10. *asiaticus* L. Asia. 5.

11. *albus* L. Hispania, Lusitania. 5.

12. *acutifolius* L. Ibid. Oriens. 5.

13. *subulatus* Thunb. Cap. b. sp. 5.

14. *dependens* Thunb. Ibid. 5.

15. *horridus* L. Hispania. 5.

16. *aphyllus* L. Sicilia, Hispania, Lusitania. 5.

β. *creticus* Tournef.

17. *lanceus* Thunb. Cap. b. sp. 5.

18. *capensis* L. Ibid. 5.

19. *farmentosus* L. Zeylon. 5.

20. *verticillaris* L. Tauria, Caucasus. 4.

647. DRACAENA. Drachenbaum, T. II. p. 155.

1. *Draco* L. India orient. 5.

2. *indivisa* Forster. Nova-Zeelandia. 5.

3. *umbraculifera* Jacq. Ins. Mauritii. 5.

4. *australis* Forster. Nova-Zeelandia. 5.

5. *cernua* Jacq. Ins. Mauritii. 5.

6. *ferrea* L. China. 5.

7. *terminalis* L. India orient. 5.

8. *marginata* Aiton. Ina Bourbon. 5.

(*Aloë marginata* Enum. p. 382. — *Aloë purpurea* La Marck.)

8a. *tessellata* W. Madagascar. 5. Enum. p. 374.

(*D. marginata* La Marck.)

9. *striata* L. Cap. b. sp. 5.

10. *undulata* L. Ibid.

11. *erecta* L. Ibid.

12. *ensifolia* L. India. 4.

(*Dianella nemorosa* La Marck, Jacq. — Enum. pag. 375.)

13. *borealis* Aiton. In Terra nova, sinu Hudsonis et Canada. 4.

14. *graminifolia* L. Asia.

647a. DIANELLA. Enum. pag. 375.

1. *coerulea* W. Mexico. 4.

648. SANSEVIERA. Sanseviere. T. II. p. 159.

1. *guineensis* L. Guinea. 4.

2. *zeylanica* L. Zeylon. 4.

(*Aletris hyacinthoides* L. — *Salmia spicata* Cavanil.)

3. *lanuginosa* W. India. 4.

3a. *carnea* Andrews. China. 4. Enum. p. 376.

649. CONVALLARIA. Mayblümchen. Tom. II. pag. 160.

* *Lilium convallium* T. corollis campanulatis.

1. *majalis* L. Europa. 4.

2. *japonica* L. Japonia. 4.

α. major.

β. minor.

3. *spicata* Thunb. Japonia. 4.

** *Polygonatum* T. corollis infundibuliformibus.

4. *verticillata* L. Europa. 24.

β. *ramosum* Bauhin.

5. *Polygonatum* L. Europa. 24.

6. *multiflora* L. Ibid. 24.

7. *latifolia* Jacq. Imp. Austriae. 24.

7^a. *pubescens* W. Pennsylvania. 24. Enum. p. 377.

*** *Smilaxes* T. *corollis rotatis*.

8. *racemosa* L. Virginia, Canada. 24.

9. *stellata* L. Canada. 24.

10. *trifolia* L. Sibiria. 24.

11. *bifolia* L. Europa. 24.

(*Majanthemum Convallaria* Roth.)

650. POLIANTHES. Tuberose. T. II. p. 164.

1. *tuberosa* L. Java, Zeylon. 24.

β. *flore hyacinthi orientalis* Bauhin.

2. *pygmaea* Jacq. Cap. b. sp. 24.

651. DRIMIA. Gistlilie. T. II. p. 165.

1. *ciliaris* Jacq. Cap. b. sp. 24.

2. *elata* Jacq. Ibid. 24.

3. *pusilla* Jacq. Ibid. 24.

4. *undulata* Jacq. Ibid. 24.

5. *media* Jacq. Ibid. 24.

652. HYACINTHUS. Hyacinthe. T. H. p. 166.

1. *non scriptus* L. Europa, Persia. 24.

2. *cernuus* L. Hispania. 24.

3. *amethystinus* L. Russia. 24.

4. *orientalis* L. Asia, Africa. 24.

5. *flexuosus* Thunb. Cap. b. sp. 24.

6. *corymbosus* L. Ibid. 24.

7. *convallarioides* L. Ibid. 24.

8. *brevifolius* Thunb. Ibid.

9. *romanus* L. Italia.

10. *Muscari* L. Asia. 24.

(*Muscari moschatum* Enum. p. 378.)

11. *comosus* L. Germania, Helvetia, Italia, Gallia, Persia. 24.

(*Muscari comosum* Enum. p. 378.)

β. corollis subovatis L.

γ. floribus paniculatis monstrosis L.

12. botryoides L. Ibid. 4.

(*Muscari botryoides* Enum. p. 378.)

13. racemosus L. Europa austr. 4.

(*Muscari racemosum* Enum. p. 378.)

653. PHORMIUM. Flachslilie. T. II. p. 171.

1. tenax Forster, Nova-Zeelandia. 4.

654. LACHENALIA. Lachenalia. T. II. p. 171.

1. glaucina Jacq. Cap. b. sp. 4.

2. orchoides Thunb. Ibid. 4.

(*Hyacinthus orchoides* L.)

α. petalis exter. albidis, inter. ochroleucis W.

β. petalis coeruleis W.

3. pallida Thunb. Ibid. 4.

(*L. mediana* Jacq.)

4. hyacinthoides Jacq. Ibid. 4.

5. angustifolia Jacq. Ibid. 4.

6. contaminata Aiton. Ibid. 4.

(*L. orthopetala* Jacq.)

7. viridis Aiton. Ibid. 4.

(*Hyacinthus viridis* L. Jacq. — *Zuccangnia viridis* Thunb. — Enum. p. 379.)

8. serotina W. Hispania. 4.

(*Hyacinthus serotinus* L.)

9. pusilla Jacq. Cap. b. sp. 4.

10. patula Jacq. Ibid. 4.

11. fragrans Jacq. Ibid. 4.

12. liliiflora Jacq. Ibid. 4.

13. pustulata Jacq. Ibid. 4.

14. purpureo-coerulea W. Ibid. 4.

α. L. purpureo-coerulea Jacq.

β. L. unicolor Jacq.

15. violacea Jacq. Ibid. 4.

16. purpurea Jacq. Ibid. 4.

17. lanceaefolia Jacq. Ibid. 4.

18. unifolia Jacq. Ibid. 4.

19. *hirta* Thunb. Ibid. 24.
 20. *isopetala* Lacq. Ibid. 24.
 21. *tricolor* Thunb. Ibid. 24.
 α . *L. tricolor* Lacq.
 21^a. *luteola* Lacq.. Ibid. 24. Enum. p. 380.
 (*L. tricolor* β . W. Sp. pl.)
 22. *rubida* W. Ibid. 24.
 α . *L. rubida* Lacq.
 β . *L. tigrina* Lacq.
 23. *punctata* Lacq. Ibid. 24.
 24. *pendula* Thunb. Ibid. 24.
 α . *L. pendula* Lacq.
 β . *L. quadricolor* Lacq.
655. LANARIA. Filzlie. T. II. p. 181.
 1. *plumosa* Aiton. Cap. b. sp. 24.
 (*Hyacinthus lanatus* L.)
656. VELTHEIMIA. Veitheimie. T. II. p. 181.
 1. *viridifolia* Lacq. Cap. b. sp. 24.
 (*Aletris capensis* L.)
 2. *glauca* Lacq. Ibid. 24.
 (*Aletris glauca* Aiton.)
 3. *Uvaria* W. Ibid. 24.
 (*Aletris Uvaria* L.)
 4. *pumila* W. Ibid. 24.
 (*Aletris pumila* Aiton.)
 4^a. *farmentosa* Andrews. Ibid. 24. Enum. p. 380.
657. ALETRIS. Aletris. T. II. p. 183.
 1. *farinosa* L. America sept. 5.
 2. *fragrans* L. Africa. 24.
 2^a. *arborea* W. Africa. 5. Enum. p. 381.
658. YUCCA. Yuke. T. II. p. 183.
 1. *gloriosa* L. Canada, Peru, Carolina. 5.
 2. *aloifolia* L. Jamaica, Vera Crux, Carolina. 5.
 3. *draconis* L. America calid. 5.
 4. *filamentosa* L. Virginia, Carolina. 5.
659. ALOË. Aloë. T. II. p. 184.
 1. *dichotoma* L. Cap. b. sp. 5.

- 1a. *arborescens* de Candol. Cap. b. sp. H. Enum. p. 382.
 (*A. perfoliata* β . W. Sp. pl.)
- 1b. *vulgaris* de Candol. Barbados, Jamaica, Cap. b. sp. India orient. H. Enum. p. 382.
 (*A. perfoliata* λ . W. Sp. pl. — *A. elongata* Murray.)
- 1c. *mitraeformis* Miller. Cap. b. sp. H. Enum. pag. 383.
 (*A. perfoliata* α . W. Sp. pl.)
- 1d. *Serra* de Candol. Cap. b. sp. H. Enum. p. 383.
 (*A. perfoliata* α . W. Sp. pl.)
- 1e. *brevifolia* de Candol. Cap. b. sp. H. Enum. p. 384.
 (*A. perfoliata* δ . W. Sp. pl.)
2. *spicata* L. Ibid. H.
3. *perfoliata* L. In Indiis, Africa. H.
 α . *africana caulescens* Commel. t. 19.
 β . *caulescens* Commel. t. 20.
 γ . *A. glauca* Miller.
 δ . *africana caulescens* Commel. t. 23.
 ϵ . *africana* Commel. t. 24.
4. *picta* Thunb. Cap. b. sp. H.
 α . *major*.
 β . *minor*.
5. *sinuata* Thunb. Barbados, Cap. b. sp. H.
 (*Aloë foccotorina* Enum. p. 383.)
6. *humilis* Thunb. Cap. b. sp. H.
 α . *africana* Commel. t. 26.
 β . *A. elongata* Murray.
- 6a. *echinata* W. Cap. b. sp. H. Enum. p. 385.
 (*Aloë humilis* β . Curtis.)
7. *arachnoides* Thunb. Ibid. H. 4.
- 7a. *atrovirens* de Candol. Cap. b. sp. 4. Enum. p. 385.
 (*A. arachnoides* β . *pumila* W. Sp. pl.)

7b. *Radula* Jacq. Ibid. 4. Enum. p. 386.

8. *margaritifera* Aiton. Ibid. 5.

α. *major*.

β. *minor*.

γ. *minima*.

9. *verrucosa* Aiton. Ibid. 5.

10. *carinata* Miller. Africa. 5.

11. *maculata* Thunb. Cap. b. sp. 4.

α. *pulchra* Aiton.

β. *obliqua* Aiton.

11a. *paniculata* Jacq. Ibid. 4. Enum. p. 387.

11b. *cymbaefolia* Schrader. Ibid. 4. Enum. p. 387.

(*A. cymbiformis* Curtis.)

12. *Lingua* Thunb. Cap. b. sp. 5.

α. *angustifolia* Aiton.

β. *crassifolia* Aiton.

γ. *latifolia* Enum. p. 387.

δ. *striata* Enum. p. 387.

13. *plicatilis* Aiton. Africa. 5.

14. *variegata* L. Aethiopia. 5.

15. *viscosa* L. Cap. b. sp. 5.

16. *spiralis* L. Africa. 5.

α. *imbriata* Aiton.

16a. *rigida* de Candol. Cap. b. sp. 5. Enum. p. 384.

(*A. spiralis* β. W. Sp. pl.)

16b. *viscosa* de Candol. Ibid. 5. Enum. p. 384.

17. *retusa* L. Africa. 5. 4.

660. AGAVE. Agave. T. II. p. 192.

* *Acaules*.

1. *americana* L. Amer., Lusitan., Helvetia. 5. 4.

β. *muricata* Risl.

2. *vivipara* L. America. 5.

3. *virginica* L. Virginia. 4.

4. *cubensis* Jacq. Cuba. 5.

** *Caulescentes*.

5. *lurida* Aiton. America merid. 5.

α. *foliis latioribus*.

β. foliis angustioribus.

6. tuberosa Aiton. America. 5.

α. spinis solitariis.

(Ag. tuberosa Miller.)

β. spinis duplicibus.

7. foetida L. Curassao. 5.

661. ALSTROEMERIA. Alströmeria. T. II. p. 194.

1. Pelegrina L. Peru, Lima. 4.

2. pulchella L. America merid. 4.

3. Ligta L. Lima. 4.

4. Salsilla L. Lima.

5. ovata Cavanil. Peru. 4.

6. multiflora L. America merid.

662. HEMEROCALLIS. Tagblume. T. II. p. 197.

1. flava L. Helvetia, Sibiria, Hungaria. 4.

β. minor Tournef.

2. fulva L. China. 4.

3. lancifolia Thunb. Japonia. 4.

4. japonica Thunb. Japonia. 4.

(H. alba Enum. p. 389.)

4a. coerulea Andrews. China, Jap. 4. En. p. 389.

(H. japonica β. W. Sp. pl.)

663. ACORUS. Calmus. T. II. p. 199.

1. Calamus L. 4.

α. vulgaris. Europa.

β. verus. India.

2. gramineus Aiton. China. 4.

664. ORONTIUM. Wasserähre. T. II. p. 199.

1. aquaticum L. Virginia, Canada. 4.

2. japonicum Thunb. Japonia. 4.

665. TACCA. Tacca. T. II. p. 200.

1. pinnatifida L. India orient., Tahiti. 4.

666. CORYPHA. Schirmpalme. T. II. p. 201.

1. umbraculifera L. India. 5.

2. rotundifolia La Marck. In Moluccis. 5.

667. LICUALA. Strauchpalme. T. II. p. 201.

1. spinosa Wurm. In Moluccis. 5.

668. **THRINAX.** Schilfpalme. T. II. p. 202.

1. *parviflora* Swartz. Jamaica, Hispaniola. H.

669. **CALAMUS.** Rotang. T. II. p. 202.

1. *Rotang* L. India. H.

2. *verus* Loureiro. India. H.

3. *Draco* W. India orient. H.

4. *niger* W. India orient. H.

5. *viminalis* W. Java, Celebes. H.

6. *rudentum* Loureiro. India orient. H.

7. *equestris* W. Amboina. H.

8. *Zalacca* Gaertner. Java, Balega, Banda. H.

670. **JUNCUS.** Simse. T. II. p. 204.

* *Culmis nudis.*

1. *acutus* L. Europa. 4.

14. *maritimus* Rostkov. Germania, Anglia, Gallia,
4. Enum. p. 390.

(*I. acutus* β. W. Sp. pl.)

2. *conglomeratus* L. Ibid. 4.

3. *effusus* L. Europa, America bor. 4.

4. *glaucus* Sibthorp. Germania, Anglia, Gallia. 4.

5. *inflexus* L. Europa. 4.

β. *I. acumine reflexo*, alter Bauhin.

γ. *I. acutus panicula sparsa* Bauhin.

6. *arcticus* W. Norvegia, Lapponia. 4.

7. *filiformis* L. Europa. 4.

8. *capillaceus* La Marck. Brasilia.

9. *grandiflorus* L. la freto Magellan., Terra del
Fuego. 4.

10. *magellanicus* La Marck. Ibid.

11. *rubens* La Marck. Brasilia.

12. *trifidus* L. Alpes Europae. 4.

13. *squarrosus* L. Europa. 4.

14. *capitatus* W. Europa. 4.

(*J. gracilis* Roth. *J. ericetorum* Pollich.)

β. *J. capitatus* Weigel.

15. *capensis* Thunb. Cap. b. sp.

** *Culmis foliatis.*

16. punctorius L. Cap. b. sp.
17. nodosus L. America sept. 4.
18. articulatus L. Europa. 4.
 - α. J. aquaticus Roth.
 - β. J. alpinus Villars.
 - γ. J. folius nodosis Micheli.
19. sylvaticus Roth. Europa, America bor. 4.
 - (J. articulatus γ. L.)
 - β. cum utriculis Bauhin.
20. subverticillatus Wulfen. Europa. 4.
 - α. culmo decumbente radicante.
 - β. culmo erecto humiliore.
21. Tenageja L. Germania, Dania, Gallia. ☉.
22. bulbosus L. Europa. 4.
23. tenuis W. America bor. 4.
24. bufonius L. Europa. ☉.
 - β. repens Scheuchzer.
 - γ. procerior Scheuchzer.
 - δ. minor Barrel.
 - ε. minimus Bauhin.
25. cephalodes Thunb. Cap. b. sp.
26. stygius L. Supcia. 4.
27. Jacquini W. Austria, Helvetia. 4.
 - (J. nigricans La Marck.)
28. biglumis L. Lapponia. 4.
29. triglumis L. Alpes Europae. 4.
30. pilosus L. Europa. 4.
 - (J. vernalis Ehrhart, Hoffmann, J. luzulinus Villars. Luzula pilosa Enum. p. 393.)
31. maximus Retz. Europa. 4.
 - (J. latifolius Wulfen, Luzula maxima Enum. p. 393.)
32. spadiceus Villars. Alpes Europae. 4.
33. luteus Allion. Ibid. 4.
 - (J. campestris α. L.)
34. parviflorus Retz. Lapponia. 4.
35. ferratus L. Cap. b. sp.
36. albidus Hoffmann. Europa. 4.

- (*J. pilosus* s. *L. Luzula albida* Enum. p. 393.)
37. *niveus* *L.* Alpes Europae. 4.
(*Luzula nivea* Enum. p. 393.)
38. *campestris* *L.* Europa. 4.
(*Luzula campestris* Enum. p. 394)
- β. *Juncus* *L.* *Fl. lap.* 127. t. 10. f. 2.
- γ. *Juncoides hirsutum*, capitulo glomerato *Scheuchzer.*
- δ. *Juncoides hirsutum elatius* *Micheli.*
- ε. *Gramen hirsutum panicula juncea compacta* *Raj.*
39. *sudeticus* *W.* In Sudetis. 4.
(*J. campestris* η. *L.*)
40. *spicatus* *L.* Alpes Europae. 4.
- 40a. *pediformis* *Villars* In Pyrenaeis. 4.
671. *RICHARDIA*. *Richardie.* T. II. p. 222.
1. *scabra* *L.* *Vera Cruz.* 4.
672. *DUROIA*. *Duroie.* T. II. p. 222.
1. *Eriopila* *L.* *Surinam.* 5.
673. *ACHRAS*. *Breyapfel.* T. II. p. 223.
1. *dissecta* *L.* Ins. *Philippinae*, *Amicorum*,
Malabar, *Gujana*, Ins. *St. Mauriti.* 5.
2. *mammosa* *L.* *America merid.*, *Cuba*, *Jamaica*,
Carthago. 5.
3. *Sapota* *L.* *America merid.* 5.
β *A. Zapotilla* *Brown.*
674. *PRINOS*. *Winterbeere.* T. II. p. 225.
1. *verticillatus* *L.* *Virginia*, *Pensylvania.* 5.
- 1a. *padifolius* *W.* *Pensylvania.* 5. Enum. p. 394.
2. *montanus* *Swartz.* *Jamaica.* 5.
3. *dioticus* *Vahl.* *Montserrat.* 5.
4. *nitidus* *Vahl.* *ibid.* 5.
5. *glaber* *L.* *A Nova-Anglia ad Floridam.* 5.
6. *lucidus* *Aiton.* 5.
7. *Sideroxyloides* *Swartz.* Ins. *Caribaeae.* 5.
675. *COSSIGNEA*. *Cosignie.* T. II. p. 226.
1. *triphylla* *La Marck.* Ins. *Bourbon.* 5.

2. *pinnata* *La Marck*. Ins. Mauritii. *H.*
676. BARBACENIA. Barbaceno. T. II. p. 227.
1. *brasiliensis* *Vandelli*. Brasilia.
677. BERBERIS. Berberitze. T. II. p. 227.
1. *vulgaris* *L.* Europa, Oriens, America bor. *H.*
- α. *rubra*.
- β. *violacea*.
- γ. *asperma*.
- δ. *canadensis*.
- ε. *absque arillis*.
- η. *spinis simplicibus* *Rauwolf*. Syria.
- θ. *albo flore* *Miller*.
14. *emarginata* *W.* Sibiria, *H.* Enum. p. 395.
2. *ilicifolia* *L.* Tierra del Fuego. *H.*
3. *microphylla* *Forster*. Ibid. *H.*
4. *cretica* *L.* Creta. *H.*
5. *sibirica* *L.* Sibiria. *H.*
678. PSATHURA. Bruchholtz. T. II. p. 229.
1. *borbonica* *La Marck*. Ins. Bourbon. *H.*
679. NANDINA. Nandine. T. II. p. 230.
1. *domestica* *Thunb.* Japonia. *H.*
680. LINDERA. Lindere. T. II. p. 230.
1. *umbellata* *Thunb.* Japonia. *H.*
681. ENARGEA. Glanzmyrte. T. II. p. 230.
1. *marginata* *Gaertner*. In freto Magellan. *H.*
682. PHILEsia. Lilienstrauch. T. II. p. 231.
1. *buxifolia* *La Marck*. In freto Magellan. *H.*
683. CAPURA. Capura. T. II. p. 231.
1. *purpurata* *L.* India. *H.*
684. LORANTHUS. Riemenblume. T. II. p. 232.
1. *Scurrula* *L.* China. *H.*
2. *tetrapetalus* *L.* Nova-Zelandia. *H.*
3. *glaucus* *Thunb.* Cap. b. sp. *H.*
4. *biflorus* *La Marck*. India orient. *H.*
5. *parvifolius* *Swartz*. Jamaica. *H.*
6. *falcatus* *L.* Madras. *H.*
7. *uniflorus* *L.* Domingo. *H.*

8. *europaeus* L. Europa. H.
9. *longibracteatus* La Marck. Peru. H.
10. *Buddlejoides* La Marck. India orient. H.
11. *nodosus* La Marck. Peru. H.
12. *clavatus* La Marck. Madagascar. H.
13. *longiflorus* La Marck. India orient. H.
14. *elasticus* La Marck. Ibid. H.
15. *americanus* L. America. H.
16. *emarginatus* Swartz. Hispaniola. H.
17. *occidentalis* L. America. H.
18. *Loniceroides* L. Asia. H.
19. *pedunculatus* Jacq. Carthageria. H.
20. *sessilis* Jacq. Ibid. H.
21. *marginatus* La Marck. Brasilia. H.
22. *Stelis* L. Cumana. H.
23. *pauciflorus* Swartz. Jamaica. H.
24. *brasiliensis* La Marck. Brasilia. H.
25. *pentandrus* L. India. H.
26. *spicatus* L. Carthageria. H.
685. **SCHRADERA**. Schradere. T. II. p. 238.
 1. *capitata* Vahl. Ins. Montserrat. H.
 2. *cephalotes* W. Jamaica. H.
(*Fuchsia involucrata* Swartz.)
686. **STEPHANIA** Stephanie. T. II. p. 239.
 1. *Cleomoides* W. Caraccas. H.
(*Capparis paradoxa* Jacq.)
687. **HILLIA** Hillie. T. II. p. 239.
 1. *longiflora* Swartz. Jamaica, Brasilia. H.
 2. *tetrandra* Swartz. Jamaica. H.
688. **ISERTIA**. Isertie. T. II. p. 240.
 1. *coccinea* Vahl. Cajenna, Gujana. H.
(*Guettarda coccinea* Aublet.)
 2. *parvifolia* Vahl. Trinidad. H.
689. **CANARINA** Canarine. T. II. p. 241.
 1. *Campanula* L. In Ins. Canariis. 4.
690. **FRANKENIA**. Frankenie. T. II. p. 241.
 1. *laevis* L. Europa, Astracan. 4.

2. *Nothria* L. Cap. b. sp. 5.
3. *hirsuta* L. Apulia, Creta, Sibiria. 4.
4. *pulverulenta* L. Europa. ☉.
691. PEPLIS. Peplis. T. II. p. 243.
 1. *Portula* L. Europa. ☉.
 2. *indica* W. India orient.
692. GAHNIA. Gahnia. T. II. p. 244.
 1. *procera* L. Nova-Zeelandia.
 2. *schoenoides* Forster. Otaheiti.
693. BAMBUSA. Bambos. T. II. p. 245.
 1. *arundinacea* Schreb. India orient. 5.
(*Arundo Bambos* L.)
 2. *verticillata* W. India. 5.
(*Arundo multiplex* Loureiro.)
694. EHRHARTA. Ehrharte. T. II. p. 246.

* *Floribus monogynis.*

 1. *cartilaginea* Smith. Cap. b. sp.
(*E Mnemateja* L.)
 2. *bulbosa* Smith. Ibid.

** *Floribus digynis.*

 3. *longiflora* Smith. Cap. b. sp.
 4. *panicea* Smith. Ibid. 4.
(*E. erecta* L. Marck)
 5. *calycina* Smith. Ibid.

DIGYNIA.

695. ORYZA. Reifs. T. II. p. 247.
 1. *sativa* L. India orient. ☉.
696. NECTRIS. Schwimmblatt. T. II. p. 248.
 1. *aquatica* W. Cajenna, Gujana,
(*Cabomba aquatica* Aublet.)
697. FALKIA. Falkie. T. II. p. 248.
 1. *repens* L. Cap. b. sp. 4.
698. ATRAPHAXIS. Atraphaxis. T. II. p. 248.
 1. *spinosa* L. Media, Sibiria. 5.
 2. *undulata* L. Cap. b. sp. 5.

TRIGYNIA.

699. RUMEX, Ampfer. T. II. p. 249.

* *Hermaphroditi: valvulis granulo notatis.*

1. Patientia L. Italia, Germania. 4.

14. nemorosus Schrader. Germania, 4. Enumer.
pag. 397.

2. sanguineus L. America bor. 4.

24. confertus W. 4. Enum. p. 397.

3. spathulatus Thunb. Cap. b. sp.

4. verticillatus L. Virginia. 4.

5. Britannica L. Virginia, Pennsylvania, Carolina. 4.

6. Hydrolapathum Aiton. Germania, Helvetia, Anglia. 4.

7. crispus L. Europa. 4.

8. Nemolapathum L. Germania, Helvetia, Anglia. 4.

9. persicarioides L. Virginia. ☉.

10. aegyptiacus L. Aegyptus. ☉.

11. dentatus L. Ibid. ☉.

12. maritimus L. Europa. ☉.

13. divaricatus L. Italia. ☉. ♂.

14. acutus L. Europa. 4.

15. obtusifolius L. Ibid. 4.

16. pulcher L. Ibid. 4.

** *Hermaphroditi: valvulis granulo destitutis s. nudis.*

17. bucephalophorus L. Italia. ☉.

18. aquaticus L. Europa. 4.

19. Lunaria L. In Canariis. 5.

20. vesicarius L. Africa. ☉.

21. roseus L. Aegyptus. ☉.

22. tingitanus L. Barbaria, Hispania. 4.

23. scutatus L. Europa. 4.

β. repens Bauhin.

γ. R. glaucus Jacq.

24. nervosus Vahl. Arabia. 5.

25. *digynus* L. Alpes Europae. 4.
 26. *lanceolatus* Thunb. Cap. b. sp.
 *** *Floribus declinis.*
 27. *alpinus* L. Europa. ♂. 4.
 28. *spinosus* L. Creta. ☉.
 29. *tuberosus* L. Italia. 4.
 30. *multifidus* L. Italia, Oriens. 4.
 31. *Acetosa* L. Europa. 4.
 β. *flore albo* Tournef.
 γ. *crispa* Bauhin.
 δ. *maxima* Bauhin.
 ε. *ari folio* Boccon.
 32. *Acetosella* L. Europa. 4.
 β. *repens* Bauhin.
 γ. *minima* Bauhin.
 δ. *lobis multifidis* Boccon.
 33. *aculeatus* L. Creta, Hispania. 4.
 34. *luxurians* L. Italia. 4.
 35. *arifolius* L. Abyssinia. 5.
 36. *bipinnatus* L. Marocco. 4.
 700. FLAGELLARIA. Peitschensträuch. T. II. p. 265.
 1. *indica* L. Java, Malabar, Zeylon, Guinea. 5.
 701. SCHEUCHZERIA. Scheuchzerie. T. II. p. 263.
 1. *palustris* L. Europa, America bor. 4.
 702. TRIGLOCHIN. Dreyzack. T. II. p. 264.
 1. *palustre* L. Europa. ♂. 4.
 β. *bulbosa radice* Micheli.
 2. *bulbosum* L. Cap. b. sp. 4.
 3. *maritimum* L. Europa. 4.
 703. WURMBEA. Wurmbea. T. II. p. 265.
 1. *pumila* W. Cap. b. sp. 4.
 2. *campanulata* W. Ibid. 4.
 β. *Melanthium spicatum* Burman.
 3. *longiflora* W. Ibid. 4.
 (*W. capensis* Thunb.)
 704. MELANTHIUM. Melanthium. T. II. p. 266
 1. *virginicum* L. Virginia. 4.

2. sibiricum L. Sibiria. 4.
3. laetum Aiton. America bor. 4.
4. capense L. Cap. b. sp. 4.
5. triquetrum L. Ibid. 4.
6. ciliatum L. Ibid. 4.
7. junceum Jacq. Ibid. 4.
8. secundum La Marck. Ibid.
9. phalangioides La Marck. Carolina. 4.
(*Anthericum subtrigynum* Jacq.)
10. indicum L. Tranquebar. 4.
11. viride L. Cap. b. sp.
12. uniflorum Jacq. Ibid. 4.
13. encomoides Jacq. Ibid. 4.
14. pumilum Forster. Tierra del Fuego. 4.

705. MEDEOLA. Medeola. T. II. p. 270.

1. virginica L. Virginia. 4.
2. asparagoides L. Aethiopia. 5.
(*Myrsiphyllum asparagoides* Enum. p. 400.)
3. angustifolia Aiton. Cap. b. sp. 4.

706. TRILLIUM. Dreyblatt. T. II. p. 271.

1. cernuum L. Carolina. 4.
14. pendulum W. America bor. 4. En. p. 401.
(*T. erythrocarpum* Michaux.)
2. erectum L. America bor. 4.
3. sessile L. Virginia, Carolina. 4.

707. GOLCHICUM. Zeitlose. T. II. p. 272.

1. autumnale L. Europa. 4.
β. flore pleno, Bauhin.
γ. vernum Bauhin.
14. arenarium Waldstein et Kit. Hungaria. 4.
Enum. p. 401.
2. montanum L. Italia, Hispania, Helvetia. 4.
3. variegatum L. Ins. Chio. 4.

708. HELONIAS. Schwindblume. T. II. p. 273.

1. bullata L. Pennsylvania, Marylandia. 4.
2. borealis W. Europa. 4.

HEXAGYNIA.

237

(*Anthericum calyculatum* L. — *Tofieldia palustris* Hudson. — Enum. p. 402.)

3. *asphodeloides* L. Pennsylvania.

(*Xerophyllum setifolium* Enum. p. 402.)

4. *pumila* Jacq. Carolina, 4.

HEXAGYNIA.

709. WENDLANDIA. Wendlandie. T. II. p. 275.

1. *populifolia* W. Carolina. 5.

710. DAMASONIUM. Damasonium. T. II. p. 276.

1. *indicum* W. India orient. 4.

(*Stratiotes alismoides* L.)

POLYGYNIA.

711. ALISMA. Froschlöffel. T. II. p. 276.

1. *Plantago* L. Europa. 4.

β. *angustifolia* Bauhin.

2. *flava* L. America merid. 4.

3. *sagittifolia* W. Guinea. 4.

4. *Damasonium* L. Anglia, Gallia, Sibiria. 4.

5. *cordifolia* L. America. 4.

6. *patnassifolia* L. Germania, Italia. 4.

7. *repens* La Marck. Hispania, Africa bor.

8. *natans* L. Europa. 4.

9. *ranunculoides* L. Europa. 4.

10. *subulata* L. Virginia.

Classis VII.

HEPTANDRIA.

MONOGYNIA.

712. TRIENTALIS. - Trientalis. T. II. p. 282.

1. *europaea* L. Europa. 4.

713. DISANDRA. Disandra. T. II. p. 282.

1. prostrata L. Oriens, Madera. 4.

β. africana L.

714. PISONIA. Pisonie. T. II. p. 283.

1. aculeata L. America merid. 5.

2. subcordata Swartz. Antigua, Ins. St. Christophori, Bartholomaei. 5.

3. nigricans Swartz. Jamaica, Hispaniola. 5.
(*P. inermis* Jacq.)

4. coccinea Swartz. Hispaniola. 5.

4. mitis L. India orient. 5.

715. PETIVERIA. Petiverie. T. II. p. 284.

1. alliacea L. Jamaica. 5.

β. *P. octandra* Jacq.

716. PANCOVIA. Pancovie. T. II. p. 285.

1. bijuga W. Guinea. 5.

717. AESCULUS. Rolskastanie. T. II. p. 285.

1. Hippocastanum L. Asia sept. 5.

2. Pavia L. Carolina, Florida, Brasilia. 5.

α. corollis sordide rubris clausis. *Enum.* p. 404.β. corollis flavescentibus patulis. *Enum.* p. 404.

3. flava Aiton. Carolina. 5.

3a. glabra W. America bor. 5. *Enum.* p. 405.3b. pallida W. Ibid. 5. *Enum.* p. 406.

718. PETROCARYA. Steinnuls. T. II. p. 287.

1. montana W. Gujana. 5.

(Parinari montana Aublet.)

2. campestris W. Gujana. 5.

(Parinari campestris Aublet.)

719. JONESIA. Jonesie. T. II. p. 287.

1. pinnata Roxb. India orient. 5.

720. DRACONTIUM. Zehrwarz. T. II. p. 288.

1. polyphyllum L. Surinam, Asia. 4.

2. spinosum L. Zeylon. 4.

3. foetidum L. Virginia, Carolina. 4.

4. camtchatense L. Sibiria. 4.

5. lanceaefolium Jacq. Carracas. 4.

6. *pertusum* L. America merid. 5.
 721. *CALLA*. Schlangenkraut. T. II. p. 289.
 1. *aethiopica* L. Cap. b. sp. 4.
 2. *palustris* L. Europa. 4.
 3. *orientalis* L. Halepi. 4.
 722. *HOUTTUYNIA*. Houttuynie. T. II. p. 290.
 1. *cordata* Thunb. Japonia. 4.

D I G Y N I A.

723. *LIMEUM*. Limeum. T. II. p. 291.
 1. *africanum* L. Cap. b. sp. 4.
 2. *capense* Thunb. Ibid.
 (*L. aphyllum* L.)
 3. *aethiopicum* Thunb. Ibid.

T E T R A G Y N I A.

724. *ASTRANTHUS*. Sternblüte. T. II. p. 291.
 1. *cochinchinensis* Loureiro. Cochinchina. 5.
 725. *SAURURUS*. Eydexenschwanz. T. II. p. 292.
 1. *cernuus* L. Virginia. 4.

H E P T A G Y N I A.

726. *SEPTAS*. Siebenling. T. II. p. 292.
 1. *capensis* L. Cap. b. sp. 4.

Classis VIII.

O C T A N D R I A.

M O N O G Y N I A.

727. *TROPAEOLUM*. Capucinerresse. T. II. p. 298.
 1. *minus* L. Peru. ☉. 4.

- 2. majus L. Peru. ☉. 4.
β. floribus plenis H. Enum. p. 407.
- 3. hybridum L. . . .
- 4. peregrinum L. Peru. ☉.
- 5. pentaphyllum La Mark. Bonaria.
- 728. OSBECKIA. Oshekia. T. II. p. 300.
 - 1. chinensis L. China.
 - 2. zeylanica L. Zeylon.
- 729. RHEXIA. Rhexia. T. II. p. 301.
 - * *Foliis sessilibus.*
 - 1. virginica L. Virginia. 4.
 - 2. mariana L. Marylandia. 4.
 - 3. trichotoma Vahl. Surinam. H.
 - 4. bivalvis Vahl. Gujana. ☉.
(*Melastoma bivalvis* Aublet.)
 - 5. trivalvis Vahl. Gujana. ☉.
(*Melastoma trivalvis* Aublet.)
 - 6. Jussiaeoides L. Surinam. H.
 - ** *Foliis petiolatis.*
 - 7. hypericoides W. Cajenna. ☉.
(*Melastoma villosa* Aublet.)
 - 8. glutinosa L. Nova Granada. H.
 - 9. Acisanthera L. Jamaica. H.
 - 10. glomerata Rottb. Surinam.
 - 11. longifolia Vahl. America merid.
 - 12. aspera W. Gujana. H.
(*Tibouchina aspera* Aublet.)
 - 13. inconstans Vahl. India occid. H.
 - 14. latifolia Aublet. Gujana.
 - 15. villosa Aublet. Ibid.
 - 16. aquatica Swartz. Cajenna, Surinam, Jamaica,
Domingo. H.
 - 17. uniflora Vahl. Cajenna.
- 730. OENOTHERA. Nachtkerze. T. II. p. 306.
 - 1. biennis L. Virginia, nunc in Europa. ♂.
 - 2. grandiflora Aiton. America bor. ♂.
 - 3. parviflora L. Ibid. ♂.

4. *muricata* L. Canada. ☉. ♂.
5. *longiflora* Jacq. Bonaria. ☉. ♂.
6. *molissima* L. Ibid. ☉.
7. *nocturna* Jacq. Cap. b. sp. ☉.
8. *villosa* Thunb. Ibid.
9. *odorata* Jacq. Patagonia. 4.
10. *sinuata* L. Virginia. ☉.
11. *tetraptera* Cavanil. Nova Hispania. 4.
12. *fruticosa* L. Virginia. 4.
- 12a. *linearis* Michaux Carolina. 4. Enum. p. 409.
13. *pumila* L. America sept. 4.
14. *rosea* Aiton. Peru. 4.
15. *purpurea* Curtis. America bor. ☉.
731. GAURA. Prachtkerze. T II. p. 311.
 1. *biennis* L. Virginia, Pennsylvania. ♂.
 - 1a. *tripetala* Cavanil. Mexico. ☉. ♂. En. p. 409.
 2. *fruticosa* Jacq. America merid. 5.
 3. *mutabilis* Cavanil. Nova Hispania. 5.
732. EPILOBIUM Weidenröslein, T. II. p. 313.
 - * *Staminibus declinatis.*
 1. *angustifolium* L. Europa. 4.
 - β. *E. latifolium* Schmidt.
 2. *angustissimum* Weber. Alpes Europae. 4.
 - (*E. rosmarinifolium* Haenke. — *E. Dodonaei* Allion.)
 3. *latifolium* L. Sibir., Norv., Island., Groenl. 4.
 - ** *Staminibus erectis regularibus, petalis bifidis.*
 4. *hirsutum* L. Europa. 4.
 - (*E. grandiflorum* Hoffmann, Roth, Allion.)
 - β. *foliis albo variegatis* Enum. p. 410.
 5. *pubescens* Roth. Europa. 4.
 - (*E. hirsutum* β. L. — *E. parviflorum* nonnull.)
 6. *villosum* Thunb. Cap. b. sp.
 7. *montanum* L. Europa. ♂. 4.
 - β. *ramosa glabra* Boccon.
 - γ. *E. alpestre* Schmidt.
 - 7a. *roseum* Schreber. Germania. 4. Enum. p. 414.

- (*E. montanum* γ. W. Sp. pl.)
8. *glabellum* Forster. Nova Zeelandia.
9. *rotundifolium* Forster. Ibid.
10. *tetragonum* L. Europa. 4.
β. *Chamaenerion obscurum* Schreber.
104. *coloratum* Mühlenberg. Pennsylvania. 4. Enum.
. pag. 411.
11. *palustre* L. Europa. 4.
β. *ramose florens* L.
12. *alpinum* L. Alpes Europae. 4.
733. ANTICHORUS. Antichorus. T. II. p. 318.
1. *depressa* L. Arabia. ☉.
734. COMBRETUM. Langfaden. T. II. p. 319.
1. *laxum* L. America merid. 4.
2. *secundum* Jacq. America. 5.
3. *purpureum* Vahl. Madagascar. 5.
4. *decandrum* Roxb. India. orient. 5.
5. *alternifolium* Jacquin. Carthageria. 5.
735. VITMANNIA. Vitmannie. T. II. p. 320.
1. *elliptica* Vahl. India orient. 5.
736. GRISLEA. Grislea. T. II. p. 320.
1. *secunda* L. America calid. 5.
2. *tomentosa* Roxb. India, China. 5.
(*Lythrum fruticosum* L.)
737. TETRATHECA. Tetratheca. T. II. p. 321.
1. *junceae* Smith. Nova Hollandia.
738. ROXBURGHIA. Roxburghie. T. II. p. 321.
1. *gloriosoides* Roxburgh. India orient. 4.
739. ORNITROPHE. Vogelpfeffer. T. II. p. 322.
1. *integrifolia* W. Ins. Bourbon. 5.
2. *ferrata* Roxb. Ind. orient. 5.
3. *Cobbe* W. Zeylon. 5.
(*Rhus Cobbe* L.)
4. *Cominia* W. Jamaica. 5.
(*Rhus Cominia* L.)
5. *occidentalis* W. Hispaniola. 5.
(*Schmidelia occidentalis* Swartz.)

6. *rigida* W. Ibid. f.
(*Schmidelia rigida* Swartz.)
740. ALLOPHYLUS. Allophylus. T. II. p. 324.
1. *zeylanicus* L. Zeylon. f.
741. CORREA. Correa. T. II. p. 324.
1. *alba* Andrews. Nova Hollandia. f.
742. HONCKENYA. Honckenye. T. II. p. 325.
1. *ficifolia* W. Guinea. f.
743. MIMUSOPS. Spitzenblume. T. II. p. 325.
1. *Elengi* L. India. f.
2. *hexandra* Roxb. India. f.
3. *Kauki* L. India. f.
4. *Imbricaria* W. Ins. Bourbon. f.
744. JAMBOLIFERA. Jambolane. T. II. p. 326.
1. *pedunculata* L. India. f.
745. CUPANIA. Cupanie. T. II. p. 327.
1. *tomentosa* Swartz. Hispaniola. f.
2. *glabra* Swartz. Jamaica, Hispaniola. f.
3. *Saponarioides* Swartz. India orient. f.
746. XYLOCARPUS. Holzfrucht. T. II. p. 328.
1. *Granatum* Koenig. India orient. f.
747. EPHIELIS. Kronenbaum. T. II. p. 328.
1. *fraxinea* W. Gujana. f.
748. MOLINAEA. Molinaa. T. II. p. 329.
1. *laevis* W. Ins. Bourbon. f.
2. *canescens* Roxb. India orient. f.
3. *alternifolia* W. Ins. Bourbon. f?
749. MELICOCCA. Honigfrucht. T. II. p. 330.
1. *bijuga* L. America merid. f.
750. KOELREUTERIA. Koelreuterie. T. II. p. 330.
1. *paniculata* Laxmann. China. f.
(*Sapindus chinensis* L.)
751. HAGENIA. Hagenie. T. II. p. 331.
1. *abyssinica* W. Abyssinia. f.
752. PERSOONIA. Persoonie. T. II. p. 331.
1. *guaracoides* W. Gujana. f.

- (*Carapa gujanensis* Aublet.)
753. GUAREA. Guarea. T. II. p. 332.
1. trichitoides L. Brasilia. H.
754. HEDWIGIA. Hedwigie. T. II. p. 332.
1. balsamifera Swartz. Hispaniola. H.
755. AMYRIS. Balsamstrauch. T. II. p. 333.
1. polygama Cavanil. Chili. H.
2. Elemifera L. Carolina. H.
3. sylvatica Jacq. Carthagera. H.
4. maritima L. America. H.
5. Kataf Forsk. Arabia. H.
6. gileadensis L. Arabia fel. H.
7. Opobalsamum L. Arabia. H.
 β. Balsamea meccanensis Gleditsch.
8. enneandra W. Gujana. H.
 (*Acica enneandra* Aublet.)
9. heterophylla W. Gujana. H.
10. gujanensis W. Ibid. H.
11. ambrosiaca L. Ibid. H.
12. decandra W. Ibid. H.
13. altissima W. Ibid. H.
14. toxifera L. Carolina. H.
15. Protium L. India. orient. H.
16. dentata W. Ibid. H.
17. anisata W. Guinea. H.
18. zeylanica Retz. Zeylon. H.
19. balsamifera L. Jamaica. H.
756. CEDROTA. Cedrota. T. II. p. 338.
1. longifolia W. Gujana. H.
 (*Aniba gujanensis* Aublet.)
757. XIMENIA. Ximenie. T. II. p. 338.
1. americana L. America. H.
2. elliptica Forster. Nova Caledonia. H.
3. inermis L. Jamaica. H.
758. FUCHSIA. Fuchsie. T. II. p. 339.
1. triphylla L. America. merid. 4.
 (*F. racemosa* LaMarck.)

2. *coccinea* Aiton. Chili, ad fret. Magellan. \bar{h} .
(*F. magellanica* LaMerck.)
- 2a. *lycioides* Andrews. America bor. \bar{h} . Enum.
p. 412.
3. *excoartata* La March. Nova-Zeelandia. \bar{h} .
(*Skinnera excoartata* Forster.)
4. *multiflora* L. America.
759. **CHLORA**. Chloræ. T. II. p. 341.
 1. *perfoliata* L. Europe, Orient. \odot . σ .
 - β . *pusilla* Baphin.
 2. *quadrifolia* L. Europa austr.
 3. *dodecandra* L. Virginia.
 4. *fessilis* W. Chili.
 5. *imperfoliata* L. Italia! \odot .
760. **MICHAUXIA**. Michauxie T. II. p. 342.
 1. *campanuloides* Aiton. Syria. σ .
761. **DODONAEA**. Dodonæe. T. II. p. 343.
 1. *viscosa* L. America calid.
 2. *triquetra* Wendland. Nova \bar{h} .
 3. *angustifolia* L. Cap. b sp. l. ica \bar{h} .
762. **VALENTINIA**. Valentiniæ. T. II. p. 344.
 1. *ilicifolia* Swartz. Hispaniola, Cuba. \bar{h} .
763. **LAWSONIA**. Alkanæ. T. II. p. 344.
 1. *inermis* L. India orient, Aegyptus. \bar{h} .
 2. *purpurea* LaMarch India orient. \bar{h} .
 3. *Acronychia* L. Nova Caledonia. \bar{h} .
 4. *spinosa* L. India. \bar{h} .
764. **MELICOPE**. Melicope. T. II. p. 346.
 1. *ternata* Forster. Nova Zeelandia. \bar{h} .
765. **DIMOCARPUS**. Zwillingspflaume. T. II.
pag. 346.
 1. *Litchi* Loureiro. China, Tunq., Cochinch. \bar{h} .
(*Sapindus edulis* Aiton.)
766. **MEMECYLON**. Safranbaum. T. II. p. 347.
 1. *capitellatum* L. Zeylon \bar{h} .
 2. *tinctorium* Koenig. India orient. \bar{h} .

(*M. ramiflorum* La Marck.)

3. *grande* Retz. Ibid. \bar{h} .

4. *cordatum* La Marck. Ins. Mauriti. \bar{h} .

β . *foliis amplexicaulibus* La Marck India orient.

767. *BUGINVILLAEA*. Buginville. T. II. p. 348.

1. *spectabilis* La Marck. Brasilia. \bar{h} .

768. *VACCINIUM*. Heidelbeere. T. II. p. 348.

* *Foliis annotinis s. deciduis.*

1. *Myrtillus* L. Europa. \bar{h} .

β . *fructu albo* Rupp.

2. *pallidum* Aiton. America bor. \bar{h} .

3. *hirtum* Thunb. Japonia. \bar{h} .

4. *stamineum* L. America sept. \bar{h} .

5. *uliginosum* L. Europa. \bar{h} .

6. *album* L. Pennsylvania. \bar{h} .

7. *mucronatum* L. America sept. \bar{h} .

8. *diffusum* Aiton. Carolina. \bar{h} .

9. *angustifolium* Aiton. Terra nova, Labrador. \bar{h} .

10. *corymbosum* L. America sept. \bar{h} .

11. *bracteatum* Thunb. Japonia. \bar{h} .

12. *ciliatum* Thunb. Japonia. \bar{h} .

13. *fuscatum* Aiton. America bor. \bar{h} .

14. *frondosum* L. Ibid. \bar{h} .

15. *venustum* Aiton. Ibid. \bar{h} .

16. *ligustrinum* L. Pennsylvania. 4.

17. *resinosum* Aiton. America bor. \bar{h} .

18. *amoenum* Aiton. Ibid. \bar{h} .

19. *virgatum* Aiton. Ibid. \bar{h} .

20. *tenellum* Aiton. Ibid. \bar{h} .

21. *Arctostaphylos* L. Cappadocia, Madera. \bar{h} .

β . *maxima* Tournef.

** *Folius sempervirentibus.*

22. *meridionale* Swartz. Jamaica. \bar{h} .

23. *cereum* Forster. O-Taheiti. \bar{h} .

24. *Vitis idaea* L. Europa. \bar{h} .

25. *Oxycoccus* L. Europa. \bar{h} .

(*Schollera Oxycoscós* Roth.)

- 26. hispidulum L. America sept. H.
- 27. macrocarpon Aiton. Ibid. H.
- 769. MENZIESIA. Menziesie. T. II. p. 355.
- 1. ferruginea Smith. America bor. H.

769a. SALAXIS. Enum. p. 415.

- 1. arborescens W. Ins. Bourbon. H.
- 2. montana W. Ibid. H.
- 3. abietina W. Ins. Mauritii. H.
- 770. ERICA. Heide. T. II. p. 356.

* *Aristatae foliis oppositis.*

- 1. glutinosa L. Cap. b. sp. H.
- 2. lutea L. Ibid. H.

* — *foliis ternis.*

- 3. paniculata L. Cap. b. sp. H.
- 4. depressa L. Ibid. H.
- 5. Halicacaba L. Ibid. H.
- 6. Monsoniana L. Ibid. H.
- 7. discolor Aiton. Ibid. H.
- 8. densifolia W. Ibid. H.
- 9. cruenta Aiton. Ibid. H.
- 10. nigrita L. Ibid. H.
- 11. phyllicoides W. Ibid. H.
- 12. regerminans L. Ibid. H.
- 13. urceolaris L. Ibid. H.
- 13a. tenuis Salisbury. Ibid. H. Enum. p. 417.
- 14. marifolia Aiton. Ibid. H.
- 15. planifolia L. Ibid. H.
- 16. hirta Thunb. Ibid. H.
- 17. bicolor Thunb. Ibid. H.
- 18. articularis L. Ibid. H.
- 19. viridipurpurea L. Lusitania, H.
- 20. pubescens L. Cap. b. sp. H.

β. parviflora L.

* — — *foliis quaternis.*

- 21. persoluta L. Cap. b. sp. H.
- 22. gracilis Wendland. Ibid. H.

23. *strigosa* Aiton. Ibid. 5.
 24. *caffra* L. Ibid. 5.
 25. *arborea* L. Europa. 5.
 26. *stricta* Donn. Ins. Corsica. 5.
 27. *florida* Thunb. Cap. b. sp. 5.
 28. *mucosa* L. Ibid. 5.
 29. *pilulifera* L. Ibid. 5.
 30. *amoena* Wendland. Ibid. 5.
 31. *Tetralix* L. Europa. 5.
 32. *inflata* Thunb. Cap. b. sp. 5.
 32a. *fugax* Salisbury. Ibid. 5. Enum. p. 418.
 33. *gilva* Wendland. Ibid. 5.
 (*E. gelida* Hortulan.)
 33a. *nana* Salisbury. Ibid. 5. Enum. p. 418.
 34. *abietina* L. Ibid. 5.
 35. *verticillata* Andrews. Ibid. 5.
 36. *Pattersonia* Andrews. Ibid. 5.
 * — — — *foliis senis.*
 37. *mammosa* L. Cap. b. sp. 5.
 38. *empertrifolia* L. Ibid. 5.
 39. *spicata* Thunb. Ibid. 5.
 * — — — — *foliis octonis.*
 40. *octophylla* Thunb. Cap. b. sp. 5.
 41. *fascicularis* Aiton Ibid. 5.
 ** 1. *Cristatae foliis sparsis.*
 42. *obliqua* Thunb. Cap. b. sp. 5.
 ** 2. *foliis oppositis.*
 43. *vulgaris* L. Europa. 5.
 (*Calluna vulgaris* Salisb. — Enum. p. 415.)
 β. *hirsuta* Raj.
 γ. *flore albo* Tournef.
 δ. *foliis squarrosis* W.
 ** 3. *foliis ternis.*
 44. *gnaphalodes* L. Cap. b. sp. 5.
 45. *corifolia* L. Ibid. 5.
 46. *calycina* L. Ibid. 5.
 47. *triflora* L. Ibid. 5.

β. aristata Wendland.

- 48. *Scoparia* L. Europa. *H.*
- 49. *Bergiana* L. Cap. b. sp. *H.*
- 50. *formosa* Thunb. Ibid. *H.*
- 51. *rubens* Thunb. Ibid. *H.*
- 52. *incarnata* Thunb. Ibid. *H.*
- 53. *cinerea* L. Europa, Oriens. *H.*

β. E. ternis per intervalla ramulis Bauhin.

- 54. *australis* L. Hispania. *H.*

*** 4. foliis quaternis.*

- 55. *ramentacea* L. Cap. b. sp. *H.*
- 56. *quadriflora* W. Ibid. *H.*
- 57. *lateralis* W. Ibid. *H.*
- 57a. *mitraeformis* Salisbury. Ibid. *H.* Enum.

pag. 420.

- 58. *margaritacea* Thunb. Ibid. *H.*
- 59. *baccans* L. Ibid. *H.*
- 60. *pendula* Wendland Ibid. *H.*
- 61. *physodes* L. Ibid. *H.*
- 62. *cernua* L. Ibid. 4.
- 63. *retorta* L. Ibid. *H.*

**** † Muticae foliis alternis.*

- 64. *Daboecia* L. Europa. *H.*

(*Menziesia polifolia* Enum. p. 414.)

**** † † foliis oppositis.*

- 65. *tenuifolia* L. Cap. b. sp. *H.*

**** † † † foliis ternis,*

- 66. *albens* L. Cap. b. sp. *H.*
- 67. *bracteata* Thunb. Ibid. *H.*
- 68. *Thunbergii* Montin. Ibid. *H.*
- 69. *tetragona* Thunb. Ibid. *H.*
- 70. *umbellata* L. Lusitania, *H.*
- 71. *nudiflora* L. Cap. b. sp. *H.*
- 72. *petiolata* Thunb. Cap. b. sp. *H.*
- 73. *Bryantha* Thunb. Sibiria, Camtschatka, Ins.
Bering. *H.*

(*Andromeda Bryantha* L.)

74. *Stelleriana* W. Camtschatka. H.
(*Andromeda Stelleriana* Pallas.)
75. *fucata* Thunb. . . . H.
76. *axillaris* Thunb. Cap. b. sp. H.
77. *imbricata* L. Ibid. H.
78. *sexfaria* Aiton. Ibid. H.
79. *melanthera* Thunb. Ibid. H.
80. *leucanthera* L. Ibid. H.
81. *taxifolia* Aiton. Ibid. H.
82. *spumosa* L. Ibid. H.
83. *capitata* L. Ibid. H.
84. *Bruniades* L. Ibid. H.
85. *Passerina* Thunb. Ibid. H.
86. *totta* Thunb. Ibid. H.
87. *absynthoides* L. Ibid. H.
88. *ciliaris* L. Lusitania. H.
89. *coerulea* W. Europa. H.
(*Andromeda coerulea* L.)
90. *hispidula* L. Cap. b. sp. H.
91. *Petiverii* L. Ibid. H.
92. *Banksii* Andrews. Ibid. H.
93. *Sebana* Donn. Ibid. H.
- 93a. *locciflora* Salisbury. Ibid. H. Enum. p. 422.
94. *monadelphica* Andrews. Ibid. H.
95. *Plukenetii* L. Ibid. H.
 α. *pinifolia* Wendland.
 β. *interrupta* Wendland.
 γ. *inflata* Wendland.
 δ. *conferta* Wendland.
96. *versicolor* Andrews. Ibid. H.
97. *perspicua* Wendland. Ibid. H.
98. *Aitoni* Andrews. Ibid. H.
 *** † † † † *foliis quaternis pluribusve.*
99. *cephalotes* Thunb. Cap. b. sp. H.
100. *pulchella* Thunb. Ibid. H.
101. *longifolia* Donn. Ibid. H.
102. *vestita* Thunb. Ibid. H.

α. alba *Andrews.*

β. purpurea *Andrews.*

103. pinea *Thunb.* Ibid. H.

104. Leea *Andrews.* Ibid. H.

105. coccinea *L.* Ibid. H.

106. purpurea *Andrews.* Ibid. H.

107. concinna *Aiton.* Ibid. H.

108. grandiflora *L.* Ibid. H.

β. E. exurgens *Andrews.*

109. cylindrica *Thunb.* Ibid. H.

110. curviflora *L.* Ibid. H.

111. simpliciflora *W.* Ibid. H.

112. tubiflora *L.* Ibid. H.

113. lanata *Wendland.* Ibid. H.

114. procera *Wendland.* Ibid. H.

115. conspicua *Aiton.* Ibid. H.

116. glandulosa *Thunb.* Ibid. H.

117. transparens *Thunb.* Ibid. H.

118. cerinthoides *L.* Ibid. H.

119. Sparmanni *L.* Ibid. H.

120. Massoni *L.* Ibid. H.

121. ventricosa *Thunb.* Ibid. H.

122. ampullacea *Curtis* Ibid. H.

123. fastigiata *L.* Ibid. H.

124. incurva *Wendland.* Ibid. H.

125. globosa *W.* Ibid. H.

126. comosa *L.* Ibid. H.

127. denticulata *L.* Ibid. H.

128. Muscari *Andrews.* Ibid. H.

129. viscaria *L.* Ibid. H.

130. pyramidalis *Aiton.* Ibid. H.

131. mediterranea *L.* Europa. H.

132. multiflora *L.* Europa, Oriens. H.

β. longipedunculata *Wendland.*

133. herbacea *L.* Europa. H.

β. E. carnea *L.*

134. purpurascens *L.* Europa. H.

135. *vagans* L. Africa. \bar{h} .

136. *cubica* L. Cap. b. sp. \bar{h} .

137. *racemosa* Thunb. Ibid. \bar{h} .

771. OPHIRA. Ophira. T. II. p. 414.

1. *stricta* L. Africa. \bar{h} .

772. GRUBBIA. Grubbia. T. II. p. 414.

1. *rosmarinifolia* Berg. Cap. b. sp. \bar{h} .

773. DAPHNE. Seidelbast. T. II. p. 415.

* *Floribus lateralibus.*

1. *Mezereum* L. Europa. \bar{h} .

β . *flore albido* du Hamel.

2. *Thymelaea* L. Gallia, Hispania. \bar{h} .

3. *dioica* L. In Pyrenæis. \bar{h} .

4. *calycina* La Peyrouse. Ibid. \bar{h} .

5. *pubescens* L. Austria. \bar{h} .

6. *vermiculata* Vahl. Arragonia. \bar{h} .

7. *villosa* L. Lusitania, Hispania. \bar{h} .

8. *Tarton-taira* L. Galloptovincia. \bar{h} .

9. *nitida* Vahl. Barbaria. \bar{h} .

10. *alpina* L. Alpes Europæ. \bar{h} .

11. *Laureola* L. Anglia, Helvetia, Gallia, Italia. \bar{h} .

12. *pontica* L. In Ponto. \bar{h} .

13. *pendula* Smith. Java. \bar{h} .

(*Scopolia composita* L.)

** *Floribus spicatis s. racemosis.*

14. *Lagetto* Swartz. Jamaica, Hispaniola. \bar{h} .

15. *polystachya* W. India orient. \bar{h} .

(*Cansjera malabarica* La Marck.)

16. *monostachya* W. Ibid. \bar{h} .

(*Cansjera malabarica* β . La Marck.)

17. *tinifolia* Swartz. Jamaica. \bar{h} .

18. *Gnidium* L. Hispania, Italia, Gallia. \bar{h} .

*** *Floribus terminalibus aggregatis.*

19. *indica* L. China. \bar{h} .

20. *foetida* Forster. O-Tahiti. \bar{h} .

21. *rotundifolia* Forster. Ins. Namoka. \bar{h} .

22. *odora* Thunb. China, Japonia. \bar{h} .

- 23. *occidentalis* Swartz. Jamaica. H.
- 24. *Cneorum* L. Europa. H.
- 25. *altaica* Pallas. Sibiria. H.
- 26. *squarrosa* L. Aethiopia. H.
- 27. *glomerata* La Marck. Oriens. H.
- 28. *oleoides* L. Creta. H.

(*D. salicifolia* La Marck.)

- 29. *sericea* Vahl. Creta. H.
- 30. *collina* Smith. Italia. H.

774. DIRCA. Lederholz. T. II. p. 424.

- 1. *palustris* L. Virginia. H.

775. GNIDIA. Gnidio. T. II. p. 424.

- 1. *pinifolia* L. Cap. b. sp. H.
- 2. *radiata* L. Ibid. H.
- 3. *filamentosa* L. Ibid. H.
- 4. *carinata* Thunb. Ibid. H.
- 5. *scabra* Thunb. Ibid. H.
- 6. *simplex* L. Ibid. H.
- 7. *capitata* L. Ibid. H.
- 8. *laevigata* Thunb. Ibid. H.
- 9. *biflora* Thunb. Ibid. H.
- 10. *racemosa* Thunb. Ibid. H.
- 11. *tomentosa* L. Ibid. H.
- 12. *argentea* Thunb. Ibid. H.
- 13. *imbricata* L. Ibid. H.
- 14. *sericea* L. Ibid. H.
- 15. *oppositifolia* L. Ibid. H.
- β. *Passerina laevigata* L.
- 16. *daphnaefolia* L. Madagascar. H.
- α. *hirsuta*.
- β. *glabra*.

776. STELLERA. Stellere. T. II. p. 429.

- 1. *Passerina* L. Germania, Helvetia, Gallia, Italia. ☉.

- 2. *Chamaejasme* L. Sibiria. 4.

777. PASSERINA. Vogelkopf. T. II. p. 429.

- 1. *filiformis* L. Aethiopia. H.

2. *hirsuta* L. Galloprovincia, Italia, Hispania, Oriens. ̄.
3. *ericoides* L. Cap. b. sp. ̄.
4. *nervosa* Thunb. Ibid. ̄.
5. *cephalophora* Thunb. Ibid. ̄.
6. *capitata* L. Ibid. ̄.
7. *orientalis* W. Hispania, Oriens. ̄.
8. *ciliata* L. Cap. b. sp. ̄.
9. *uniflora* L. Aethiopia. ̄.
10. *grandiflora* L. Africa. ̄.
11. *canescens* Schousboe. Marocco. ̄.
12. *spicata* L. Cap. b. sp. ̄.
12. *tenuiflora* W. Ibid. ̄. Enum. p. 426.
13. *laxa* L. Ibid. ̄.
14. *stricta* Thunb. Ibid. ̄.
15. *Anthylloides* L. Ibid. ̄.
16. *pentandra* Thunb. Ibid. ̄.
778. LACHNAEA. Lachnaea. T. II. p. 434.
 1. *Erioccephala* L. Aethiopia. ̄.
 2. *conglomerata* L. Cap. b. sp. ̄.
779. BAECKEA. Baeckie. T. II. p. 434.
 1. *frutescens* L. China. ̄.
 2. *densifolia* Smith. Nova-Hollandia. ̄.

DIGYNIA.

780. SCHMIEDELIA. Schmiedelie. T. II. p. 435.
 1. *racemosa* L. India orient. ̄.
781. GALENIA. Galenie. T. II. p. 436.
 1. *africana* L. Africa. ̄.
 2. *procumbens* L. Cap. b. sp. ̄.
782. WEINMANNIA. Weinmannie. T. II. p. 436.
 1. *glabra* L. Jamaica. ̄.
 2. *hirta* Swartz. Ibid. ̄.
 3. *tomentosa* L. Nova-Granada. ̄.
 4. *trifoliata* L. Cap. b. sp. ̄.

5. *racemosa* L. Nova-Zeelandia. 5.
 6. *parviflora* Forster O-Taheiti. 5.
 783. CODIA. Kugelstrauch. T. II. p. 439.
 1. *montana* L. Nova Caledonia. 5.
 784. MOEHRINGIA. Möhringie. T. II. p. 439.
 1. *muscosa* L. Alpes Europae. 4.
 β. *Alsine tenuifolia muscosa* Bauhin.

T R I G Y N I A.

785. POLYGONUM. Knöterig. T. II. p. 440.
 * *Atraphaxoides*, caule frutescente.
 1. *frutescens* L. Sibiria, Dauria. 5.
 2. *grandiflorum* W. Oriens. 5.
 ** *Bistortae*, spica unica.
 3. *Bistorta* L. Germania, Gallia, Helvetia. 4.
 β. *Bistorta britannica* Lobel
 4. *viviparum* L. Europa. 4.
 *** *Persicariae*, pistillo bifido, aut stamina minus 8
 5. *virginianum* L. Virginia. 4.
 6. *lapathifolium* L. Gallia, Anglia. ☉.
 7. *amphibium* L. Europa. 4.
 α. *aquaticum* Enum. p. 428.
 β. *terrestre* Moench.
 7^a. *coccineum* Mühlent. Pensylv. 4. En. p. 428.
 α. *aquaticum*.
 β. *terrestre*.
 8. *ocreatum* L. Sibiria.
 9. *Hydropiper* L. Europa. ☉.
 9^a. *salicifolium* Broussonet. Teneriffa. Enum.
 p. 428.
 10. *filiforme* Thunb. Japonia.
 11. *tinctorium* Loureiro. China. ♂.
 12. *minus* Aiton. Europa. ☉.
 (P. *Persicaria* β. L.)
 13. *Persicaria* L. Europa. ☉.

14. incanum *Schmidt*. Europa. ☉.
(*P. Persicaria* γ. *L.*)
15. glabrum *W.* India orient.
16. barbatum *L.* China.
17. tomentosum *W.* Zeylon.
β. foliis adult. scabris *W.*
18. orientale *L.* Oriens, India. ☉.
β. floribus albis *Aiton*.
19. pennsylvanicum *L.* Pennsylvania.
**** *Polygona*, foliis indivisis floribus octandris.
20. maritimum *L.* Ad M. Meditarran, Oriens,
Virginia *F.*
21. aviculare *L.* Europa. ☉
β. brevi angustoque folio *Bauhin*.
γ. oblongo angusto folio *Bauhin*.
δ. calycibus purpurascens *Dillen*.
ε. erectum humile *Dillen*.
22. Bellardi *Allion*. Pedemons. ☉.
23. fetosum *Jacq.* Armenia 4.
24. erectum *L.* Philadelphia. ☉.
25. articulatum *L.* Canada. ☉.
26. divaricatum *L.* Sibiria. 4.
- 26a. acidulum *W.* Sibiria. 4. Enum. p. 430.
- 26b. salignum *W.* Ibid 4. Enum. p. 430.
27. alpinum *Allion*. Alpes Europae. Ins. Corsica. 4.
28. undulatum *Murray*. Sibiria. 4.
(*P. sibiricum* *L.*)
29. sericeum *Pallas*. Sibiria. 4.
30. ferratum *L.* Mauritania.
***** *Helxine*, foliis subcordatis.
31. corymbosum *W.* Java.
32. chinense *L.* India, China.
33. sagittatum *L.* Virginia, Marilandia. ☉.
34. arifolium *L.* Virginia, Florida.
35. crassifolium *Murray*. Sibiria.
36. perfoliatum *L.* India.
37. tataricum *L.* Tataria. ☉.

38. *emarginatum*, Roth. China. ☉.
 39. *Fagopyrum* L. Asia bor. Europa. ☉.
 40. *Convolvulus* L. Europa. ☉.
 41. *dumetorum* L. Europa. ☉.
 42. *scandens* L. America. 4.
 43. *multiflorum* Thunb. Japonia. 4.
 786. COCCOLOBA. Seetraube. T. II. p. 457.
 1. *uvifera* L. America calid. 5.
 β. *C. leoganensis* Jacq.
 2. *australis* Forster. Nova-Zeelandia. 5.
 3. *pubescens* L. America. 5.
 4. *diversifolia* Jacq. Domingo. 5.
 5. *flavescens* Jacq. Domingo. 5.
 6. *excoriata* L. America. 5.
 7. *nivea* Swartz. Jamaica. 5.
 8. *punctata* L. America. 5.
 8a. *laurifolia* Jacq. Carracas. 5. Enum. p. 431.
 9. *obtusifolia* Jacq. Carthagera. 5.
 10. *microstachya* W. India occid. 5.
 11. *emarginata* L. America calid. 5.
 12. *barbadensis* L. Barbados. 5.
 13. *tenuifolia* L. Jamaica. 5.
 787. PAULLINIA. Paullinie. T. II. p. 460.
 1. *nodosa* Jacq. America. 5.
 2. *Cururu* L. America calid. 5.
 3. *carthaginensis* Jacq. Carthagera. 5.
 4. *caribaea* Jacq. In Caribaeis. 5.
 5. *eurassavica* L., In Curassao. 5.
 6. *barbadensis* Jacq. Barbados. 5.
 7. *polyphylla* L. America calid. 5.
 8. *tetragona* Aublet. Cajenna. 5.
 9. *Vespertilio* Swartz. Ins. St. Christophori. 5.
 10. *pinnata* L. Brasilia, Jamaica, Domingo. 5.
 11. *tomentosa* L. America. 5.
 12. *cauliflora* Jacq. Carracas. 5.
 13. *japonica* Thunb. Japonia. 4.

14. *diversifolia* Jacq. America. H.
 788. **SERIANA**. Seriane. T. II. p. 464.
 1. *sinuata* Schumacher. America calid. H.
 (*Paullinia Seriana* L.)
 2. *divaricata* Schumacher. Jamaica. H.
 (*Paullinia divaricata* Swartz.)
 3. *caracasana* Schumacher. Carracas. H.
 (*Paullinia caracasana* Jacq.)
 4. *racemosa* Schumacher. Vera-Cruz. H.
 5. *spectabilis* Schumacher. America. H.
 6. *mexicana* W. Mexico. H.
 (*Paullinia mexicana* L.)
 7. *angustifolia* W. America. H.
 (*Paullinia mexicana* Jacq.)
 8. *lupulina* Schumacher. America. H.
 9. *lucida* Schumacher. Ins. St. Cruis. H.
 10. *triternata* W. America. H.
 (*Paullinia triternata* L.)
 789. **CARDIOSPERMUM**. Herzsame. T. II. p. 467.
 1. *Halicacabum* L. India orient. ☉.
 β. *Corindum frutcu maximo* Tournef.
 γ. *Corindum fructu et folio minori* Tournef.
 2. *hirsutum* W. Guinea.
 3. *Corindum* L. Brasilia. ☉.
 4. *grandiflorum* Swartz. Jamaica. ☉.
 790. **SAPINDUS**. Seifenbaum. T. II. p. 468.
 1. *Saponaria* L. America calid. H.
 1. *marginatus* W. Carolina, Georgia. H. Enum.
 pag. 432.
 (*S. Saponaria* Michaux.)
 2. *longifolius* Vahl. Ins. Mauriti. H.
 3. *spinosus* L. Jamaica. H.
 4. *laurifolius* Vahl. Malabar. H.
 (*S. trifolius* L.)
 5. *emarginatus* Vahl. India orient. H.
 6. *rubiginosus* Roxburgh. Ibid. H.
 7. *tetraphyllus* Vahl. Ibid. H.

- 8. *rigidus* Vahl. America. H.
- 9. *arborescens* Aublet. Gujana. H.
- 10. *frutescens* Aublet. Ibid. H.
- 791. PONAËA Ponaa. T. II. p. 470.
- 1. *saponarioides* W. Gujana. H.
(*Toxlicia gujanensis* Aublet.)

T E T R A G Y N I A

- 792. VEEA. Veree. T. II. p. 471.
- 1. *crenata* Andrews. Sierra Leone. H.
- 793. PARIS. Einbeere. T. II. p. 471.
- 1. *quadrifolia* L. Europa. 4.
- 794. ADOXA. Bisamkraut. T. II. p. 472.
- 1. *Moschatellina* L. Europa. 4.
- 795. ELATINE. Wasserpfeffer. T. II. p. 473.
- 1. *Hydropiper* L. Europa. ☉.
- α. *E. Hydropiper* Hoffmann. Schkuhr.
- β. *E. triandra* Schkuhr.
- 2. *Alsinastrum* L. Europa. ☉.
- 796. HALORAGIS. Meerträublein. Tom. II.
p. 474.
- 1. *Cercodia* Aiton. Nova-Zeelandia. H.
(*H. alata* Forster, Jacq; *Tetragonia ivaefolia* L.)
- 2. *prostrata* L. Ins. Botanices, Pinorum, Nova
Caledonia. H.
- 797. FORSKÅLEA. Forskålea. T. II. p. 475.
- 1. *tenacissima* L. Aegyptus. ☉.
- 2. *candida* L. Cap., b. sp. 4.
- 3. *angustifolia* Aiton. Ins. Teneriffa. ☉.

Classis IX.

E N N E A N D R I A.

M O N O G Y N I A.

798. LAURUS. Lorbeer. T. II. p. 477.

1. Cinnamomum L. Zeylon, America. H.

β. Katon Karva Rheed.

2. Cassia L. Malabar., Sumatra, Java. H.

3. Camphora L. Japonia. H.

4. Culilaban L. India orient. H.

5. montana Swartz. Jamaica. H.

6. Chloroxylon L. Jamaica. H.

7. glauca Thunb. Japonia. H.

8. pedunculata Thunb. Ibid. H.

9. caustica Molina. Chili. H.

10. nobilis L. Italia, Graecia. H.

11. indica L. Madera, in Canariis. H.

12. foetens Aiton. Madera, in Canariis. H.

124. canariensis W. In Canariis. H. Enum.

p. 435.

13. Persea L. America calida. H.

14. Borbonia L. Carolina, Virginia. H.

15. marticinensis Jacq. Martinica. H.

16. exaltata Swartz. Jamaica. H.

17. alpigena Swartz. Ibid. H.

18. triandra Swartz. Ibid. H.

19. sanguinea Swartz. Surinam. H.

(Nectandra sanguinea. Rottb.)

20. surinamensis Swartz. Gujana. H.

(Ocotea gujanensis Aublet.; Nectandra bijuga
Rottb.)

21. hexandra Swartz. Gujana. H.

(Ajoëa gujanensis Aublet.)

22. salicifolia Swartz. India occid. H.

23. coriacea Swartz. Jamaica. H.

24. Leucoxyton Swartz. Ibid. H.

- 25. *membranacea* Swartz. Ibidem, Hispaniola. H.
- 26. *patens* Swartz. Jamaica. H.
- 27. *parviflora* Swartz. Ibid. H.
- 28. *pendula* Swartz. Ibid. H.
- 29. *floribunda* Swartz. Ibid. H.
- 30. *lucida* Thunb. Japonia. H.
- 31. *umbellata* Thunb. Ibid. H.
- 32. *aestivalis* L. Virginia. H.
- 33. *Benzoin* L. Ibid. H.
- 34. *Sassafras* L. Virginia, Carolina, Florida. H.
 β . *Cornus mas* f. *Sassafras* Plukenet.

799. ANACARDIUM. Nierenbaum. Tom. II.
 pag. 486.

- 1. *occidentale* L. In Indiis. H.
800. PANKE. - Panke. T. II. p. 486.
- 1. *tinctoria* Molina. Chili. 4.
 - 2. *lonchifolia* W. Ibid. 4.

801. PLEGORHIZA. Wundwurzeln. Tom. II.
 pag. 487.

- 1. *adstringens* W. Chili. H.
 (*Plegorhiza Guojcuru* Molina.)
802. CASSYTA. Cassyte. T. II. p. 487.
- 1. *filiformis* L. India.
 - 2. *corniculata* L. Ibid. H.

TRIGYNIA.

803. RHEUM. Rhabarber. T. II. p. 488.
- 1. *Rhaponticum* L. Thracia, Scythia. 4.
 - 2. *undulatum* L. Sibiria, China. 4.
 - 3. *palmatum* L. China. 4.
 - 4. *compactum* L. Tataria, China. 4.
 - 5. *tataricum* L. Tataria minor. 4.
 - 6. *Ribes* L. Persia. 4.
 - 7. *hybridum* Aiton. Asia bor. 4.
 - 8. *leucorrhizum* Pallas. Sibiria. 4.

HEXAGYNIA.

804. BUTOMUS. Wasserlisch. T. II. p. 491.
1. umbellatus L. Europa. 4.

Classis X.

DECANDRIA.

MONOGYNIA.

805. SOPHORA. Sophore. T. II. p. 499.

1. tetraptera Miller. Nova Zeelandia. 5.
2. microphylla Aiton. Ibid. 5.
(*S. tetraptera* L.)

3. flavescens Aiton. Sibiria. 4.

4. alopecuroides L. Oriens. 4.

5. tomentosa L. Zeylon. 5.

6. occidentalis L. America. 5.

7. japonica L. Japonia. 5.

8. heptaphylla L. India. 5.

9. monosperma Swartz. Jamaica. 5.

806. PODALIRIA. Podalirie. T. II. p. 501.

1. capensis W. Cap. b. sp. 5.

(*Sophora capensis* L.)

2. aurea W. Abyssinia. 5.

(*Sophora aurea* Aiton.; *Robinia subdecandra* l'Héritier.)

3. argentea W. Sibiria. 5.

(*Sophora argentea* Pallas.)

4. genistoides W. Cap. b. sp. 5.

(*Sophora genistoides* L.)

- β. *Sophora gallioides* Berg.

5. ternata W. Ibid. 5.

(*Sophora ternata* Thunb.)

6. australis W. Carolina. 4.

(*Sophora australis* L.)

7. *tinctoria* *W.* A Canada ad Floridam. 24.
(*Sophora tinctoria* L.)
8. *alba* *W.* Carolina, Virginia. 24.
(*Crotalaria alba* L.)
9. *lupinoides* *W.* Camtschatka. 24.
(*Sophora lupinoides* L.)
10. *trifoliata* *W.* Cap. b. sp. 5.
(*Sophora trifoliata* Thunb.)
11. *calyptrata* *W.* Cap. b. sp. 5.
(*Sophora calyptrata* Retz, Thunberg.)
12. *biflora* *La Marck.* Cap. b. sp. 5.
- 12a. *cuneifolia* *Ventenat.* Ibid. 5. Enum. p. 438.
(*Sophora biflora* Retz.)
13. *myrtillifolia* *W.* Cap. b. sp. 5.
(*Sophora biflora* L.; *S. retundifolia* Thunb.)
14. *hirsuta* *W.* Cap. b. sp. 5.
(*Sophora hirsuta* Aiton.)
15. *buxifolia* *La Marck.* Ibid. 5.
(*Sophora buxifolia* Retz.)
807. PULTENAEA. *Pultenaea*. T. II. p. 506.
 1. *stipularis* *Smith.* Nova Hollandia. 5.
 2. *paleacea* *W.* Ibid. 5.
 3. *linophylla* *Schrader.* Ibid. 5.
 - 3a. *retusa* *W.* Ibid. 5. Enum. p. 438.
 4. *juncea* *W.* Ibid. 5.
(*Sophora juncea* Schrader.)
 5. *villosa* *W.* Ibid. 5.
 6. *daphnoides* *Wendland.* Ibid. 5.
808. ANAGYRIS. *Anagyris*. T. II. p. 507.
 1. *foetida* *L.* Italia, Hispania 5.
 - 1a. *latifolia* *Broussonet.* Teneriffa, 5. Enum.
pag. 439.
809. CERCIS. *Judasbaum.* T. II. p. 507.
 1. *Siliquastrum* *L.* Europa merid, Oriens. 5.
 2. *canadensis* *L.* Virginia. 5.
810. BAUHINIA. *Bauhinie.* T. II. p. 508.
 1. *scandens* *L.* Malabar, Amboina, Cumaná. 5.

2. *parviflora* Vahl. India orient. H.
3. *racemosa* La Marck. Ibid. H.
4. *aculeata* L. America calid. H.
5. *divaricata* L. America. H.
6. *aurita* Aiton. Jamaica. H.
(*B. divaricata* β. L.)
7. *porrecta* Swartz. Jamaica, Hispaniola.
8. *ungulata* L. America. H.
9. *variegata* L. Malabar, Madera. H.
10. *candida* Aiton. India orient. H.
11. *purpurea* L. India. H.
12. *tomentosa* L. Ibid. H.
13. *acuminata* L. India orient. H.
14. *gujanensis* La Marck. Gujana. H.
α. *B. Outimouta* Aublet.
β. *B. gujanensis* Aublet.
15. *rubescens* La Marck. Africa. H.

811. HYMENAEA. Locustbaum. T. II. p. 512.

1. *Courbaril* L. America merid. H.
2. *venosa* Vahl. Cajenna. H.
3. *verrucosa* Gaertner. Madagascar. H.

812. PARKINSONIA. Parkinsonie. T. II. p. 513.

1. *aculeata* L. America calid. H.

813. CASSIA. Cassie. T. II. p. 513.

* Sennae.

1. *diphylla* L. India. ☉.
2. *Absus* L. India, Aegyptus ☉.
3. *viminea* L. Jamaica. H.
4. *bacillaris* L. Surinam. H.
5. *Tageta* L. India.
6. *Tora* L. India. orient. ☉.
β. *humilis* Plumier.
7. *bicapsularis* L. India. H.
8. *emarginata* L. In Caribaeis. H.
9. *obtusifolia* L. Cuba, Jamaica. ☉.
10. *lennoides* Jacq. India. orient. H.

102. *pendula* Humb. et Bonpl. America merid. H.
Enum. p. 440.
11. *acuminata* W. Gujana. H.
(*C. Apoucouria* Aublet)
112. *mollissima* Humb. et Bonpl. America merid H.
Enum. p. 440.
12. *corymbosa* La Marck. Bonaria. H.
122. *prostrata* Humb. et Bonpl. America merid. 2.
Enum. p. 441.
- 122b. *laevigata* W. . . . H. Enum. p. 441.
13. *longisiliqua* L. America. H.
14. *falcata* L. Ibid, ☉.
15. *sericea* Swartz. Jamaica. ☉.
(*C. sensitiva*. Jacq.)
16. *occidentalis* L. Jamaica. H.
162. *dispar* W. America merid. H. Enum. p. 441.
- 16b. *aegyptiaca* W. Aegyptus. H. Enum. p. 442.
17. *planisiliqua* L. America calid. H.
18. *Fistula* L. India, Aegyptus. H.
(*Bactryrilobium Fistula* W. Enum. p. 440.)
19. *patula* Aiton. India occid. H.
20. *lineata* Swartz. Jamaica. 2.
21. *atomaria* L. America.
22. *pilosa* L. Jamaica..
23. *arborescens* Vahl. India orient. H.
24. *Senna* L. Aegyptus. ☉.
β. *Senna italica* Miller.
25. *ruscifolia* Jacq. Madera. H.
26. *biflora* L. America calid. H.,
27. *chinensis* Jacq. China. H.
272. *ceromandolina* Jacq. Ind. orient. En. p. 442.
28. *multiglandulosa* Jacq. Ins. Teneriffa. H.
29. *hirsuta* L. America.
30. *tomentosa* L. America merid. H.
31. *serpens* L. Jamaica. ☉.
312. *robinoides* W. America merid. H. Enum.
pag. 443.

31b. *cuspidata* Humb. et Bonpl. Ibid. 5. Enum.
pag. 443.

32. *mexicana* Jacq. Mexico.

33. *angustifolia* Vahl. Arabia. 5.

34. *ligustrina* L. Virginia, Bahama, 5.

35. *florida* Vahl. India orient. 5.

36. *stipulacea* Aiton. Chili. 5.

37. *alata* L. America calid. 4.

(*C. herpetica* Jacq.)

38. *marilandica* L. Virginia, Marilandia. 4.

38a. *reticulata* W. Brasilia. 5. Enum. p. 443.

(*Matanasto grande* Brasiliensibus.)

39. *fastigiata* Vahl. India orient. 5.

40. *frondosa* Aiton, India occid. 5.

(*C. Crista* Jacq.)

41. *tenuissima* L. Havana. 5.

42. *virgata* Swartz, Jamaica, Hispaniola. 5.

43. *Sophora* L. India.

44. *bracteata* L. Surinam.

45. *auriculata* L. India.

46. *brevifolia* La Marck. Madagascar. 5.

47. *mollis* Vahl. America merid. 5.

48. *javanica* L. India orient. 5.

49. *grandis* L. Surinam, 5.

** *Chamaecristae foliolis numerosis.*

50. *nigricans* Vahl. Arabia fel. 5.

51. *polyphylla* Jacq. Ins. Porto Rico. 5.

51a. *marginata* W. Surinam. 5. Enum. p. 444.

52. *Chamaecrista* L. Jamaica, Barbados,
Virginia. ☉.

53. *glandulosa* L. Jamaica, Guadeloupe.

54. *mimosoides* L. Zeylon.

55. *microphylla* W. Ins. St. Crucis.

56. *flexuosa* L. Brasilia. ☉.

57. *capensis* Thunb. Cap. b. sp.

58. *nictitans* L. Virginia. ☉.

59. *procumbens* L. Carolina, Virginia. ☉.

814. CUBAEA. *Cubaea*. T. II. p. 530.

1. paniculata *W.* Gujana. *H.*
(*Tachigali paniculata* Aublet.)

2. trigona *W.* Gujana. *H.*
(*Tachigali trigona* Aublet.)

815. CAESALPINIA. *Casalpinie*. T. II. p. 530.

1. bijuga *L.* Jamaica. *H.*

2. pulcherrima *Swartz.* In Indiis. *H.*
(*Poinciana pulcherrima* *L.*)

3. elata *Swartz.* India. *H.*

4. *Coriaria* *Swartz.* Curassao, Carthageria. *H.*
(*Poinciana Coriaria* *Jacq.*)

5. brasiliensis *L.* Carolina, Jamaica, Brasilia. *H.*

6. echinata *La Marck,* Brasilia. *H.*

7. Sappan *L.* In Indiis. *H.*

8. Crista *L.* Jamaica. *H.*

9. mimosoides *La Marck.* India orient. *H.*

9a. cassioides *Humb. et Bonpl.* America merid. *H.*
Enum. p. 444.

9b. mucronata *W.* Brasilia. *H.* Enum. p. 444.

9c. punctata *W.* Ibid. *H.* Enum. p. 445.

816. GUILANDINA. *Guilandine*. T. II. p. 534.

1. Bonduc *L.* In Indiis. *H.*

2. Bonducella *L.* India orient. *H.*

3. Nuga *L.* Amboina. *H.*

4. paniculata *La Marck,* Malabar, Nova-Hibernia. *H.*

5. axillaris *La Marck,* India orient. *H.*

817. HYPERANTHERA, *Behennuss*. T. II. p. 535.

1. decandra *W.* India. *H.*

2. *Moringa* *Vahl.* Zeylon, America, Aegyptus. *H.*
(*Guilandina Moringa* *L.*)

3. semidecandra *Vahl.* Arabia. *H.*
(*Gymnocladus arabica* *Lamarck.*)

4. cochinchinensis *W.* Cochinchina. *H.*
(*Anoma cochinchinensis* *Loureiro.*)

818. SCHOTIA. Schotie. T. II. p. 537.
 1. Speciosa Jacq. Senegal, Cap. b. sp. \bar{h} .
 (*Guajacum afrum* L.)
- 818a. HOFFMANSEGGIA. Enum. p. 445.
 1. Falcaria Cavanil. Chili. 4.
819. GUAIACUM. Franzosenholz. T. II. p. 538.
 1. dubium Forster. Ins. Tongatabu. \bar{h} .
 2. officinale L. Hispaniola, Jamaica. \bar{h} .
 β . flore albo Plukenet.
 3. sanctum L. America. \bar{h} .
820. CYNOMETRA. Hundsruthe. T. II. p. 539.
 1. cauliflora L. India. \bar{h} .
 2. ramiflora L. Ibid. \bar{h} .
821. CRUDIA. Crudie. T. II. p. 539.
 1. spicata W. Gujana. \bar{h} .
 (*Apalatoa spicata* Aublet.)
 2. aromatica W. Ibid. \bar{h} .
 (*Touchiroa aromatica* Aublet.)
822. PANZERA. Panzere. T. II. p. 540.
 1. falcata W. Gujana. \bar{h} .
 (*Eperua falcata* Aublet.)
823. CODON. Codon. T. II. p. 540.
 1. Royeni L. Cap. b. sp. \odot .
824. DICTAMNUS. Diptam. T. II. p. 541.
 1. albus L. Germania, Gallia, Italia, Helvet. 4.
825. NICANDRA. Mannersieg. T. II. p. 541.
 1. amara W. Gujana. \bar{h} .
 (*Potalia amara* Aublet.)
826. PETALOMA. Randblume. T. II. p. 542.
 1. myrtilloides Swartz. Hispaniola, Jamaica. \bar{h} .
 2. Muriri Swartz. Gujana. \bar{h} .
 (*Mouriri gujanensis* Aublet.)
827. RUTA. Raute. T. II. p. 542.
 1. graveolens L. Europa, Africa. \bar{h} .
 β . R. hortensis Miller.
 γ . R. africana maxima Swert.

2. *montana* *Löfling*. Helvetia, Aquitania, Hispania, Lusitania. *H.*
 (*R. legitima* Allion, Jacq.)
3. *chalepensis* *L.* Arabia, Natolia. *H.*
α. latifolia *Tournef.*
β. angustifolia *Morison.*
4. *pinnata* *L.* In Canariis. *H.*
5. *patavina* *L.* Italia. *4.*
6. *linifolia* *L.* Hispania. *4.*
β. montana *Buxbaum.* In Rodastro.
64. *pubescens* *W.* Hispania. *4.* Enum. p. 446.
7. *fruticulosa* *Billard.* Media, Syria. *H.*
828. TOLUIFERA, Tolubaum. T. II. p. 545.
 1. *Balsamum* *L.* America. *H.*
829. MYROXYLON. Balsamholz. T. II. p. 546.
 1. *peruiferum* *L.* America merid. *H.*
 2. *pedicellatum* *W.* Peru. *H.*
 (*Myrospermum pedicellatum* La Marck.)
3. *frutescens* *W.* Carthagena. *H.*
 (*Myrospermum frutescens* La Marck.)
830. HAEMATOTOXYLON. Blutholz. T. II. p. 547.
 1. *campechianum* *L.* America. *H.*
831. PROSOPIS. Prosopis. T. II. p. 547.
 1. *spicigera* *L.* India. *H.*
822. CADIA. Cadie. T. II. p. 548.
 1. *purpurea* *Forsk.* Arabia fel. *H.*
833. MURRAYA. Murraye. T. II. p. 548.
 1. *exotica* *L.* India orient. *H.*
834. BERGERA. Bergere. T. II. p. 549.
 1. *Koenigii* *L.* India orient. *H.*
835. EKEBERGIA. Ekebergie. T. II. p. 549.
 1. *capensis* *Sparrmann.* Cap. b. sp. *H.*
836. ADENANTHERA. Drüsenblume. T. II. p. 550.
 1. *pavonina* *L.* India orient. *H.*
 2. *falcata* *L.* India. *H.*
 3. *scandens* *Forster.* Ins. Mallicollo. *H.*
837. GAERTNERA. Gärtnerere. T. II. p. 550.

1. *racemosa* Roxb. India orient. \bar{h} .
(*Banisteria benghalensis* L.)

838. STRIGILIA. Strigilie. T. II. p. 551.

1. *racemosa* Cavanil. Peru. \bar{h} .

839. GILIBERTIA. Gilibertie. T. II. p. 551.

1. *decandra* W. Ins. St. Mauriti. \bar{h} .
(*Quivisia decandra* Cavanil.)

2. *ovata* W. Ins. Bourbon. \bar{h} .
(*Quivisia ovata* Cavanil.)

3. *heterophylla* W. Ins. Bourbon. \bar{h} .
(*Quivisia heterophylla* Cavanil.)

4. *oppositifolia* W. Ins. Mauriti. \bar{h} .
(*Quivisia oppositifolia* Cavanil.)

840. TRICHILIA. Trichile. T. II. p. 552.

1. *hirta* L. Jamaica. \bar{h} .

2. *spondioides* Jacq. Jamaica, Hispaniola. \bar{h} .

3. *emetica* Vahl. Arabia fel. \bar{h} .

4. *glabra* L. Havana. \bar{h} .

(*T. havanensis* Jacq.)

5. *pallida* Swartz. Hispaniola. \bar{h} .

(*Portesia ovata* Cavanil.)

6. *moschata* Swartz. Jamaica. \bar{h} .

7. *spectabilis* Forster. Nova-Zeelandia. \bar{h} .

8. *alliacea* Forster. Ins. Namoka. \bar{h} .

9. *heterophylla* W. Madagascar. \bar{h} .

(*Portesia mucronata* Cavanil.)

10. *trifoliata* L. America merid. \bar{h} .

11. *nervosa* Vahl. Java. \bar{h} .

12. *spinosa* W. India orient. \bar{h} .

(*Turraea virens* Hellen.)

841. TURRAEA. Turraea. T. II. p. 555.

1. *virens* L. India orient. \bar{h} .

2. *pubescens* Hellen. Ins. Haimam. \bar{h} .

3. *maculata* Smith. Madagascar. \bar{h} .

(*T. glabra* Cavanil.)

4. *sericea* Smith. Ibid. \bar{h} .

(*T. tomentosa* Cavanil.)

5. *lanceolata* *Cavanil.* Ibid. \bar{h} .
842. SANDORICUM. Sandoricum. T. II. p. 556.
1. *indicum* *Cavanil.* In Philippinis et Moluccis. \bar{h} .
843. SWIETENIA. Mahagonibaum. T. II. p. 557.
1. *Mahagoni* *L.* America merid. \bar{h} .
2. *febrifuga* *Roxb.* India orient. \bar{h} .
3. *Chloroxylon* *Roxb.* Ibid. \bar{h} .
844. COOKIA. Cookie. T. II. p. 558.
1. *punctata* *Sonnerat.* China. \bar{h} .
845. MELIA. Zedrach. T. II. p. 558.
1. *Azedarach* *L.* Syria, Zeylon. \bar{h} .
2. *sempervirens* *Swartz.* Jamaica. \bar{h} .
(*M. Azedarach* β . *L.*)
3. *composita* *W.* India orient. \bar{h} .
4. *Azadirachta* *L.* India. \bar{h} .
846. ZYGOPHYLLUM. Doppelblatt. T. II. p. 560.
1. *simplex* *L.* Arabia.
2. *cordifolium* *L.* Cap. b. *sp.* \bar{h} .
3. *Fabago* *L.* Syria, Mauritania, Sibiria. 4.
4. *foetidum* *Schrader.* Cap. b. *sp.* \bar{h} .
5. *maculatum* *Aiton.* Ibid. \bar{h} .
6. *coccineum* *L.* Africa, Sibiria.
7. *album* *L.* Aegyptus, in Canariis. \bar{h} .
8. *Morgsana* *L.* Cap. b. *sp.* \bar{h} .
9. *microphyllum* *L.* Ibid. \bar{h} .
10. *fessilifolium* *L.* Ibid. \bar{h} .
 β . *Z. fulvum* *L.*
11. *spinosum* *L.* Ibid. \bar{h} .
12. *aestuans* *L.* Surinam.
13. *lanatum* *W.* Sierra-Leone.
14. *arboreum* *Jacq.* America calid. \bar{h} .
847. FAGONIA. Fagonie. T. II. p. 565.
1. *cretica* *L.* Creta. \odot . σ .
2. *hispanica* *L.* Hispania. σ .
3. *arabica* *L.* Arabia.
4. *indica* *L.* Persia.
848. TRIBULUS. Bürzeldorn. T. II. p. 566.

1. *maximus* L. Jamaica. ☉.
 2. *lanuginosus* L. Zeylon.
 3. *terrestris* L. Europa. ☉.
 4. *cistoides* L. America calid. 24.
849. QUASSIA. Quassie. T. II. p. 567.
1. *amara* L. Surinam. ☿.
 2. *Simaruba* L. Cajenna, Gujana, Carolina, Domingo, Jamaica. ☿.
 3. *excelsa* Swartz. Jamaica, Ins. Caribaeae. ☿.
850. ZWINGERA. Zwingere. T. II. p. 569.
1. *amara* W. Gujana. ☿.
- (*Simaba gujanensis* Aublet.)
851. GOMPHIA. Nagelbeere. T. II. p. 569.
1. *angustifolia* Vahl. India orient. ☿.
 2. *nirida* Vahl. Jamaica. ☿.
 3. *Jabotapita* W. America merid. ☿.
- (*Ochna Jabotapita* L.)
4. *laevigata* Vahl. India orient. ☿.
 5. *laurifolia* Swartz. Jamaica. ☿.
852. THRYALLIS. Docht-pflanze. T. II. p. 570.
1. *brasiliensis* L. Brasilia. ☿.
853. LIMONIA. Limonelle. T. II. p. 571.
- * *Spinosae.*
1. *monophylla* L. India orient. ☿.
 2. *trifoliata* L. Ibid. ☿.
- β. *inermis foliis sessilibus* W.
- 2^a. *citrifolia* W. China. ☿. Enum. p. 448.
 3. *acidissima* L. India. ☿.
- ** *Inermes.*
4. *lucida* Forster. Ins. Mallicollo. ☿.
 5. *mauritiana* La Marck. Ins. Mauritii. ☿.
 6. *pentaphylla* Retz. India orient. ☿.
 7. *madagascarensis* La Marck. Madagascar. ☿.
 8. *minuta* Forster. Ins. Amicorum. ☿.
854. MONOTROPA. Ohnblat. T. II. p. 573.
1. *Hypopithys* L. Europa, Canada. 24.
 2. *uniflora* L. Mariland, Virginia, Canada. ☿.

855. **DIONAEA**. Fliegenfänger. T. II. p. 574.
 1. *Muscipula* L. Carolina. 4.
856. **JUSSIEUA**. Jussieu. T. II. p. 574.
 1. *repens* L. India. 4.
 β. adscendens L.
 2. *tenella* L. Java.
 3. *linearis* W. Guinea.
 4. *linifolia* Vahl. America merid.
 5. *peruviana* L. Lima.
 6. *hirta* Swartz. America calid. 5.
 (*Oenothera hirta* L.)
 7. *pubescens* L. America.
 8. *octovalvis* Swartz. In Caribaeis. ☉.
 (*Oenothera octovalvis* L.)
 9. *suffruticosa* L. India.
 10. *acuminata* Swartz. Jamaica. ☉.
 11. *inclinata* L. Surinam. ☉.
 12. *erecta* L. America. ☉.
 12^a. *scabra* W. Brasilia. 4.
857. **SCHOUSBOEA**. Schousbœa. T. II. p. 578.
 1. *coccinea* W. Gujana. 5.
 (*Cacouchia coccinea* Aublet.)
858. **HEISTERIA**. Heisteria. T. II. p. 579.
 1. *coccinea* L. Martinica. 5.
859. **QUISQUALIS**. Quisqualis. T. II. p. 579.
 1. *indica* L. India. 5.
860. **DAIS**. Dais. T. II. p. 579.
 1. *cotinifolia* L. Cap. b. sp. 5.
 (*D. laurifolia* Jacq.)
 2. *disperma* Forster. Ins. Tongatabu. 5.
 3. *octandra* L. India. 5.
861. **CERATOPETALUM**. Hornblume. T. II.
 p. 580.
 1. *gummiferum* Smith. Nova-Hollandia. 5.
862. **MELASTOMA**. Swarzsclund. T. II. p. 581.
 * *Dodecandroe*.
 1. *calyptrata* Vahl. Ins. Montserrat. 5.

2. *crocea* La Marck. Peru. H.

3. *patens* Swartz. Jamaica. H.

** *Decandrae, foliis trinerviis.*

4. *crenata* Vahl. America merid. H.

5. *rigida* Swartz. Jamaica. H.

6. *decussata* Vahl. Cajenna, Gujana. H.

(*M. racemosa* Aublet.)

7. *montana* Swartz. Jamaica. H.

8. *procera* Swartz. Ibid. H.

9. *adscendens* Swartz. Ibid. H.

10. *aspera* L. India. H.

11. *ledifolia* La Marck. Peru. H.

12. *strigosa* L. Nova-Granada. H.

13. *holosericea* L. Brasilia, Surinam. H.

14. *velutina* W. Jamaica, Brasilia. H.

15. *fessilifolia* L. Jamaica. H.

16. *ramiflora* Swartz. Jamaica. H.

17. *glabra* Forster. Ins. Societatis. H.

18. *chrysophylla* La Marck. Madagascar. H.

19. *quadrangularis* Swartz. Jamaica. H.

20. *trinervia* Swartz. Jamaica. H.

21. *repens* La Marck. China. 4.

*** *Decandrae, foliis triplinerviis.*

22. *Grossularioides* L. Surinam.

23. *parviflora* Aublet. Cajenna, Gujana. H.

24. *succosa* Aublet. Ibid. H.

25. *arborescens* Aublet. Ibid. H.

26. *longifolia* Aublet. Ibid. H.

27. *prasima* Swartz. Ibid. Jamaica, Hispaniola. H.

(*M. laevigata* Aublet.)

**** *Decandrae, foliis quintuplinerviis.*

28. *agrestis* Aublet. Cajenna. 4.

29. *scandens* Aublet. Gujana. H.

30. *alata* Aublet. Ibid. H.

31. *flavescens* Aublet. Ibid. H.

***** *Decandrae, foliis quinquenerviis.*

32. *hirta* Miller. America merid. H.

33. *spicata* Aublet. Gujana. H.
34. *Acinodendron* L. America calid. H.
35. *cymosa* Schrader. Ibid. H.
36. *grandiflora* Aublet. Cajenna, Gujana. H.
37. *elegans* Aublet. Cajenna. H.
38. *rufescens* Aublet. Gujana. H.
39. *rubra* Aublet. Ibid. H.
40. *Majeta* LaMarck. Ibid. H.
(*Majeta gujanensis* Aublet.)
41. *heterophylla* LaMarck. Peru. H.
42. *Physiphora* Vahl. Cajenna, Gujana. H.
(*Tococa gujanensis* Aublet.)
43. *purpurea* W. Gujana. H.
(*M. purpurascens* Aublet.)
44. *argentea* Swartz. America. H.
45. *elata* Swartz. India occid. H.
46. *impetiolaris* Swartz. Ibid. H.
47. *fragilis* L. Brasilia, Mexico, Surinam. H.
48. *coriacea* Swartz. Guadeloupe. H.
49. *grossa* L. Nova-Granada. H.
50. *malabathrica* L. India. H.
51. *strigillosa* Swartz. Jamaica. H.
52. *Tamonea* Swartz. Ins. Caribaeae, Cajenna,
Gujana. H.
53. *albicans* Swartz. Jamaica, Brasilia. H.
54. *capitata* Vahl. India occid. H.
55. *splendens* Swartz. Jamaica. H.
56. *laevigata* L. America. H.
57. *crispata* L. Amboina. H.
- ***** *Octandrae, foliis trinerviis.*
58. *hirsuta* Swartz. Jamaica. H.
59. *microphylla* Swartz. Ibid. H.
60. *micrantha* Swartz. Ibid. H.
61. *capillaris* Swartz. Ibid. H.
62. *rubens* Swartz. Ibid. H.
63. *glabrata* Swartz. Ibid. H.
64. *glandulosa* Swartz. Ibid. H.

- 65. *hirtella* Swartz. Ibid. h.
- 66. *triflora* Vahl. In Caribaeis. h.
- 67. *octandra* L. Zeylon. h.
- 68. *divaricata* W. India orient. h.
- 69. *tetrandra* Swartz Jamaica. h.
- 70. *fascicularis* Swartz. Ibid. h.
- 71. *angustifolia* Swartz. Ibid. h.
- 72. *purpurascens* Swartz. Ibid. h.
- 73. *alpina* Swartz. Guadeloupe. h.

***** *Octandrae, foliis triplinerviis.*

- 74. *verticillata* Vahl. In Caribaeis. h.
- 75. *acuminata* Vahl. Montserrat. h.
- 76. *lateriflora* Vahl. Ibid. h.
- 77. *elaeagnoides* Swartz. Ins. St. Johannis Americes. h.
- 78. *scabrosa* L. Jamaica. h.
- 79. *virgata* Swartz. Ibid. h.

***** *Octandrae, foliis quinquenerviis.*

- 80. *umbrosa* Swartz. Ins. Caribaeae. h.
- 81. *hispida* Swartz. Jamaica. h.
- 82. *fessiliflora* Vahl. America merid. h.
- 83. *pilosa* Swartz. Jamaica. h.
- 84. *discolor* L. America calid. h.
- 85. *coccinea* Vahl. Ins. Montserrat. h.

863. MERIANA. Merianie. T. II. p. 600.

- 1. *leucantha* Swartz. Jamaica. h.
- 2. *purpurea* Swartz. Ibid. h.

864. KALMIA. Kalmie. T. II. p. 600.

- 1. *latifolia* L. Mariland, Pennsylvania, Virginia. h.
- 2. *angustifolia* L. Pennsylvania, Nova-Caesarea, Noveborac. h.
- 3. *glauca* Aiton. Terra-Nova. h.
- 4. *hirsuta* La Marck. Carolina. h.

865. LEDUM. Porst. T. II. p. 602.

- 1. *palustre* L. Europa. h.
- α. *erectum* Aiton.

- β. *decumbens* Aiton. In sinu Hudsonis.
 2. *latifolium* Aiton. Groenland, Labrador, Terra nova, Nova-Scotia. H.
 (L. *groenlandicum* Retz, Gunner, Fl. dan.)
 3. *buxifolium* Berg. Carolina, Nova-Caesar. H.
 866. RHODORA. Rhodore, T. II. p. 603.
 1. *canadensis* L. Canada, Terra nova. H.
 867. RHODODENDRON. Alpibalsam. T. II. p. 603.
 1. *ferrugineum* L. Alpes Europae. H.
 β. *flore albo* Haller.
 2. *dauricum* L. Dauria. H.
 3. *camtschaticum* Pallas. Camtschatka, Ins. Bering. H.
 4. *hirsutum* L. Alpes Europae. H.
 5. *Chamaecistus* L. Ibid. H.
 6. *caucasicum* Pallas. Caucasus. H.
 7. *Chrysanthum* L. Sibiria, Davuria, Camtschatka. H.
 8. *ponticum* L. Oriens, Hispania. H.
 9. *maximum* L. Virginia. H.
 10. *punctatum* Donn. America bor. H.
 868. ANDROMEDA. Andromede. T. II. p. 607.
 1. *tetragona* L. Lapponia, Sibiria. H.
 2. *ericoides* Pallas. Camtschatka, Davuria. H.
 3. *hypnoides* L. Lapponia, Sibiria. H.
 4. *lycopodioides* Pallas. Camtschatka, Ins. Bering. H.
 5. *empetrifolia* La Marck. Fret. Magellan. H.
 6. *Myrsinites* La Marck. Ibid. H.
 7. *mariana* L. A Pennsylvania ad Floridam. H.
 8. *ferruginea* Aiton. America bor. H.
 9. *fasciculata* Swartz. Jamaica. H.
 10. *jamaicensis* Swartz. Ibid. H.
 11. *octandra* Swartz. Ibid. H.
 12. *pulverulenta* Bartram. Florida. H.
 13. *Polifolia* L. Europa, America. H.
 α. *latifolia* Aiton. America bor.

β. *media* Aiton.

γ. *angustifolia* Aiton. Terra nova, Labrador.

14. *salicifolia* La Marck. Ins. Maurithi. H.

β. *foliis ovato-lanceolatis* La Marck.

15. *buxifolia* La Marck. Ins. Bourbon. H.

16. *japonica* Thunb. Japonia. H.

17. *paniculata* L. Virginia. H.

18. *arborea* L. Virginia, Carolina. H.

19. *racemosa* L. Pennsylvania, Maryland. H.

20. *Catesbaei* Walter. Virginia, Carolina. H.

21. *axillaris* Aiton. Carolina. H.

22. *coriacea* Aiton. America bor. H.

(*A. nitida* Michaux. — *A. lucida* La Marck.)

22a. *Walteri* W. Virginia, Carolina, Georgia. H.

Enum. p. 453.

(*A. axillaris* Michaux.)

23. *acuminata* Aiton. Ibid. H.

(*A. lucida* Jacq. — *A. laurina* Michaux. — *A. populifolia* La Marck. — *A. reticulata* Walter.)

24. *rupestris* L. Nova-Zeelandia. H.

25. *anastomosans* L. Nova-Granada. H.

26. *calyculata* L. Europa et America bor., Sibiria. H.

α. *ventricosa* Aiton.

β. *latifolia* Aiton. Terra nova.

γ. *angustifolia* Aiton.

869. EPIGAEA. Grundstrauch. T. II. p. 615.

1. *repens* L. Virginia, Canada. H.

2. *cordifolia* Swartz. Cajenna, Guadeloupe. H.

870. GAULTHERIA. Gaultherie. T. II. p. 616.

1. *procumbens* L. Canada. H.

2. *antipoda* Forster. Nova-Zeelandia. H.

871. ARBUTUS. Sandheere. T. II. p. 616.

1. *Unedo* L. Europa, Oriens. H.

α. *flore albo.*

β. *flore rubro.*

γ. *flore pleno.*

2. *laurifolia* L. America sept. H.
3. *Andrachne* L. Oriens. H.
4. *ferruginea* L. America. H.
5. *acadiensis* L. Acadia. H.
6. *alpina* L. Alpes Europae. H.
7. *Uva ursi* L. Europa, Canada. H.
8. *mueronata* Forster. Tierra del Fuego. H.
9. *microphylla* Forster. Ibid. H.

(*A. serpyllifolia* La Marck.)

10. *pumila* Forster. Ibid. H.

871. MYLOCARYUM. Enum. p. 454.

1. *ligustrinum* W. Georgia Americes. H. En. pag. 454.

872. CLETHRA. Clethra. T. II. p. 619.

1. *alnifolia* L. Carolina, Virginia, Pensylv. H.
- α. *denudata* Aiton.

1. *pubescens* Aiton. Carolina. H. Enum. p. 455.

(*C. alnifolia* β, W. Sp. pl.)

2. *paniculata* Aiton. America bor. H.
3. *arborea* Aiton. Madera. H.
4. *tinifolia* Swartz. Jamaica. H.

(*Tinus occidentalis* L.)

873. PYROLA. Wintergrün. T. II. p. 621.

1. *rotundifolia* L. Europa, Virginia, Brasil. 2.
2. *minor* L. Europa. 2.
3. *secunda* L. Ibid. H.
4. *umbellata* L. Europa, Asia, America sept. H.
5. *maculata* L. America sept. H.
6. *uniflora* L. Europa. 2.

874. STYRAX. Storax. T. II. p. 623.

1. *officinale* L. Syria, Judaea, Italia. H.
2. *grandifolium* Aiton. Carolina. H.
3. *Benzoin* Dryander. Sumatra. H.

(*Laurus Benzoin* Houttuyn.)

4. *laevigatum* Aiton. Carolina. H.

(*S. glabrum* Cavanil.; *S. americana* La Marck.)

875. INOCARPUS. Faserfrucht. T. II. p. 624.

1. *edulis* L. Java, Celebes, Amboina, Banda etc. \bar{h} .

876. **SAMYDA**. *Samyde*. T. II. p. 625.

1. *nitida* L. America. \bar{h} .
2. *macrophylla* W. India orient. \bar{h} .
3. *multiflora* Cavanil. St. Domingo. \bar{h} .
4. *villosa* Swartz. Jamaica. \bar{h} .
5. *glabrata* Swartz. Ibid. \bar{h} .
6. *spinescens* Swartz. Hispaniola. \bar{h} .
7. *pubescens* L. America. \bar{h} .
8. *ferrulata* L. Ibid. \bar{h} .
9. *polyandra* W. Nova-Caledonia. \bar{h} .
(*Melistaureum distichum* Forster)

877. **CASEARIA**. *Casearie*. T. II. p. 627.

1. *spinosa* W. Domingo. \bar{h} .
(*Samyda spinosa* L.)
2. *nitida* Jacq. Carthagena. \bar{h} .
3. *ramiflora* Vahl. Ins. St. Crucis, Gujana, Cajenna. \bar{h} .
(*Iroucana gujanensis* Aublet.)
4. *hirta* Swartz. Jamaica. \bar{h} .
5. *parviflora* W. America calid. \bar{h} .
(*Samyda parviflora* L.)
6. *parvifolia* W. Martinica. \bar{h} .
(*C. decandra* Jacq.)
7. *sylvestris* Swartz. Jamaica. \bar{h} .
8. *macrophylla* Vahl. Cajenna. \bar{h} .
(*Pitumba gujanensis* Aublet.)
9. *ferrulata* Swartz. India occid. \bar{h} .
10. *elliptica* W. India orient. \bar{h} .
(*Anavinga lanceolata* La Marck.)
11. *ovata* W. Ibid. \bar{h} .
(*Anavinga ovata* La Marck.)
12. *hirsuta* Swartz. Jamaica, Hispaniola. \bar{h} .

878. **AQUILARIA**. *Adlerholz*. T. II. p. 629.

1. *ovata* Cavanil. Malacca. \bar{h} .

879. **AUGEA**. *Augen*. T. II. p. 630.

1. *capensis* Thunb. Cap. b. sp.

880. COPAIFERA. Copsivabaum. T. II. p. 630.

1. *officinalis* L. Brasilia, Antillis. H.

881. BUCIDA. Kuhhornbaum. T. II. p. 630.

1. *Buceras* L. Jamaica. H.

2. *capitata* Vahl. Montserrat. H.

DIGYNIA,

882. ROYENA. Royena. T. II. p. 631.

1. *lucida* L. Cap. b. sp. H.

2. *villosa* L. Ibid. H.

3. *pallens* Thunb. Ibid. H.

4. *glabra* L. Ibid. H.

4^a. *pubescens* Jacq. Ibid. H. Enum. p. 457.

5. *hirsuta* L. Ibid. H.

6. *polyandra* L. Ibid. H.

7. *angustifolia* W. Ibid. H.

883. HYDRANGEA. Hydrangea. T. II. p. 633.

1. *arborescens* L. Virginia. H.

2. *hortensis* Smith. China, Japonia. H.

(*Hortensia opuloides* Jacq.)

β. *culta*, floribus monstrosis.

3. *radiata* Walter. Carolina. H.

(*H. nivea* Michaux.)

4. *quercifolia* Bertram. Florida. H.

884. CUNONIA, Cunonie. T. II. p. 634.

1. *capensis* L. Cap. b. sp. H.

885. TRIANTHEMA, Dreyblume. T. II. p. 635.

1. *monogyna* L. Jamaica, Curassao. ☉.

2. *crystallina* Vahl. Arabia, India orient. H.

3. *pentandra* L. Arabia. ☉.

4. *fruticosa* Vahl. Aegyptus. H.

5. *humifusa* Thunb. Cap b. sp. H.

6. *anceps* Thunb. Ibid. H.

7. *decandra* L. India. ☉.

886. CHRYSOSPLENIUM. Milzkraut. Tom. II.
pag. 637.

1. alternifolium L. Europa. 4.

2. oppositifolium L. Europa, Canada. 4.

887. SAXIFRAGA. Steinbrech. T. II. p. 638.

* *Foliis indivisis, caule subnudo.*

1. Cotyledon L. Europa. 4.

β. Cotyledon minor Bauhin.

γ. S. Cotyledon Fl. dan.

δ. pyrenaica Tournef.

2. Aizoon Jacq. Ibid. 4.

(S. Cotyledon s. L.)

2a. intacta W. Tyrol. 4. Enum. p. 459.

2b. vernalis W. Pennsylvania, Virginia, Carolina. 4. Enum. p. 459.

(S. virginensis Michaux.)

3. mutata L. Alpes Europae. 4.

4. pennsylvanica L. Virginia, Pennsylvania, Canada. 4.

5. hieracifolia Waldst. et Kit. In Carpathis. 4.

6. androsacea L. Sibiria, Helvetia, Austr. 4.

7. caesia L. Alpes Europae. 4.

8. burseriana L. Ibid. 4.

9. ledoides L. Ibid. 4.

10. tenella Wulfen. Carinthia. 4.

11. bryoides L. Alpes Europae. 4.

12. bronchialis L. Sibiria.

13. steltaris L. Alpes Europae. 4.

β. comosa panicula foliacea L.

14. crassifolia L. Sibiria. 4.

15. nivalis L. Europa, Virginia, Canada. 4.

16. Bellardi Alton. Pedemons. 4.

17. davurica W. Davuria. 4.

(S. punctata Pallas.)

18. sarmentosa L. China, Japonia. 4.

(S. stolonifera Jacq.; S. ligulata Murray.)

19. punctata L. Sibiria. 4.

20. *umbrosa* L. Anglia. 4.
 21. *hirsuta* L. In Pyrenaeis. 4.
 22. *cuneifolia* L. Alpes Europae. 4.
 23. *Geum* L. Ibid. 4.
 ** *Foliis indivisis, caule folioso.*
 24. *oppositifolia* L. Alpes Europae. 4.
 β . *S. biflora* Allion.
 γ . *S. purpurea* Allion.
 25. *aspera* L. Alpes Europae. 4.
 26. *Hirculus* L. Europae 4.
 27. *Aizoides* L. Alpes Europae. 4.
 28. *autumnalis* L. Europa austr. 4.
 29. *rotundifolia* L. Alpes Europae. 4.
 *** *Foliis lobatis, caulibus erectis.*
 30. *granulata* L. Europa. 4.
 31. *bulbifera* L. Italia, Norvegia. 4.
 32. *cernua* L. Lapponia. 4.
 β . *caule ramoso folioso* Gmeltn. Sibiria.
 33. *rivularis* L. Lapponia. ☉.
 34. *geranioides* L. In Pyrenaeis. 4.
 35. *ajugifolia* L. Galloprovincia.
 36. *sibirica* L. Sibiria.
 37. *rupestris* W. Carinthia. ☉.
 (*S. petraea* Wulfen.)
 38. *Tridactylites* L. Europa. ☉.
 39. *petraea* L. Alpes Europae ☉.
 (*S. adscendens* Wulfen, Allion.)
 40. *adscendens* L. Ibid. 4.
 40^a. *Sternbergii* W. Germania. 4. Enum. p. 462.
 40^b. *villosa* W. Anglia. 4. Enum. 462.
 (*S. palmata* Smith.)
 40^c. *pentadactyla* La Peyrouse. In Pyrenaeis. 4.
 Enum. p. 462.
 41. *moschata* Wulfen. Ibid. 4.
 (*S. exarata* Villars, Allion.)
 42. *muscoïdes* Wulfen. Ibid. 4.
 43. *caespitosa* L. Ibid. 4.

β. *S. groenlandica* L.

γ. *S. pedemontana* Allion.

44. *tricuspidata* Retz. Groenlandia. 4.

**** *Foliis lobatis; caulibus procumbentibus.*

45. *Cymbalaria* L. Oriens.

46. *hederacea* L. Creta. ☉.

47. *orientalis* Jacq. Oriens.

48. *cuneata* W. Hispania. 4.

(*S. cuneifolia* Cavanil.)

49. *hypnoides* L. Alpes. 4.

β. *S. procumbens* Royen.

888. TIARELLA. Spitzhut. T. II. p. 659.

1. *cordifolia* L. America bor, Asia, 4.

2. *trifoliata* L. Asia bor. 4.

889. MITELLA. Bischofshut. T. II. p. 659.

1. *diphylla* L. America bor., 4.

2. *cordifolia* La Marck, . . . , 4.

3. *nuda* L. Asia bor. 4.

890. SCLERANTHUS, Knauel, T. II. p. 660.

1. *annuus* L. Europa. ☉.

2. *perennis* L. Ibid. 4.

β. *Polygonum cocciferum* Camer.

3. *polycarpus* L. Gallia, Italia. ☉.

891. GYPSOPHILA. Gypskraut. T. II. p. 662.

1. *repens* L. Sibiria, Austria, Helvetia, Gallia. 4.

2. *prostrata* L. . . . 4.

3. *paniculata* L. Sibiria, Tataria. 4.

4. *viscosa* Murray. Oriens. ☉.

5. *adspendens* Jacq.

6. *altissima* L. Sibiria. 5.

7. *arenaria* Waldst. et Kit, Hungaria. 4.

8. *Struthium* L. Hispania. 4.

9. *fastigiata* L. Europa. 4.

10. *perfoliata* L. Hispania, Oriens. 4.

β. *G. tomentosa* L.

11. *muralis* L. Germania, Suecia, Helvetia, Gallia. ♂.

111. *serotina* Hayne. In agro Magdeburgensi. ☉.
Enum. p. 464.

12. *rigida* L. Gallia. 4.

13. *Saxifraga* L. Germania, Helvetia. Gallia. 4.

892. SAPONARIA. Seifenkraut. T. II. p. 667.

1. *officinalis* L. Europa. 4.

β. *S. hybrida* Miller.

2. *Vaccaria* L. Europa, Oriens. ☉.

2^a. *perfoliata* Roxb. India orient. ☉. Enum.
p. 464.

3. *cretica* L. Creta.

4. *porrigens* L. Oriens. ☉.

5. *illyrica* L. Illyria.

6. *Ocymoides* L. Helvetia, Gallia, Italia, Austria. 4.

6^a. *prostrata* W. Galatia. 4. Enum. p. 465.

7. *orientalis* L. Carniolia, Oriens. ☉.

8. *lutea* L. Alpes Europae. 4.

9. *bellidifolia* Smith. Italia. 4.

893. DIANTHUS. Nelke. T. II. p. 671.

* *Flores aggregati.*

1. *barbatus* L. Carniolia, Germania. 4.

β. *angustifolius* Bauhin.

10. *latifolius* W. . . . 4. Enum. p. 466.

11. *collinus* Waldst. et Kit. Hung. 4. En. p. 466.

12. *asper* W. Helvetia, Tyrol. 4. Enum. p. 466.
(*D. scaber* Schleicher.)

13. *suffruticosus* W. . . . 4. Enum. p. 466.

2. *carthusianorum* L. Europa. 4.

β. *prolifer* Seguiet.

3. *atrorubens* Allion. Italia, Tauria. 4.

4. *ferrugineus* L. Italia. ♂.

5. *Armeria* L. Europa. ☉.

6. *japonicus* Thunb. Japonia. 4.

7. *prolifer* L. Europa. ☉.

** *Flores solitarii, plures in eodem caule.*

8. *diminutus* L. Germania, Helvetia, Gallia. ☉

9. *Caryophyllus* L. Italia. 2.
 α. *coronarius* L.
 β. *Caryophyllus altilis major* Bauhin.
 γ. *Caryophyllus maximus* Bauhin.
 δ. *imbricatus* L.
 9a. *sylvaticus* Hoppe. Ad Ratisbonam. 24. Enum.
 pag. 467
 9b. *guttatus* Bieberst. Caucasus. 24. Enum. p. 468.
 9c. *caucasicus* Bieberst. Caucasus. 24. Enumer.
 pag. 468.
 9d. *campestris* W. Tatria. 24. Enum. p. 468.
 (D. *campestris* α. Bieberst.)
 10. *sylvestris* Wulfen. Helvetia, Carniolia, Ca-
 rinthia. 24.
 (D. *Caryophyllus* s. *inodorus* L.)
 11. *pomeridianus* L. Oriens. 24.
 11a. *leptopetalus* W. Caucasus. 24. En. p. 468.
 (D. *pomeridianus* Bieberst.)
 11b. *rigidus* Bieberst. Ad mare Caspium. 5. Enum.
 pag. 468.
 12. *deltoides* L. Europa. 24.
 12a. *glaucus* L. Europa austr. 24. Enum. p. 469.
 (D. *deltoides* β. W. Sp. pl.)
 13. *albens* Aiton. Cap. b. sp. 24.
 (D. *incurvus* Thunb.)
 14. *crenatus* Thunb. Ibid. 24.
 15. *chinensis* L. China. ☉.
 16. *monspeliacus* L. Gallia, Italia. 24.
 17. *libanotis* Billard. Montes Libani. 24.
 18. *plumarius* L. Europa, Canada. 24.
 18a. *hortensis* Schrader. Hungaria, Gallia. 24.
 Enum. p. 469.
 18b. *serotinus* Waldst. et Kit. Hungaria. Enum.
 pag. 469.
 19. *crinitus* Smith. Oriens.
 β. *flore albo* Tournef.
 20. *superbus* L. Europa. ♂.

204. *fimbriatus* Bieberst. Iberia. 5. En. p. 470.
 21. *attenuatus* Smith. Gallia. 4.
 22. *pungens* L. Hispania. 4.
 β. *D. hispanicus* Asso.
 23. *virginicus* L. Gallia, Austria, Sibiria. 4.
 *** *Caule unifloro herbaceo.*
 24. *arenarius* L. Europa. 4.
 25. *repens* W. Sibiria. 4.
 26. *caesius* Smith. Anglia, Helvetia, German. 4.
 26a. *petraeus* Waldst. et Kit. Banatus. 4. Enum.
 pag. 470.
 27. *cespitosus* Thunb. Cap. b. sp. 4.
 28. *scaber* Thunb. Ibid.
 29. *alpinus* L. Styria, Austria, Sibiria. 4.
 β. *D. glacialis* Haenke.
 30. *pumilus* Vahl. Arabia fel. 4.
 **** *Frutescentes.*
 31. *arboreus* L. Creta, Graecia. 5.
 β. *fruticosus* L.
 32. *juniperinus* Smith. Creta. 5.

TRIGYNIA.

894. CUCUBALUS. Taubenkropf. T. II. p. 684.
 1. *Behen* L. Europa. 4.
 2. *fabarius* L. Sicilia. 4.
 3. *viscosus* L. Europa, Oriens. ♂.
 4. *stellatus* L. Virginia, Canada. 4.
 5. *aegyptiacus* L. Aegyptus.
 6. *italicus* L. Italia. ♂.
 7. *multiflorus* Ehrhart. Hungaria. ♂.
 8. *fruticulosus* Pallas. Sibiria. 5.
 9. *tataricus* L. Tartaria, Russia. 4.
 10. *sibiricus* L. Sibiria. 4.
 11. *catholicus* L. Italia, Sicilia. 4.
 11a. *pilosus* Waldst. et Kit. Hungaria. ♂.
 12. *mollissimus* L. Italia. 4.

- 13. *Otites* L. Europa. 4.
- 14. *parviflorus* Ehrhart. Hungaria. 4.
- 15. *reflexus* L. Gallia. 4.
- 16. *Saxifragus* L. Oriens. 4.
- 17. *Spergulifolius* W. Armenia. 4.
- 18. *polygonoides* W. Ins. Naxos. 4.
- 895. SILENE. *Silene*. T. II. p. 691.

* *Floribus solitariis lateralibus.*

- 1. *anglica* L. Anglia, Gallia. ☉.
- 2. *lusitanica* L. Lusitania. ☉.
- 3. *quinquevulnera* L. Europa. ☉.
- 3a. *geminiflora* W. ☉. Enum. p. 472.
- 3b. *nyctantha* W. ☉. Enum. p. 472.
- 3c. *linifolia* W. ☉. Enum. p. 473.
- 3d. *jeniseensis* W. Sibiria. ♂. Enum. p. 473.
- 3e. *supina* Bieberst. Caucasus. 4. Enum. p. 473.
- 3f. *obtusifolia* W. ☉. Enum. p. 473.
- 4. *ciliata* W. Creta.
- 5. *sericea* Allion. Pedemont. ☉.
- 6. *nocturna* L. Hispania, Gallia, Pensylvan. ☉.
- 7. *gallica* L. Helvetia, Gallia. ☉.
- 8. *cerastoides* L. Europa austr. ☉.

** *Floribus lateralibus confertis.*

- 9. *mutabilis* L. Europa austr. ☉.
- 10. *chlorantha* W. In Marchia Electorali. 4.
- 10a. *tenuis* W. Ad lacum Baical. 4. En. p. 474.
- 11. *nutans* L. Europa. 4.
- 11a. *livida* W. Carniola. 4. Enum. p. 474.
- 12. *amoena* L. Tataria. 4.
- 12a. *infracta* Waldst. et Kit. Hung. 4. En. p. 474.
- 13. *paradoxa* L. Italia. 4.
- 14. *fruticosa* L. Sicilia. ♀.
- 15. *bupleuroides* L. Persia. ♂.
- 16. *longiflora* Ehrhart. Hungaria. 4.
- (*S. juncea* Roth.)
- 17. *gigantea* L. Africa. ♂. ♀.
- 18. *crassifolia* L. Csp. b. sp. ♂.

19. *viridiflora* L. Lusitania. ♂.
- *** *Floribus ex dichotomia caulis.*
20. *conoidea* L. Hispania. ☉.
21. *conica* L. Europa, Oriens. ☉.
22. *bellidifolia* Jacq. ☉.
23. *dichotoma* Ehrhart. Hungaria. ☉. ♂.
24. *vespertina* Retz. ☉.
- 24^a. *nicaeensis* Allion. In agro Nicaeensi, Hispania. ☉.
25. *Behen* L. Creta. ☉.
26. *stricta* L. Hispania, Gallia. ☉.
- 26^a. *disticha* Hortulanor. ☉. Enum. p. 476.
(*S. hispida* — *S. pilosa* Hortulanor.)
27. *pendula* L. Creta, Sicilia. ☉.
β. *Viscago* *supina* Dillen.
28. *baccifera* Roth. Europa, Tataria. 2.
(*Cucubulus bacciferus* L.)
29. *maritima* W. Anglia, Norvegia, Gotland. 2.
(*Cucubalus Behen* β. L.)
30. *procumbens* Murray. Sibiria. 2.
31. *noctiflora* L. Europa. ☉.
32. *ornata* Aiton. Cap. b. sp. ♂.
33. *undulata* Aiton. Cap. b. sp. ♂.
34. *virginica* L. Virginia. 2.
35. *antirrhina* L. Virginia, Carolina. ☉.
36. *ledoides* Jacq. Creta. ☉.
37. *apetala* W. ☉.
- 37^a. *picta* Persoon. Gallia. 2. Enum. p. 477.
(*S. reticulata* Hortulanor.)
38. *rubella* L. Lusitania, Oriens. ☉.
39. *inaperta* L. Europa. ☉.
40. *clandestina* Jacq. Cap. b. sp. ☉.
41. *portensis* L. Lusitania. ☉.
42. *cretica* L. Creta. ☉.
43. *Muscipula* L. Hispania, Gallia. ☉.
44. *polyphylla* L. Pannonia, Austria, Bohemia. 2.

**** *Floribus terminalibus.*

45. *Armeria* L. Europa. ☉.
46. *orchidea* L. Oriens. ☉.
47. *aegyptiaca* L. Aegyptus.
48. *Catesbaei* Walter. Carolina. 4.
49. *cordifolia* Allion. Pedemons, Com. Ni-
caeus.
50. *chloraefolia* L. Armenia. 4.
- 50a. *flavescens* Waldst. et Kit. Banatus. 4. Enum.
pag. 478.
51. *alpestris* Jacq. Austria. 4.
(*Lychnis alpestris* L.)
- 51a. *pusilla* Waldst. et Kit. Hungaria. 4.
52. *rupestris* L. Suecia, Helvetia. ♂.
- β. *Caryophyllus holosteus alpinus gramineus* Bauhin.
53. *Saxifraga* L. Gallia, Italia, Carniolia, Hun-
garia. 4.
54. *valesiaca* L. Italia, Helvetia. 4.
55. *pumilio* Wulfen. Alpes Italiae, Carinthiae,
Moraviae. 4.
(*Cucubalus pumilio* L.)
56. *acaulis* L. Alpes Europae. 4.
β. *S. exscapa* Allion.
896. STELLARIA. Sternmiere. T. II. p. 710.
 1. *nemorum* L. Europa. 4.
 2. *dichotoma* L. Sibiria. ☉.
 3. *radians* L. Ibid.
 4. *bulbosa* Wulfen. Carinthia. 4.
 5. *Holostea* L. Europa. 4.
 6. *graminea* L. Europa. 4.
β. *S. Dilleniana* Moench.
 - 6a. *longifolia* Mühlenberg. Pennsylvania. — Enum.
pag. 479.
 7. *palustris* Retz. Europa. 4.
(*S. graminea* β. L.)
 8. *crassifolia* Ehrhart. Germania. ☉.
 9. *Alsine* Hoffmann. Europa. ☉.

(*S. graminea* γ. L.)

- 10. undulata Thunb. Japonia.
- 11. cerastioides L. Alpes Europae. 24.
- 12. multicaulis W. Carinthia. 24.

(*S. cerastoides* Wulfen.)

- 13. humifusa Swartz. Alpes Sueciae, Norveg. ☉.
 - 14. biflora L. Lapponia. 24.
 - 15. groenlandica Retz. Groenlandia.
 - 16. Arenaria L. Hispania. ☉.
 - 17. Iscapigera W. 24.
897. ARENARIA. Sandkraut. T. II. p. 716.

- 1. peploides L. Europa. 24.

(*Honkenya peploides* Ehrhart.)

- 2. tetraquetra L. Gallia. 24.

β. *Gypsophila aggregata* L.

- 3. biflora L. Europa. 24.
- 4. lateriflora L. Sibiria.
- 5. trinervia L. Europa. ☉.
- 6. ciliata L. Alpes Europae. 24.

β. *A. norvegica* Gunner.

- 7. balearica L. Ins. Balearic. 24.
- 8. multicaulis L. Alpes Europae. 24.
- 9. serpillifolia L. Europa. ☉.
- 10. procumbens Vahl. Tunet, Aegypt. 24.

(*A. geniculata* Poiret.)

- 11. polygonoides Wulfen. Alpes Europae. ☉.
- 12. triflora L. Europa. 24.
- 13. montana L. Gallia. 24.
- 14. rubra L. Europa. ☉.

α. campestris.

- 14a. marina Fl. dan. Europa. ☉.

(*A. rubra* β. W. Sp. pl.)

- 15. media L. Gallia, Anglia. ☉.
 - 15a. glandulosa Jacq. Cap. b. sp. 24. En. p. 486.
 - 15b. graminifolia W. Sibiria, Ucraina, Tataria.
24. Enum. p. 481.

(*A. filifolia* Bieberst.)

16. *bavarica* L. Bavaria, M. Baldo, Sibiria. 4.
17. *gypsophiloides* L. Oriens. 4.
18. *cucubaloides* Smith. Armenia. 4.
19. *dianthoides* Smith. Ibid. 4.
20. *saxatilis* L. Germania, Helvetia, Gallia, Sibiria. 4.
21. *caespitosa* Ehrhart. Hercynia. 4.
22. *verna* L. Alpes Europae. 4.
- 22a. *pendula* Waldst. et Kit. Banatus. 4. Enum. pag. 481.
- 22b. *rostrata* Waldst. et Kit. Hungaria. 4.
23. *hispida* L. Gallia.
24. *verticillata* W. Armenia. 5.
25. *juniperina* L. Armenia. 4.
26. *tenuifolia* L. Europa. ☉.
- β. *Alsine viscosa* Schreber.
27. *laricifolia* L. Helvetia, Gallia. 4.
28. *recurva* Allion. Alpes Europae. 4.
29. *lanceolata* Allion. Pedemons. 4.
30. *striata* L. Alpes Europae. 4.
31. *filifolia* Forsk. Arabia. 4.
32. *fasciculata* L. Gallia, Austria. ☉.
33. *austriaca* Jacq. Alpes Europae. 4.
- β. *Stellaria biflora* Jacq.
34. *grandiflora* L. Alpes Europae. 4.
35. *liniflora* L. Europa austr. 4.
36. *Gerardi* W. Austria, Gallia. 4.
898. CHERLERIA. Cherlerie. T. II. p. 730.
 1. *sedoides* L. Alpes Europae. 4.
899. DEUTZIA. Deutzie. T. II. p. 730.
 1. *scabra* Thunb. Japonia. 5.
900. BRUENNICHIA. Brännichie. T. II. p. 731.
 1. *cirrhusa* Gaertner. Bahama.
901. GARIDELLA. Garidelle. T. II. p. 731.
 1. *Nigellastrum* L. Galloprovincia. ☉.
902. MALPIGHIA. Malpighie. T. II. p. 731.

1. *glabra* L. Jamaica, Surinam, Brasilia, Curasao. H.
2. *biflora* La Marck. America calid. H.
(*M. puniceifolia*. Cavanil.)
3. *puniceifolia* L. Ibid. H.
4. *faginea* Swartz. Ins. Grenada. H.
5. *glandulosa* Cavanil. In Antillis.
54. *glandulifera* Jacq. Carracas. H. Enum. p. 483.
(*M. glandulosa*. β . W. sp. pl.)
6. *tuberculata* Jacq. Carracas. H.
7. *nitida* L. Jamaica. H.
8. *Armeniaca*. Cavanil. Peru. H.
9. *dubia* Cavanil. Domingo. H.
10. *urens* L. America calid. H.
11. *angustifolia* L. Ibid. H.
12. *canescens* Aiton. India occid. H.
13. *crassifolia* L. America. calid. H.
 β . *M. Moureila* Aublet. Gujana.
14. *spicata* Cavanil. Domingo. H.
15. *altissima* Aublet. Gujana. H.
16. *verbascifolia* L. America calid. H.
17. *lucida* Swartz. India occid. H.
18. *coriacea* Swartz. Jamaica. H.
19. *aquifolia* L. America calid. H.
20. *coccifera* L. Ibid. H.
903. BANISTERIA. Banisterie. T. II. p. 737.
 1. *angulosa* L. America calid. H.
 2. *palmata* Cavanil. Domingo. H.
 3. *sagittata* Cavanil. Ibid. H.
 4. *auriculata* Cavanil. Brasilia. H.
 5. *ciliata* La Marck. Ibid. H.
 6. *emarginata* Cavanil. America. H.
 7. *Quaspara* Aublet. Gujana. H.
 8. *sinemariensis* Aublet. Ibid. H.
 9. *purpurea* L. America merid. H.
 10. *microphylla* Jacq. . . . H.
 11. *chrysophylla* La Marck. Brasilia, Carracas. 4.

12. *laurifolia* L. Jamaica, Hispaniola. H.
13. *coerulea* La Marck. Jamaica, Domingo. H.
14. *nitida* La Marck. Brasilia. H.
15. *muricata* Cavanil. Peru. H.
16. *leona* Cavanil, Sierra Leone. H.
17. *sericea* Cavanil. Brasilia. H.
18. *ferruginea* Cavanil. Ibid. H.
19. *longifolia* Swartz, In Caribaeis. H.
20. *dichotoma* L. America calid. H.
21. *ovata* Cavanil, St. Domingo. H.
22. *fulgens* L. America. H.
23. *heterophylla* W. Jamaica, Guadeloupe,
S. Domingo. H.

(*B. fulgens* La Marck, Cavanil.)

24. *brachiata* L. America. H.
904. *HIRAEA*, *Hiraea*. T. II, p. 743.
1. *reclinata* L. Carthagera. H.
2. *odorata* W. Guinea. H.
3. *pinnata* W. Sierra Leone. H.

(*Flabellaria paniculata* Cavanil.)

905. *TRIOPTERIS*. Dreyflügel. T. II. p. 743.

1. *jamaicensis* L. Jamaica, Hispaniola. H.
2. *indica* W. India orient. H.
3. *ovata* Cavanil. St. Domingo. H.
4. *rigida* Swartz, Hispaniola. H.
5. *acutifolia* W. Cajenna. H.

(*Tetrapteris acutifolia* Cavanil.)

6. *acuminata* W. Ibid. H.

(*Tetrapteris mucronata* Cavanil.)

7. *buxifolia* W. In Antillis. H.

(*Tetrapteris buxifolia* Cavanil.)

8. *citrifolia* Swartz. Jamaica. H.

(*Tetrapteris inaequalis* Cavanil.)

906. *ERYTHROXYLON*. Rothholtz. T. II. p. 746.

1. *areolatum* L. Carthagera. H.
2. *hypericifolium* La Marck. Ins. Mauritiu et
Bourbon. H.

β. foliis — non emarginatis *Cavanil.*

3. *buxifolium* *La Marck.* Madagascar. H.
4. *ferrugineum* *Cavanil.* Ibid. H.
5. *rufum* *Cavanil.* America merid. H.
6. *havanense* *L.* Havana. H.
(*E. ovatum* *Cavanil.*)
7. *Coca* *La Marck.* Peru. H.
8. *Sideroxyloides* *La Marck.* Ins. Bourbon. H.
9. *squamatum* *Swartz.* Cajenna, in Caribaeis. H.
10. *macrophyllum* *Vahl.* Cajenna. H.
11. *laurifolium* *La Marck.* Ins. Mauritii. H.
12. *longifolium* *La Marck.* Madagascar. H.

P E N T A G Y N I A.

907. **AVERRHOA.** *Averrhoa.* T. II. p. 749.

1. *Bilimbi* *L.* India. H.
2. *Corambola* *L.* Ibid. H.

908. **JONCQUETIA.** *Joncquetie.* T. II. p. 750.

1. *paniculata* *W.* Gujana. H.
(*Tapirira gujanensis* *Aublet.*)

909. **SPONDIAS.** *Mombinpflaume.* T. II. p. 751.

1. *Mombin* *L.* India occid. H.
2. *Myrobalanus* *L.* America merid. H.

β. *S. foliis* — ovatis *Brown.*

3. *Mangifera* *W.* India. H.
(*Mangifera pinnata* *L.*)

4. *dulcis* *Forster.* Ins. Societatis. H.
(*S. cytherea* *La Marck.*)

910. **ROBERGIA.** *Robergie.* T. II. p. 752.

1. *frutescens* *W.* Gujana. H.
(*Rourea frutescens* *Aublet.*)

911. **CNESTIS.** *Spaltfrucht.* T. II. p. 752.

1. *glabra* *La Marck.* Ins. Mauritii et Bourbon. H.
2. *polyphylla* *La Marck.* Madagascar. H.
3. *corniculata* *La Marck.* Sierra Leone. H.
4. *trifolia* *La Marck.* Ibid. H.

912. COTYLEDON. Nabelkraut. T. II. p. 753.

1. orbiculata L. Cap. b. sp. 5.
 - α. foliis ovato — spathulatis.
 - β. foliis oblongo — spathulatis.
 - γ. foliis orbiculato — spathulatis.
2. paniculata L. Ibid. 5.
3. fascicularis Aiton. Ibid. 5.
4. cuneata Thunb. Ibid. 5.
5. spuria L. Ibid. 5.
6. purpurea Thunb. Ibid. 5.
7. teretifolia Thunb. Ibid.
8. cacalioides L. Ibid. 5.
9. reticulata L. Ibid. 5.
10. papillaris L. Ibid.
11. mamillaris L. Ibid.
12. hemisphaerica L. Aethiopia. 5.
13. triflora L. Cap. b. sp.
14. coccinea Cavanil. . . . 5.
15. Malacophyllum Pallas. Davuria. ☉.
16. ferrata L. Creta, Sibiria.
17. Umbilicus L. Lusitania, Hispania, Anglia. 5.
 - β. C. peltatum Wendland.
18. lutea Hudson. Europa, Oriens. 4.
 - (C. Umbilicus α. repens L.)
19. lanceolata Forsk. Arabia.
20. laciniata L. Aegyptus, India. orient. 5.
 - (Verea laciniata Enum. p. 433. — Kalanchoë laciniata de Candol.)
21. alternans Vahl. Arabia.
22. nudicaulis Murray. Aegyptus. 5.
 - (C. aegyptiaca LaMarck.)
23. hispanica L. Hispania, Oriens, Africa. ♂.
 - β. C. palustris, sedi folio, floribus luteis Shaw.
24. viscosa Vahl. Hispania. ☉.
 - (C. Mucizonia Ortega, Jacq. — C. hispida LaMarck.)

913. SEDUM. Sedum. T. II. p. 760.

* *Planifolia.*

1. verticillatum L. Europa, Sibiria. 4.
 2. Telephium L. Europa. 4.
 - β. purpureum. L.
 - γ. Telephium purpureum minus Bauhin.
 - δ. Telephium latifolium peregrinum Bauhin.
 - ε. maximum L.
 3. Anacampseros L. Gallia, Helvetia. 4.
 4. divaricatum Aiton. Madera. 5.
 5. Aizeon L. Sibiria. 5.
 6. hybridum L. Tataria, Trapezunti. 4.
 - 6^a. spurium Bieberst. Caucasus. 4. Enum. p. 484.
 7. populifolium L. Sibiria. 5.
 - 7^a. portulacoides Mühlenberg. Pennsylvania,
 Virginia, Carolina. 4.
 (S. ternatum Michaux. — S. deficiens Hortulanor.)
 8. stellatum L. Italia, Gallia, Helvetia. ☉.
 9. alsinefolium Allion. Pedemont. ♂.
 10. Cepaea L. Gallia, Germania, Helvetia. ☉.
 - β. S. galioides Allion.
 - 10^a. spathulatum Waldst. et Kit. Hungaria. ☉. ♂.
 Enum. p. 485.
 11. libanotium L. Palaestina. 4.
- ** Teretifolia.**
12. dasyphyllum L. Europa merid. ☉.
 - 12^a. montegalense Balbis. Alpes Pedemont. 4.
 Enum. p. 486.
 13. reflexum L. Europa. 4.
 - β. minus Bauhin.
 - γ. crispum Munting.
 14. virens Aiton. Lusitania. 4.
 15. rupestre L. Europa. 4.
 16. saxatile Allion. Alpes Europae. ☉.
 (S. alpestre Villars. — S. rubens Haenke.)
 - 16^a. glaucum Waldst et Kit. Banatus, ♂. Enum.
 p. 486.
 - 16^b. sexfidum Bieberst. Caucasus. ☉. Enum. p. 487.

17. quadrifidum *Pallas*. Asia. 4.
18. hispanicum *L.* Hispania, Carinthia. 4.
19. lineare *Thunb.* Japonia.
20. coeruleum *Vahl.* Barbaria.
21. album *L.* Europa. 4.
22. acre *L.* Ibid. 4.
23. sexangulare *L.* Ibid. 4.
24. anglicum *Hudson.* Anglia, Norvegia. 4.
25. annuum *L.* Europa bor. ☉.
26. pubescens *Vahl.* Tuneti.
27. villosum *L.* Europa. ☉.
28. atratum *L.* Alpes Europae. ☉.
29. nudum *Aiton.* Madera. 5.
914. PENTHORUM. Fünfspitzenkraut. T. II. p. 770.
 1. sedoides *L.* Virginia. 4.
915. BERGIA. Bergie. T. II. p. 770.
 1. verticillata *W.* India orient.
(*B. capensis* *L.*)
 2. glomerata *L.* Cap. b. sp.
916. SURIANA. Suriane. T. II. p. 771.
 1. maritima *L.* America calid. 5.
917. GRIELUM. Grielum, T. II. p. 771.
 1. tenuifolium *L.* Aethiopia. 5.
918. OXALIS. Sauerklao. T. II. p. 772.

* *Foliis simplicibus.*

 1. monophylla *L.* Cap. b. sp. 4.
 2. lepida *Jacq.* Ibid. 4.
 3. rostrata *Jacq.* Ibid. 4.

** *Foliis binatis.*

 4. asinina *Jacq.* Cap. b. sp. 4.
 5. lanceaefolia *Jacq.* Ibid. 4.
 6. leporina *Jacq.* Ibid. 4.
 7. crispa *Jacq.* Ibid. 4.

*** *Foliis ternatis, scapo uniflora.*

 8. fabaefolia *Jacq.* Cap. b. sp. 4.
 9. laburnifolia *Jacq.* Ibid. 4.
 10. sanguinea *Jacq.* Ibid. 4.

11. *ambigua Jacq.* Ibid. 24.
12. *undulata Jacq.* Ibid. 24.
13. *fuscata Jacq.* Ibid. 24.
14. *glandulosa Jacq.* Ibid. 24.
15. *tricolor Jacq.* Ibid. 24.
 - α. corolla interne flava Jacq.*
 - β. corolla interne alba Jacq.*
16. *rubro-flava Jacq.* Ibid. 24.
17. *flaccida Jacq.* Ibid. 24.
18. *exaltata Jacq.* Ibid. 24.
19. *variabilis Jacq.* Ibid. 24.
 - β. flore rubro Jacq.*
20. *grandiflora Jacq.* Ibid. 24.
21. *sulphurea Jacq.* Ibid. 24.
22. *purpurea Jacq.* Ibid. 24.
 - β. O. laxula Jacq.*
23. *breviscapa Jacq.* Ibid. 24.
24. *speciosa Jacq.* Ibid. 24.
 - (O. purpurea L.)*
 - β. O. fuggillata Jacq.*
 - γ. O. rigidula Jacq.*
25. *Acetosella L.* Europa, Japonia. 24.
 - β. Oxys flore subcoeruleo Tournef.*
 - γ. Oxys flore purpurascens Tournef.*
26. *magellanica Forster.* Terra del Fuego. 24.
27. *marginata Jacq.* Cap. b. sp. 24.
28. *pulchella Jacq.* Ibid. 24.
29. *obtusa Jacq.* Ibid. 24.
30. *lanata L.* Ibid. 24.
31. *truncatula Jacq.* Ibid. 24.
32. *strumosa Jacq.* Ibid. 24.
33. *punctata L.* Ibid. 24.
34. *luteola Jacq.* Ibid. 24.
35. *macrogonia Jacq.* Ibid. 24.
36. *fallax Jacq.* Ibid. 24.
37. *tenella Jacq.* Ibid. 24.
38. *minuta Jacq.* Ibid. 24.

39. pusilla Jacq. Ibid. 4.

**** *Foliis ternatis, scapo multifloro.*

40. compressa L. Cap. b. sp. 4.

41. sericea L. Ibid. 4.

42. megalorhiza Jacq. Peru. 4.

43. tetraphylla Cavanil. Mexico. 4.

44. violacea L. Virginia, Canada. 4.

45. caprina L. Cap. b. sp. 4.

46. cernua Jacq. Ibid. 4.

47. dentata Jacq. Ibid. 4.

48. livida Jacq. Ibid.

***** *Foliis ternatis, pedunculis unifloris, caulescentes, caule inferne nudo.*

49. ciliaris Jacq. Cap. b. sp. 4.

50. arcuata Jacq. Ibid. 4.

51. linearis Jacq. Ibid. 4.

52. cuneata Jacq. Ibid. 4.

53. cuneifolia Jacq. Ibid. 4.

54. glabra Jacq. Ibid. 4.

55. bifida Thunb. Ibid. 4.

56. filicaulis Jacq. Ibid. 4.

57. longiflora L. Virginia.

58. natans L. Cap. b. sp. 4.

59. convexula Jacq. Ibid. 4.

60. versicolor L. Ibid. 4.

β. sylvestris W.

γ. O. gracilis Jacq.

61. elongata Jacq. Ibid. 4.

β. O. miniata Jacq.

γ. O. amoena Jacq.

62. reclinata Jacq. Ibid. 4.

63. polyphylla L. Ibid. 4.

***** *Foliis ternatis, pedunculis unifloris, caulescentes, caule folioso.*

64. tenuifolia Jacq. Cap. b. sp. 4.

65. macrostylis Jacq. Ibid. 4.

66. hirta L. Ibid.

- β. *O. hirtella* Jacq.
 67. *tubiflora* Jacq. Ibid. 2.
 β. *O. canescens* Jacq.
 68. *secunda* Jacq. Ibid. 2.
 69. *multiflora* Jacq. Ibid. 2.
 70. *rubella* Jacq. Ibid. 2.
 71. *rosacea* Jacq. Ibid. 2.
 72. *repens* Thunb. Ibid., Madagascar, Zeylon.
 73. *reptatrix* Jacq. Cap. b. sp. 2.
 74. *disticha* Jacq. Ibid. 2.
 75. *incarnata* L. Ibid. 2.

***** *Foliis ternatis, pedunculis multifloris; caulescentes.*

76. *conorthiza* Jacq. Paraguay. 2.
 77. *crenata* Jacq. Peru. ☉.
 78. *lateriflorum* Jacq. Cap. b. sp. 2.
 79. *Dillenii* Jacq. Carolina, Guadeloupe. ☉.
 80. *stricta* L. Virginia, Jamaica, Europa. 2.
 81. *corniculata* L. Europa, Japonia. ☉.
 82. *Plumieri* Jacq. America merid.

(*O. frutescens* L.)

83. *pentantha* Jacq. Caraccas.
 84. *rhombifolia* Jacq. Caraccas.
 85. *rosea* Jacq. Chili.
 86. *Barrelieri* L. Gujana, Brasilia, Caraccas. ☉.

***** *Foliis digitatis.*

87. *Burmanni* Jacq. Cap. b. sp. 2.
 88. *tomentosa* L. Ibid. 2.
 89. *lupinifolia* Jacq. Ibid. 2.
 90. *pectinata* Jacq. Ibid. 2.
 91. *flabellifolia* Jacq. Ibid. 2.
 92. *flava* L. Ibid. 2.

***** *Foliis pinnatis.*

93. *sensitiva* L. India orient.
 919. AGROSTEMMA. Rhade. T. II. p. 805.
 1. *Githago* L. Europa. ☉.
 β. *nicaeensis* W. Europa.

2. *Coronaria* L. Europa. ♂.
 - α. floribus simplicibus rubris Aiton.
 - β. floribus simplicibus albis Aiton.
 - γ. floribus plenis Aiton.
 3. *Flos jovis* L. Helvetia, Gallia, Germania. 4.
 4. *Coeli rosa* L. Sicilia, Oriens. ☉.
920. **LYCHNIS.** *Lychnis.* T. II. p. 807.
1. *chalcedonica* L. Russia. 4.
 - α. flore coccineo Bauhin.
 - β. flore candido Tournef.
 - γ. flore pleno aurantiaco Boerk.
 2. *Flos cuculi* L. Europa. 4.
 - β. flore pleno Bauhin.
 3. *coronata* Thunb. China, Japonia. 4.
(*L. grandiflora* Jacq.)
 4. *quadridentata* L. Italia, Helvetia, Germania.
 5. *Viscaria* L. Europa. 4.
 6. *alpina* L. Alpes Europae. 4. ♂.
 7. *magellanica* La Marck. In freto Magellanico. 4.
 8. *sibirica* L. Sibiria. 4.
 9. *laeta* Aiton. Lusitania. ☉.
 10. *dioica* L. Europa. 4.
 - β. *L. alba* Miller.
 - γ. *L. alba multiplex* Bauhin.
 - 10a. *sylvestris* W. Europa. 4. Enum. p. 491.
(*L. dioica* α. W. Sp. pl.)
 11. *apetala* L. Lapponia, Sibiria. 4.
921. **CERASTIUM.** *Hornkraut.* T. II. p. 811.
* *Capsulis oblongis.*
1. *perfoliatum* L. Graecia, Sibiria. ☉.
 2. *vulgatum* L. Europa. ☉.
 3. *anomalum* Waldst. et Kit. Hungaria. ☉.
 4. *viscosum* L. Europa. ☉.
 5. *femidecandrum* L. Europa. ☉.
 6. *pentandrum* L. Hispania.
 7. *arvense* L. Europa. 4.
 8. *lineare* Allion. Pedemons. 4.

9. *dichotomum* L. Hispania. ☉.
 9^a. *lanatum* Persoon. Groenlandia, Helvetia, Gallia. 4. Enum. p. 493.
 10. *longifolium* W. Armenia. ☉.
 11. *alpinum* L. Alpes Europae. 4.
 β. *glabrum* Fl. dan.
 ** *Capsulis subrotundis.*
 12. *repens* L. Gallia, Italia, Germania. 4.
 13. *strictum* L. Austria, Helvetia. 4.
 14. *suffruticosum* L. Europa austr. 5.
 15. *maximum* L. Sibiria. ☉.
 16. *aquaticum* L. Europa. 4.
 β. *Alsine media decastemon* Fl. dan.
 16^a. *ovatum* Hoppe. Carinthia. 4. Enum. p. 493.
 17. *dioicum* Aiton. Hispania. 4.
 18. *latifolium* L. Alpes Europae. 4.
 19. *tomentosum* L. Granada. 4.
 β. *angustifolium* Bauhin.
 20. *manticum* L. Veronae, Helvetia. ☉.
 922. SPERGULA. Spark. T. II. p. 818.
 1. *arvensis* L. Europa. ☉.
 2. *pentandra* L. Europa. ☉.
 3. *nodosa* L. Europa. 4.
 4. *laricina* L. Sibiria. 4.
 5. *saginoidea* L. Europa. 4.
 6. *subulata* Swartz. Europa. ☉.
 (*S. laricina* Wulfen, Lightf. Huds. — *S. saginoidea* Retz, Hoffmann, Roth.)
 7. *glabra* W. Alpes Valdens. 4.
 (*S. saginoidea* Allion.)

DECAGYNIA.

923. NEURADA. Dornknopf. T. II. p. 821.
 1. *procumbens* L. Aegyptus, Arabia, Numidia. ☉.

924. PHYTOLACCA. Kermesbeere. T. II. p. 812.
 1. octandra L. Mexico. 4.
 2. stricta Hoffmann. America. 4.
 (*P. heptandra* Retz.)
 3. abyssinica Hoffmann. Abyssinica. 5.
 (*P. dodecandra* Aiton, l'Heritier.)
 4. decandra L. Virginia, Helvetia, Italia. 4.
 4^a. dodecandra l'Heritier. . . 4. Enum. p. 495.
 5. icosandra L. India orient. 4.
 6. dioica L. America austr. 5.

Classis XI.

D O D E C A N D R I A.

M O N O G Y N I A.

925. ASARUM. Haselwurtz. T. II. p. 838.
 1. europaeum L. Europa. 4.
 2. canadense L. Canada, Pennsylvania. 4.
 3. virginicum L. Virginia, Carolina, Maryland. 4.
 926. TOMEX. Tomex. T. II. p. 839.
 1. japonica Thunb. Japonia. 5.
 2. Tetranthera W. China.
 (*Tetranthera laurifolia* Jacq.)
 3. Sebifera W. Cochinchina, China. 4.
 (*Sebifera glutinosa* Loureiro. — *Laurus involuerata* Retz.)
 927. BOCCONIA. Bocconie. T. II. p. 840.
 1. frutescens L. Mexico, Jamaica, Domingo, Cuba. 5.
 2. cordata W. China. 5.
 928. DODECAS. Dodecas. T. II. p. 841.
 1. surinamensis L. Surinam. 5.
 929. AGATHOPHYLLUM. Gutblatt. T. II. p. 842.
 1. aromaticum W. Madagascar. 5.

MONOGYNIA.

303

(*Evodia Ravensura* Gaertner.)

930. BASSIA. Bassie. T. II. p. 842.
 1. longifolia L. Malabar. H.
 2. latifolia Roxb. India orient. H.
 3. obovata Forster. Ins. Tanna. H.
931. RHIZOPHORA. Wurzelbaum. T. II. p. 843.
 1. conjugata L. India. H.
 2. gymnorhiza L. Ibid. H.
 3. Candel L. Ibid. H.
 4. Mangle L. Malabar, Ins. Caribaearum. H.
 5. cylindrica L. Malabar. H.
932. CRENAEA. Kerbling. T. II. p. 844.
 1. maritima Aublet. Gujana. H.
933. APACTIS. Apactis. T. II. p. 845.
 1. japonica Thunb. Japonia. H.
934. BLAKEA. Blakie. T. II. p. 845.
 1. trinervia L. Jamaica. H.
 2. triplinervia L. Gujana. H.
 3. pulverulenta Vahl. America merid. H.
935. BEFARIA. Befarie. T. II. p. 846.
 1. resinosa L. Nova-Granada. H.
 2. aestuans L. Ibid. H.
936. VATICA. Vatica. T. II. p. 847.
 1. chinensis L. China. H.
937. GRANGERIA. Grangerie. T. II. p. 848.
 1. borbonica LaMarck. Ins. Bourbon. H.
938. GARCINIA. Mangostane. T. II. p. 848.
 1. Mangostana L. Java. H.
 2. celebica L. India. H.
 3. Cambogia W. India. H.

(*Cambogia Gutta* L.)

 4. cornea L. Ibid. H.
939. HALEZIA. Halesie. T. II. p. 849.
 1. tetraptera L. Carolina. H.
 2. diptera L. Ibid. H.
940. DECUMARIA. Decumarie. T. II. p. 850.

1. *barbara* L. Carolina. ̄.
2. *sarmentosa* Bosc. Ibid. ̄.
(*Forsythia scandens* Walter.)
941. ARISTOTELIA. Aristotelia. T. II. p. 851.
 1. *Macqui* l'Héritier. Chili. ̄.
942. CANELLA. Canellbaum. T. II. p. 851.
 1. *alba* L. India occid. ̄.
943. CRATAEVA. Crataeve. T. II. p. 852.
 1. *gynandra* L. Jamaica. ̄.
 2. *Tapia* L. In Indiis. ̄.
 3. *obovata* Vahl. Madagascar. ̄.
 4. *religiosa* Forster. India orient., Ins. Societatis. ̄.
 5. *Marmelos* L. India. ̄.
944. TRIUMFETTA. Triumfette. T. II. p. 854.
 1. *Lappula* L. Jamaica, Brasilia, in Bermudis. ̄.
 2. *glandulosa* Forsk. Arabia fel., India. ̄.
 3. *Bartramia* L. India. ☉.
 4. *velutina* Vahl. Ins. Mauritii.
 5. *procumbens* Forster. Ins. Societatis.
 6. *hirta* Vahl. America. ̄.
 7. *semitriloba* L. America calid. ̄.
 8. *grandiflora* Vahl. Montserrat. ̄.
 9. *macrophylla* Vahl. America merid. ̄.
 10. *rhombaeifolia* Swartz. India occid. ̄.
 11. *annua* L. India orient. ☉.
945. EURYA. Weitast. T. II. p. 856.
 1. *japonica* Thunb. Japonia. ̄.
946. PEGANUM. Harmala. T. II. p. 857.
 1. *Harmala* L. Hispania, Cappadocia, Sibir. 2.
 2. *crithmifolium* Retz. Ad mare Caspium. ̄.
 3. *retusum* Forsk. Aegyptus. 2.
 4. *dauricum* L. Sibiria. 2.
 - β. *Harmala montana* Ammann.
947. HUDSONIA. Hudsonie. T. II. p. 858.
 1. *ericoides* L. Virginia, Pennsylvania. ̄.
948. NITRARIA. Salpeterstrauch. T. II. p. 858.

1. *Schoberi* L. Sibiria. 5.
 β . *foliis latioribus* W. Ad Mare Caspium.
2. *tridentata* Desfont. Barbaria. 5.
949. PORTULACA. Portulac. T. II. p. 859.
 1. *oleracea* L. Europa, India, America. ☉.
 β . *latifolia lativa* Bauhin.
 2. *pilosa* L. America merid. ☉.
 β . *curassavica* Hermann.
 3. *quadrifida* L. Aegyptus. ☉.
 4. *halimoides* L. Jamaica. ☉.
 5. *meridiana* L. India orient. ☉.
950. TALINUM. Talinum. T. II. p. 862.
 1. *triangulare* L. America. 5.
 2. *crassifolium* W. 5.
 (*Portulaca crassifolia* Jacq.)
 3. *Anacampseros* L. Cap. b. sp. 5.
 4. *patens* L. America calid. 5.
 β . *T. reflexum* Cavanil.
 5. *cuneifolium* W. Arabia fel. 5.
 (*Portulaca cuneifolia* Vahl.)
 6. *decumbens* W. Ibid. 5.
 (*Portulaca decumbens* Vahl.)
 7. *fruticosum* L. America. 5.
951. LYTHRUM. Weiderich. T. II. p. 865.
 1. *Salicaria* L. Europa. 4.
 β . *Folio subrotundo*.
 γ . *Foliis ternis*.
 δ . *Foliis quaternis*.
 ϵ . *Foliis utrinque pubescentibus* W. Enum. p. 498.
 America bor.
 2. *virgatum* L. Austria, Sibiria, Tartaria. 4.
 3. *acuminatum* W. Iberia. 4.
 4. *triflorum* L. America. 4.
 5. *verticillatum* L. Virginia.
 6. *petiolatum* L. Ibid.
 7. *racemosum* L. America merid. 5.

924. PHYTOLACCA. Kermesbeere. T. II. p. 812.

1. octandra L. Mexico. 4.

2. stricta Hoffmann. America. 4.

(P. heptandra Retz.)

3. abyssinica Hoffmann. Abyssinica. 5.

(P. dodecandra Aiton, l'Heritier.)

4. decandra L. Virginia, Helvetia, Italia. 4.

4^a. dodecandra l'Heritier. . . 4. Enum. p. 495.

5. icosandra L. India orient. 4.

6. dioica L. America austr. 5.

Classis XI.

D O D E C A N D R I A.

M O N O G Y N I A.

925. ASARUM. Haselwurtz. T. II. p. 838.

1. europaeum L. Europa. 4.

2. canadense L. Canada, Pennsylvania. 4.

3. virginicum L. Virginia, Carolina, Maryland. 4.

926. TOMEX. Tomex. T. II. p. 839.

1. japonica Thunb. Japonia. 5.

2. Tetranthera W. China.

(Tetranthera laurifolia Jacq.)

3. Sebifera W. Cochinchina, China. 4.

(Sebifera glutinosa Loureiro. — Laurus involuerata Retz.)

927. BOCCONIA. Bocconia. T. II. p. 840.

1. frutescens L. Mexico, Jamaica, Domingo, Cuba. 5.

2. cordata W. China. 5.

928. DODECAS. Dodecas. T. II. p. 841.

1. surinamensis L. Surinam. 5.

929. AGATHOPHYLLUM. Gutblatt. T. II. p. 842.

1. aromaticum W. Madagascar. 5.

(*Evodia Ravensura* Gaertner.)

930. BASSIA. Bassie. T. II. p. 842.

1. longifolia L. Malabar. H.
2. latifolia Roxb. India orient. H.
3. obovata Forster. Ins. Tanna. H.

931. RHIZOPHORA. Wurzelbaum. T. II. p. 843.

1. conjugata L. India. H.
2. gymnorhiza L. Ibid. H.
3. Candel L. Ibid. H.
4. Mangle L. Malabar, Ins. Caribaearum. H.
5. cylindrica L. Malabar. H.

932. CRENAEA. Kerbling. T. II. p. 844.

1. maritima Aublet. Gujana. H.

933. APACTIS. Apactis. T. II. p. 845.

1. japonica Thunb. Japonia. H.

934. BLAKEA. Blakie. T. II. p. 845.

1. trinervia L. Jamaica. H.
2. triplinervia L. Gujana. H.
3. pulverulenta Vahl. America merid. H.

935. BEFARIA. Befarie. T. II. p. 846.

1. resinosa L. Nova-Granada. H.
2. aestuans L. Ibid. H.

936. VATICA. Vatica. T. II. p. 847.

1. chinensis L. China. H.

937. GRANGERIA. Grangerie. T. II. p. 848.

1. borbonica LaMarck. Ins. Bourbon. H.

938. GARCINIA. Mangostane. T. II. p. 848.

1. Mangostana L. Java. H.
2. celebica L. India. H.
3. Cambogia W. India. H.

(*Cambogia Gutta* L.)

4. cornea L. Ibid. H.

939. HALEZIA. Halesie. T. II. p. 849.

1. tetraptera L. Carolina. H.
2. diptera L. Ibid. H.

940. DECUMARIA. Decumarie. T. II. p. 850.

1. *barbara* L. Carolina. 5.
2. *sarmentosa* Bosc. Ibid. 5.
(*Forsythia scandens* Walter.)
941. ARISTOTELIA. Aristotelia. T. II. p. 851.
 1. *Macqui* l'Héritier. Chili. 5.
942. CANELLA. Canellbaum. T. II. p. 851.
 1. *alba* L. India occid. 5.
943. CRATAEVA. Crataeve. T. II. p. 852.
 1. *gynandra* L. Jamaica. 5.
 2. *Tapia* L. In Indiis. 5.
 3. *obovata* Vahl. Madagascar. 5.
 4. *religiosa* Forster. India orient., Ins. Societatis. 5.
 5. *Marmelos* L. India. 5.
944. TRIUMFETTA. Triumfette. T. II. p. 854.
 1. *Lappula* L. Jamaica, Brasilia, in Bermudis. 5.
 2. *glandulosa* Forsk. Arabia fel., India. 5.
 3. *Bartramia* L. India. ☉.
 4. *velutina* Vahl. Ins. Mauriti.
 5. *procumbens* Forster. Ins. Societatis.
 6. *hirta* Vahl. America. 5.
 7. *semitriloba* L. America calid. 5.
 8. *grandiflora* Vahl. Montserrat. 5.
 9. *macrophylla* Vahl. America merid. 5.
 10. *rhombaeifolia* Swartz. India occid. 5.
 11. *annua* L. India orient. ☉.
945. EURYA. Weitast. T. II. p. 856.
 1. *japonica* Thunb. Japonia. 5.
946. PEGANUM. Harmala. T. II. p. 857.
 1. *Harmala* L. Hispania, Cappadocia, Sibir. 4.
 2. *crithmifolium* Retz. Ad mare Caspium. 5.
 3. *retusum* Forsk. Aegyptus. 4.
 4. *dauricum* L. Sibiria. 4.
 - β. *Harmala montana* Ammann.
947. HUDSONIA. Hudsonia. T. II. p. 858.
 1. *ericoides* L. Virginia, Pennsylvania. 5.
948. NITRARIA. Salpeterstrauch. T. II. p. 858.

1. *Schoberi* L. Sibiria. 5.

β. *foliis latioribus* W. Ad Mare Caspium.

2. *tridentata* Desfont. Barbaria. 5.

949. **PORTULACA.** Portulac. T. II. p. 859.

1. *oleracea* L. Europa, India, America. ☉.

β. *latifolia sativa* Bauhin.

2. *pilosa* L. America merid. ☉.

β. *curassavica* Hermann.

3. *quadrifida* L. Aegyptus. ☉.

4. *halimoides* L. Jamaica. ☉.

5. *meridiana* L. India orient. ☉.

950. **TALINUM.** Talinum. T. II. p. 862.

1. *triangulare* L. America. 5.

2. *crassifolium* W. 5.

(*Portulaca crassifolia* Jacq.)

3. *Anacampseros* L. Cap. b. sp. 5.

4. *patens* L. America calid. 5.

β. *T. reflexum* Cavanil.

5. *cuneifolium* W. Arabia fel. 5.

(*Portulaca cuneifolia* Vahl.)

6. *decumbens* W. Ibid. 5.

(*Portulaca decumbens* Vahl.)

7. *fruticosum* L. America. 5.

951. **LYTHRUM.** Weiderich. T. II. p. 865.

1. *Salicaria* L. Europa. 4.

β. *Folio subrotundo.*

γ. *Foliis ternis.*

δ. *Foliis quaternis.*

ε. *Foliis utrinque pubescentibus* W. Enum. p. 498.

America bor.

2. *virgatum* L. Austria, Sibiria, Tartaria. 4.

3. *acuminatum* W. Iberia. 4.

4. *triflorum* L. America. 4.

5. *verticillatum* L. Virginia.

6. *petiolatum* L. Ibid.

7. *racemosum* L. America merid. 5.

- 8. *ciliatum* Swartz. Jamaica. 5.
- 9. *Pemphis* L. Zeylon et Ins. Teautese. 5.
- 10. *dipetalum* L. America. 5.
- 11. *lineare* L. Virginia.
- 12. *Parsonsia* L. Jamaica, Hispaniola. 4.
- 13. *Melanium* L. Jamaica. 4.
- 14. *cordifolium* Swartz. Domingo. 5.
- 15. *Hyssopifolia* L. Europa. ☉.
- β. *Lysimachia linifolia purpureo-coerulea* Bauhin.
- 16. *Thymifolia* L. Italia, Gallia, Hircania. ☉.
- 952. CUPHEA. Cuphea. T. II. p. 870.
 - 1. *viscosissima* Jacq. Brasilia, Virginia, Carolina, Jamaica. ☉.
- (*Lythrum Cuphea*. L.)
- 953. GINORA. Ginorie. T. II. p. 871.
 - 1. *americana* L. Cuba. 5.
- 954. KLEINHOVIA. Kleinbovie. T. II. p. 871.
 - 1. *Hospita* L. Java, Amboina, Ins. Philippinae. 5.
- 955. STERCULIA. Stinkbaum. T. II. p. 872.
 - 1. *lanceolata* Cavanil. China. 5.
 - 2. *Balanghas* L. India. 5.
 - 3. *crinita* Cavanil. Gujana. 5.
 - (*S. Ivira* Swartz.)
 - 4. *cordifolia* Cavanil. Senegal. 5.
 - 5. *colorata* Roxb. India orient. 5.
 - 6. *arens* Roxb. Ibid. 5.
 - 7. *platanifolia* L. Japonia, China. 5.
 - 8. *foetida* L. India orient. 5.

DIGYNIA.

- 956. HELIOCARPUS. Sonnenfrucht. T. II. p. 874.
 - 1. *americana* L. Vera - Crux. 5.
- 957. AGRIMONIA. Odermennig. T. II. p. 875.
 - 1. *Eupatoria* L. Europa. 4.
 - 2. *odorata* Camerar. Italia. 4.
 - 3. *repens* L. Armenia. 4.

4. *parviflora* Aiton. America bor. ☉.
5. *Agrimonoides* L. Italia, Carniolia. 4.

T R I G Y N I A.

958. RESEDA. Resede (Wau) T. II. p. 876.

1. *Luteola* L. Europa. ☉.
2. *canescens* L. Salmantica. 4.
3. *glauca* L. In Pyrenaeis, Hispania. 4.
- 3a. *scoparia* Broussonet. Teneriffa. 5. Enum. p. 499.
4. *dipetala* Aiton. Cap. b. sp. ♂.
5. *purpurascens* L. Gallia, Hispania.
6. *Sesamoides* L. Hispania, Gallia, Italia. 4.
7. *fruticulosa* L. Hispania. 4.
8. *alba* L. Gallia, Hispania. ☉.
- 8a. *bipinnata* W. Hispania. 5. Enum. p. 499.
9. *undata* L. Hispania. 4.
10. *lutea* L. Europa. ☉.
- β. *R. gallica crispa* Boccona.
- 10a. *ramosissima* Pourret. Hispania. 4. Enum. pag. 499.
- 10b. *laxatilis* Pourret. Hispania. 4. Enum. p. 500. (*R. stricta* Persoon.)
11. *Phyteuma* L. Europa, Oriens. ☉.
- β. *R. folio minus inciso* Tournef.
- γ. *R. foliis integris* Tournef.
12. *mediterranea* L. Palaestina. ☉.
13. *odorata* L. Aegyptus. ♂.

959. EUPHORBIA. Wolfsmilch. T. II. p. 881.

* *Fruticosae, aculeatae.*

1. *antiquorum* L. India. 5.
- β. *L. ramis erectis* Miller.
2. *canariensis* L. In Canariis. 5.
3. *virosa* W. Cap. b. sp. 5.
4. *heptagona* L. Aethiopia. 5.
5. *mammillaria* L. Ibid. 5.

6. *cereiformis* L. Ibid. H.
7. *officinatum* L. Africa calid. H.
 - β. *Kolquall* Bruce.
8. *triaculeata* Forsk. Arabia fel. H.
9. *neriifolia* L. India. orient. H.
- 9a. *uncinata* de Candol. H. Enum. p. 500.
10. *Hystrix* Jacq. Cap. b. sp. H.
11. *tribuloides* La Marck. In Canariis. H.
12. *stellata* W. Cap. b. sp. H.
13. *cucumerina* W. Cap. b. sp. H.
 ** *Fruticosaes inermes. Caulis nec dichotomus, nec umbelliferus.*
14. *meloformis* Aiton. Cap. b. sp. H.
15. *Caput medusae* L. Aethiopia, Cap. b. sp. H.
 - β. *Euphorbium anacanthum* Isnard.
 - γ. *Euphorbium Burmann.* afr. t. 10. f. 1.
 - δ. *Euphorbium Burmann.* afr. t. 8.
 - ε. *Euphorbium Burmann.* afr. t. 9. f. r.
16. *tuberculata* Jacq. Cap. b. sp. H.
17. *Anacantha* Aiton. Ibid. H.
- 17a. *Ornithopus* Jacq. Ibid. H. Enum. p. 501.
- 17b. *aphylla* Broussonet. Teneriffa. H. Enum. p. 501.
- 17c. *atropurpurea* Broussonet. Teneriffa. H. Enum. p. 501.
18. *Clava* Jacq. Ibid. H.
19. *bupleurifolia* Jacq. Ibid. H.
20. *lophogona* La Marck. Madagascar. H.
21. *mauritanica* L. Africa. H.
22. *piscatoria* Aiton. Madera, in Canariis. H.
23. *balsamifera* Aiton. In Canariis. H.
24. *Tirucalli* L. India. H.
25. *laurifolia* La Marck. Peru. H.
26. *pyrifolia* La Marck. Ins. Mauriti. H.
27. *Tithymaloides* L. America calid. H.
 - α. *myrtifolia.*
 - β. *padifolia.*
28. *heterophylla* L. Ibid. H.

29. *cyathophora* Jacq. Ibid. 5.
 30. *nudiflora* Jacq. . . . 5.
 31. *cotinifolia* L. Curassao. 5.
 32. *mellifera* Aiton. Madera. 5.
 33. *glabrata* Swartz. Ins. Caribaeae. 5.
 34. 1
 35. 11
 36. o
 37. o
 38. 1
 38. 1
 39. o
 40. A
 41. *hypericifolia* L. India occid. 5.
 42. *prostrata* Aiton. Ibid. 5.
 43. *rosea* Retz. Indie orient. 5.
 44. *maculata* L. Americae sept. 5.
 45. *scordifolia* Jacq. Africa. 5.
 46. *picta* Jacq. Ins. Venezuela. 2.
 46. *Humboldtii* W. America merid. 2.
 p. 503.
 47. *hirta* L. India orient. 5.
 48. *pilulifera* L. India. 5.
 49. *brasiliensis* LaMarch. Brasilia.
 50. *hyssopifolia* L. America.
 51. *thymifolia* L. India. 5.
 β. *E. nodosa* Houttuyn.
 52. *parviflora* L. India 5.
 53. *canescens* L. Hispania. 5.
 54. *Chamaesyce* L. Europa, Sibiria, Mesopo-
 tamia, India occid. 5.
 55. *granulata* Forsk. Arabia fel.
 56. *Peplis* L. Europa. 5.
 57. *polygonifolia* L. Canada, Virginia. 5.
 58. *linearis* Retz. Ins. St. Crucis.

59. *graminea* L. Carthagens.
 60. *Ipecacuanhae* L. Virginia, Canada. 2.
 61. *portulacoides* L. Philadelphia. 2.
 62. *adanthoides* La Marck. Peru.
 63. *myrtifolia* L. Jamaica. 5.
 64. *imbricata* Vahl. Lusitania. 5.
 65. *elliptica* La Marck. Peru. ①.
 66. *rubra* Cavanil. Hispania, Gallia. ①.
 (*E. exigua* γ. L.)
 67. *herniariaefolia* W. Creta.
 **** *Umbella trifida*.
 68. *Peplus* L. Europa. ①.
 β. *Peplis minor* Bauhin.
 69. *falcata* L. Europa. ①.
 70. *exigua* L. Europa merid. ①.
 α. *acuta*.
 β. *retusa*.
 71. *obliterata* Jacq. Jamaica, Hispaniola.
 72. *spathulata* La Marck. Brasilia.
 73. *micrantha* Stephan. Persia. ①.
 74. *dracunculoides* La Marck. Ins. Mauriti. ①.
 75. *tuberosa* L. Aegyptus, Aethiopia. 5.
 ***** *Umbella quadrifida*.
 76. *Lathyris* L. Europa. ♂.
 77. *terraccina* L. Hispania. ①.
 78. *diffusa* Jacq. Austria. ①.
 79. *Apios* L. Creta. 2.
 80. *laeta* Aiton. . . . 5.
 (*E. divaricata* Jacq.)
 ***** *Umbella quinquefida*.
 81. *genistoides* L. Cap. b. sp. 5.
 82. *spinosa* L. Creta, Gallia. 5.
 83. *epithymoides* L. Italia, Austria. 2.
 84. *villosa* Walst. et Kit. Hungaria. 2.
 84a. *nummulariaefolia* W. . . . 5. Enum.
 pag. 503.
 (*E. pulchella* Hortulanor.)

85. *dulcis* L. Europa. 24.
 86. *ambigua* Waldst. et Kit. Hungaria. 24.
 87. *carniolica* Jacq. Carniolia. 24.
 88. *angulata* Jacq. Austria. 24.
 89. *Pithyusa* L. Europa. 24.
 90. *portlandica* L. Anglia. 5.
 91. *saxatilis* Jacq. Austria. 24.
 92. *Paralias* L. Europa. 24.
 93. *junceae* Aiton. Ins, Porto Santo. 24.
 94. *aleppica* L. Creta, Aleppo. 24.
 95. *pinca* L.
 95a. *valentia* W. Hispania. ☉. Enum, p. 504.
 (*E. heterophylla* Hortulan.)
 96. *segetalis* L. Europa. ☉.
 97. *provincialis* W. Galloprovincia. ☉.
 98. *helioscopia* L. Europa. ☉.
 99. *pubescens* Vahl. Barbaria.
 100. *ferrata* L. Europa austr., Oriens. ☉.
 β. *E. retusa* Forsk.
 101. *verrucosa* L. Europa, Oriens. ♂.
 102. *glauca* Forster. Nova-Zeelandia. 5.
 103. *punicea* Swartz. Jamaica. 5.
 104. *corollata* L. Virginia, Canada.
 105. *coralloides* L. Sicilia, Mauritania, Oriens. 24.
 106. *pilosa* L. Sibiria. 24.
 107. *orientalis* L. Oriens.
 108. *squamosa* W. Cappadocia.
 109. *platyphyllos* L. Europa media. ☉.
 110. *literata* Jacq. ... ☉.
 ***** *Umbella multifida*.
 111. *Esula* L. Europa. 24.
 112. *Gerardiina* Jacq. Europa. 24.
 (*E. Cajogala* Ehrhart.)
 113. *Cyparissias* L. Europa. 24.
 β. *Esula degener* Rivin.
 113a. *virgata* Waldst. et Kit. Hungaria, Croatia,
 Sclavonia. 24, Enum, p. 506.

114. *nicaeensis* L. Com. Nicaeensis, Hispania, Austria. 4.
115. *myrsinites* L. Calabria, Gallia. 4.
116. *palustris* L. Europa. 4.
117. *pallida* W. Hungaria. 4.
118. *emarginata* Aiton. Italia. 4.
119. *hiberna* L. Hibernia, Sibiria, Austria, Pyrenaeae. 4.
120. *salicifolia* Host. Hungaria. 4.
1204. *lucida* Walst. et Kit. Hungaria. 4. Enum. pag. 506.
121. *dendroides* L. Italia, Creta, Ins. Stoeckadum. 5.
122. *amygdaloides* L. Europa. 4.
123. *syriaca* L. Ibid. 5.
124. *Characias* L. Hispania, Italia, Gallia. 5.
1244. *veneta* W. Venetiis. 5. Enum. p. 507.
960. VISNEA. Visnea. T. II. p. 926.
1. *Mocanera* L. Ins. Canarienses. 5.

TETRAGYNIA.

961. CALLIGONUM. Hackenknopf. T. II. p. 926.
1. *Polygonoides* L. In m. Arabas. 5.
2. *comosum* l'Héritier. Aegyptus, Barbana. 5.
3. *Pallasia* l'Héritier. Versus mare Caspium. 5.
(*Pallasia caspica* L.)
962. APONOGETON. Aponogeton. T. II. p. 927.
1. *monostachyon* L. India orient. 4.
- β. *A. lineare* Vahl.
2. *crispum* Thunb. Zeylon.
3. *distachyon* Thunb. Cap. b. sp. 4.
4. *angustifolium* Aiton. Ibid. 4.

PENTAGYNIA.

963. GELINUS. Glinus. T. II. p. 929.
1. *lotoides* L. Hispania, Sicilia. 0.

2. fetiflorus Forsk. Arabia. 5.
3. dictamnoides L. India. 5.
964. BLACKWELLIA. Blackwellie. T. II. p. 930.
1. integrifolia La Marck. Ins. Mauritii. 5.
2. paniculata La Marck. Ins. Bourbon. 5.
3. axillaris La Marck. Madagascar. 5.

D O D E C A N D R I A.

965. SEMPERVIVUM. Hauswurz. T. II. p. 930.
1. arboreum L. Lusitania, Creta, Corcyra, Zaccinthus. 5.
2. canariense L. In Canariis. 5.
3. glutinosum Aiton. Madera. 5.
4. glandulosum Aiton. Ibid. 5.
5. tectorum L. Europa. 4.
6. globiferum L. Austria, German., Russia. 4.
7. villosum Aiton. Madera. 5.
8. tortuosum Aiton. In Canariis. 5.
9. stellatum Smith. M. Baldo. 5.
10. arachnoideum L. Alpes Europae. 4.
11. hirtum L. Germania, Helvetia. 4.
12. montanum L. Helvetia, Silesia. 4.
13. sediforme L. Europa austr. 4.
- β. Monstrosam Jacq.
14. monanthos Aiton. In Canariis. 4.
14. ciliatum Brongniet. Teneriffa. 5. Enumer. pag. 508.
14. dodrantele W. Teneriffa. 5. Enumer. pag. 508.
14. hispanicum W. Hispania. 4. Enumerat. pag. 508.

Classis XII.

I C O S A N D R I A.

M O N O G Y N I A.

966. CACTUS. Fackeldistel. T. II. p. 938.

* *Echinomelocacti subrotundi.*

1. mammillaris L. America calid. H.

β. Melocactus minimus Plumier.

γ. Ficoides - minima Plukenet.

δ. spinis albis Enum. p. 509.

2. Melocactus L. Jamaica, America calid. H.

β. Cactus subrotundus 14 → angularis Miller.

3. nobilis L. Mexico. H.

** *Cerei erecti, stantes per se*

4. cylindricus La Marck. Peru. H.

5. Pitahaya Jacq. Cartagena. H.

6. heptagonus L. America. H.

7. tetragonus L. Curassao, America calid. H.

8. hexagonus L. Surinam. H.

9. pentagonus L. America. H.

10. repandus L. America calid. H.

11. lanuginosus L. Curassao. H.

12. peruvianus L. Jamaica, Peru. H.

13. Royeni L. America calid. H.

*** *Cerei repentes, radiculis lateralibus.*

14. grandiflorus L. Jamaica, Vera Cruz. H.

15. flagelliformis L. America calid. H.

16. pendulus Swartz. Jamaica, Hispaniola. H.

17. parasiticus L. America.

18. triangularis L. Brasilia, Jamaica, Marti-
nica. H.

β. C. triangularis Jacq.

**** *Opuntiae compressae, articulis proliferis.*

19. moniliformis L. America calid. 4.

20. Opuntia L. Peru, Virginia, Europa austr. H.

21. Ficus indica L. America calid. H.

22. *Tuna* L. Jamaica, America calid. H.
β. *C. elatior* *Euphrasen*.
23. *coccinellifer* L. Ibid. H.
24. *curassavicus* L. Curassao. H.
25. *spinosissimus* *La Marck*. Jamaica. H.
26. *alatus* *Swartz*. Jamaica. H.
27. *Phyllanthus* L. Brasilia, Surinam, America merid. H.
28. *Pereskia* L. America calid., Jamaica, Margaretha. H.
29. *portulacaefolius* L. America calid. H.
967. PHILADELPHUS. Pfeifenstrauch. T. II. p. 947.
 1. *coronarius* L. Europa austr. H.
β. *nanus* *Miller*.
 2. *inodorus* L. Carolina. H.
 24. *grandiflorus* *W*. America bor. H.
968. LEPTOSPERMUM. Südseemyrte. T. II. p. 948.
 1. *scoparium* *Forster*. Nova-Zeelandia. H.
α. *linifolia*.
(*Melaleuca scoparia* L.)
β. *myrtifolia*.
(*Melaleuca scoparia* β. *myrtifolia* *Wendland* et *Schrader*.)
 2. *Thea* *Smith*. Nova-Hollandia. H.
(*Melaleuca Thea* *Wendl.* et *Schrader*.)
 3. *flavescens* *Smith*. Ibid. H.
 4. *attenuatum* *Smith*. Ibid. H.
 5. *lanigerum* *Smith*. Ibid. H.
(*Philadelphus laniger* *Aiton*.)
 6. *pubescens* *Smith*. Ibid. H.
(*Philadelphus laniger* β. *piliger* *Aiton*.)
 7. *parvifolium* *Smith*. Ibid. H.
 8. *arachnoideum* *Gaertner*. Ibid. H.
 9. *juniperinum* *Smith*. Ibid. H.
(*Melaleuca tenuifolia* *Wendl.*)
 10. *baccatum* *Smith*. Ibid. H.
 11. *ambiguum* *Smith*. Ibid. H.

(*Metrosideros corifolia* Ventenat.)

12. *virgatum* Forster. Nova - Caledonia. H.

(*Melaleuca virgata* L.)

969. FABRICIA. Fabricie. T. II. p. 951.

1. *myrtifolia* Gaertner. Nova - Hollandia. H.

2. *laevigata* Smith. Ibid. H.

970. METROSIDEROS. Eisenmefs. T. II. p. 952.

* *Foliis oppositis.*

1. *hispida* Smith. Nova - Hollandia. H.

2. *floribunda* Smith. Ibid. H.

3. *costata* Gaertner. Ibid. H.

4. *diffusa* Smith. Nova - Zeelandia. H.

(*Melaleuca diffusa* Forster. — *M. lucida* L.)

5. *villosa* Smith. Tahiti. H.

(*Melaleuca villosa* L.)

6. *florida* Smith. Nova - Zeelandia. H.

(*Melaleuca florida* Forster.)

7. *glomulifera* Smith. Nova - Hollandia. H.

8. *angustifolia* Smith. Cap. b. sp. H.

(*Myrtus angustifolia* L.)

** *Foliis alternis.*

9. *ciliata* Smith. Nova - Caledonia. H.

(*Melaleuca ciliata* Forster.)

- 9^a. *pinifolia* Wendland. Nova - Hollandia. H.

Enum. p. 513.

10. *linearis* Smith. Nova - Hollandia. H.

(*Melaleuca linearis* Wendl. et Schrader.)

11. *lanceolata* Smith. Ibid. H.

(*M. lophanta* Ventenat.)

12. *saligna* Smith. Ibid. H.

13. *viminalis* Gaertner. Ibid. H.

- 13^a. *flexuosa* W. Ibid. H. Enum. p. 514.

14. *capitata* Smith. Ibid. H.

971. PSIDIUM. Gujayabaum. T. H. p. 957.

1. *pyriferum* L. India orient. H.

2. *pumilum* Vahl. Zeylon. H.

(*P. angustifolium* La Marek.)

3. aromaticum Aublet. Cajenna, Gujana H.
 4. grandiflorum Aublet. Cajenna. H.
 5. Decaspermum Eprster. Ins. Societatis. H.
 6. pomiferum L. In Indiis. H.
 7. guineense Swartz. Ins. Principis. H.
 8. montanum Swartz. Jamaica. H.
972. EUGENIA. Jambusenbaum. T. II. p. 959.
1. malaccensis L. India orient. H.
 2. Jambos L. Ibid. H.
 - 2a. balsamica Lacq. H. Enum. p. 514.
 3. baruensis Lacq. Ins. Baro. H.
 4. floribunda West. Ins. St. Crucis. H.
 5. buxifolia W. Hispaniola. H.
(*Myrtus buxifolia* Swartz.)
 6. axillaris W. Jamaica. H.
(*Myrtus axillaris* Swartz.)
 7. sinemariensis Aublet. Gujana. H.
 8. lateriflora Vahl. Ins. St. Crucis. H.
 9. crenulata W. Hispaniola. H.
(*Myrtus crenulata* Swartz.)
 10. alpina W. Jamaica. H.
(*Myrtus alpina* Swartz.)
 11. ligustrina W. Hispaniola. H.
(*Myrtus ligustrina* Swartz.)
 12. Pseudo psidium L. Martinica. H.
 13. uniflora L. Brasilia. H.
 14. Patrisii Vahl. America merid. H.
 15. zeylanica W. Zeylon. H.
 16. cotinifolia L. Cajenna. H.
 17. latifolia Aublet. Gujana. H.
 18. undulata Vahl. Cajenna, Gujana. H.
 19. Mini Aublet. Ibid. H.
 20. fragrans W. Jamaica. H.
(*Myrtus fragrans* Swartz.)
 21. punctata Vahl. Ins. St. Crucis. H.
 22. Cumete Aublet. Gujana. H.
 23. gujanensis Aublet. Ibid. H.

320 CLASSIS XII. ICOSANDRIA.

24. *caryophyllata* Thunb. In Moluccis. ̢.
(*Caryophyllus aromaticus* L.)

25. *elliptica* Smith. Nova-Hollandia. ̢.

26. *tomentosa* Aublet. Gujana. ̢.

27. *trinervia* Vahl. Cajenna. ̢.

28. *acutangula* L. India. ̢.

29. *racemosa* L. Ibid. ̢.

30. *laurina* W. Zeylon. ̢.

(*Myrtus laurinus* Retz.)

973. MYRTUS. Myrte. T. II. p. 967.

1. *communis* L. Europa austr., Asia, Africa. ̢.

α. *romana*.

β. *tarentina*.

γ. *italica*.

δ. *baetica*.

ε. *lusitanica*.

ζ. *belgica*.

η. *mucronata*.

2. *tenuifolia* Smith. Nova-Hollandia. ̢.

3. *tomentosa* Aiton. China, Cochinchina. ̢.

(*M. canescens* Loureiro.)

4. *cerasina* Vahl. Ins. Caribaeae. ̢.

5. *procera* Swartz. Hispaniola. ̢.

6. *bracteata* W. India orient. ̢.

7. *biflora* L. Jamaica. ̢.

8. *trinervia* Smith. Nova-Hollandia. ̢.

9. *lucida* L. Surinam. ̢.

10. *laevis* Thunb. Japonia. ̢.

11. *ruscifolia* W. India orient. ̢.

12. *dioica* L. America. ̢.

13. *lineata* Swartz. Domingo. ̢.

14. *cordata* Swartz. India occid. ̢.

15. *pallens* Vahl. America calid. ̢.

16. *dumosa* Vahl. Ibid. ̢.

17. *glabrata* Swartz. Hispaniola. ̢.

18. *disticha* Swartz. Jamaica. ̢.

19. *monticola* Swartz. Ibid. ̢.

- 20. *Gregii* Swartz. India occid. ̄.
- (*Greggia aromatica* Gaertner.)
- 21. *virgultosa* Swartz. Jamaica. ̄.
- 22. *zeylanica* L. Zeylon. ̄.
- 23. *splendens* Swartz. Hispaniola. ̄.
- (*Eugenia periplocifolia* Jacq.)
- 24. *androsaemoides* L. Zeylon. ̄.
- 25. *caryophyllata* L. Ibid. ̄.
- 26. *acris* Swartz. Jamaica, Antigua, Barbados. ̄.
- 27. *coriacea* Vahl. Hispaniola, St. Lucia. ̄.
- (*M. acris* β. Swartz.)
- 28. *Pimenta* L. India occid. ̄.

974. CALYPTRANTHES. Deckelmyrte. T. II.
pag. 974.

- 1. *Suzygium* Swartz. Jamaica. ̄.
- (*Myrtus Zuzygium* L.)
- 2. *guineensis* W. Guinea. ̄.
- 3. *caryophyllifolia* W. India orient. ̄.
- (*Eugenia caryophyllifolia* La Marck. — *Myrtus Cumini* L.)
- 4. *Jambolana* W. India orient. ̄.
- (*Eugenia Jambolana* La Marck.)
- 5. *Chytraculia* Swartz. Jamaica. ̄.
- (*Myrtus Chytraculia* L.)
- 6. *rigida* Swartz. Jamaica. ̄.

975. EUCALYPTUS. Schönmütze. T. II. p. 976.
* *Operculo conico.*

- 1. *robusta* Smith. Nova-Hollandia. ̄.
- 2. *pilularis* Smith. Ibid. ̄.
- 3. *tereticornis* Smith. Ibid. ̄.
- 4. *resinifera* White. Ibid. ̄.
- 5. *capitellata* White. Ibid. ̄.
- 6. *saligna* Smith. Ibid. ̄.

** *Operculo hemisphaerico.*

- 7. *botryoides* Smith. Nova-Hollandia. ̄.
- 8. *haemastoma* Smith. Ibid. ̄.

9. *piperita* *White*. Ibid. 5.
 10. *obliqua* *l'Héritier*. Ibid. 5.
 104. *microphylla* *W.* Ibid. 5. Enum. p. 515.
 11. *corymbosa* *Smith*. Ibid. 5.
 12. *paniculata* *Smith*. Ibid. 5.
 976. BANARA. Banare. T. II. p. 979.
 1. *fagifolia* *Vahl* Cajenna. 5.
 (*B. gujanensis* Aublet.)
 977. ANTHERYLIUM. Anthérylium T. II. p. 980.
 1. *Rohrii* *Vahl*. Ins. St. Thomae. 5.
 978. FOETIDIA. Stinckbaum. T. II. p. 980.
 1. *mauritiana* *La Marck*. Ins. Mauritii. 5.
 979. SCOLOPIA. Scolopie. T. II. p. 981.
 1. *pusilla* *W.* Zeylon 5.
 (*Limonia pusilla* Gaertner.)
 980. PUNICA. Granate. T. II. p. 981.
 1. *Granatum* *L.* Europa, Persia, Africa bor. 5.
 β. flore pleno.
 2. *nana* *L.* In Antillis. 5.
 981. AMYGDALUS. Mandel. T. II. p. 982.
 1. *Persica* *L.* Persia. 5.
 β. *Nucipersica* *Bauhin*.
 γ. flore pleno.
 2. *communis* *L.* Mauritania, Helvetia. 5.
 β. *A. lativa* *Bauhin*.
 γ. *A. amara* *Tournef.*
 3. *pumila* *L.* Africa. 5.
 β. flore pleno.
 4. *nana* *L.* Sibiria, Tataria. 5.
 5. *incana* *Pallas*. Caucasus. 5.
 6. *orientalis* *Miller*. Oriens. 5.
 (*A. argentea* *La Marck*.)
 982. FRUNUS. Pflaume. T. II. p. 984.
 1. *Padus* *L.* Europa. 5.
 β. *Pr. rubra* *W.*
 2. *virginiana* *L.* Virginia. 5.
 3. *serotina* *Ehrhart*. America bor. 5.

4. *canadensis* L. Ibid. 5.
5. *elliptica* Thunb. Japonia. 5.
6. *occidentalis* Swartz. Ins. Antillarum. 5.
7. *Sphaerocarpa* Swartz. Jamaica, Hispaniola. 5.
8. *lusitanica* L. Lusitania, Pensylvania. 5.
84. *Hixa* Broussonet, Teneriffa. 5. Enum. p. 517.
9. *caroliniana* Aiton. Carolina. 5.
10. *Lauro-Cerasus* L. In Trapezunte. 5.
11. *paniculata* Thunb. Japonia. 5.
12. *Mahaleb* L. Helvetia, Germania, Gallia. 5.
13. *Armeniaca* L. Oriens. 5.
 β . *minor* Bauhin.
14. *sibirica* L. Sibiria. 5.
15. *dasycarpa* Ehrhart. 5.
16. *pumila* L. Canada. 5.
17. *Chamaecerasus* Jacq. Austria. 5.
 (*Prunus Cerasus* θ . *pumila* L.)
 β . *P. fruticosa* Pallas. Sibiria.
18. *Cerasus* L. Europa. 5.
 α . *Cerasus caproniana* Bauhin.
 β . *Cerasus rosea* Bauhin.
 γ . *Cerasus plena* Bauhin.
 δ . *Cerasus dulcia* Bauhin.
 ϵ . *Cerasus juliana* Bauhin.
 ζ . *Cerasus austera* Bauhin.
 η . *Cerasus avium* Bauhin.
 θ . *Cerasus flore pleno*.
19. *avium* L. Europa. 5.
 β . *duracina*.
 γ . *Bigarella*.
20. *semperflorens* Ehrhart. 5.
21. *pensylvanica* L. America sept. 5.
22. *pygmaea* W. Ibid. 5.
23. *nigra* Aiton. Ibid. 5.
24. *aspera* Thunb. Japonia. 5.
244. *Susquehannae* Hortulan. America bor. 5. Ed.
 pag. 519. X 2

- 24^b. *maritima* *Wangenh.* Ibid. \mathfrak{H} . Enum. p. 519.
 25. *japonica* *Thunb.* Japonia. \mathfrak{H} .
 26. *glandulosa* *Thunb.* Ibid. \mathfrak{H} .
 27. *incisa* *Thunb.* Ibid. \mathfrak{H} .
 28. *tomentosa* *Thunb.* Ibid. \mathfrak{H} .
 29. *domestica* *L.* Europa. \mathfrak{H} .
 β . *Prunus* *Damascena*.
 γ . *Prunus* *hungarica*.
 δ . *Prunus* *juliana*.
 ε . *Prunus* *pertigona*.
 ζ . *Prunus* *cerea*.
 η . *Prunus* *acinaria*.
 θ . *Prunus* *maliformis*.
 i . *Prunus* *augustana*.
 κ . *Prunus* *praecox*.
 λ . *Prunus* *cereola*.
 μ . *Prunus* *amygdalina*.
 ν . *Prunus* *galatensis*.
 \omicron . *Prunus* *Brignola*.
 30. *insititia* *L.* Germania, Helvetia, Anglia. \mathfrak{H} .
 31. *cerasifera* *Ehrhart.* America bor. \mathfrak{H} .
 (*P. domestica* ξ . *myrobalan* *L.*)
 32. *spinosa* *L.* Europa. \mathfrak{H} .
 33. *prostrata* *Billard.* Creta. \mathfrak{H} .
 983. PLINIA. *Plinie.* T. II. p. 998.
 1. *crocea* *L.* America. \mathfrak{H} .
 984. CHRYSOBALANUS. *Jacophaume.* T. II.
 pag. 998.
 1. *Icaco* *L.* America merid. \mathfrak{H} .
 α . *Icaco* fructu ex albo rufescente *Plumier*.
 β . *Icaco* fructu nigro *Plumier*.
 γ . *Icaco* fructu purpureo *Plumier*.
 (*Chrysobalanus purpurea* *Miller.*)
 δ . *Chrysobalanus* fruticosus *Brown*.
 985. ROBINSONIA. *Robinsonie.* T. II. p. 999.
 1. *melianthifolia* *W.* *Gujana.* \mathfrak{H} .
 (*Touroulia gujanensis* *Aublet.*)

986. SONNERATIA. Sonneratie. T. II. p. 999.

1. *acida* L. In Moluccis, Nova-Guinea. H.

DIGYNIA.

987. CRATAEGUS. Weisdom. T. II. p. 1000.

1. *coccinea* L. Virginia, Canada. H.

(*Mespilus coccinea* Enum. p. 523.)

2. *cordata* Aiton. America bor. H.

(*Mespilus Phaenopyrum* L. — *M. cordata* Enum. pag. 523.)

3. *viridis* L. Virginia. H.

4. *pyrifolia* Aiton. America borealis. H.

(*C. Leucophleos* Moench. — *Mespilus pyrifolia* Enum. p. 523.)

5. *elliptica* Aiton. Ibid. H.

6. *glandulosa* Aiton. Ibid., Sibiria, H.

(*C. sanguinea* Pallas. — *Mesp. glandulosa* Enum. pag. 523.)

7. *flava* Aiton. America bor. H.

(*Mespilus flexispina* Moench. — *M. flava* Enum. pag. 523.)

8. *parvifolia* Aiton. Virginia. H.

(*C. tomentosa* L. — *Mespilus Xanthocarpus* L. — *M. parvifolia* Enum. p. 524.)

9. *villosa* Thunb. Japonia. H.

10. *laevis* Thunb. Ibid. H.

11. *glabra* Thunb. Ibid. H.

12. *punctata* Aiton. America bor. H.

(*Mespilus punctata* Enum. p. 524.)

13. *Crus galli* Aiton. Virginia. H.

(*Mespilus Crus galli* Enum. p. 502.)

α. *splendens* Aiton.

β. *pyracanthifolia* Aiton.

γ. *salicifolia* Aiton.

14. *indica* L. India. H.

15. *maura* L. Mauritania. H.

16. *Oxyacantha* L. Europa. 5.

(*Mespilus Oxyacantha* Enum. p. 524.)

17. *monogyna* Pallas. Europa, Sibiria. 5.

(*Mespilus monogyna* Enum. p. 524.)

β. *nigra*.

γ. *floribus simplicibus rubris*.

δ. *floribus plenis*.

18. *pentagyna* Waldst. et Kit. Hungaria, Banatus. 5.

19. *Azarolus* L. Carniola, Gallia, Italia. 5.

(*Mespilus Azarolus* Enum. p. 525.)

β. *C. Aronia*.

988. WALDSTEINIA. Waldsteinie. Tom. II, pag. 1007.

1. *geoides* W. Hungaria. 4.

TRIGYNIA.

989. SORBUS. Eberesche. T. II. p. 1008.

1. *aucuparia* L. Europa, Liban. 5.

14. *americana* W. Carolina. 5. Enumerat, pag. 520.

(*S. aucuparia* Michaux.)

2. *hybrida* L. Suecia, Germania. 5.

3. *domestica* L. Europa. 5.

α. *fructu maliformi* Enum. p. 521.

β. *fructu pyriformi* Enum. p. 521.

990. SESUVIUM. Sesuvium. T. II. p. 1009.

1. *Portulacastrum* L. America calid. ☉.

14. *longifolium* Humb. et Bonpl. America merid. ☉. Enum. p. 521.

15. *repens* W. India orient. ☉. Enum. p. 521, (*Halimus indicus* Rumph.)

16. *microphyllum* Humb. et Bonpl. Havana. — Enum. p. 521.

17. *revolutifolium* Vahl. America calid. 4, Enum. p. 521.

P E N T A G Y N I A.

991. MESPILUS. Mispel. T. N. p. 1010.

1. germanica L. Europa. H.

α. stricta Aiton.

β. diffusa Aiton.

2. japonica Thunb. Japonia. H.

3. Pyracantha L. Gallia, Italia, Russia. H.

4. Chamae-Mespilus L. Austria, Helvetia, Gallia H.

5. Cotoneaster L. Europa, Sibiria, M. Ararat H.

6. tomentosa Aiton. H.

(M. orientalis Miller.)

6a. nigra W. Hungaria. H. Enum. p. 524.

(Crataegus nigra Waldst. et Kit.)

6b. tanacetifolia Smith. Armenia. H. Enumer. pag. 524.)

992. PYRUS. Birne. T. II. p. 1012.

1. arbutifolia L. Virginia, Carolina. H.

α. rubra.

β. alba.

1a. melanocarpa W. A Canada ad Virginiam, Carolina. H. Enum. p. 525.

(P. arbutifolia β. nigra W. Sp. pl.)

2. Botryapium L. Virginia, Canada. H.

(Crataegus racemosa La Marck.)

3. ovalis W. America bor. H.

(Crataegus spicata La Marck.)

4. Amelanchier L. Germania, Helvetia, Gallia. H.

5. cretica W. Creta. H.

6. communis L. Europa. H.

α. Pyrus Pyraeter.

β. falerna.

γ. Pyrus pompejana.

δ. Pyrus favonia.

6. *Pyrus Volema*.
 7. *Pollveria* L. Germania. 5.
 8. *nivalis* Jacq. Austria. 5.
 9. *Malus* L. Europa. 5.
 α . *sylvestris*.
 β . *paradisiaca*.
 γ . *prasomila*.
 δ . *rubelliana*.
 ϵ . *cestiana*.
 ζ . *cavillea*.
 η . *epirotica*.
 10. *dioica* Moench. 5.
 (*P. apetala* Muenchhausen.)
 11. *spectabilis* Aiton. China. 5.
 12. *prunifolia* W. Sibiria. 5.
 (*P. Malus* β . Aiton.)
 13. *baccata* L. Sibiria, Dauria. 5.
 14. *coronaria* L. Virginia. 5.
 15. *angustifolia* Aiton. America bor. 5.
 16. *japonica* Thunb. Japonia. 5.
 17. *Cydonia* L. Germania. 5.
 (*Cydonia vulgaris* Enum. p. 528.)
 β . *major*.
 γ . *minor*.
 18. *salicifolia* Pallas. Sibiria, Caucasus, Arme-
 nia. 5.
 18a. *alpina* Hortulanor. 5. Enum. p. 527.
 18b. *edulis* W. Gallia. 5. Enum. p. 527.
 (*Crataegus edulis* Hortulan.)
 19. *Aria* Ehrhart. Europa. 5.
 (*Crataegus Aria* L.)
 20. *intermedia* Ehrhart. Suecia, Russia. 5.
 (*Crataegus Aria* β . L.)
 21. *torminalis* Ehrhart. Europa, Oriens. 5.
 (*Crataegus torminalis* L.)
 22. *hybrida* Moench. 5.
 993. TETRAGONIA. Vierecksfrucht. T. II. p. 1023.

1. fruticosa L. Cap. b. sp. 5.
2. decumbens Miller. Ibid. 5.
3. herbacea L. Ibid. 2.
4. hirsuta L. Ibid.
5. spicata L. Ibid.
6. echinata Aiton. Ibid. ☉. ♂.
7. expansa Murray. Nova-Zeelandia, Ins. Amicorum, Japonia. ☉.

(*T. halimifolia* Forster, Roth; — *T. japonica* Thunberg.)

8. crystallina l'Héritier. Peru. ☉.

994. MESEMBRIANTHEMUM. Zaserblume. T. II.
pag. 1025.

* *Acaulia*.

1. criniflorum L. Cap. b. sp.
2. spathulatum Thunb. Ibid. ☉.
3. testiculare Aiton. Ibid. 2.
4. linguiforme L. Ibid. 2.
(*M. Scalpratum* Haworth.)
5. latum Haworth. Ibid. 2.
(*M. linguiforme* β. L.)
6. obliquum W. Ibid. 2.
(*M. linguiforme* γ. L.)
7. longum Haworth. Ibid. 2.
(*M. linguiforme* δ. L.)
- 7^a. praepingue Haworth. Ibid. 2. Enum. p. 529.
- 7^b. angustum Haworth. Ibid. 2. Enum. p. 529.
8. rostratum L. Ibid. 2.
- 8^a. subrostratum W. Ibid. 2. Enum. p. 529.
(*M. rostratoides* Haworth.)
- 8^b. murinum Haworth. Ibid. 2. Enum. p. 530.
9. compactum Aiton. Ibid. 2.
10. caninum L. Ibid. 2.
11. felinum L. Ibid. 2.
12. tigrinum Haworth. Ibid. 2.
13. murinum Haworth. Ibid. 2.
14. albidum L. Ibid. 2.

15. bellidiflorum *Dillen*, Ibid. 2.

** *Subacaulia*, caule brevissimo.

16. limpidum *Aiton*. Cap. b. sp. ☉.

(*M. cuneiforme* Jacq.)

16a. tricolor *W*, Ibid. ☉. Enum, p. 530.

17. Tripolium *L*. Ibid. ♂.

18. dolabriforme *L*. Ibid. ♀.

β. *M. dolabriformoides* *Haworth*.

19. diffforme *L*. Ibid. ♀.

20. calamiforme *Dillen*. Ibid. ♀.

21. digitatum *Aiton*. Ibid. ♀.

*** *Caulescentia aphylla*,

22. minimum *Haworth*, . . . ♀.

**** *Caulescentia*, foliis planis.

23. pinnatifidum *L*. Cap. b. sp. ☉.

24. cordifolium *L*. Ibid. ♀.

25. crystallinum *L*. Graecia, ☉.

26. humifusum *Aiton*. Cap. b. sp. ☉.

27. papulosum *L*. Ibid. ♂.

28. sessiliflorum *Aiton*. Ibid. ☉.

29. glabrum *Aiton*. Ibid. ☉.

30. Helianthoides *Aiton*. Ibid. ☉.

31. pomeridianum *L*. Ibid. ☉.

32. pallens *Aiton*. Ibid. ♀.

33. expansum *L*. Ibid. 2.

34. tortuosum *L*. Ibid. 2.

***** *Caulescentia*, foliis subtus convexis,

35. apetalum *L*. Cap. b. sp. ☉.

36. copticum *L*. Aegyptus, ☉.

37. ciliatum *Aiton*. Cap. b. sp. ♀.

38. caducum *Aiton*. Ibid. ☉.

39. geniculiflorum *L*. Ibid. ♀.

40. clavatum *Jacq*. Ibid. ♀.

41. noctiflorum *L*. Ibid. ♀.

β. *M. stramineum* *Haworth*.

41a. anomalum *W*. Ibid. ♀. Enum, p. 531.

42. umbellatum *L*. Ibid. ♀.

43. *bicolorum* L. Ibid. 5.

β. *M. bicolorum* Haworth.

44. *tuberosum* L. Ibid. 5.

45. *tenuifolium* L. Ibid. 5.

46. *stipulaceum* L. Ibid. 5.

47. *corniculatum* L. Ibid. 4. 5.

47a. *diversifolium* W. Ibid. 5.

(*M. diversiphyllum* Haworth. — *M. corniculatum*

β. W. Sp. pl.)

48. *loreum* Dillen. Ibid. 4.

49. *veruculatum* L. Ibid. 5.

49a. *pulverulentum* Haworth. Ibid. 5. Enumer.,
pag. 533.

50. *echinatum* Aiton. Ibid. 5.

51. *viridiflorum* Aiton. Ibid. 5.

51a. *reflexum* Haworth. Ibid. 5. Enum., p. 533.

52. *splendens* L. Ibid. 5.

53. *villosum* L. Ibid. 5.

54. *micans* L. Ibid. 5.

55. *grossum* Aiton. Ibid. 5.

***** *Caulescentia, foliis teretibus.*

56. *nodiflorum* L. Aegyptus, Italia. ☉.

57. *capillare* L. Cap. b. sp.

58. *laeve* Aiton. Ibid. 5.

59. *brachiatum* Aiton. Ibid. 5.

60. *brevifolium* Aiton. Ibid. 5.

60a. *stramineum* W. Ibid. 5. Enum., p. 533.

(*M. tricolorum* Haworth.)

60b. *aduncum* W. Ibid. 5. Enum., p. 534.

60c. *umbelliflorum* Jacq. Ibid. 5. Enum., p. 534.

60d. *hirtellum* Haworth. Ibid. 5. Enum., p. 534.

61. *hispidum* L. Ibid. 5.

β. *pallidum* Haworth.

62. *striatum* Haworth. Ibid. 5.

(*M. hispidum* γ. L.)

63. *barbatum* L. Ibid. 5.

β. *M. hirsutum* Haworth.

63a. *densum* Haworth. Ibid. *H.* Enum. p. 535.

(*M. barbatum* W. Sp. pl.)

***** *Caulescentia, foliis triquetris.*

64. *falcatum* L. Cap. b. sp. *H.*

65. *glomeratum* L. Ibid. *H.*

65a. *roseum* W. Ibid. *H.* Enum. p. 535.

66. *reptans* Aiton. Ibid. *H.*

67. *deflexum* Aiton. Ibid. *H.*

68. *australe* Aiton. Nova-Zeelandia. 4.

69. *spinosum* L. Cap. b. sp. *H.*

69a. *laxum* W. Ibid. *H.* Enum. p. 536.

69b. *rubricaulis* W. Ibid. *H.* Enum. p. 536.

70. *crassifolium* L. Ibid. *H.*

70a. *insititium* W. Ibid. *H.* Enum. p. 536.

71. *molle* Aiton. Ibid. *H.*

72. *glaucum* L. Ibid. *H.*

73. *spectabile* Haworth. Ibid. *H.*

74. *emarginatum* L. Ibid. *H.*

75. *aureum* L. Ibid. *H.*

75a. *aurantium* W. Ibid. *H.* Enum. p. 537.

(*M. glaucoides* Haworth.)

76. *serratum* L. Ibid. *H.*

77. *scabrum* L. Ibid. *H.*

78. *bracteatum* Aiton. Ibid. *H.*

78a. *pulchellum* W. Ibid. *H.* Enum. p. 537.

79. *uncinatum* L. Ibid. *H.*

79a. *perfoliatum* Haworth. Ibid. *H.* Enum. p. 537.

(*M. uncinatum* β. W. Sp. pl.)

79b. *tenellum* Haworth. Ibid. *H.* Enum. p. 538.

80. *pugioniforme* L. Ibid. *H.*

81. *aequilaterale* Haworth. Nova-Hollandia. *H.*

81a. *lunatum* W. Ibid. *H.* Enum. p. 538.

81b. *mutabile* Haworth. Ibid. *H.* Enum. p. 538.

81c. *lacerum* Haworth. Ibid. *H.* Enum. p. 538.

82. *filamentosum* L. Cap. b. sp. *H.*

83. *acinaciforme* L. Ibid. *H.*

84. *forficatum* L. Ibid. *H.*

85. *edule* L. Ibid. 5.

85a. *maximum* Haworth. Ibid. 5. Enum. p. 539.

86. *deltoides* L. Ibid. 5.

β. *M. deltoides* Dillen.

86a. *caulescens* Haworth. Ibid. 5. Enum. p. 539.

(*M. caulescens* γ. W. Sp. pl.)

995. AIZOON. Immergrün. T. II. p. 1053.

1. *canariense* L. In Canariis. ☉.

2. *perfoliatum* L. Cap. b. sp.

3. *Glinoides* L. Ibid. 5.

4. *secundum* L. Ibid.

5. *rigidum* L. Ibid. 5.

6. *hispanicum* L. Hispania. ☉.

7. *fruticosum* L. Cap. h. sp. 5.

8. *paniculatum* L. Ibid.

9. *lanceolatum* L. Ibid. ♂.

10. *farmentosum* L. Ibid.

996. SPIRAEA. Spierstaude. T. II. p. 1055.

* *Fruticosae*.

1. *laevigata* L. Sibiria. 5.

(*S. altaica* Pallas.)

2. *salicifolia* L. Sibiria, Tataria, Amer. bor. 5.

α. *carnea* Aiton.

β. *alpestris* W.

γ. *paniculata* Aiton.

(*S. alba* du Roi, Ehrhart.)

2a. *carpinifolia* W. America bor. 5.

(*S. salicifolia* δ. W. Sp. pl.)

3. *callosa* Thunb. Japonia. 5.

(*S. japonica* L.)

4. *tomentosa* L. Pennsylvania. 5.

5. *argentea* L. Nova-Granada. 5.

6. *alpina* Pallas. Sibiria. 5.

6a. *acutifolia* W. 5. Enum. p. 540.

7. *hypericifolia* L. Canada. 5.

8. *chamaedrifolia* L. Sibiria, Hungaria. 5.

9. *ulmifolia* Scopoli. Carniola, Sibiria. 5.

(*S. betulifolia* Pallas.)

94. *oblongifolia* *Waldst. et Kit.* Hungaria. *H.*
Enum. p. 541.
10. *crenata* *L.* Sibiria, Hungaria. *H.*
- 10a. *obovata* *Waldst. et Kit.* Hungaria. *H.* Enum.
pag. 541.
11. *triloba* *L.* Sibiria. *H.*
12. *thalictroides* *Pallas.* Davuria. *H.*
13. *opulifolia* *L.* Virginia, Canada. *4.*
14. *sorbifolia* *L.* Sibiria, Camtschatka. *H.*
β. alpina *Pallas.* Ad lacum Baical.
- ** Herbaceae.**
15. *Aruncus* *L.* Europa, Amer. et Asia bor. *4.*
16. *Filipendula* *L.* Europa. *4.*
β. minor *Bauhin.*
17. *Ulmaria* *L.* Europa. *4.*
18. *digitata* *W.* Sibiria. *4.*
(*S. palmata* Pallas.)
19. *lobata* *Jacq.* America bor. *4.*
(*S. palmata* *L.*)
20. *camtschatica* *Pallas.* Camtschatka, Ins. Be-
ring. *H.*
21. *palmata* *Thunb.* Japonia. *4.*
22. *trifoliata* *L.* A Canada ad Floridam. *4.*
- 22a. *stipulata* *Mühlenberg.* Pennsylvania. *4.* Enum.
pag. 542.

P O L Y G Y N I A.

997. *ROSA.* Rose. T. II. p. 1063.

* *Germinibus subglobosis.*

1. *berberifolia* *Pallas.* Persia. *H.*
2. *lutea* *Dalechamp.* Germania, Anglia. *H.*
(*R. Eglanteria* *L.*; *R. chlorophylla* *Ehrhart.*)
β. R. bicolor *Jacq.*
(*R. punicea* du Roi.)
3. *sulphurea* *Aiton.* Oriens. *H.*

4. *blanda* Aiton. Terra - Nova, Sinus Hudsonis. \bar{h} .
5. *cinnamomea* L. Europa. \bar{h} .
 β . *R. fluvialis* Fl. dan.
- 5a. *altaica* W. Sibiria. \bar{h} . Enum. p. 543.
(R. pimpinellifolia Pallas.)
6. *arvensis* L. Europa. \bar{h} .
7. *pimpinellifolia* L. Europa. \bar{h} .
- 7a. *nitida* W. America bor.? \bar{h} . Enum. p. 544.
8. *spinosissima* L. Ibid. \bar{h} .
9. *parviflora* Ehrhart. America bor. \bar{h} .
(R. carolina du Roi.)
10. *lucida* Ehrhart. Ibid. \bar{h} .
- 10a. *gemella* W. Ibid. \bar{h} . Enum. p. 544.
11. *carolina* L. Ibid. \bar{h} .
- 11a. *tuguriorum* W. \bar{h} . Enum. p. 544.
(Tapeten - Rose.)
12. *villosa* L. Europa. \bar{h} .
 β . *R. mollissima* W.
13. *rugosa* Thunb. Japonia. \bar{h} .
14. *provincialis* du Roi. Bohemia, Italia; Gallia, Hispania. \bar{h} .
 β . *minor* W.
*** Germinibus ovatis.*
15. *centifolia* L. \bar{h} .
16. *gallica* L. Europa. \bar{h} .
 β . *versicolor*.
- 16a. *reversa* Waldst. et Kit. Hungaria. \bar{h} . Enum. pag. 545.
17. *damascena* du Roi. Europa austr. \bar{h} .
18. *sempervirens* L. Europa. \bar{h} .
19. *pumila* L. Austria, Italia. \bar{h} .
20. *turbinata* Aiton. Europa. \bar{h} .
- 20a. *pulchella* W. \bar{h} . Enum. p. 545.
- 20b. *adenophylla* W. \bar{h} . Enum. p. 546.
21. *rubiginosa* L. Europa. \bar{h} .
 α . *vulgaris* Enum. p. 546.

β. triflora *Enum.* p. 546.

γ. parvifolia *Enum.* p. 546.

22. muscosa *du Roi.* ḡ.

23. moschata *du Roi.* Barbaria. ḡ.

24. rubrifolia *Villars.* Gallia, Helv., German. ḡ.

25. lagenaria *Villars.* Ibid. ḡ.

26. alpina *L.* Helvetia. ḡ.

27. pyrenæica *Gouan.* Alpes Europæ. ḡ.

28. pendulina *L.* America bor. ḡ.

29. montana *Villars.* Delphinatus, Helvetia. ḡ.

30. multiflora *Thunb.* Japonia. ḡ.

31. canina *L.* Europa. ḡ.

31a. repens *Scopoli.* Imper. Austriac. ḡ. *Enumer.*
pag. 547.

32. collina *Jacq.* Austria. ḡ.

33. parvifolia *Ehrhart.* Europa. ḡ.

34. semperflorens *Curtis.* China. ḡ.

α. punicea *Enum.* p. 547.

β. pallida *Enum.* p. 547.

35. chinensis *Jacq.* Ibid. ḡ.

36. indica *L.* Ibid. ḡ.

37. longifolia *W.* India orient. ḡ.

38. bracteata *Wendland.* China. ḡ.

39. alba *L.* Europa. ḡ.

β. flore pleno *Besler.*

998. RUBUS. Himbeere. T. II. p. 1080.

* *Frutescentes.*

1. rosæfolius *Smith.* Ins. Mauritii. ḡ.

2. pinnatus *W.* ḡ.

3. australis *Forster.* Nova-Zeelandia. ḡ.

4. Idaeus *L.* Europa. ḡ.

β. fructu albo *Bauhin.*

γ. R. glaber *Miller.*

5. occidentalis *L.* Canada. ḡ.

6. triphyllus *Thunb.* Japonia. ḡ.

7. tomentosus *W.* Germania, Helvetia, Pedemons. ḡ.

(*R. triphyllus* Bellardi.)

76. glandulosus *Bellardi*. Germania, Italia. H.
Enum. pag. 548.
77. inermis *W.* America bor. H. Enum. p. 548.
8. hispidus *L.* Canada. H.
9. parvifolius *L.* India. H.
10. sanctus *Schreber*. Creta, Tauria, Palaestina. H.
11. jamaicensis *L.* Jamaica. H.
12. caesioides *L.* Europa. H.
- 12a. flagellaris *W.* America bor. H. Enumerat.
pag. 549.
- 12b. hirtus *Waldst. et Kit.* Hungaria. H. Enum.
pag. 549
- 12c. trivialis *Michaux.* Pennsylvania, Carolina. H.
Enum. p. 550.
13. fruticosus *L.* Ibid. H.
β. fructu albo *Raj.*
γ. flore pleno *Magnol.*
- 13a. corylifolius *Smith.* Angl., Germ. H. En. p. 550.
- 13b. laciniatus *W.* H. Enum. p. 550.
14. villosus *Aiton.* America bor. H.
15. canadensis *L.* Canada. H.
16. odoratus *Cornuti.* Canada. H.
17. moluccanus *L.* Amboina. H.
18. microphyllus *L.* Japonia. H.
19. incisus *Thunb.* Ibid. H.
20. japonicus *L.* Ibid. H.
21. cerchorifolius *L.* Japonia. H.
22. elongatus *Smith.* Java. H.
23. pyrifolius *Smith.* Ibid. H.

** *Herbacei.*

24. pedatus *Smith.* America bor. 24.
25. saxatilis *L.* Europa. 24.
26. arcticus *L.* Suecia, Sibiria, Canada. 24.
27. trifidus *Thunb.* Japonia. 24.
28. stellatus *Smith.* America bor. 24.

29. *geoides* Smith. In freto Magellanico. 4.
 30. *Chamaemorus* L. Europa bor., Sibir., 4.
 31. *Dalibarda* L. Canada. 4.
 999. FRAGARIA. Erdbeere. T. II. p. 1090.
 1. *vesca* L. Europa. 4.
 β . fructu albo Bauhin.
 γ . F. bis fructum ferens Bauhin.
 2. *elatio*r Ehrhart. 4.
 (*Fragaria vesca* β . *pratensis* L.)
 β . *F. muricata* L.
 3. *virginiana* Miller. Virginia, Carolina. 4.
 4. *grandiflora* Ehrhart. Surinam. 4.
 (*F. vesca* ϵ . *Ananas* Aiton.)
 5. *chiloensis* Molina. America austr. 4.
 (*F. vesca* γ . *chiloensis* L.)
 6. *collina* Ehrhart. Germania, Borussia, Helvetia. 4.
 7. *monophylla* L. 4.
 8. *sterilis* L. Anglia, Helvetia, Germania. 4.
 (*Comarum fragarioides* Roth. — Enum. p. 558.)
 1000. POTENTILLA. Fingerkraut. T. II. p. 1094.
 * *Foliis pinnatis*.
 1. *fruticosa* L. Europa. 5.
 β . *humilior* Ammann.
 11. *Salesovii* Stephan. Sibiria. 5. Enum. p. 552.
 2. *Anserina* L. Europa. 4.
 3. *sericea* L. Sibiria. 4.
 4. *multifida* L. Sibiria, Helvetia, Tataria, Cappadocia. 4.
 5. *verticillaris* Stephan. Sibiria. 4.
 6. *fragarioides* L. Ibid. 4.
 7. *ruthenica* W. Ibid. 4.
 71. *diffusa* W. 4. Enum. p. 555.
 8. *rupestris* L. Sibiria, Suecia, Germania, Helvetia. 4.
 9. *bifurca* L. Sibiria, Armenia. 4.
 10. *pimpinelloides* L. Armenia. 4.

- 11. *cicutariaefolia* W. Galatia. 2.
- 12. *pensylvanica* L. Canada, Sibiria, Pensyl-
vania. 2.
- 12a. *hispida* W. Davuria. 2.
- 13. *lupina* L. Sibiria, Germania, Austria, Ame-
rica bor. ☉.

**** *Folijis digitatis.***

- 14. *recta* L. Europa. 2.
- 15. *obscura* W. Sibiria. 2.
- 16. *pilosa* W. Europa austr. 2.
- 17. *argentea* L. Europa 2.
- 18. *geranioides* W. Armenia. 2.
- 19. *intermedia* L. Helvetia, Gallia, Hungar. 2.
- 20. *hirta* L. Gallia, Sibiria. 2.
- 21. *inclinata* Villars. Delphinatus. 2.
- 22. *stipularis* L. Sibiria. 2.
- 22a. *adscendens* Waldst. et Kit. Hungaria. 2.
Enum. pag. 554.
- 23. *opaca* L. Austria, Helvetia, Germania, Ita-
lia. 2.
- 24. *verna* L. Europa, Asia. 2.
β. *P. filiformis* Villars.
γ. *P. rubens* Villars.
δ. *P. subacaulis* Jacq.
- 25. *aurea* L. Alpes Europae. 2.
β. *flore pleno* Haller.
- 26. *astracantha* Jacq. Astracan. 2.
- 27. *canadensis* L. Canada.
- 28. *alba* L. Imp. Austriacum, Germania. 2.
- 29. *caulescens* L. Alpes Europae. 2.
- 29a. *farmentosa* W. Pennsylvania. 2. En. p. 554.
- 30. *clusiana* Jacq. Austria. 2.
- 31. *lupinoides* W. Delphinatus. 2.
(*P. valderia* Villars.)
- 32. *nitida* L. Austria, Italia. 2.
- 33. *valderia* L. Alpes Valderian. 2.

340 CLASSIS XII. ICOSANDRIA.

34. reptans L. Europa. 4.

*** *Foliis ternatis.*

35. monspeliensis L. Monspeli. ☉.

36. norvegica L. Europa, Sibiria, Canada 4.

37. nivea L. Lapponia, Sibiria. 4.

38. speciosa W. Creta. 5.

39. tridentata Aiton. Groenl., Terra-Nova. 4.
(*P. retusa* Fl dan.)

40. grandiflora L. Helvetia, Sibiria, Gallia. ~

41. subacaulis L. Germania, Sibiria, Gallia, Granada. 4.

(*P. frigida* Villars.)

1001. TORMENTILLA. Tormentill. T. II. p. 112.

1. erecta L. Europa 4.

2. reptans L. Anglia, Germania 4.

1002. GEUM. Geum. T. II p. 113.

1. virginianum L. Virginia, Carolina. 4.

2. album Gmelin. Canada, Pennsylvania. 4. Enum.
pag. 556.

(*G. canadense* Jacq.)

3. strictum Aiton. America bor. 4.

(*G. canadense* Murray — *G. aleppicum* Jacq.)

4. urbanum L. Europa. 4.

β. intermedium Ehrhart.

5. macrophyllum W. Camtschatka. 4. Enum.
pag. 557.

6. intermedium W. . . . 4. Enum. p. 557.

7. japonicum Thunb. Japonia. 4.

8. rivale L. Europa. 4.

β. *G. hybridum* Jacq.

9. pyrenaicum W. In Pyrenaeis. 4.

10. atlanticum Desfont. In M. Atlas. 4.

11. potentilloides Aiton. Sibiria. 4.

12. montanum L. Alpes Europae 4.

β. *Caryophyllata minima* Barrelier.

13. reptans L. Helvetia, Italia. 4.

14. anemonoides W. Camtschatka. 4.

(*Dryas anemonoides* Pallas. — *D. pentapetala* L.)

1003. DRYAS. Dryade. T. II. p. 1118.

1. octopetala L. Alpes Europae. 4.

1004. COMARUM. Comarum. T. II. p. 1119.

1. palustre L. Europa, Asia. 4.

1005. CALYCANTHUS. Kelchblume. T. II. p. 1120.

1. floridus L. Carolina. 5.

α. oblongatus Aiton.

β. ovatus Aiton.

2. praecox L. Japonia. 5.

2a. glaucus W. Carolina, Virginia. 5. Enum.
pag. 559.

2b. laevigatus W. Carolina, Virginia. 5. Enum.
pag. 559.

(*C. ferox* Michaux.)

Classis XIII.

P O L Y A N D R I A.

M O N O G Y N I A.

1006. MARCGRAVIA. Marcgravie. T. II. p. 1127.

1. umbellata L. America calid. 5.

2. coriacea Vahl. Cijenna 5.

1007. TERNSTROEMIA. Ternströmie. Tom. II.
pag. 1128.

1. meridionalis L. Jamaica, Domingo, Nova-
Granada. 5.

2. elliptica Swartz. India occid. 5.

3. punctata Swartz. Gujana. 5.

(*Taonabo punctata* Aublet.)

4. japonica Thunb. Japonia. 5.

5. dentata Swartz. Gujana. 5.

1008. TRILIX. Trilix T. II. p. 1129.

1. lutea L. Carthagera. 5.

1009. LUDIA. Aenderling. T. II. p. 1130.

1. heterophylla Le Marck Ins. Mauriti. 5.

α. adulta *La Marck.*

β. junior *La Marck.*

2. *myrtifolia* *La Marck.* Ins. Bourbon. *h.*

3. *fessiliflora* *La Marck.* Ins. Mauritii. *h.*

(*L. tuberculata* *Jacq.*)

1010, *CAPPARIS.* *Capper.* T. II. p. 1131.

* *Stipulis spinescentibus.*

1. *spinosa* *L.* Europa austr., Oriens. *h.*

2. *ovata* *Desfont.* Sicilia, Hispania, Africa bor. *h.*

(*C. spinosa* *β. L.*)

2a. *herbacea* *Bieberst.* Caucasus. 4. *En.* p. 560.

3. *aegyptia* *La Marck.* Aegyptus. *h.*

4. *tomentosa* *La Marck.* Senegal. *h.*

5. *acuminata* *W.* India orient. *h.*

5a. *pyrifolia* *La Marck.* . . . *h.*

6. *zeylanica* *L.* Zeylon. *h.*

7. *horrida* *L.* Coromandel. *h.*

8. *erythrocarpos* *Isert.* Guinea. *h.*

9. *sepiaria* *L.* India. *h.*

10. *citrifolia* *La Marck.* Cap. b. sp. *h.*

11. *corymbosa* *La Marck.* Senegal. *h.*

** *Inermes.*

12. *mariana* *Jacq.* Ins. Marianae. *h.*

(*C. cordifolia* *La Marck.*)

13. *panduriformis* *La Marck.* Ins. Mauritii. *h.*

14. *Baducca* *L.* India orient. *h.*

15. *torulosa* *Swartz.* Jamaica. *h.*

16. *longifolia* *Swartz.* Ibid. *h.*

17. *frondosa* *L.* Carthagenā, Domingo, Jamaica. *h.*

18. *ferruginea* *L.* Jamaica. *h.*

19. *grandis* *L.* Zeylon. *h.*

20. *jamaicensis* *Jacq.* Jamaica. *h.*

21. *odoratissima* *Jacq.* Carracas. *h.*

22. *verrucosa* *Jacq.* Carthagena. *h.*

23. *amplissima* *La Marck.* Hispaniola. *h.*

24. *Cynophallophora* *L.* America merid. *h.*

25. *saligna* Vahl. Ins. St. Crucis. H.
 26. *pulcherrima* L. Carthageria. H.
 27. *tenuisiliqua* Jacq. Ibid. H.
 28. *linearis* L. Ibid. H.
 29. *Breynia* L. Jamaica. H.
 β . *C. filiquosa* L.
 30. *hastata* L. Carthageria. H.
 1011. ACTAEA. Christophskraut. T. II. p. 1139.
 1. *spicata* L. Europa. 4.
 α . *nigra*.
 β . *alba*. America.
 2. *rubra* W. Canada. 4. Enum. p. 561.
 (*A. spicata* γ . W. Sp. pl.)
 3. *racemosa* L. Florida, Virginia, Canada. 4.
 4. *japonica* Thunb. Japonia. H.
 1012. SANGUINARIA. Blutkraut. T. II. p. 1140.
 1. *canadensis* L. America sept. 4.
 β . *S. major*, flore simplici Dillen.
 γ . *S. major*, flore pleno Dillen.
 1013. PODOPHYLLUM. Entenfuss. T. II. p. 1141.
 1. *peltatum* L. America sept. 4.
 2. *diphyllum* L. Virginia. 4.
 1014. CHELIDONIUM. Schoellkraut. T. II. p. 1141.
 1. *majus* L. Europa. 4.
 2. *C. laciniatum* Miller. Europa. 4.
 (*Ch. majus* β . W. Sp. pl.)
 3. *japonicum* Thunb. Japonia.
 4. *Glaucium* L. Europa, Virginia. 4.
 (*Glaucium luteum* Smith. — Enum. p. 562.)
 5. *corniculatum* L. Hungaria, Bohemia, Austria, Gallia. ☉.
 (*Glaucium phoeniceum* Smith. — Enum. p. 562.)
 β . *glabrum* Bauhin.
 6. *hybridum* L. Europa austr. ☉.
 (*Glaucium violaceum* Smith. — Enum. p. 562.)
 1014a. GLAUCIUM. Enum. p. 561.
 1. *fulvum* Smith. Europa. 4.

(*Chelidonium Glaucium rubrum* Hortulan.)

1015. PAPAVER. Moench. T. II. p. 1144.

* *Capsulis hispidis.*

1. hybridum L. Europa. ☉.
2. Argemone L. Ibid. ☉.
3. alpinum L. Alpes Europae. 4.
4. nudicaule L. Sibiria. ♂.

β. flore albo Aiton.

** *Capsulis glabris.*

5. Rhoeas L. Europa. ☉.

β. flore pleno.

γ. minus.

δ. flore albo.

6. dubium L. Europa. ☉.

β. P. dubium Jacq.

7. somniferum L. Europa. ☉.

β. hortense, semine nigro Bauhin.

γ. cristatum, floribus et semine albis Bauhin.

δ. cristatum, floribus rubris, semine nigro Bauhin.

ε. flore pleno, album Bauhin.

8. cambricum L. Cambria, in Pyrenaeis. 4.

9. orientale L. Oriens. 4.

1016 ARGEMONE. Argemone. T. II. p. 1148.

1. mexicana L. Mexico, Jamaica, in Caribaeis. ☉.

2. armeniaca L. Armenia.

3. pyrenaica L. In Pyrenaeis.

(*Papaver pyrenaicum* Enum. p. 563.)

1017 MUNTINGIA. Muntingia. T. II. p. 1149.

1. Calabura L. Jamaica. 5.

1018 SARRACENIA. Sarracene. T. II. p. 1150.

1. Flava L. America sept. 4.

2. minor Walter. Carolina. 4.

3. rubra Walter. Ibid. 4.

4. purpurea L. America sept. 4.

1019 NYMPHAEA. Seerose. T. II. p. 1151.

1. lutea L. Europa. 4.

β. *N. minima* W.

(*N. lutea* β. *pumila* Timm.)

2. *advena* Aiton. America bor. 4.

3. *alba* L. Europa. 4.

β. *minor* Besler.

4. *odorata* Aiton. America bor., Sibiria. 4.

5. *stellata* W. Malabar. 4.

6. *Lotus* L. India, Aegyptus, Hungaria. 4.

7. *pubescens* W. India orient. 4.

1020. *BIXA*. Orleanbaum. T. II. p. 1154.

1. *Orellana* L. America calid. 5.

14. *Urucurana* Hoffmannsegg. Brasilia. 5. Enum.
pag. 65.

1021. *SLOANEA*. Sloane. T. II. p. 1155.

1. *dentata* L. America merid. 5.

2. *Massoni* Swartz In Caribaeis. 5.

3. *sinemariensis* Aublet. Ibid., Gujana. 5.

1022. *AUBLETIA*. Aubletie. T. II. p. 1156.

1. *Tibourbou* W. Gujana, Cajenna, Ins. Ta-
bago. 5.

(*Apeiba Tibourbou* Aublet, Aiton, Swartz.)

2. *Petouma* W. Gujana. 5.

(*Apsiba Petouma* Aublet, Swartz.)

3. *aspera* W. Cajenna. 5.

(*Apeiba aspera* Aublet, Swartz.)

4. *laevis* W. Cajenna. 5.

(*Apeiba laevis* Swartz. — *Ap. glabra* Aublet.)

1023. *MAMMEA*. Mammei. T. II. p. 1157.

1. *americana* L. Hispaniola, Jamaica. 5.

2. *humilis* Vahl. Ins. Montserrat. 5.

1024. *OCHNA*. Ochna. T. II. p. 1158.

1. *squarrosa* L. India. 5. β. in Africa.

β. *Arbor africana* Plukenet. atm. t. 263. f. 1. 2.

2. *parvifolia* Vahl. Arabia fel. 5.

1025. *GRIAS*. Grias. T. II. p. 1159.

1. *cauliflora* L. Jamaica. 5.

1026. *CALOPHYLLUM*. Schönblatt. T. II. p. 1159.

1. *Inophyllum* L. India. H.
 2. *Calaba* L. In Indiis. H.
1027. SPARRMANNIA. Sparrmannie. Tom. II.
pag. 1160.
1. *africana* L. Cap. b. sp. H.
1028. TILIA. Linda T. II. p. 1161.
1. *europaea* L. Europa. H.
 - α. *grandifolia* Hoffmann.
 - β. *montana* Bauhin.
 - γ. *femine hexagono* Raj.
 - δ. *fructu tetragono* Raj.
 - ε. *bohemica* Till.
 12. *microphylla* W. Europa. H. Enum. p. 565.
(*T. europaea* γ. W. Sp. pl. — *T. parvifolia* Hoffmann. — *T. cordata* Miller. — *T. ulmifolia* Scopoli.)
 2. *americana* L. Virginia, Canada. H.
 3. *pubescens* Aiton. Carolina. H.
 4. *alba* Aiton. Hungaria, Oriens H.
1029. LAETIA. Latie. T. II. p. 1163.
1. *apetala* L. America. H.
 2. *Guidonia* Swartz. Jamaica. H.
 3. *Thamnia* Swartz. Ibid. H.
 4. *completa* L. America. H.
1030. RYANIA. Rynie. T. II. p. 1164.
1. *speciosa* Vahl. Ins. Trinitatis. H.
1031. GREWIA. Grevie. T. II. p. 1164.
1. *occidentalis* L. Cap. b. sp. H.
 12. *obtusifolia* W. Ibid. H. Enum. p. 566.
 2. *populifolia* Vahl. Arabia fel. H.
 3. *orientalis* L. India orient. H.
 4. *Mallococca* L. Tongatabu, Huaheine. H.
 5. *laevigata* Vahl. India orient. H.
 6. *glandulosa* Vahl. Ins. Mauritii. H.
 7. *hirsuta* Vahl. India orient. H.
 8. *excelsa* Vahl. Arabia fel. H.
 9. *asiatica* L. Surate. H.)

10. *tiliaefolia* Vahl. India orient. H.
(*Microcos lateriflora* L.)
11. *velutina* Vahl. Arabia fel. H.
1032. MAERUA. Marna. T. II. p. 1168.
 1. *uniflora* Vahl. Arabia fel. H.
 2. *racemosa* Vahl. Ibid. H.
1033. MICROCOS. Microcos. T. II. p. 1168.
 1. *paniculata* L. India orient. H.
1034. MARILA. Marile. T. II. p. 1169.
 1. *racemosa* Swartz. Ins. Montserrat et Christopher. H.
1035. ELAEOCARPUS. Ganiterbaum. T. II. p. 1169.
 1. *ferratus* L. India. H.
 2. *dentatus* Vahl. Nova-Zeelandia. H.
(*Dicera dentata* Forster.)
 3. *Dicera* L. Ibid. H.
(*Dicera ferrata* Forster.)
 4. *integrifolius* La Marck. Ins. Mauritii. H.
 5. *copalliferus* Retz. Zeylon. H.
(*Vateria indica* L.)
1036. LEGNOTIS. Saumblume. T. II. p. 1171.
 1. *elliptica* Swartz. Jamaica. H.
 2. *Cassipourea* Swartz. Gujana. H.
(*Cassipourea gujanensis* Aublet.)
1037. MYRODENDRUM. Balsambaum. Tom. II.
pag. 1171.
 1. *amplexicaule* W. Cajenna, Gujana. H.
(*Houmire balsamifera* Aublet.)
1038. LEMNESCIA. Lemnescie. T. II. p. 1172.
 1. *floribunda* W. Gujana. H.
(*Vantanea gujanensis* Aublet.)
1039. ASCIUM. Becherblume. T. II. p. 1172.
 1. *violaceum* Vahl. Gujana, Trinidad. H.
(*Norantea gujanensis* Aublet.)
1040. LECYTHIS. Topfbaum. T. II. p. 1172.
 1. *Ollaria* L. Brasilia, Cumana. H.
 2. *minor* L. Carthagera. H.

3. *grandiflora* Aublet. Gujana. 5.
4. *amara* Aublet. Ibid. 5.
5. *Zabucajo* Aublet. Ibid. 5.
6. *Idatimon* Aublet. Ibid. 5.
- β. *L. lutea* Aublet.
7. *parviflora* Aublet. Ibid. 5.
8. *bracteata* W. Cajenna. 5.
 (*Couroupita gujanensis* Aublet)
1041. ALANGIUM. Alangium. T. II. p. 1174.
 1. *decapetalum* La Marck. India orient. 5.
 (*Grewia salvifolia* L.)
 2. *hexapetalum* La Marck. Ibid. 5.
1042. MENTZELIA Mentzelie. T. II. p. 1175.
 1. *aspera* L. America.
 2. *hispida* W. Mexico. 4.
 (*M. aspera* Cavanil.)
1043. LOASA. Loase. T. II. p. 1176.
 1. *hispida* L. Peru. ☉.
 2. *contorta* La Marck. Ibid.
 3. *acanthifolia* La Marck. Chili.
 4. *grandiflora* La Marck. Peru.
 5. *chenopodifolia* La Marck. Peru.
 6. *nitida* La Marck. Lima. ☉.
1043. STERBECKIA Sterbeckie. T. II. p. 1177.
 1. *lateriflora* W. Gujana. 5.
 (*Singana gujanensis* Aublet.)
1044. LAGERSTROEMIA. Lagerströmie. T. II.
 pag. 1178.
 1. *indica* L. China, Cochinchina, Japonia. 5.
 2. *Reginae* Roxburgh. Calcutta, Java. 5.
 3. *hirsuta* W. Malabar 5.
 (*Adambea hirsuta* La Marck)
 4. *Münchhausia* W. China. 5.
 (*Münchhausia speciosa* L.)
 5. *parviflora* Roxb. India. 5.
1045. FREZIERA. Freziere. T. II. p. 1179.
 1. *Theaeoides* Swartz. Jamaica. 5.

2. undulata Swartz. India occid. \bar{h} .
1047. THEA Thee. T. II. p. 1180.
1. Bohea L. Japonia, China. \bar{h} .
- α . laxa Aiton.
- β . stricta Aiton.
2. viridis L. China. \bar{h} .
- 1047a. HELIANTHEMUM. Enum. p. 569.
1. atriplicifolium W. Hispania. \bar{h} .
- (*Cistus atriplicifolius* La Marck.)
1048. CISTUS Cistenrose. T. II. p. 1181.
- * *Extipulati, fruticosi.*
1. capensis L. Cap. b. sp. \bar{h} .
2. villosus L. Italia, Hispania, Africa bor. \bar{h} .
3. populifolius L. Lusitania, Hispania. \bar{h} .
- β . minor Bauhin.
4. laurifolius L. Hispania. \bar{h} .
5. vaginatus Jacq. Teneriffa. \bar{h} .
- (*C. symphytifolius* La Marck)
6. Ledon La Marck. Gallia. \bar{h} .
7. ladaniferus L. Hispania, Lusitania. \bar{h} .
- α . undulatus Aiton.
- β . planifolius Aiton.
8. monspeliensis L. Gallia, Hispania. \bar{h} .
9. laxus Aiton. Hispania, Lusitania. \bar{h} .
- 9a. hirsutus La Marck. Ibid. \bar{h} . Enum. p. 568.
10. salvifolius L. Europa merid. \bar{h} .
11. heterophyllus Desfont. Algeria. \bar{h} .
12. incanus L. Hispania, Gallia. \bar{h} .
13. creticus L. Creta, Syria. \bar{h} .
14. parviflorus La Marck. Creta. \bar{h} .
15. albidus L. Gallia, Hispania. \bar{h} .
16. sericeus Vahl. Ibid. \bar{h} .
17. hybridus Vahl. Ibid. \bar{h} .
18. crispus L. Lusitania. \bar{h} .
19. formosus Curtis. Ibid. \bar{h} .
20. halimifolius L. Lusitania, Hispania. \bar{h} .
- (*Helianthemum halimifolium* Enum. p. 569.)

β. folio angustiore *Bauhin.*

γ. foliis utrinque incanis *Miller. t. 290.*

21. *elongatus Vahl. Lusitania, Hispania. H.*

(*Helianthemum elongatum* Enum. p. 569.)

22. *libanotis L. Ibid. H.*

(*Helianthemum Libanotis* Enum. p. 570.)

** *Exstipulati suffruticosi.*

23. *umbellatus L. Gallia, Hispania. H.*

24. *Laevipes L. Monspelii. H.*

(*Helianthemum Laevipes* Enum. p. 570.)

25. *calycinus L. Europa austr. H.*

(*Helianthemum calycinum* Enum. p. 570.)

26. *Fumana L. Gallia, Gotland, Helvetia, Germania. H.*

(*Helianthemum Fumana* Enum. p. 570.)

β. *humilior Bauhin.*

27. *canus L. Gallia, Hispania. H.*

28. *scabrosus Aiton. Italia, Lusitania. H.*

29. *cinereus Cavanil. Hispania. H.*

30. *ocymoides La Marck. Murcia, Baetica. H.*

β. *C. sampsucifolius Cavanil.*

31. *italicus L. Italia. H.*

32. *marifolius L. Italia, Gallia, Hispania. H.*

33. *organifolius La Marck. Hispania. H.*

34. *mollis Cavanil. Ibid. H.*

35. *dichotomus Cavanil. Ibid. H.*

36. *anglicus L. Anglia. H.*

37. *vinealis W. Germania, Helvetia. H.*

38. *oelandicus L. Gallia, Oeland, Helvetia, Austria. H.*

(*Helianthemum oelandicum* Enum. p. 570.)

39. *alternifolius Vahl. Brasilia. H.*

(*C. brasiliensis* La Marck.)

*** *Extipulati herbacei.*

40. *globularifolius La Marck. Lusitania. H.*

41. *Tuberaria L. Galloprovincia, Hispania, Pissis. H.*

(*Helianthemum Tuberaria* Enum. p. 570.)

42. *plantagineus* W. Creta, Africa bor. ☉.
(*C. ferratus* Desfont.)

43. *ferratus* Cavanil. Hispania. ☉.

44. *guttatus* L. Gallia, Italia, Anglia. ☉.

45. *canadensis* L. Canada. 2.

**** *Stipulati herbacei.*

46. *punctatus* W. ☉.

(*Helianthemum punctatum* Enum. p. 570.)

47. *ledifolius* L. Monspeli. ☉.

(*Helianthemum ledifolium* Enum. p. 571.)

48. *salicifolius* L. Lusitania, Hispania. ☉.

(*Helianthemum salicifolium* Enum. p. 571.)

49. *niloticus* L. Aegyptus. ☉.

50. *aegyptiacus* L. Ibid. ☉.

(*Helianthemum aegyptiacum* Enum. p. 571.)

***** *Stipulati suffruticosi.*

51. *squamatus* L. Hispania. 5.

52. *Lippii* L. Aegyptus. 5.

(*Helianthemum Lippii* Enum. p. 571.)

53. *fessiliflorus* Desfont. Africa bor. 5.

54. *ellipticus* Desfont. In Atlante. 5.

55. *surrejanus* L. Anglia. 5.

56. *polyanthos* Desfont. Africa bor. 5.

57. *glaucus* Cavanil. Hispania. 5.

58. *nummularius* L. Gallia, Hispania, Africa
bor. 5.

59. *canariensis* Jacq. In Canariis. 5.

(*Helianthemum canariense* Enum. p. 571.)

60. *serpillifolius* L. Europa austr. 5.

61. *violaceus* Cavanil. Hispania. 5.

62. *linearis* Cavanil. Ibid. 5.

63. *laevis* Cavanil. Ibid. 5.

64. *strictus* Cavanil. Ibid. 5.

65. *glutinosus* L. Europa austr. 5.

66. *thymifolius* L. Gallia, Hispania. 5.

67. *pilosus* L. Gallia. 5.

β. *C. stipulis quaternis* Sauvages.

γ. *Helianthemum lamsucifolium* Miller.

δ. *Cistus candicans* Bauhin.

68. *lavandulaefolius* La Marck, Hispania, Syria, Tunetum. H.

(*C. syriacus* Jacq.)

β. *C. lavandulaefolius* Jacq.

69. *racemosus* L, Hispania. H.

70. *ciliatus* Desfont. Africa bor. H.

71. *angustifolius* Jacq. H.

72. *Helianthemum* L. Europa. H.

(*Helianthemum vulgare* Enum. p. 571.)

β. *C. grandiflorus* Scopoli.

γ. *flore albo* Aiton.

δ. *C. roseus* Allion.

73. *mutabilis* Jacq. H.

(*Helianthemum mutabile* Enum. p. 571.)

74. *foetidus* Jacq. H.

75. *croceus* Desfont. Hispania, Atlas. H.

76. *hirtus* L. Hispania, Narbona. H.

77. *apenninus* L. Italia. H.

(*Helianthemum apenninum* Enum. p. 571.)

78. *polifolius* L. Anglia. H.

79. *arabicus* L. Arabia, Creta, Africa bor. H.

1049. VALLEA. Vallea. T. II. p. 1212.

1. *stipularis* L. Nova-Granada. H.

1050. BONNETIA. Bonnetie. T. II. p. 1213.

1. *palustris* Vahl. Cajenna, Gujana. H.

(*Mahurea palustris* Aublet)

1051. PROCKIA. Prockie. T. II. p. 1213.

1. *Crucis* L. Ins. St. Crucis. H.

2. *ferrata* W. Ins. Montserrat. H.

(*Lichtfootia ferrata* Swartz.)

3. *theaeformis* W. Ins. Bourbon. H.

(*Lichtfootia theaeformis* Vahl.)

4. *integrifolia* W. Ins. Mauritii. H.

(*Lichtfootia integrifolia* Vahl.)

1052. CORCHORUS. Corchorus. T. II. p. 1214.

1. olitorius L. Asia, Africa, America. ☉.
2. trilocularis L. Arabia. ☉.
3. tridens L. India.
4. aestuans L. America calid. ☿.
5. acutangulus La March. India orient. ☿.
6. fascicularis La March. Ibid. ☿.
7. capsularis L. India. ☉.
8. scandens Thunb. Japonia.
9. serratus Thunb. Ibid.
10. hirsutus L. America merid. ☿.
11. japonicus Thunb. Japonia. ☿.
- α. flore simplici.
- β. flore pleno.
12. flexuosus Thunb. Japonia.
13. hirtus L. America merid.
14. filiquosus L. Ibid. 4.

1053. SEGUIERIA. Seguerie. T. II. p. 1219.

1. americana L. America merid. ☿.

1054. SWARTZIA. Swartzia. T. II. p. 1219.

1. simplicifolia Vahl. In Caribaeis. ☿.
2. grandiflora Vahl. Trinidad. ☿.
3. dodecandra Vahl. America merid. ☿.
4. triphylla W. Gujana, Cajenna. ☿.
- (Possira arborescens Aublet.)
5. pinnata Vahl. Trinidad. ☿.
6. alata W. Gujana. ☿.
- (Tounatea gujanensis Aublet.)

DIGYNIA.

1055. PAEONIA. Paeonie. T. II. p. 1221.

1. officinalis L. M. Idae, Helvetia. ☿.
- α. flore pleno rubro. Enum. p. 572.
- β. flore pleno albido rubro. Enum. p. 572.
2. corallina Retz. Europa austr. Sibiria. 4.

(*P. officinalis* β L. — *P. integra* Murray.)

3. *albiflora* Pallas, Sibiria. 4.

4. *humilis* L., Hispania. 4.

5. *anomala* L., Sibiria. 4.

(*P. laciniata* Pallas.)

5a. *laciniata* W., Sibiria. 4. Enum. p. 573.

6. *hybrida* Pallas. . . . 4.

7. *tenuifolia* L., Ucraina, Sibiria. 4.

1056. CURATELLA. Curatelle. T. II. p. 1223.

1. *americana* L., America merid. 5.

1057. FOTHERGILLA. Fothergille. T. II. p. 1224.

1. *alnifolia* L., Carolina. 5.

β. *foliis obtusis* Aiton.

γ. *foliis acutis* Aiton.

1058. TRICHOCARPUS. Haarfrucht. T. II. p. 1224.

1. *laurifolia* W., Gujana. 5.

(*Ablania gujanensis* Aublet.)

1059. LACIS. Schlitzblatt. T. II. p. 1225.

1. *fluviatilis* W., Gujana. 4.

(*Mourea fluviatilis* Aublet.)

TRIGYNIA.

1060. HOMALIUM. Homalium. T. II. p. 1225.

1. *racemosum* Swartz. Martinica, Jamaica. 5.

2. *Racoubea* Swartz. Gujana. 5.

(*Racoubea gujanensis* Aublet.)

1061. DELPHINIUM. Rittersporn. T. II. p. 1226.

* *Unicapsulares.*

1. *Consolida* L., Europa. ☉.

β. *flore pleno.*

2. *Ajacis* L., Helvetia. ☉.

β. *flore pleno.*

γ. *flore semipieno.*

3. *aconiti* L., In Dardanellis. ☉.

(*Aconitum monogynum* Forsk.)

** *Tricapsulares.*

4. *ambiguum* L. Mauritania. ☉.
 5. *peregrinum* L. Europa aust. Palaestina. ☉.
 6. *grandiflorum* L. Sibiria. 4.
 7. *intermedium* Aiton. Silesia. 4.
 - α. *glabra*.
 - β. *foliis subtus pubescentibus*.
 8. *elatum* L. Sibiria, Helvetia. 4.
 9. *hybridum* Stephan. Sibiria. 4.
 10. *exaltatum* Aiton. America bor. 4.
 11. *urceolatum* Jacq. 4.
 12. *punicum* Pallas. Sibiria. 4.
 13. *Staphisagria* L. Italia, Gallia, Creta. ♂. ☉.
 - 13a. *pictum* W. Europa austr. ♂ Enum. p. 575.
 14. *pentagynum* La Marck. Algeria, Lusitania. ☉.
1062. ACONITUM. Eisenhut. T. II. p. 1232.

* *Corollis flavis v. albis*

1. *Lycoctonum* L. Alpes Europae. 4.
2. *japonicum* Thunb. Japonia. 4.
3. *pyrenaicum* L. Sibiria, Tartaria, in Pyrenaeis. 4.
4. *ochroleucum* W. Sibiria. 4.
5. *Anthora* L. Alpes Europae. 4.
6. *album* Aiton. Oriens. 4.

** *Corollis coeruleis*.

7. *septentrionale* Koelle. Europa bor. 5.
8. *Napellus* L. Alpes Europae. 4.
9. *neomontanum* Koelle. Ibid. 4.
10. *tauricum* Wulffen. In alpestribus Taureri, Hungaria. 4.
11. *volubile* Koelle. Sibiria. 4.
- 11a. *tortuosum* W. 4. Enum. p. 576.
12. *cernuum* Koelle. In alpinis Taureri. 4.
13. *variegatum* L. Italia, Bohemia, Carniola. 4.
14. *Commarrum* L. In Styria, Taurero. 4.
15. *uncinatum* L. Philadelphia. 4.

TETRAGYNIA.

1063. WINTERA. Wintere... T. II p. 1239.

1. aromatica Forster. Fret. Magellan. H.

2. granadensis W. Nova Granada. H.

(*Drymis granadensis* L.)

3. axillaris Forster. Nova Zeelandia. H.

1064. TETRACERA. Rasperstrauch. T. II. p. 1240.

* *Floribus monogynis*.

1. sarmentosa Vahl. Zeylon. H.

(*Delima sarmentosa* L.)

2. tomentosa W. Gujana, Cajenna. H.

(*Tigarea dentata* Aublet.)

3. aspera W. Ibid. H.

(*Tigarea aspera* Aublet.)

4. Dolioarpus W. Surinam. H.

5. stricta W. Ibid. H.

6. Calinea W. Gujana. H.

(*Calinea scandens* Aublet.)

7. obovata W. Gujana. H.

(*Sorania gujanensis* Aublet.)

8. nitida Vahl. H.

** *Floribus subtetragynis*.

9. Euryandra Vahl. Nova Caledonia. H.

(*Euryandra scandens* Forster.)

10. volubilis L. America merid. H.

11. laevis Vahl. India orient. H.

12. alnifolia W. Guinea. H.

1065. CARYOCAR. Caryocar. T. II. p. 1243.

1. nuciferum L. Berbices, Essequibo. H.

2. butyrosu W. Gujana. H.

(*Pekea butyrosa* Aublet.)

3. tomentosum W. Ibid. H.

(*Pekea tuberculosa* Aublet.)

1066. WAHLBOMIA. Wahlbomie. T. II. p. 1244.

1. indica Thunb. Java. H.

1067. CIMICIFUGA. Wanzenkraut. T. II. p. 1244.
 1. foetida L. Sibiria. 4.

P E N T A G Y N I A.

1068. AQUILEGIA. Akeley. T. II. p. 1245.
 1. viscosa L. Monspeli. 4.
 2. vulgaris L. Europa. 4.
 β. hortensis simplex Bauhin.
 γ. hortensis multiplex, flore magno C. B.
 δ. hortensis multiplex flore inverso C. B.
 ε. flore rosea multiplici C. B.
 ζ. degener virescens Bauhin.
 η. speciosa Aiton. Sibiria.
 (*A. bicolor* Ehrhart.)
 θ. daurica W. Sibiria.
 3. alpina L. Helvetia. ♂.
 4. canadensis L. Virginia, Canada, Dauria. 4.
 5. viridiflora Pallas. Sibiria. 4.
 5a. atropurpurea W. Sibiria. 4. Enum. p. 577.
 (*A. viridiflora* β. W. sp. pl.)
 1069. NIGELLA. Nigelle. T. II. p. 1248.
 * *Pentagynae*.
 1. damascena L. Europa. ☉.
 β. flore pleno.
 γ. N. coarctata Hortulan.
 2. lativa L. Germania, Aegyptus, Creta. ☉.
 3. arvensis L. Germania, Gallia, Italia. ☉.
 * *Decagynae*.
 4. hispanica L. Hispania, Monspeli. ☉.
 5. orientalis L. Aleppo. ☉.
 1070. REAUMURIA. Reaumurie. T. II. p. 1249.
 1. vermiculata L. Aegyptus, Syria, Sicilia. ☉.
 2. hypericoides W. Syria, Caucasus. 4.
 (*Hypericum alternifolium* Billard.)

POLYGYNIA.

1071. DILLENIA. Dillenie. T. II. p. 1251.

1. scandens *W.* Nova Hollandia. *H.*

(*D. humilis* Donn. — *D. volubilis* Ventenat. — *Hibbertia volubilis* Andrews.)

2. integra *Thunb.* Zeylon. *H.*

3. speciosa *L.* Malabar, Java. *H.*

4. elliptica *Thunb.* Amboina, Celebes. *H.*

5. ferrata *Thunb.* Java, Celebes. *H.*

6. pentagyna *Roxb.* Coromandel. *H.*

7. retusa *Thunb.* Zeylon. *H.*

8. dentata *Thunb.* Ibid. *H.*

(*Wormia triquetra* Rottb.)

1072. ILLICIUM. Sternanis. T. II. p. 1254.

1. anisatum *L.* Japonia, China. *H.*

2. floridanum *L.* Florida. *H.*

1073. LIRIODENDRON, Tulpenbaum. T. II. pag. 1254.

1. Tulipifera *L.* America sept. *H.*

β Tulipifera caroliniana *Pluken.*

γ foliis indivisis apice truncatis *Enum.* p. 579.

2. Coco Loureiro. Cochinchina, China. *H.*

3. Figo Loureiro. China. *H.*

4. Liliifera *L.* Amboina. *H.*

1074. MAGNOLIA. Magnolie. T. II. p. 1255.

1. grandiflora *L.* Florida, Carolina. *H.*

α elliptica *Aiton.*

β obovata *Aiton.*

γ lanceolata *Aiton.*

2. Plumieri *Swartz.* Ins. St. Lucia, Martinica, Guadeloupe. *H.*

3. glauca *L.* Virginia, Pennsylvania, Carolina. *H.*

α latifolia *Aiton.*

β longifolia *Aiton.*

4. obovata *Thunb.* Japonia China. *H.*

(*M. purpurea* Curtis.)

5. tomentosa *Thunb.* Japonia. *H.*

6. *acuminata* L. Pennsylvania, Carolina. 5.
 7. *tripetala* L. Carolina, Virginia. 5.
 (*M. umbrella* La March.)
 8. *auriculata* La March. Carolina, Georgia. 5.
 1075. NELUMBIUM. Nelumbo. T. II. p. 1258.
 1. *speciosum* W. China, India, Persia. 4.
 (*Nymphaea Nelumbo* L.)
 β. *Tamara* Rumph.
 γ. *N. Nelumbo* Walter.
 2. *luteum* W. Virginia, Carolina, Florida. 4.
 (*Nymphaea Nelumbo* β. L.)
 3. *pentapetalum* W. Carolina. 4.
 (*Nymphaea pentapetala* Walter)
 4. *reniforme* W. Carolina. 4.
 (*Nymphaea reniformis* Walter.)
 1076. MICHELIA. Michelia. T. II. p. 1260.
 1. *Champaca* L. India. 5.
 2. *Tsiampaca* L. Ibid. 5.
 1077. UVARIA. Traubenbaum. T. II. p. 1261.
 1. *zeylanica* L. India. 5.
 2. *lanceolata* Swartz. Jamaica. 5.
 3. *cerasoides* Roxb. India orient. 5.
 4. *suberosa* Roxb. Ibid. 5.
 5. *tomentosa* Roxb. Ibid. 5.
 6. *odorata* La March Java, China. 5.
 7. *monosperma* La March. Gujana. 5.
 (*Cananga Ouregou* Aublet.)
 8. *lutea* Roxb. India orient. 5.
 9. *ligularis* La March. Amboina. 5.
 10. *longifolia* La March. India orient. 5.
 11. *japonica* L. Japonia. 5.
 1078. ANNONA. Flaschenbaum. T. II. p. 1264.
 1. *muricata* L. America calid. 5.
 2. *tripetala* Aiton. Peru. 5.
 (*A. Cherimolia* La March.)
 3. *equamosa* L. America merid. 5.
 4. *paltudosa* Aublet. Gujana. 5.

5. *reticulata* L. America merid. H.
- β. *A. mucosa* Jacq.
6. *longifolia* Aublet. Gujana. H.
7. *punctata* Aublet. Ibid. H.
8. *hexapetala* L. China, India orient. H.
9. *palustris* L. America. H.
10. *glabra* L. Carolina. H.
11. *triloba* L. Ibid. H.
12. *asiatica* L. Zeylon. H.
13. *Ambotay* Aublet. Gujana. H.
14. *africana* L. Africa. H.
15. *pygmaea* Bartram. Florida. H.
16. *obovata* W, Ibid. H.
17. *grandiflora* La Marck. Madagascar, Ins. Bourbon. H.
18. *amplexicaulis* La Larch. Ibid, Ins. Mauriti. H.
1079. XYLOPIA. Bitterholz. T. II. p. 1270.
 1. *muricata* L. Jamaica. H.
 2. *frutescens* Aublet. Gujana, Brasilia. H.
 3. *glabra* L. Jamaica, Barbados. H.
1080. UNONA. Unone. T. II. p. 1271.
 1. *discreta* L. Surinam. H.
 2. *tomentosa* W. Cochinchina. H.
 3. *discolor* Vahl. India orient. H.
 4. *concolor* W. Gujana. H.
1081. ANEMONE. Anemone. T. II. p. 1272.
 - * *Hepaticae flore subcalyculato.*
 1. *Hepatica* L. Europa. 4.
 - (*Hepatica triloba* de Candol. — Enum. p. 580.)
 - β. flore coeruleo
 - γ. flore albo.
 - δ. flore rubro.
 - ε. flore pleno.
 - ** *Pulsatillae pedunculo involucreto, seminibus caudatis.*
 - (*Pulsatillae* Enum. p. 581.)
 - 2. *patens* L. Sibiria, Germania, Silesia. 4.
 - 3. *cernua* Thunb. Japonia. 4.

4. *vernalis* L. Suecia, Helvetia, Germania, Italia. 4.
5. *Halleri* Allion. Alpes Europae. 4.
6. *Pulsatilla* L. Europa. 4.
(*Pulsatilla vulgaris* W. Enum. p. 581.)
β. flore minori Bauhin.
γ. flore albo Gmel.
7. *pratensis* L. Europa. 4.
*** *Anemones caule folioso, seminibus caudatis.*
8. *alpina* L. Alpes Europae. 4.
β. major Bauhin.
9. *apiifolia* Wulfen. Ibid. 4.
(*a. sulphurea* L.)
**** *Anemoides caule folioso, seminibus ecaudatis.*
10. *coronaria* L. Oriens. 4.
β. *A. tenuifolia multiplex rubra* Bauhin.
γ. *A. angustifolia multiplex* Miller.
11. *hortensis* L. Italia, Helvetia. 4.
12. *palmata* L. Lusitania, Algeria. 4.
13. *sibirica* L. Sibiria. 4.
14. *baldensis* L. Alpes Europae. 4.
15. *sylvestris* L. Europa. 4.
β. minor Bauhin.
16. *virginiana* L. Virginia. 4.
17. *decapetala* L. Brasilia. 4.
18. *triternata* Vahl. Ibid. 4.
19. *pensylvanica* L. Canada. 4.
20. *dichotoma* L. Canada, Sibiria. 4.
21. *trifolia* L. Gallia, Carniola. 4.
22. *quinquefolia* L. Virginia, Canada. 4.
23. *nemorosa* L. Europa. 4.
24. *apennina* L. Italia, Anglia. 4.
25. *reflexa* Stephan. Sibiria. 4.
26. *ranunculoides* L. Europa. 4.
27. *narcissiflora* L. Alpes Europae. 4.
β. *fasciculata* L.
28. *umbellata* W. Capadocia. 4.

29. *thalictroides* L. Virginia, Canada. 4.
 β. caule unifloro.

1982. ATRAGENE. Atragene. T. II. p. 1285.

1. *alpina* L. Alpes Europae. 5.

α. flore ceruleo.

β. flore albo.

2. *ochotensis* Pallas. Sibiria. 5.

3. *japonica* Thunb. Japonia. 5.

4. *capensis* L. Cap. b. sp. 5.

5. *tenuifolia* L. Ibid.

6. *zeylanica* L. Zeylon. 5.

1983. CLEMATIS. Waldrebe. T. II. p. 1287.

* Scandentes.

1. *cirrrosa* L. Baetica. 5.

2. *florida* Thunb. Japonia. 5.

3. *Viticella* L. Italia, Hispania. 5.

4. *Viorna* L. Virginia, Carolina. 5.

5. *crispa* L. Carolina. 5.

6. *calycina* Aiton. Ins. Minorca. 5.

(*C. balearica* La Marck.)

7. *orientalis* L. Oriens. 5.

8. *glauca* W. Sibiria, Oriens. 5.

9. *hexapetala* Forster. Nova, Zeelandia. 5.

10. *triflora* Vahl. Ins. Bourbon. 5.

(*C. mauritiana* La Marck.)

11. *virginiana* L. America sept. 5.

12. *japonica* Thunb. Japonia. 5.

13. *trifoliata* Thunb. Ibid. 5.

14. *dioica* L. America calid. 5.

15. *indivisa* W. Nova Zeelandia. 5.

(*C. integrifolia* Forster.)

16. *paniculata* Thunb. Japonia. 5.

17. *Vitalba* L. Europa. 5.

β. *C. latifolia dentata* Bauhin.

γ. *C. sylvestris latifolia* Bauhin.

18. *chinensis* Retz. China. 4. 5.

19. *Flammula* L. Monspeli, Rhetia. 4. 5.

** *Erectae.*

20. *maritima* L. Ad mare Adriaticum, Monspe-
lii. 2.

21. *angustifolia* Jacq. Sibiria, Austria. 2.

22. *erecta* L. Imper. Austriacum, Tataria. Gallia,
Helvetia. 2.

23. *ochroleuca* Aiton. America bor. 2.

24. *integrifolia* L. Hungaria, Tataria. 2.

1084. THALICTRUM. Thaliëtrum. T. II. p. 1295.

1. *alpinum* L. Alpes Lapponiae, Arvoniae. 2.

2. *foetidum* L. Gallia, Helvetia. 2.

3. *tuberosum* L. Hispania, Gallia. 2.

4. *Cornuti* L. Canada. 2.

5. *dioicum* L. Ibid. 2.

6. *elatum* Jacq. Hungaria. 2.

7. *majus* Jacq. Austria, Pannonia. 2.

8. *medium* Jacq. Hungaria. 2.

9. *minus* L. Europa. 2.

9^a. *concinnum* W. . . . 2. Enum. p. 584.

10. *rugosum* Aiton. America bor. 2.

11. *sibiricum* L. Sibiria, Armenia. 2.

12. *lquarrosus* Stephan, Sibiria. 2.

13. *purpureascens* L. Canada. 2.

14. *angustifolium* L. Germania. 2.

15. *flavum* Europa. 2.

15^a. *speciosum* W. Hispania. 2. Enum. p. 585

15^b. *galioides* Nestler. Borussia, Alsatia. 2. Enum.
p 585.

(*T. flavum*. β. W. sp. pl.)

16. *nigricans* Jacq. Austria. 2.

17. *simplex* L. Suecia, Dania, Gallia. 2.

18. *lucidum* L. Parisiis, Hispania. 2.

19. *aquilegifolium* L. Scania, Helvetia, Ingria. 2.

β. *T. atro - purpureum* Jacq.

19^a. *ranunculium* Mühlenberg. Carolina. 2.

Enum. p. 585.

20. *contortum* L. Sibiria. 2.

21. petaloideum L. Dauria. 4.

β. T. stamineum L.

22. styloideum L. Sibiria. 4.

23. japonicum Thunb. Japonia.

1085. ADONIS. Adonis. T. II. p. 1303.

1. aestivalis L. Europa. ☉.

2. autumnalis L. Ibid. ☉.

3. flammea Jacq. Austria. ☉.

4. vernalis L. Europa. 4.

5. apennina L. Sibiria, Italia, in Pyrenaeis. 4.

6. filia L. Cap. b. sp. 4.

7. capensis L. Ibid. 4.

8. vesicatoria L. Ibid. 4.

(*Anamenia laserpitifolia* Persoon. — Enum. p. 1586.)

1086. RANUNCULUS. Ranunkel. T. II. p. 1307.

* *Foliis simplicibus*

1. Flammula L. Europa. 4.

β. foliis serratis Bauhin.

14. uliginosus W. Teneriffa. Enum. p. 586.

2. reptans L. Suecia, Russia, Helvetia, Germania. 4.

3. Lingua L. Europa. 4.

β. R. flammeus Pluken.

4. nodiflorus L. Sicilia, Gallia, Hungaria, ☉.

β. R. siculus Petiver.

5. gramineus L. Gallia. 4.

β. R. montanus Bauhin.

γ. R. montanus multiplex Bauhin.

6. pyrenaicus L. Alpes Europae. 4.

7. parnassifolius L. Ibid. 4.

8. ophioglossoides Villars. Delphinatus. 4.

9. amplexicaulis L. Helvetia, Gallia, Italia. 4.

10. bullatus L. Lusitania, Creta, Africa bor. 4.

β. flore pleno et prolifero Morison.

11. falsuginosus Pallas. Sibiria, 4.

(R. ruthenicus. Jacq.)

12. Ficaria L. Europa. 4.

(*Ficaria ranunculoides* Roth.)

13. *frigidus* W. Sibiria. 2.

14. *Thora* L. Alpes Europae. 2.

β. *Thora minor* Camerer.

** *Folius dissectis et divisis.*

15. *creticus* L. Cræta. 2.

16. *cassubicus* L. Borussia, Sibiria, Hungaria. 2.

17. *auricomus* L. Europa. 2.

18. *abortivus* L. Virginia, Canada, Pennsylvania. 2.

18a. *pedatus* Waldst. et Kit. Hungaria, Tataria. 2.

Enum. p. 588.

19. *trilobus* Desfont. Africa bor. 2.

γ. *sceleratus* L. Europa. ☉.

20a. *umbellatus* Roxburgh. India orient. ☉. Enum.
p. 588.

21. *aconitifolius* L. Alpes Europae. 2.

β. *flor. pleno.*

22. *platanifolius* L. Ibid. 2.

23. *spicatus* Desfont. Algeria. 2.

23a. *cortusaefolius* W. Teneriffa. Enum. p. 588.

24. *illyricus* L. Europa. 2.

24a. *sericeus* W. Caucasus. 2. Enum. p. 589.

25. *flabellatus* Desfont. Algeria. 2.

26. *asiaticus* L. Asia, Mauritania. 2.

β. *flor. flavo vario* Bauhin.

γ. *flor. albo* Bauhin.

δ. *flor. albo leviter crenato* Bauhin.

ε. *flor. niveo* Bauhin.

ζ. *flor. phoeniceo* Bauhin.

η. *R. sanguineus* Miller.

θ. *prolifer miniatus* Bauhin.

27. *japonicus* Thunb. Japonia. 2.

28. *rutaeefolius* L. Alpes Europae. 2.

29. *glacialis* L. Ibid. 2.

30. *Seguieri* Villars. Ibid. 2.

(*R. Columnae* Wulffen, Allioni.)

31. *nivalis* L. Alpes Lapponiae, Norvegiae. 2.

D I D Y N A M I A.

G Y M N O S P E R M I A.

1092. AJUGA. Gussel. T. III. p. 8.

* *Bugulae*.1. *orientalis* L. Oriens. 4.β. *Bugula* — flore inverse coeruleo, alba macula notata *Tournesf.*2. *decumbens* Thunb. Japonia. 4.3. *pyramidalis* L. Europa. ♂.4. *alpina* L. Alpes Europae. 4.5. *genevensis* L. Europa. 4.6. *repans* L. Europa. 4.** *Chamaepites*.7. *Chamaepitys* Schreber. Europa, Oriens, Barbaria, Virginia. ☉.(*Teucrium Chamaepithys* L.)8. *chia* Schreber. Ins. Chio. ☉.9. *Iva* Schreber. Europa austr. Africa bor. ☉.(*Teucrium Iva* L.)β. *A. moschata* Schreber.10. *salicifolia* Schreber. Armenia. 4.(*Teucrium salicifolium* L.)

1093. TEUCRIUM. Gamander. T. III. p. 13.

1. *campanulatum* L. Oriens, Apulia. 4.β. flore albo *Till.*2. *laevigatum* Vahl. Bonaria.3. *orientale* L. Armenia, Media. 4.β. flore suavarubente *Tournesf.*4. *parviflorum* Schreber. Armenia. 4.5. *Botrys* L. Germania, Gallia, Helvetia, Italia. ☉.6. *nissolianum* L. Hispania, Lusitania. ☉.7. *trifidum* Retz. Cap. b. sp. 5.

8. *Pseudo-chamaepitys* L. Hispania, Lusitania, Africa bor. 4.
 β. *mauritanum* L.
9. *fruticans* L. Hispania, Italia, Africa bor. 5.
 β. *humilius*.
 γ. *T. latifolium* L.
10. *brevifolium* Schreber. Creta. 5.
11. *creticum* L. Creta, Aegyptus. 5.
 (*T. rosmarinifolium* Hortulan.)
12. *Marum* L. In regno Valentino. 5.
 β. *tenuifolium*.
- 12a. *subspinosum* Pourret. In ins. Balearibus. 5.
 Enum. p. 596.
13. *quadratum* Schreber. Hispania, Barbaria. 5.
 (*T. ramosissimum* Desfont.)
14. *multiflorum* L. Hispania. 5.
 β. *tenuifolium*.
15. *regium* Schreber. Ibid. 5.
16. *Laxmanni* L. Sibiria, Hungaria, Sclavonia. ♂.
17. *sibiricum* L. Sibiria. 4.
18. *asiaticum* L. . . . 5.
19. *cubense* L. Cuba. ♂. 4. ☉.
20. *Arduini* L. . . . 5.
21. *canadense* L. Canada. 4.
22. *virginianum* L. Virginia, Pennsylvania. 4.
23. *japonicum* W. Japonia. 4.
24. *inflatum* Swartz. Jamaica. 4.
25. *villosum* Forster. Tongatabu. 4.
26. *hyrcanicum* L. Hyrcania. 4.
27. *Abutiloides* l'Heritier. Madera. 5.
 (*T. macrophyllum* La Marck.)
28. *Scorodonia* L. Germania, Helvetia, Gallia, Anglia, Belgium. 4.
29. *Pseudo-Scorodonia* Desfont. Algeria. 5.
30. *betonicum* Aiton. Madera. 5.
 (*T. canescens* Forster — *T. maderense* La Marck.)
31. *resupinatum* Desfont. Africa bor. ☉.

β. pygmaeus L.

32. montanus W. Alpes Europae austr. 4.
(*R. nivalis* Jacq. Villars.)

33. Gouani W. In Pyrenaeis, Hungaria. 4.
(*R. pyrenaeus* Gouan.)

34. alpestris L. Alpes Austriae, Helvetiae. 4.

35. lapponicus L. Lapponia. 4.

36. hyperboreus L. Groenlandia, Islandia,
Norvegia, Sibiria. 4.

37. monspeliacus L. Monspeli.

38. pensylvanicus L. Canada, Pennsylvania. ☉. ♂.
(*R. canadensis* Jacq.)

39. ternatus Thunb. Japonia.

40. bulbosus L. Europa. 4.

41. Philonotis Ehrhart. Europa. ☉.
(*R. hirsutus* Aiton.)

42. polyrhizos Stephan. Sibiria. 4.

43. repens L. Europa. 4.

β. *R. dulcis* Tabern.

44. polyanthemus L. Europa. 4.

45. acris L. Europa. 4.

β. flore pleno.

46. cappadocicus W. Cappadocia. 4.

47. lanuginosus L. Europa. 4.

β. *R. —* geranifolio Bauhin.

48. chaerophyllus L. Gallia, Italia. 4.

49. millefoliatus Vahl. In regno Tunetano. 4.

50. parvulus L. Monspeli, Italia, Russia.

51. oxyspermus Bieberst. Sibiria. ☉.

52. arvensis L. Europa. ☉.

53. muricatus L. Ibid. ☉.

54. parviflorus L. Ibid. ☉.

55. orientalis L. Orient. ☉.

56. grandiflorus L. Ibid. 4.

57. falcatus L. Europa, Orient. ☉.

58. polyphyllus Waldest et Kit. Hungaria. ☉.

59. *hederaceus* L. Anglia, Belgium, Germania, Sibiria. 4.
60. *aquaticus* L. Europa. 4.
 β. *foliis submersis capillaceis* L.
 γ. *R. fluitans* Haller.
61. *fluvialis* Hoffmann. Europa, Africa bor. 4.
 (*R. aquaticus* δ. L. *R. pencedanifolius* Desfont.)
1087. TROLLIUS. Trollblume. T. II. p. 1333.
 1. *europaeus* L. Europa. 4.
 2. *asiaticus* L. Sibiria. 4.
1088. ISOPYRUM. Isopyrum. T. II. p. 1334.
 1. *fumarioides* L. Sibiria. ☉.
 2. *thalictroides* L. Alpes Europae. 4.
 3. *aquilegioides* L. Ibid.
1089. HELLEBORUS. Christwurz. T. II. p. 1335.
 1. *hyemalis* L. Italia, Helvetia, Austria. 4.
 2. *ranunculinus* Smith. Cappadocia. 4.
 3. *niger* L. Austria, Italia. 4.
 3a. *purpurascens* Waldst. et Kit. Hungaria. 4.
 Enum. p. 592.
 3b. *odorus* Waldst. et Kit. Ibid. 4. Enum. p. 592.
 3c. *dumetorum* Waldst. et Kit. Ibid. 4. Enum. p. 592.
 4. *viridis* L. Italia. 4.
 5. *orientalis* La Marck. Orlens. 4.
 6. *foetidus* L. Germania, Helvetia, Gallia. 4.
 7. *lividus* Aiton. T. . . 4.
 (*H. foetidus* β. L.)
 8. *trifolius* L. Canada, Sibiria, Islandia. 4.
1090. CALTHA. Kuhlblume. T. II. p. 1336.
 1. *palustris* L. Europa, Asia, America bor. 4.
 α. *C. minor* Miller.
 β. *flore pleno*.
 2. *crataegus* Pallas. 4.
1091. HYDRASTIS. Hydrastis. T. II. p. 1339.
 1. *canadensis* L. Canada. 4.

D I D Y N A M I A.

G Y M N O S P E R M I A.

1092. AJUGA. Gussel. T. III. p. 8.

* *Bugulae*,1. *orientalis* L. Oriens. 4.β. *Bugula* — flore inverso coeruleo, alba macula notata Tournef.2. *decumbens* Thunb. Japonia. 4.3. *pyramidalis* L. Europa. ♂.4. *alpina* L. Alpes Europae. 4.5. *genevensis* L. Europa. 4.6. *reptans* L. Europa. 4.** *Chamaepites*.7. *Chamaepitys* Schreber. Europa, Oriens, Barbaria, Virginia. ☉.(*Teucrium Chamaepithys* L.)8. *chia* Schreber. Ins. Chio. ☉.9. *Iva* Schreber. Europa austr. Africa bor. ☉.(*Teucrium Iva* L.)β. *A. moschata* Schreber.10. *salicifolia* Schreber. Armenia. 4.(*Teucrium salicifolium* L.)

1093. TEUCRIUM. Gamander, T. III. p. 13.

1. *campanulatum* L. Oriens, Apulia. 4.

β. flore albo Till.

2. *laevigatum* Vahl. Bonaria.3. *orientale* L. Armenia, Media. 4.

β. flore suaverubente Tournef.

4. *parviflorum* Schreber. Armenia. 4.5. *Botrys* L. Germania, Gallia, Helvetia, Italia. ☉.6. *nissolianum* L. Hispania, Lusitania. ☉.7. *trifidum* Retz. Cap. b. sp. 5.

8. *Pseudo-chamaepitys* L. Hispania, Lusitania, Africa bor. 4.
 β. *mauritanum* L.
9. *fruticans* L. Hispania, Italia, Africa bor. 5.
 β. *humilius*.
 γ. *T. latifolium* L.
10. *brevifolium* Schreber. Creta. 5.
11. *creticum* L. Creta, Aegyptus. 5.
 (*T. rosmarinifolium* Hortulan.)
12. *Marum* L. In regno Valentino. 5.
 β. *tenuifolium*.
- 12a. *subspinosum* Pourret. In ins. Balearibus. 5.
 Enum. p. 596.
13. *quadratum* Schreber. Hispania, Barbaria. 5.
 (*T. ramosissimum* Desfont.)
14. *multiflorum* L. Hispania. 5.
 β. *tenuifolium*.
15. *regium* Schreber. Ibid. 5.
16. *Laxmanni* L. Sibira, Hungaria, Sclavonia. ♂.
17. *sibiricum* L. Sibiria. 4.
18. *asiaticum* L. 5.
19. *cubense* L. Cuba. ♂. 4. ☉.
20. *Arduini* L. 5.
21. *canadense* L. Canada. 4.
22. *virginianum* L. Virginia, Pennsylvania. 4.
23. *japonicum* W. Japonia. 4.
24. *inflatum* Swartz. Jamaica. 4.
25. *villosum* Forster. Tongatabu. 4.
26. *hyrcanicum* L. Hyrcania. 4.
27. *Abutiloides* l'Heritier. Madera. 5.
 (*T. macrophyllum* LaMarck.)
28. *Scorodonia* L. Germania, Helvetia, Gallia, Anglia, Belgium. 4.
29. *Pseudo-Scorodonia* Desfont. Algeria. 5.
30. *betonicum* Aiton. Madera. 5.
 (*T. canescens* Forster — *T. maderense* LaMarck.)
31. *resupinatum* Desfont. Africa bor. ☉.

32. *massiliense* L. Creta, Gallia. 5.
 33. *Salviastrum* Schreber. Lusitania. 4.
 34. *Scordium* L. Europa. 5.
 35. *Scordioides* Schreber. Creta. 4.
 36. *Chamaedrys* L. Europa, Palaestina, Ins.
 Archipelagi. 4.
 β . *minor* Bauhin.
 γ . *hirsuta* Morison.
 37. *heterophyllum* l'Heritier. Madera. 5.
 (*T. canariense* La Marck.)
 38. *bracteatum* Desfont. Africa bor. 4.
 39. *lucidum* L. Sabaudia, Galloprovincia. 4.
 40. *nitidum* Schreber. Mauritania. 5.
 41. *flavum* L. Carniolia, Italia, Hispania, Gallia
 Barbaria. 5.
 β . *purpureo flore* Tournef.
 42. *montanum* L. Europa. 5.
 α . *foliis lanceolatis integerrimis*.
 β . *foliis lanceolatis latioribus integerrimis*.
 γ . *foliis lanceolatis latioribus obtusioribus, quibus-*
 dam apice dentatis.
 δ . *foliis lanceolatis latioribus acutis, plerisque*
 dentatis.
 43. *lupinum* L. Austria. 5.
 44. *thymifolium* Schreber.
 β . *purpureum* Barrelier. t. 1087.
 45. *pyrenaicum* L. In Pyrenaeis. 4.
 46. *rotundifolium* Schreber. In regno Valenti-
 no. 5.
 (*T. saxatile* La Marck.)
 47. *buxifolium* Schreber. Ibid. 5.
 (*T. saxatile* Cavanil.)
 48. *aureum* Cavanil. Hispania, Gallia, Syria. 5.
 β . *T. flavicans* La Marck.
 49. *flavescens* Schreber. Gallia austr. 5.
 50. *gnaphalodes* l'Heritier. Hispania. 5.
 51. *Achaemenis* Schreber. Ad mare Adriaticum. 5.

(*Teucrium Polium* δ . L.)

52. *Polium* L. Creta, Italia, Gallia, Hispania. $\bar{\text{H}}$.

β . *Polium montanum* *supinum*, *alterum* *Bauhin*.

53. *trifoliatum* *Vahl*. Hispania, Barbaria. $\bar{\text{H}}$.

54. *Pseudhyssopus* *Schreber*. Italia, Creta. $\bar{\text{H}}$.

55. *valentinum* *Schreber*. In regno Valentino. $\bar{\text{H}}$.

56. *capitatum* L. Hispania, Gallia, Sibiria. $\bar{\text{H}}$.

57. *lusitanicum* Lusitania. 4.

58. *pycnophyllum* *Schreber*. Hispania. 4.

59. *verticillatum* *Cavanil*. In regno Valentino. $\bar{\text{H}}$.

60. *Libanitis* *Schreber*. Hispania. $\bar{\text{H}}$.

61. *pumilum* *Schreber*. Hispania. $\bar{\text{H}}$.

β . *Polium montanum* *Barrel*. t. 1093.

62. *angustissimum* *Schreber*. Hispania. $\bar{\text{H}}$.

63. *cbeleste* *Schreber*. In regno Valentino. $\bar{\text{H}}$.

64. *spinosum* L. Lusitania, Hispania. \odot .

β . *T. mucronatum* L.

1094. SATUREJA. Pfefferkraut. T. III. p. 41.

1. *juliana* L. Italia. $\bar{\text{H}}$.

2. *nervosa* *W*. Atlas. $\bar{\text{H}}$.

(*S. capitata* *Desfont*.)

3. *Thymbra* L. Creta, Tripolis. $\bar{\text{H}}$.

4. *græca* L. Ins. Archipelagi. 4.

5. *filiformis* *Desfont*. Atlas. $\bar{\text{H}}$.

6. *montana* L. Europa merid. $\bar{\text{H}}$.

7. *rupestris* *Wulffen*. Carniola. $\bar{\text{H}}$.

8. *hortensis* L. Gallia, Italia. \odot .

9. *capitata* L. Creta, Baetica, Graecia, Palaestina. $\bar{\text{H}}$.

10. *spinosa* L. Creta. $\bar{\text{H}}$.

11. *viminea* L. Jamaica. $\bar{\text{H}}$.

1095. THYMBRA. Thymbra. T. III. p. 46.

1. *spicata* L. Macedonia. $\bar{\text{H}}$.

2. *verticillata* L. Europa austr. $\bar{\text{H}}$.

3. *ciliata* *Desfont*. Africa bor. $\bar{\text{H}}$.

1096. HYSSOPUS. Isop. T. III. p. 47.

1. *officinalis* L. Helvetia, Austria, Sibiria. 5.
 - β. *rubroflora* Bauhin.
- 1a. *orientalis* Adams. Caucasus. 5. Enum. p. 600.
2. *Lophanthus* L. China. 4.
3. *nepetoides* L. Virginia, Canada. 4.
4. *Isorophulariifolius* W. Canada. ♂.
1097. NEPETA. Katzenmünze. T. III. p. 49.
1. *Cataria* L. Europa. 4.
 - β. *N. minor* Miller.
2. *angustifolia* Vahl. Arragonia. 4.
 - (*N. Arragónensis* La Marck.)
3. *crispa* W. Oriens. 4.
4. *heliotropifolia* La Marck. Oriens.
5. *pannonica* L. Austria, Pannonia, Sibiria. 4.
6. *coerulea* Aiton. 4.
7. *violacea* L. Hispania, Sibiria, Carniolia. 4.
8. *incana* Aiton. Armenia, Caucasus. ♂.
 - (*N. teucrioides* La Marck.)
9. *japonica* W. Japonia. 4.
 - (*N. incana* Thunberg Houttuyn.)
10. *ucranica* L. Ucraina. 4.
11. *Nepetella* L. Europa austr. 4.
- 11a. *graveolens* Villars. Pedemont, Delpinatus.
 - ♂. Enum. p. 601.
 - (*N. Nepetella* Allion.)
- 11b. *longiflora* Ventenat. Caucasus, Persia. 4.
 - Enum. p. 601.
 - (*N. salviaefolia* Persoon.)
12. *nuda* L. Helvetia, Hispania. 4.
13. *melissaefolia* La Marck. Creta. 4.
- 13a. *colorata* W. Caucasus. 4. Enum. p. 601.
- 13b. *teucriifolia* W. Armenia. 4. Enum. p. 601.
- 13c. *lamiifolia* W. Ibid. 4. Enum. p. 601.
- 13d. *circinata* W. Cappadocia. 4. Enum. p. 601.
14. *hirsuta* L. Sicilia.
15. *italica* L. Italia. 4.
- 15a. *marrubioides* W. 4. Enum. p. 603.

16. *multibracteata* Desfont. Atlas. 4.
17. *reticulata* Desfont. Ibid. 4.
18. *tuberosa* L. Hispania, Lusitania. 4.
19. *lanata* Jacq. Europa austr. 4.
20. *Scordotis* L. Creta. 5.
21. *virginica* L. Virginia. 4.
22. *malabarica* L. Malabar.
23. *indica* L. India.
24. *amboinica* L. Amboina. 5.
25. *madagascariensis* La Marck. Madagascar,
Ins. Mauritii, India. 4.
26. *multifida* L. Sibiria. 4.
27. *botryoides* Aiton. Ibid. ☉.
(*N. annua*. Pallas. — *N. bipinnata* Cavanil. —
N. multifida L.)
1098. **ELSHOLTZIA**. Elsholtzie. T. III. p. 59.
 1. *cristata* W. Sibiria. ☉.
(*Hyssopus ocymifolius* La Marck. — *Mentha ovata*.
Cavanil:)
 2. *paniculata* W. India orient.
(*Hyssopus cristatus* La Marck.)
1099. **LAVANDULA**. Lavendel. T. III. p. 60.
 1. *Spica* L. Europa austr. 5.
α. angustifolia Bauhin.
 1. *latifolia* Ehrhart. ibid. 5. Enum. p. 604.
(*L. Spica* β. W. sp. pl.)
 2. *Stoechas* L. Gallia, Hispania, Africa bor. 5.
β. Stoechas pedunculata Miller.
 3. *viridis* l'Heritier. Madera. 5.
 4. *dentata* L. Hispania, Africa bor, Oriens. 5.
 5. *pinnata* L. Madera. 5.
 6. *multifida* L. Hispania, Africa bor. 5.
 7. *abrotanoides* La Marck. In Canariis. 5.
 8. *carnosa* L. India orient. ♂.
100. **SIDERITIS**. Gliedkraut. T. III. p. 63.
* *Ebracteatae*.
 1. *canariensis* L. In Canariis, Madera. 5.

2. *candicans* Aiton. Madera. 5.
3. *cretica* L. Creta. 5.
4. *montana* L. Italia, Austria. ☉.
5. *elegans* Murray. . . . ☉.
(*S. nigricans* La Marck.)
6. *romana* L. Europa austr. ♂. ☉.
** *Bracteatae: bracteis integerrimis.*
7. *syriaca* L. Italia, Creta, Oriens. 5.
β. flore aureo.
8. *taurica* Stephan. Tauria. 5.
9. *distans* W. . . . 5.
10. *perfoliata* L. Oriens. 4.
11. *ciliata* Thunb. Japonia.
*** *Bracteatae: bracteis dentatis.*
12. *incana* L. Hispania. 5.
13. *virgata* Desfont. Africa bor. 5.
14. *glauca* Cavanil. In regno Valentino. 4.
15. *hyssopifolia* L. Italia, Gallia. 4.
β. *S. alpina* Villars.
16. *Scordioides* L. Gallia, Hispania, Helvetia. 4.
β. *S. hirta* Roth.
17. *spinosa* La Marck. Hispania. 5.
(*S. subspinosa* Cavanil.)
- 17a. *ilicifolia* W. Oriens. 4. Enum. p. 606.
- 17b. *crispata* W. Gibraltar. Enum. p. 606.
18. *hirsuta* L. Gallia, Hispania, Italia. 4.
19. *ovata* Cavanil. Peru. 4.
20. *lanata* L. Aegyptus, Palaestina. ☉.
1101. BYSTROPOGON. Kelchbart. T. III. p. 71.
1. *pectinatum* l'Heritier. Jamaica, Peru. 5.
(*Nepeta pectinata* L.)
2. *sidaefolium* l'Heritier. Peru.
3. *suaveolens* l'Heritier. America merid. ☉.
(*Balota suaveolens* L.)
4. *plumosum* l'Heritier. In Canariis, Nivaria. 5.
(*Mentha plumosa* L.)
5. *origanifolium* l'Heritier. Nivaria. 5.

6. *canariense* l'Heritier. Madera, in Canariis. 5.
(*Mentha canariensis* L.)

7. *punctatum* l'Heritier. Madera. 5.

1102. MENTHA. Münze. T. III. p. 74.

* *Spicatae*.

1. *Auricularia* L. India. 4.

2. *sylvestris* L. Germania, Gallia, Anglia. 4.

3. *nemorosa* W. Germania, Dania, Anglia. 4.

(*M. sylvestris* Fl. dan.)

4. *gratissima* Wiggers, Germania, Helvetia. 4.

5. *niliaca* Vahl. Aegyptus. 4.

5a. *balsamea* W. Italia. 4. Enum. p. 608.

5b. *hirta* W. 4. Enum. p. 608.

5c. *pubescens* W. 4. Enum. p. 608.

5d. *crispata* Schrader, 4. Enum. p. 608.

5e. *undulata* W. 4. Enum. p. 608.

5f. *incana* W. 4. Enum. p. 609.

5g. *lavandulacea* W. Hispania. 4. Enum. p. 609.

5h. *laevigata* W. 4. Enum. p. 609.

6. *glabrata* Vahl. Ibid. 4.

7. *viridis* L. Germania, Gallia, Helvetia. 4.

8. *rotundifolia* L. Ibid. 4.

** *Capitatae*.

9. *crispa* L. Sibiria, Helvetia, Germania. 4.

10. *hirsuta* L. Anglia, Hollandia, Germania. 4.

β. *M. Sisymbrium* Raj.

11. *aquatica* L. Europa. 4.

12. *citrata* Ehrhart. Ibid. 4.

(*M. odorata* Smith. — *M. adspersa* Moench.)

13. *piperita* L. Anglia. 4.

*** *Verticillatae*.

14. *fativa* L. Europa. 4.

15. *dentata* Moench. Germania. 4.

15a. *rubra* Smith. Anglia. 4.

16. *gentilis* L. Europa. 4.

17. *arvensis* L. Ibid. 4.

18. *austriaca* Jacq. Germania, Austria, Italia. 4.

19. canadensis L. Canada.

20. Pulegium L. Europa. 4.

204. gibraltarica W. Gibraltar. 4. Enum.
pag. 611.

21. cervina L. Gallia. 4.

22. perilloides L. India. ☉.

1103. PERILLA, Perille. T. III. p. 83.

1. oocymoides L. India. orient. ☉.

1103a. LEPECHINIA. Enum. p. 612.

1. spicata W. Mexico. 4.

(*Utricia pyramidata* Hortulan.)

1104. HYPTIS. Linksbume T. III. p. 84.

1. verticillata Jacq. Hispaniola. 5.

2. capitata Jacq. Jamaica, Hispaniola. 5.

3. radiata W. Carolina. 4.

(*Clinopodium rugosum* L.)

4. Chamaedrys W. Gujana. 4.

(*Clinopodium Chamaedrys* Vahl.)

4a. persica W. Persia. 5. Enum. p. 612.

(*Brotera persica* Sprengel.)

1105. GLECHOMA. Gundermann. T. III. p. 85.

1. hederacea L. Europa. 4.

1a. hirsuta Waldst. et Kit. Hungaria. 4. Enum p. 613.

1106. LAMIUM, Bienensaug. T. III. p. 86.

1. Orvala L. Pannonia, Italia, Istria. 4.

β. Orvala garganica L.

2. laevigatum L. Italia, Sibiria. 4.

3. rugosum Aiton. Italia. 4.

4. garganicum L. ibid. 4.

5. maculatum Bauhin. Europa. 4.

6. album L. Ibid. 4.

7. molle Aiton. . . . 4.

8. purpureum L. Europa. ☉.

9. incisum W. Gallia, ☉.

(*L. purpureum* var. *hybridum* Villars.)

10. bifidum Cyrillo. In regno Neapolitano.

11. tomentosum W. Armenia.

12. *amplexicaule* L. Europa. ☉.
β. majus.
13. *multifidum* L. Oriens. ☉.
1107. GALEOPSIS. Hohlzahn. T. III. p. 91.
 1. *Ladanum* L. Europa. ☉.
 2. *grandiflora* L. Ibid. ☉.
 3. *Tetrahit* L. Ibid. ☉.
 4. *cannabina* Pollich. Ibid. ☉.
 (*G. Tetrahit β. L. — G. versicolor* Smith.)
1108. BETONICA. Betonien. T. III. p. 94.
 1. *officinalis* L. Europa 4.
β. B. alba Bauhin.
 2. *stricta* Aiton. 4.
 3. *incana* Aiton. 4.
 4. *orientalis* L. Oriens. 4.
 5. *alopecuros* L. Silesia, Austria, Italia, Gallia. 4.
 6. *hirsuta* L. In Apenninis, Pyrenaeis. 4.
 (*B. Monnieri* Gouan.)
 7. *grandiflora* Stephan. Sibiria. 4.
 8. *heraclea* L. Oriens.
1109. STACHYS. Ziest. T. III. p. 97.
 1. *sylvatica* L. Europa. ☉.
 2. *circinata* l'Heritier. Africa bor. 4.
 (*S. canariensis* Jacq.)
 2a. *mollissima* W. Ins. Corfu. 4. Enum. p. 615.
 3. *coccinea* Jacq. Mexico. 4.
 4. *palustris* L. Europa. 4.
 4a. *scordifolia* W. 4. Enum. p. 616.
 5. *alpina* L. Germania, Helvetia, Gallia. 4.
 6. *germanica* L. Germania, Gallia, Anglia,
 Sibiria, Helvetia. 5.
β. flore albo,
γ. foliis angustioribus.
 7. *intermedia* Aiton. 4. ♂.
 8. *lanata* Jacq. Sibiria 4.
 9. *cretica* L. Creta. 4.
 10. *heraclea* Allion. In agro Nicaeensi. 4.
 11. *tenuifolia* W. Pennsylvania. 4.

12. *glutinosa* L. Creta. 5.
13. *spinosa* L. Ibid. 5.
14. *orientalis* L. Oriens.
15. *palaestina* L. Palaestina. 5.
16. *maritima* L. Venetiis, Monspeli, Oriens. 4.
17. *aethiopica* L. Cap. b. sp. 4.
18. *hirta* L. Oriens, Hispania, Italia. 4.
19. *lavandulaefolia* Vahl. Oriens. 4.
(*Zietenia orientalis* Gleditsch.)
20. *rugosa* Aiton Cap. b. sp. 5.
21. *recta* L. Europa. 4.
22. *arenaria* Vahl. In regno Tunetano, Cappadocia. 4.
23. *annua* L. Europa. ☉.
24. *arvensis* L. Ibid. ☉.
- β. *Lamium paludosum belgicum* Hermann.
25. *latifolia* Aiton. . . . 5.
26. *Artemisia Loureiro.* Cochinchina, China. ☉.
110. BALLOTA. Ballote. T. III. p. 107.
 1. *nigra* L. Europa. 4.
β. flore albo.
 2. *alba* L. Europa. 4.
 3. *lanata* L. Sibiria. 4.
 4. *disticha* L. India. ☉.
111. MARRUBIUM. Andorn. T. III. p. 109.

* *Calycibus 5 — dentatis.*

 1. *Alyssum* L. Hispania. 4.
 2. *astracanicum* Jacq. Ad Astracan, Oriens. 4.
 3. *peregrinum* L. Sicilia, Creta, Austria. 4.
 4. *creticum* Miller. In Mansfeldia, Oriens. 4.
 5. *candidissimum* L. Oriens. 4.
 6. *lupinum* L. Hispania, Gallia, Carniolia. 4.
 7. *catariaefolium* La March. Oriens.

** *Calicibus 10 — dentatis.*

 8. *vulgare* L. Europa. 4.
β. M. *album villosum* Bauhin.

84. *cinereum* *La Marck*. Lusitania, Hispania. 24.
Enum. p. 619.
9. *africanum* *L.* Cap. b. sp. 24.
10. *crispum* *L.* Italia, Hispania. 24.
11. *hirsutum* *W.* . . . 24.
12. *hispanicum* *L.* Hispania. 24.
13. *Pseudo — Dictamnus* *L.* Creta. 5.
14. *acetabulosum* *L.* Ibid. 24.
112. **LEONURUS.** *Wolfstrapp.* T. III. p. 114.
1. *crispus* *Murray*. Sibiria. 24.
2. *Cardiaca* *L.* Europa. 24.
3. *Marrubiastrum* *L.* Bohemia, Ucraina, Germania, Java. 24.
4. *Galeobdolon* *L.* Europa. 24.
(*Galeopsis Galeobdolon* *Jacq.* — *Lamium Galeobdolon* *Hoffmann.* — *Polichia Galeobdolon* *Roth.* — *Galeobdolon luteum* *Smith.* — Enum. p. 614.)
5. *lupinus* *Stephan.* Sibiria. 24.
6. *tataricus* *L.* Tataria. ♂.
7. *sibiricus* *L.* Sibiria, China. ○.
113. **PHLOMIS.** *Phlomis.* T. III. p. 118.
1. *fruticosa* *L.* Sicilia, Hispania. 5.
β. *latifolia* *Miller.*
2. *purpurea* *L.* Lusitania, Hispania. 5.
3. *italica* *Smith.* Italia, Lusitania. 5.
4. *Nissolii* *L.* Orlens.
5. *armeniaca* *W.* Armenia. 24.
6. *Lychnitis* *L.* Europa austr. 5.
7. *laciniata* *L.* Oriens. 24. ♂.
8. *famia* *L.* Africa bor. 24.
9. *crinita* *Cavanil.* Hispania. 24.
10. *biloba* *Desfont.* Algeria. 24.
11. *pungens* *W.* Armenia, Persia, Sibiria. 24.
12. *Herba venti* *L.* Hispania, Gallia, Italia. 24.
13. *alpina* *Pallas.* Alpes Altaicae. 24.
14. *tuberosa* *L.* Sibiria. 24.
15. *zeylanica* *L.* India. ○.

β. *Leonurus indicus* L.

16. *martinicensis* Swartz. Martinica. ☉.
 (*P. caribaea* Jacq.)
164. *aspera* W. In Caramania. ☉. Enum. p. 621.
17. *urticaefolia* Vahl. Arabia fel. India orient. ☉.
18. *decemdentata* W. Ins. Societatis.
 (*Stachys decemdentatus* Forster.)
19. *biflora* Vahl. India orient.
20. *chinensis* Retz. China. ☿.
21. *indica* L. India. ☉.
22. *moluccoides* Vahl. Arabia fel. ☿.
 (*Clinopodium fruticosum* Forsk.)
23. *glabrata* Vahl. Ibid.
24. *alba* Forsk. Arabia fel.
25. *nepetaefolia* L. India orient. ☉.
26. *Leonurus* L. Cap. b. sp. ☿.
27. *Leonitis* L. Ibid. ☿.
1114. MOLUCCELLA. Trichterkelch. T. III. p. 128.
1. *spinosa* L. In Moluccis. ☉.
 2. *laevis* L. Syria. ☉.
 3. *tuberosa* Pallas. Tataria. 4.
 4. *persica* W. Persia. ☿.
 5. *frutescens* L. Italia. ☿.
 6. *grandiflora* Stephan. Russia. 4.
 (*M. diacanthophylla* Pallas.)
1115. CLINOPODIUM. Wirbelborste. T. III. p. 131.
1. *vulgare* L. Europa, Canada. 4.
 β. *variegatum* Enum. p. 622.
 2. *aegyptiacum* La Marck. Aegyptus. 4.
 (*Cl. vulgare* β. L.)
 3. *incanum* L. America bor. 4.
1116. ORIGANUM. Dosten. T. III. p. 133.
1. *aegyptiacum* L. Aegyptus. 4.
 2. *Dictamnus* L. Creta. ☿.
 3. *sipyleum* L. Phrygia. ☿.
 4. *Tournefortii* Aiton. Ins. Amorgos. ☿.
 5. *ciliatum* W. Guinea.

6. *benghalense* *W.* Bengalia.
7. *creticum* *L.* Europa, Palaestina. 4.
 β . *folio subrotundo Bauhin.*
8. *smyrnaeum* *Wheel.* Creta, Smyrna. 4.
9. *heracleoticum* *L.* Europa austr., Graecia. 4.
10. *vulgare* *L.* Europa, Canada. 4.
11. *glandulosum* *Desfont.* Atlas. 4.
12. *Onites* *L.* Syracusae. 5.
13. *syriacum* *L.* . . .
14. *Maru* *L.* Creta. 4.
15. *Majorana* *L.* Lusitania, Palaestina. 5.
16. *Majoranoides* *W.* . . . 5.
117. THYMUS. Thymian. T. III. p. 138.
 1. *Serpyllum* *L.* Europa. 5.
 β . *majus.*
 γ . *minus.*
 δ . *foliis citri odore.*
 ϵ . *angustifolium*
 - 1a. *hirtus* *W.* Giberaltar. 5. Enum. p. 623.
 2. *lanuginosus* *Schkuhr.* Germania, Gallia. 5.
(T. Serpyllum. δ . L.)
 3. *laevigatus* *Vahl.* Arabia fel. 5.
 4. *vulgaris* *L.* Hispania, Gallia Narbonensis,
 Sibiria. 5.
 β . *folio latiore.*
 γ . *T. lupinus candicans odoratus Tournef.*
 δ . *T. — massiliensis Tournef.*
 - 4a. *ericaefolius* *Roth.* Hispania. 5. Enum. p. 624.
 - 4b. *therebinthinaceus* *Broussonet,* Teneriffa. 4.
 Enum. p. 624.
 - 4c. *marifolius* *W.* Hispania. 4. Enum. p. 624.
(Nepeta marifolia Cavanil.)
 5. *lanceolatus* *Desfont.* Atlas. 5.
 6. *numidicus* *Poiret.* Barbaria. 5.
 7. *Zygis* *L.* Hispania. 5.
 β . *foliis pilosis.*
 8. *Marschallianus* *W.* Tauria. 5.

9. *inodorus* Desfont. Algeria. ̄.
10. *Acinos* L. Europa. ☉.
11. *patavinus* Jacq. Europa austr. Hungaria. ☉. ♂.
12. *alpinus* L. Alpes Europae. ☉.
13. *montanus* Waldst. et Kit. Hungaria. ̄.
134. *lucidus* Ehrhart. . . . ̄. Enum. p. 625.
14. *Piperella* L. Hispania.
15. *Brownei* Swartz. Jamaica. ☉. 4.
16. *filiformis* Aiton. Ins. Balearicae. ̄.
17. *cephalotus* L. Hispania, Lusitania. ̄.
 - β. *capitulo majori* Tournef.
 - γ. *capitulo minori* Tournef.
18. *striatus* Vahl. In regno Neapolitano. ̄.
19. *villosus* L. Lusitania. ̄.
 - β. *capitulo rotundo* Tournef.
20. *Mastichina* L. Hispania. ̄.
204. *tomentosus* W. Hispania. ̄. Enum. p. 626.
(T. marifolius Pourret.)
21. *Tragoriganum* L. Creta. ̄.
22. *virginicus* L. Virginia, Pennsylvania. 4.
(Brachystemum linifolium Enum. p. 623.)
11174. BRACHYSTEMUM. Enum. p. 623.
 1. *lanceolatum* W. America bor. 4.
1118. MELISSA. Melisse. T. III. p. 146.
 1. *officinalis* L. Helvetia, Italia, Gallia. 4.
 2. *grandiflora* L. Etruria, Carniola, Carinthia. 4.
(Thymus grandiflorus Enum. p. 625.)
 3. *Calamintha* L. Italia, Hispania, Gallia, Helvetia, Austria. 4.
(Thymus Calamintha. Enum. p. 624.)
 4. *Nepeta* L. Ibid. 4.
(Thymus Nepeta Enum. p. 624.)
 - β. *praealta*.
 5. *pyrenaica* L. Alpes Europae. 4.
 6. *cretica* L. Gallia, Hispania. ̄.

7. *fruticosa* L. Hispania. 5.

1119. DRACOCEPHALUM. Drachenkopf. T. III. pag. 150.

* *Spicata.*

1. *virginianum* L. Canada, Virginia, Carolina. 4.

2. *denticulatum* Aitøn. Carolina. 4.

3. *canariense* L. In Canariis. 5.

4. *pinnatum* L. Sibiria. 5.

5. *Origanoides* Stephan. Ibid. 5.

6. *palmatum* Stephan. Ibid. 4.

7. *peregrinum* L. Ibid. 4.

8. *fruticulosum* Stephan. Ibid. 5.

9. *austriacum* L. Austria, Hungaria, Transylvania, Lusitania. 4.

10. *Ruyschiana* L. Sibir., Suecia, Helv., Dania. 4.

** *Verticillata.*

11. *grandiflorum* L. Sibiria. ☉.

12. *altaense* L. Altai. 4.

13. *sibiricum* L. Sibiria. 4.

14. *Moldavica* L. Moldavia, Sibiria. ☉.

15. *canescens* L. Oriens. ☉.

16. *peltatum* L. Ibid. ☉.

17. *nutans* L. Sibiria. 4.

18. *thymiflorum* L. Ibid. ☉.

1120. MELITTIS. Melittis. T. III. p. 157.

1. *Melissophyllum* L. Germania, Helvetia, Anglia, Gallia. 4.

β. *floribus niveis.*

14. *grandiflora* Smith. Anglia, Germania. 4.
Enum. p. 628.

2. *japonica* Thunb. Japonia. ☉.

1121. OCIMUM. Basilienkraut. T. III. p. 158.

1. *thyrsiflorum* L. India orient. ☉.

2. *inflexum* Thunb. Japonia.

3. *virgatum* Thunb. Ibid.

4. *monachorum* L. India orient. ☉.

5. *gratissimum* L. India orient. 5.

54. *luave* *W.*, . . . *H.* Enum. p. 629.
 55. *viride* *W.*, . . . *H.* Enum. p. 629.
 6. *album* *L.* India, Java. ☉.
 7. *tomentosum* *La Marck.* Cap. b. sp. *H.*
 8. *grandiflorum* *l'Heritier.* Arabia fel. *H.*
 9. *Basilicum* *L.* India, Persia. ☉.
 β. maximum.
 γ. maculatum s. crispum.
 δ. foliis bullatis.
 9^a. *pilosum* *W.*, . . . ☉. Enum. p. 629.
 10. *minimum* *L.* Zeylon. ☉.
 10^a. *micranthum* *W.*, . . . ☉. Enum. p. 630.
 11. *integerrimum* *W.* India orient.
 12. *sanctum* *L.* India. ☉.
 13. *rugosum* *Thunb.* Japonia.
 14. *crispum* *Thunb.* Ibid.
 15. *scabrum* *Thunb.* Ibid.
 16. *americanum* *L.* America. ☉.
 17. *verticillatum* *L.* Cap. b. sp.
 18. *acutum* *Thunb.* Japonia.
 19. *tenuiflorum* *L.* Malabar. ☉. *H.*
 20. *polystachyon* *L.* India orient. ☉.
 21. *serpyllifolium* *Forsk.* Arabia fel. *H.*
 22. *menthoides* *L.* Zeylon.
 23. *molle* *Aiton.* India orient. ☉.
 24. *adscendens* *W.* Ibid. 24.
 25. *scutellarioides* *L.* India.
 26. *prostratum* *L.* India orient. ☉.
 27. *capitellatum* *L.* China.
 1122. **PLECTRANTHUS.** *Hahnensporn.* T. III.
 pag. 168.

1. *fruticosus* *l'Heritier.* Cap. b. sp. *H.*
 (*Germanea urticifolia* *La Marck.*)

- 1^a. *parviflorus* *W.* Peru. *H.* Enum. p. 630.
 2. *galeatus* *Vahl.* Java.
 3. *nudiflorus* *W.*, . . . 24.
 4. *Forskålei* *Vahl.* Arabia fel., Madagascar.

5. *crassifolius* Vahl. Aegyptus.

6. *punctatus* l'Heritier. Africa. ♂.

(*Ocimum punctatum* L.)

1123. TRICHOSTEMA. Haarfaden. T. III. p. 170.

1. *dichotoma* L. Virginia, Pennsylvania. ☉.

2. *brachiata* L. America sept.

1124. SCUTELLARIA. Helmkraut. T. III. p. 171.

1. *orientalis* L. Armenia, Mauritania. 24.

β. *florae luteae*.

2. *albida* L. Oriens. 24.

β. *floribus albidis*.

γ. *floribus violaceis*.

3. *alpina* L. Helvetia, Pedemont. 24.

4. *lupulina* L. Sibiria, Tataria. 24.

5. *lateriflora* L. Canada, Virginia. 24.

6. *galericulata* L. Europa. 24.

7. *hastifolia* L. Suecia, Austria, Germania. 24.

8. *minor* L. Anglia, Germania. 24.

9. *integrifolia* L. Virginia, Canada.

10. *havanensis* Jacq. Havannae.

11. *purpurascens* Swartz. In Caribaeis.

12. *hyssopifolia* L. Virginia.

13. *peregrina* L. Italia, Sibiria, Hungaria. 24.

14. *Columnae* Allion. Italia. 5.

15. *indica* L. China.

16. *altissima* L. Oriens. 24.

17. *cretica* L. Creta. 24.

1125. PRUNELLA. Brunelle. T. III. p. 176.

1. *vulgaris* L. Europa. 24.

β. *floribus albis*.

γ. *P. intermedia* Link.

δ. *P. parviflora* Poiret.

ε. *P. alba* Pallas.

24. *pennsylvanica* W. Pennsylvania. ♂. Enum.
p. 632.

25. *grandiflora* L. Europa. 24.

B b

β. *P. laciniata* L.

γ. *Brunella verbenulae* folio, flore coeruleo *Vaillant*.

3. *hyssopifolia* L. *Monspeli*. 4.

1126. **CLEONIA**. *Cleonie*. T. III. p. 178.

1. *lusitanica* L. *Lusitania*, *Hispania*. ☉.

1127. **PRASIUM**. *Niccoline*. T. III. p. 179.

1. *majus* L. *Sicilia*, *Romae*, in agro *Tingitano*. ♀.

2. *minus* L. *Sicilia*. ♀.

1128. **PHRYMA**. *Phryma*. T. III. p. 180.

1. *Leptostachia* L. *America sept.* 4.

2. *dehiscens* L. *Cap. b. sp.* 4.

1129. **SELAGO**. *Selago*. T. III. p. 181.

1. *corymbosa* L. *Cap. b. sp.* ♀.

2. *cinerea* L. *Ibid.* ♀.

3. *polystachya* L. *Ibid.* ♀.

4. *verbenacea* L. *Ibid.*

5. *Rapunculoides* L. *Ibid.* 4.

6. *spuria* L. *Ibid.* ♂.

7. *hirta* L. *Ibid.*

8. *rotundifolia* L. *Ibid.*

9. *fasciculata* L. *Ibid.* ♂.

10. *Polygaloides* L. *Ibid.*

11. *ovata* *Aiton.* *Ibid.* ♀.

(*Lippia ovata* L.)

12. *coccinea* L. *Ibid.*

13. *canescens* L. *Ibid.*

14. *geniculata* L. *Ibid.*

15. *divaricata* L. *Ibid.*

16. *capitata* L. *Ibid.* ♀.

17. *triquetra* L. *Ibid.* ♀.

18. *fruticosa* L. *Ibid.* ♀.

19. *hispida* L. *Ibid.* ♀.

20. *ciliata* L. *Ibid.*

ANGIOSPERMIA.

1130. **BARTSIA**. *Bartsie*. T. III. p. 185.

1. *coccinea* L. *Virginia*, in *Noveboraco*. 4.

- 2. *pallida* L. Sibiria, sinus Hudsonis. 4.
- 3. *viscosa* L. Anglia, Gallia, Italia. ☉.
- 4. *Gymnandra* L. Davuria, circa Obum, Kamtschatka. 4.

(*Gymnandra borealis* Pallas. — *Lagotis glauca* Gaertner.)

- 5. *alpina* L. Alpes Europae. 4.
- 1131. RHINANTHUS. Klappertopf. T. III. p. 188.

- 1. *orientalis* L. Oriens.
- 2. *Elephas* L. Italia, Sibiria. ☉.
- β. *Elephas orientalis* Tournef.

- 3. *Crista Galli* L. Europa. ☉.
- β. *angustifolia*.

γ. *R. Alectorolophus* Pollich.

- 4. *Trixago* L. Palaestina, Italia, Gallia. ☉.

- 5. *maximus* W. Creta. ☉.

- 6. *versicolor* La Marck. Italia, Africa bor. ☉.

- 7. *capensis* L. Cap. b. sp.

- 8. *indicus* L. Zeylon.

β. *Veronicae affinis* Pluknet. alm. t. 114. f. 2.

- 9. *virginicus* L. Virginia.

- 10. *trifidus* Vahl. Armenia, Galatia. ☉.

- 1132. EUPHRASIA. Augentrost. T. III. p. 192.

- 1. *latifolia* L. Italia, Monspeli, Africa bor. ☉.

- 2. *officinalis* L. Europa. ☉.

β. *flore albo*.

γ. *flore flavo*.

- 2a. *kaliformis* Pourret. Hispania. ☉. Enum. pag. 635.

- 3. *salisburgensis* Funk. Alpes Salisburgenses et Helvetiae. ☉.

- 4. *tricuspidata* L. Italia, Carniola. ☉.

- 5. *cuneata* Forster. Nova Zeelandia.

- 6. *Odontites* L. Europa. ☉.

β. *E. verna* Bellardi.

γ. *floribus albis*.

- 7. *lutea* L. Europa. ☉.
- 8. *linifolia* L. Italia, Gallia. ☉.
- 9. *viscosa* L. Gallia, Helvetia. ☉.
- 10. *purpurea* Desfont. Barbaria. ☉.
- 11. *longiflora* La Marck. Hispania. ☉.
- 12. *aspera* W. Guinea.

1133. MELAMPYRUM. Wachtelweizen. T. III.
pag. 197.

- 1. *cristatum* L. Europa. ☉.
β. *floribus albis*.
- 2. *arvense* L. Ibid. ☉.
- 3. *barbatum* Waldst. et Kit. Hungaria. ☉.
- 4. *nemorosum* L. Ibid. ☉.
α. *coma coerulea*.
β. *coma alba*.
- 5. *pratense* L. Ibid. ☉.
- 6. *sylvaticum* L. Ibid. ☉.
- 7. *lineare* La Marck. Carolina. ☉.

1134. LATHRAEA. Schuppenwurz. T. III. p. 200.

- 1. *Clandestina* L. Gallia, Italia. 2.
- 2. *Anblatum* L. Oriens. 2.
- 3. *Squamaria* L. Europa. 2.

1135. SCHWALBEA. Schwalbie. T. III. p. 201.

- 1. *americana* L. America sept.

1136. TOZZIA. Tozzie. T. III. p. 202.

- 1. *alpina* L. Alpes Europae. 2.

1137. PEDICULARIS. Lausekraut. T. III. p. 202.

* *Caule ramoso*,

- 1. *palustris* L. Europa. ☉.

- 2. *sylvatica* L. Ibid. ☉.

β. *floribus albis*.

- 3. *euphrasioides* Stephan. Sibiria. 2.

β. *P. labradorica* Houttuyn. America.

- 4. *myriophylla* Pallas. Dauria, Altai. 2.

- 5. *spicata* Pallas. Dauria. 2.

** *Caule simplicissimo*.

- 6. *resupinata* L. Sibiria. 2.

7. *Sceptrum Carolinum* L. Suecia, Borussia, duc. Megapolitan, Russia, Hungaria, Alpes Europae merid. 4.
 8. *tristis* L. Sibiria. ☉.
 9. *lapponica* L. Lapponia, Norvegia. 4.
 10. *asplenifolia* Floerke, Alpes Salisburgenses. 4.
 11. *flava* Pallas. Sibiria. 4.
 12. *striata* Pallas. Davuria. 4.
 13. *sudetica* W. In Sudetis, Sibiria. 4.
 14. *recutita* L. Helvetia, Italia, Germania. 4.
 15. *glata* W. Sibiria. 4.
 16. *foliosa* L. Alpes Europae ♂.
 17. *canadensis* L. America sept. 4.
 18. *groenlandica* Retz. Groenlandia. 4.
 19. *incarnata* Jacq. Alpes Europae. ☉.
 20. *uncinata* Stephan. Sibiria. 4.
 - β. labio inferiore corollae glabro.
 - γ. labio inferiore corollae villosa.
 21. *interrupta* Stephan. Sibiria. 4.
 22. *verticillata* L. Alpes Europae. 4.
 - β. foliis profunde pinnatifidis. Sibiria.
 23. *acaulis* Wulfen. Carniolia, Carinthia. 4.
 24. *flammea* L. Alpes Europ., Davur., ad Baical. 4.
 25. *hirsuta* L. Lapponia. 4.
 26. *rosea* Jacq. Alpes Europae. 4.
 27. *rostrata* L. Ibid. 4.
 28. *tuberosa* L. Alpes Galliae, Helvetiae, Italiae. 4.
 - β. *P. gyroflexa* var. B. Villars.
 29. *gyroflexa* Villars Ibid. 4.
 30. *fasciculata* Bellardi. Italia. 4.
 31. *rubens* Stephan. Sibiria. 4.
 32. *compacta* Stephan. Ibid. 4.
 33. *achilleaefolia* Stephan. Ibid. 4.
 34. *comosa* L. Gallia, Italia, Russia. 4.
1138. GERARDIA. Gerardie T. III. p. 221.
1. *tuberosa* L. America calid.
 2. *delphinifolia* L. India orient. ☉.

3. *purpurea* L. Virginia, Canada. ☉.
4. *tenuifolia* Vahl. America sept.
5. *tubulosa* L. Cap. b. sp.
6. *Nigrina* L. Ibid.
7. *flava* L. Virginia, Canada.
8. *scabra* L. Cap. b. sp.
9. *Pedicularis* L. Virginia, Canada.
10. *japonica* Thunb. Japonia.
11. *glutinosa* L. China.
12. *fessiliflora* Vahl. Cap. b. sp.
1139. CHELONE. Schildblume. T. III. p. 225.
 1. *glabra* L. Virginia, Canada. 4.
 2. *obliqua* L. Ibid. 4.
 3. *Ruellioides* Forster. Fretus Magellan. 4.
 4. *barbata* Cavanil, Mexico. 4.
C. formosa Wendland. — *C. ruellioides* Andrews.)
1140. PENTASTEMON. Bartfaden. T. III. p. 227.
 1. *hirsuta* W. Virginia.
(Chelone hirsuta Miller.)
 2. *pubescens* Aiton. America borealis. 4.
(Chelone Penstemon L.)
 - α. *latifolia* Aiton
 - β. *angustifolia* Aiton.
 3. *laevigata* Aiton. America bor. 4.
 4. *campanulatum* W. Mexico. 4.
(Chelone campanulata Cavanil. — *Ch. campanuloides* Andrews.)
1141. CYRILLA. Cyrille. T. III. p. 229.
 1. *pulchella* l'Heritier. Jamaica. 4.
(Gesneria pulchella Swartz. — *Columnnea erecta* La Moick. — *Trevirana coccinea* Enum. p. 638.)
1142. GLOXINIA. Gloxinie. T. III. p. 229.
 1. *maculata* l'Heritier. America. 4.
(Martynia perennis L.)
1143. GESNERIA. Gesnerie. T. III. p. 230.
 1. *humilis* L. America austr. 5.
 2. *corymbosa* Swartz. Jamaica. 5.

3. *acaulis* L. Ibid. 5.
 4. *pumila* Swartz. Ibid. 5.
 5. *Craniolaria* Swartz. Hispaniola. 5.
(*Craniolaria fruticosa* L. — *Gesneria fimbriata* La Marck.)
 6. *grandis* Swartz. Jamaica. 5.
 7. *tomentosa* L. America merid. 5.
 8. *scabra* Swartz. Jamaica. 5.
 9. *exserta* Swartz. Ibid. 5.
 10. *calycina* Swartz. Ibid. 5.
 11. *ventricosa* Swartz. Ins. Jamaica, Montserrat, Dominica. 5.
2144. ANTIRRHINUM. Löwenmaul. T. III. p. 232.
* *Foliis angulatis, capsulis multivalvibus.*
1. *Cymbalaria* L. Germania, Gallia, Helvetia, Harlemi. 4.
(*Linaria Cymbalaria* Enum. p. 639.)
 2. *pilosum* L. In Pyrenaeis. 4.
(*Linaria pilosa* Enum. p. 639.)
 3. *lanigerum* W. Africa bor. ☉.
(*Linaria lanigera* Desfont.)
 4. *dentatum* W. Tuneti. ☉.
(*A. scarosum* La Marck. — *Linaria scariosa* Desfontain.)
 5. *heterophyllum* Schousboe. Marocco. ☉.
 6. *Elatine* L. Germania, Anglia, Gallia, Helvetia, Italia. ☉.
α. flore luteo.
β. flore coeruleo.
 7. *Elatinoides* W. Africa bor. ☉.
(*Linaria Elatinoides* Desfont.)
 8. *spurium* L. Germania, Anglia, Gallia, Italia, Helvetia. ☉.
β. Peloria.
 9. *cirrhosum* L. Aegyptus. ☉.
(*Linaria cirrhosa* Enum. p. 639.)
 10. *aegyptiacum* L. Ibid. ☉.

11. fruticosum *W.* Africa bor. ♀.
(*Linaria fruticosa* Desfont.)
12. hexandrum *Forster.* Taheiti.
** *Foliis oppositis, capsulis multivalvibus.*
13. triphyllum *L.* Hispania, Sicilia. ☉.
(*Linaria triphylla* Enum. p. 639.)
β. flore coeruleo.
14. latifolium *W.* Africa bor. ☉.
(*Linaria latifolia* Desfont.)
15. virgatum *Poiret.* Algeria. ☉.
(*Linaria virgata* Desfont.)
16. triornithophorum *L.* Lusitania, America.
(*Linaria triornithophora* Enum. p. 639.)
17. purpureum *L.* Italia, 4.
(*Linaria purpurea* Enum. p. 639.)
18. versicolor *La Marck.* Gallia. ☉.
(*Linaria versicolor* Enum. p. 640.)
19. Linarioides *L.* Europa austr.
20. repens *L.* Anglia, Gallia, Italia. ☉.
(*Linaria repens* Enum. p. 640.)
21. monspessulanum *L.* Gallia. 4.
22. sparteum *L.* Hispania. ♂.
(*Linaria spartea* Enum. p. 640.)
23. bipunctatum *L.* Hispania, Italia. ☉.
24. amethystinum *La Marck.* Hispania, Lusitania. ☉.
25. laxiflorum *W.* Algeria. ☉.
(*Linaria laxiflora* Desfont.)
26. triste *L.* Hispania. 4.
27. Haelava *Forsk.* Aegyptus. ☉.
28. thymifolium *Vahl.* Bajonnae.
29. supinum *L.* Gallia, Hispania, Italia. ☉.
(*Linaria supina* Enum. p. 640.)
30. simplex *W.* Europa austr. ☉.
(*A. parviflorum* Jacq. — *A. arvense* β. *L.* — *Linaria simplex* Enum. p. 640.)
31. arvense *L.* Europa. ☉.

- β. *Linaria quadrifolia lutea Bauhin.*
 32. *pelisserianum* L. Gallia, Italia. ☉.
 33. *parviflorum* W. Oriens, Algeria. ☉.
 (*Linaria parviflora* Desfont.)
 34. *flavum* Poiret. Barbaria. ☉.
 (*Linaria flava* Desfont.)
 35. *saxatile* L. Hispania. 4.
 36. *micranthum* Cavanil. Hispania. ☉.
 37. *viscosum* L. Ibid. ☉.
 38. *aparinoides* W. Atlas. 4.
 (*Linaria aphylla* Desfont.)
 39. *multicaule* L. Sicilia, Oriens. ☉.
 40. *reticulatum* Smith, Africa bor. 4.
 (*A. pinifolium* Poiret. — *Linaria reticulata* Desfont. — Enum. p. 640.)
 41. *marginatum* Desfont. Atlas. 4.
 (*Linaria marginata* Desfont.)
 42. *glaucum* L. Europa, Oriens. ☉.
 43. *alpinum* L. Alpes Europae. ♂.
 (*Linaria alpina* Enum. p. 641.)
 β. *Linaria coerulea repens Bauhin.*
 γ. *Linaria foliis carnosiss cinereis Bauhin.*
 44. *aphyllum* L. Cap. b. sp.
 45. *bicorne* L. Ibid. ☉.
 46. *macrocarpum* Aiton. Ibid. 4.
 (*Nemesia chamaedrifolia* Enum. p. 638.)
 47. *villosum* L. Hispania. 4.
 48. *organifolium* L. Gallia. ☉.
 (*Linaria organifolia* Enum. p. 641.)
 49. *flexuosum* W. Prope Tunesum. 4.
 (*Linaria flexuosa* Desfont.)
 50. *minus* L. Europa. ☉.
 (*Linaria minor* Enum. p. 641.)
 *** *Foliis alternis, capsulis multivalvibus.*
 51. *dalmaticum* L. Creta, Armenia. ☉.
 52. *hirtum* L. Hispania. ☉.

53. *genistaefolium* L. Sibiria, Germania, Helvetia. 4.

(*Linaria genistifolia* Enum. p. 641.)

54. *junceum* L. Hispania. ☉.

55. *Linaria* L. Europa. 4.

(*Linaria vulgaris* Enum. p. 641.)

β. *Peloria*.

56. *linifolium* L. Italia. 4.

57. *Lagopodioides* L. Sibiria.

58. *canadense* L. Virginia, Canada. ☉.

59. *chalepense* L. Italia, Gallia. ☉.

(*Linaria chalepensis* Enum. p. 641.)

60. *reflexum* L. Barbaria. ☉.

61. *pedunculatum* L. Hispania.

**** *Corollis ecaudatis, capsulis tribus poris dehiscentibus.*

62. *majus* L. Europa. ♂.

α. *Caule recto, foliis ovatis.*

β. *Caule diffuso virgato; foliis lanceolatis.*

63. *ficulum* *Ucria*. Sicilia. 4.

64. *sempervirens* *La Peyrouse*. In Pyrennaeis. 5.

65. *Orontium* L. Europa. ☉.

β. *flore albo.*

66. *papilionaceum* L. Persia.

67. *Asarina* L. Italia, Helvetia, Hispania. 4.

68. *molle* L. Hispania. 4.

*** *Foliis pinnatifidis.*

69. *pinnatum* L. Cap. b. sp.

70. *unilabiatum* L. Ibid.

1144. LINARIA. Enum. p. 639.

1. *litoralis* *W.* Austria. ☉.

(*Antirrhinum litorale* Bernhardi.)

2. *bipartitum* *W.* Mogador. ☉. Enum. p. 640.

(*Antirrhinum bipartitum* Ventenat.)

1145. ANARRHINUM. Lochschlund. T. III. p. 260.

1. *bellidifolium* *W.* Gallia, Lusitania, Hispania. ♂.

(*Antirrhinum bellidifolium* L.)

- β. *Linaria lusitanica* Tournef.
 2. *pedatum* Desfont. Algeria.
 3. *fruticosum* Desfont. Atlas. H.
 4. *crassifolium* W. Valetia. ☉.
 (*Antirrhinum crassifolium* Cavanil.)
 5. *tenellum* W. Ibid. ☉.
 (*Antirrhinum tenellum* Cavanil.)
1146. CYMBARIA. Nachenkraut. T. III. p. 262.
 1. *daurica* L. Dauria. 2.
1147. TOURRETTIA. Tourrettie. T. III. p. 263.
 1. *lappacea* W. Peru. ☉.
 (*Dömbeja lappacea* l'Heritier.)
1148. MARTYNIA. Martynie. T. III. p. 263.
 1. *diandra* Gloxin. Mexico. ☉.
 (*M. angulosa* La Marck.)
 2. *Carniolaria* Gloxin. America. ☉.
 (*Carniolaria annua* L.)
 3. *Proboscidea* Gloxin. Ad Mississippi. ☉.
 (*M. annua* L. — *M. alternifolia* La Marck.)
 4. *longiflora* L. Cap. b. sp. ☉.
1149. TORENIA. Torenie. T. III. p. 265.
 1. *asiatica* L. India, China. 2.
 2. *hirsuta* W. India orient.
1150. BESLERIA. Beslerie. T. III. p. 266,
 1. *melittifolia* L. Martinica, Gujana. H.
 2. *lutea* L. Gujana, Jamaica. H.
 3. *violacea* Aublet. Gujana. H.
 β. *B. coerulea* Aublet.
 4. *incarnata* Aublet. Ibid. H.
 5. *ferrulata* Jacq. India occid. H.
 6. *cristata* L. Martinica, Gujana. H.
 7. *coccinea* Aublet. Gujana. H.
 8. *bivalvis* L. Surinam.
1151. BRUNFELSIA. Brunfelsie. T. III. p. 269.
 1. *americana* L. India occid., Jamaica. H.
 2. *undulata* Swartz. Jamaica. H.
1152. SCROPHULARIA. Braunwurz. T. III. p. 269.

1. *marilandica* L. Virginia. 2.

2. *nodosa* L. Europa. 2.

β. *foliis ternis, floribus viridibus.*

3. *aquatica* L. Europa. ♂.

4. *auriculata* L. Hispania, Italia, Algeria. 2.

5. *appendiculata* Jacq. In regno Tunetano. 2.

6. *Scorodonia* L. Lusitania, Italia, Ins. Jersea. 2.

7. *glabrata* Jacq. In Canariis. ♂.

7^a. *biserrata* W. . . . Enum. p. 644.

7^b. *glandulosa* Waldst. et Kit. Hungaria. 2. Enum.
p. 644.

7^c. *adscendens* W. . . . 2. Enum. p. 644.

8. *betonicaefolia* L. Lusitania. 2.

9. *orientalis* L. Oriens. 2.

10. *frutescens* L. Lusitania, in regno Tunetano. 2.

11. *rupestris* Bieberst. Tauria. 2.

12. *heterophylla* W. Creta. 5.

13. *altaica* Murray. Sibiria. 2.

14. *vernalis* L. Italia, Helvetia, Austria, Ger-
mania. ♂.

β. *S. vernalis* Fl. dan.

14^a. *laciniata* Waldst. et Kit. Croatia. 2. Enum.
pag. 645,

15. *arguta* Aiton. Madera, Teneriffa. ☉.

16. *trifoliata* L. Africa, Corsica. ♂.

17. *sambucifolia* L. Hispan., Lusitan., Oriens. 2.

β. *S. maximo flore* Raj.

18. *mellifera* Vahl. Barbaria. 2.

18^a. *lyrata* W. Lusitania. 2. Enum. p. 645.

18^b. *tanacetifolia* W. Tauria. 2. Enum. p. 646.

19. *hispida* Desfont. Atlas. 2.

20. *canina* L. Helvetia, Gallia, Italia. ☉.

20^a. *chrysanthemifolia* W. Tauria. 2. Enum.
pag. 646.

(*S. canina* β. W. Sp. pl.)

21. *lucida* L. Oriens, Creta, Italia. 2.

21^a. *multifida* W. . . . 2. Enum. p. 646.

22. *variegata* Bieberst. Ad mare Caspium. 5. 24.
 23. *chinensis* L. China.
 24. *meridionalis* L. Nova-Granada.
 25. *coccinea* L. Vera-Cruz.
 26. *peregrina* L. Italia. ☉.
 1153. CELSIA. Celsie. T. III. p. 279.
 1. *orientalis* L. Cappadocia, Armenia. ☉.
 2. *Arcturus* L. Creta. ♂.
 24. *viscosa* Roth. . . . ☉. Enum. p. 647.
 3. *coromandelina* Vahl. India orient. ☉.
 4. *cretica* L. Creta, Africa bor. ♂.
 5. *betonicaefolia* Desfont. Algeria. ♂.
 1154. HEMIMERIS. Halbblume. T. III. p. 282.
 1. *montana* L. Cap. b. sp.
 2. *fabulosa* L. Ibid.
 3. *diffusa* L. Ibid.
 4. *urticaefolia* W. America austr. 5.
 (*Celsia urticaefolia* Curtis.)
 5. *coccinea* W. Ibid. 5.
 (*Celsia linearis* Jacq.)
 1155. DIGITALIS. Fingerhut. T. III. p. 283.
 1. *purpurea* L. Europa. ♂.
 β. *D. alba*, folio aspero Bauhin.
 2. *minor* L. Hispania. 24.
 3. *Thapsi* L. Ibid. 24.
 4. *parviflora* Jacq. . . . ♂.
 5. *lutea* L. Gallia, Italia. 24.
 6. *ambigua* L. Austria, Helvetia, Germania. 24.
 6a. *lanata* Waldst. et Kit. Hungaria, Graecia. 24.
 Enum. pag. 648.
 6b. *laevigata* Waldst. et Kit. Croatia. 24. ♂. Enum.
 p. 648.
 (*D. epiglottis* Hortulan.)
 7. *ferruginea* L. Italia. 24.
 8. *orientalis* La March. Armenia, Galatia.
 9. *lanata* Ehrhart. Hungaria, Graecia. 24.
 10. *obscura* L. Hispania. 24.

- 11. canariensis L. In Canariis. ʒ.
- 12. Sceptum L. Madera. ʒ.
- 1156. INCARVILLEA. Incarvillea. T. III. p. 289.
- 1. sinensis La Marck. China.
- 1157. BIGNONIA. Trompetenblume. T. III. p. 289.

* *Foliis simplicibus.*

- 1. Catalpa L. Japonia, Carolina, Florida. ʒ.
- 2. longissima Swartz. India occid. ʒ.
(B. Quercus La Marck.)
- 3. tomentosa Thunb. Japonia. ʒ.
- 4. linearis Cavanil. . . . ʒ.
- 5. sempervirens L. Virginia. ʒ.
- 6. tenuisiliqua Vahl. America merid. ʒ.
- 7. cassinoides La Marck. Brasilia. ʒ.
- 8. obtusifolia La Marck. Ibid. ʒ.
- 9. microphylla La Marck. Hispaniola. ʒ.

** *Foliis conjugatis.*

- 10. Unguis L. Barbados, Domingo. ʒ.
- 11. staminea La Marck. Hispaniola. ʒ.
- 12. aequinoctialis L. Cajenna. ʒ.
- 13. alliacea Swartz. Gujana, Cajenna. ʒ.
- 14. spectabilis Vahl. Ins. St. Crucis. ʒ.
- 15. laurifolia Vahl. Cajenna. ʒ.
- 16. rigescens Jacq. Carracas. ʒ.
- 17. lactiflora Vahl. Ins. St. Crucis. ʒ.
- 18. paniculata L. America calid. ʒ.
- 19. elongata Vahl. Ibid. ʒ.
- 20. corymbifera Vahl. Ibid. ʒ.
- 21. crucigera L. Virginia, America merid. ʒ.
- 22. grandifolia Jacq. Caracas. ʒ.
- 23. capreolata L. America bor. ʒ.
- 24. pubescens L. Campechia. ʒ.
- 25. villosa Vahl. America. ʒ.

*** *Foliis ternatis.*

- 26. echinata Swartz. Carthagena, Gujana. ʒ.
- 27. heterophylla W. Gujana. ʒ.
(B. Kerere. Aublet, La Marck.)
- 28. triphylla L. Vera Cruz. ʒ.

29. *mollis* Vahl. Cajenna. H.

**** *Foliis digitatis.*

30. *hirsuta* La Marck. India orient. H.

31. *pentaphylla* L. Jamaica, in Caribaeis. H.

32. *orbiculata* Jacq. Carthageria. H.

33. *chrysantha* Jacq. Carracas. H.

34. *fluviatilis* Aublet. Gujana. H.

35. *Leucoxylon* L. Jamaica. H.

36. *ferratifolia* Vahl. Trinidad. H.

37. *radiata* L. Peru. H.

***** *Foliis pinnatis.*

38. *radicans* L. Carolina, Florida, Virginia. H.

β. *B. fraxini foliis* Catesb.

38a. *pandorana* Andrews. Ins. Norfolk. H. Enum.
pag. 649.

39. *grandiflora* Thunb. China, Japonia. H.

(*B. chinensis* La Marck.)

40. *Itans* L. America calid. H.

41. *africana* La Marck. Senegal. H.

42. *bijuga* Vahl. Madagascar. H.

43. *racemosa* La Marck. Ibid. H.

β. *foliolis ovato-lanceolatis.*

44. *compressa* La Marck. India orient. H.

45. *spathacea* L. Java, Malabar, Zeylon. H.

46. *Chelonoides* L. India orient. H.

***** *Foliis decompositis.*

47. *variabilis* Jacq. Carracas. H.

48. *alba* Aublet. Gujana. H.

49. *peruviana* L. Peru. H.

***** *Foliis bipinnatis.*

50. *indica* L. India orient. H.

51. *longifolia* W. Ibid. H.

52. *procera* W. Gujana. H.

β. *B. Copaia* Aublet.)

53. *coerulea* L. Carolina. H.

54. *brasiliensis* La Marck. Brasilia. H.

1158. CITHAREXYLUM. Geigenholz. T. III. p. 308.

1. cinereum L. America merid. H.
2. caudatum L. Jamaica. H.
3. villosum Jacq. Domingo. H.
4. subserratum Swartz. Hispaniola. H.
- 4a. pentandrum Ventenat. Porto Ricco. H. En.
pag. 649.
5. quadrangulare L. Martinica. H.
6. Melanocardium Swartz. Jamaica. H.
1159. HALLERIA. Hallerie. T. III. p. 310.
 1. lucida L. Cap. b. sp. H.
 2. elliptica Thunb. Ibid. H.
(*H. lucida* β. L.)
1160. CRESCENTIA. Kärbisbaum. T. III. p. 311.
 1. Cujete L. America calid. H.
β. Cujete angustifolia Plumier.
γ. Cujete minima Plumier.
 2. cucurbitina L. Ibid. H.
1161. TANAECIUM. Tanaecium. T. III. p. 312.
 1. parasiticum Swartz. Jamaica, Carracas. H.
 2. Jaroba Swartz. Jamaica, Brasilia. H.
 3. pinnatum W. Mozambique. H.
(*Crescentia pinnata* Jacq.)
1162. GMELINA. Gmeline. T. III. p. 313.
 1. asiatica L. India. H.
1163. PETREA. Petrea. T. III. p. 313.
 1. volubilis L. America calid. H.
1164. PREMNA. Premna. T. III. p. 314.
 1. integrifolia L. India orient. H.
 2. tomentosa W. Ibid. H.
(*Cornutia corymbosa* La Marck.)
 3. ferratifolia L. Ibid. H.
1165. LANTANA. Lantane. T. III. p. 315.
 1. mista L. America calid. H.
 2. trifolia L. America calid. H.
 3. viburnoides Vahl. Arabia fel. H.
 4. annua L. America calid. ☉.
 5. stricta Swartz. Jamaica. H.

6. *Radula* Swartz. Ins. St. Vincentii, Domin. ̄.
7. *Camara* L. America calid. ̄.
8. *involuta* L. Ibid. ̄.
- 8a. *nivea* Ventenat. India orient. ̄. Enum. p. 651.
9. *recta* Aiton. Jamaica. ̄.
10. *odorata* L. India occid. ̄.
11. *lavandulacea* W. ̄.
12. *salvifolia* Jacq. Cap. b. sp. ̄.
13. *melissaefolia* Aiton. India occid. ̄.
14. *scabrida* Aiton. Ibid. ̄.
15. *aculeata* L. America calid. ̄.
1166. SPIELMANNIA. Spielmannie. T. III. p. 321.
 1. *africana* Medicus. Cap. b. sp. ̄.
(*Lantana africana* L.)
1167. CORNUTIA. Cornutie. T. III. p. 322.
 1. *pyramidata* L. In Caribaeis, Campechia. ̄.
 2. *punctata* W. America calid. ̄.
(*Hosta coerulea* Jacq.)
1168. LOESELIA. Loeselie. T. III. p. 323.
 1. *ciliata* L. Vera Crux.
1169. CAPRARIA. Herzblume. T. III. p. 323.
 1. *biflora* L. Curassao, Peru, India occid. 4.
 2. *lucida* Aiton. Cap. b. sp. ♂.
 3. *lanceolata* L. Ibid. ̄.
 4. *femiserrata* Vahl. America.
 5. *undulata* L. Cap. b. sp. ̄.
 6. *humilis* Aiton. India orient. ☉.
1170. LINDERNIA. Lindernie. T. III. p. 325.
 1. *Pyxidaria* L. Europa, Virginia. ☉.
 2. *dianthera* Swartz. Hispaniola.
 3. *japonica* Thunb. Japonia. ☉.
1171. MANULEA. Handblume. T. III. p. 327.
 1. *Cheiranthus* L. Cap. b. sp. ☉.
 2. *corymbosa* L. Ibid.
 3. *altissima* L. Ibid.
 4. *pinnatifida* L. Ibid.

5. *Plantaginis* L. Cap. b. sp.
6. *capitata* L. Ibid.
7. *antirrhinoides* L. Ibid.
8. *thyrsiflora* L. Ibid.
9. *argentea* L. Ibid.
10. *tomentosa* L. Ibid. ♂.
11. *rubra* L. Ibid.
12. *capillaris* L. Ibid.
13. *cuneifolia* L. Ibid.
14. *corulea* L. Ibid.
15. *heterophylla* L. Ibid.
16. *integrifolia* L. Ibid.
17. *microphylla* L. Ibid.
174. *foetida* W. Ibid. ☉. Enum. p. 653.
(*Büchnera foetida* Andrews.)
175. *oppositifolia* Ventenat. . . . H. En. p. 653.
11714. HORNEMANNIA. Enum. p. 653.
 1. *bicolor* W. India orient. ☉.
(*Gratiola goodenifolia* Hornemann.)
 2. *viscosa* W. Ibid. ☉.
(*Gratiola viscosa* Hornemann.)
1172. HEBENSTREITIA. Hebenstreitie. T. III.
pag. 330.
 1. *dentata* L. Cap. b. sp. ♂. ☉.
 2. *ciliata* L. Ibid. ☉.
 3. *integrifolia* L. Ibid.
 4. *erinoïdes* L. Ibid.
 5. *fruticosa* L. Ibid.
 6. *cordata* L. Ibid. H.
1173. ERINUS. Leberbalsam. T. III. p. 332.
 1. *alpinus* L. Alpes Europae. 4.
β. flore albo.
 2. *maritimus* L. Cap. b. sp.
 3. *africanus* L. Ibid.
β. *Büchnera foliis acutis dentatis* L.
 4. *Lychnidea* L. Ibid. 4.
 5. *fragrans* Aiton. Ibid.

(*Selago Lychnidea* L.)

β. corollae limbo sordide purpurascente Aiton.

γ. corollae limbo sordide flavescente Aiton.

6. peruvianus L. Peru.

7. tristis L. Cap. b. sp.

1174. BUECHNERA. Büchnere. T. III. p. 334.

1. americana L. Virginia, Canada.

2. elongata Swartz. Jamaica, Vera Cruz, Gu-
jana. ☉.

(*Peripea palustris* Aublet.)

3. cernua L. Cap. b. sp. 5.

4. cuneifolia L. Ibid.

5. cordifolia L. Tanschaur.

6. grandiflora L. America merid.

7. aethiopica L. Cap. b. sp. 5.

8. viscosa Aiton. Ibid. 5.

(*Manulea viscosa* Enum. p. 653.)

9. capensis L. Ibid. ☉.

10. humifusa Vahl. Arabia fel.

11. asiatica L. Zeylon, China. ☉.

12. euphrasioides Vahl. India orient.

13. gesnerioides W. Ibid. 4.

14. pinnatifida L. Cap. b. sp.

1175. BROWALLIA. Browallie. T. III. p. 339.

1. demissa L. America austr., Panama. ☉.

2. elata L. Peru. ☉.

3. alienata? L. . . ☉.

1176. LINNAEA. Linnea. T. III. p. 340.

1. borealis L. Suecia, Germania, Helvetia, Si-
beria, Russia, Canada. 5.

1177. SIBTHORPIA. Sibthorpia. T. III. p. 340.

1. europaea L. Cornubia, Devon, Lusitania. 5.

1178. LIMOSELLA. Limoselle. T. III. p. 341.

1. aquatica L. Europa. 4.

β. diandra Krock.

2. diandra L. Cap. b. sp.

1179. PHAULOPSIS. Prachtlose. T. III. p. 342.

1. parviflora *W.* . . . ☉.

(*Micranthus oppositifolius* Wendland.)

1180. VANDELLIA. Vandellie. T. III. p. 343.

1. diffusa *L.* Ins. Montserrat, St. Crucis.

2. pratensis *Vahl.* America austr. ☉.

(*Matourea pratensis* Aublet.)

1181. RUSSELLIA. Russelie. T. III. p. 344.

1. sarmentosa *Jacq.* Havana. ☿.

1182. CONOBEA. Conobea. T. III. p. 344.

1. aquatica *Aublet.* Gujana.

1183. STEMODIA. Stempdie. T. III. p. 344.

1. maritima *L.* Jamaica. ♀.

2. durantifolia *Swartz.* Ibid.

(*Capraria durantifolia* *L.*)

3. ruderalis *Vahl.* India orient.

4. camphorata *Vahl.* Zeylon.

5. aquatica *W.* Tranquebar.

1184. OBOLARIA. Hallenkrant. T. III. p. 346.

1. virginica *L.* Virginia.

1185. AEGINETIA. Aeginetie. T. III. p. 347.

1. indica *Roxb.* Malabar. ♀.

1186. OROBANCHE. Sommerwurz. T. III. p. 348.

* *Corollis quadrifidis.* . . .

1. major *L.* Europa. ♀.

2. foetida *Poiret.* Barbaria. ♀.

3. caryophyllacea *Smith.* Germania, Italia,
Sibiria, Helvetia. ♀.

4. coerulescens *Stephan.* Sibiria. ♀.

5. elatior *Sutton.* Germania, Anglia. ♀.

6. purpurea *L.* Cap. b. sp.

7. minor *Sutton.* Hispania, Anglia. ♀.

8. alba *Stephan.* Sibiria. ♀.

9. gracilis *Smith.* Italia. ♀.

10. americana *L.* Carolina. ♀.

11. virginiana *L.* Virginia. ♀.

12. uniflora *L.* Ibid. ♀.

** *Corollis quinquefidis.*

13. *coerulea* Villars. Germania, Gallia, Anglia, Sibiria. 4.

(*O. laevis* L.)

14. *Phelypaea* W. Barbaria. 4.

(*Phelypaea violacea* Desfont.)

15. *tinctoria* Forst. Lusitania, Arabia, Barbaria. 4.

(*Lathraea Phelypaea* L. — *Phelypaea lutea* Desfont.)

16. *cernua* L. Hispania. 4.

17. *ramosa* L. Europa. 4.

18. *coccinea* Bieberst. Sibiria. 4.

1187. HYOBANCHE. Hyobanche. T. III. p. 354.

1. *sanguinea* L. Cap. b. sp. 4.

1188. DODARTIA. Dodartie. T. III. p. 355.

1. *orientalis* L. Tartaria, M. Ararat. 4.

2. *indica* L. India.

1189. LIPPIA. Lippie. T. III. p. 356.

1. *americana* L. Vera-Cruz. 5.

2. *hemisphaerica* L. America merid. 4.

3. *hirsuta* L. America.

4. *umbellata* Cavanil. Mexico. 5.

5. *cymosa* Swartz. Jamaica. 5.

1190. ACHIMENES. Achimenes. T. III. p. 357.

1. *sesamoides* Vahl. India orient.

(*Columnnea longifolia* L.)

1191. SESAMUM. Sesam. T. III. p. 358.

1. *orientale* L. Zeylon, Malabar. ☉.

2. *luteum* Retz. India orient.

3. *indicum* L. India. ☉.

4. *laciniatum* Klein. India orient.

1192. TORTULA. Drebling. T. III. p. 360.

1. *aspera* Roxb. India orient.

1193. HOLMSKIOLDIA. Holmskiöldie. T. III. p. 360.

1. *sanguinea* Roxb. Bengalia. 5.

1194. MIMULUS. Gauklerblume. T. III. p. 360.

1. *ringens* L. Virginia, Canada, Carolina. 4.

2. *glutinosus* Wendland. 5.

(*M. aurantiacus* Curtis.)

3. *alatus* Aiton. America bor. 4.

4. *luteus* L. Peru.

1195. RUELLIA. Ruellie. T. III. p. 362.

1. *Blechnum* L. Jamaica. ①.

2. *Blechioides* Swartz. Ibid. 5.

3. *angustifolia* Swartz. In Caribaeis.

4. *ovata* Cavanil. Mexico. 4.

5. *strepens* L. Virginia, Carolina. 4.

5a. *ciliata* Hornemann. India orient. 5. Enumer.
pag. 656.)

5b. *foetida* Humb. et Bonpl. America merid. 5.
Enum. p. 656.

6. *patula* Jacq. India orient. 5.

7. *pallida* Vahl. Arabia fel.

8. *fragrans* Forster. Tahiti.

9. *lactea* Cavanil. Mexico. 4.

10. *clandestina* L. Barbados, Ins. St. Crucis. 4.

11. *violacea* Aublet. Gujana. 4.

12. *rubra* Aublet. Ibid. 4.

13. *macrophylla* Vahl. America. 5.

13a. *varians* Ventenat. Coromandel. 5.

(*Eranthemum pulchellum* Andrews.)

14. *guttata* Vahl. Arabia fel. 5.

15. *imbricata* Forsk. Arabia fel., Ins. Bourb. 5.

(*R. dorsiflora* Retz.)

16. *aristata* Vahl. Arabia fel. 5.

17. *intrusa* Vahl. Ibid.

18. *paniculata* L. Jamaica. 4.

19. *tuberosa* L. Ibid. 4.

20. *tentaculata* L. India.

21. *biflora* L. Carolina. 4.

22. *crispa* L. India. 4.

23. *fasciculata* Vahl. Zeylon.

24. *mollissima* Vahl. Madagascar.

25. *undulata* Vahl. India orient.

26. *involverata* Vahl. Ibid. 4.

- 27. *repanda* L. Java.
- 28. *ringens* L. India orient.
- 29. *coccinea* Vahl. America merid.
(*Barleria coccinea* L.)
- 30. *repens* L. India.
- 31. *uliginosa* L. Tranquebar. ☉.
- 32. *pilosa* Vahl. Cap. b. sp.
- 33. *hirta* Vahl. India orient.
- 34. *depressa* L. Cap. b. sp.
- 35. *cordifolia* Vahl. India orient. ♀.
- 36. *secunda* Vahl. India orient.
- 37. *reptans* Forster. Ins. Tanna.
- 38. *japonica* Thunb. Japonia.
- 39. *alopecuroides* Vahl. Montserrat.
- 40. *barbata* Vahl. India orient.
- 41. *balsamea* L. India. ☉.
- 42. *salicifolia* Vahl. India orient.
- 43. *longiflora* Vahl. Arabia fel. ♀.
- 44. *difformis* L. India orient.
- 45. *rupestris* Swartz. Hispaniola. 2.
- 46. *scabrosa* Swartz. Ibid. 2.
- 1196. BARLERIA. Barleria. T. III. p. 375.
 - 1. *longifolia* L. India. ♂.
 - 2. *solanifolia* L. America austr.
 - 3. *Hystrix* L. India orient. ♀.
 - 4. *Prionitis* L. Ibid. 2.
 - 5. *trispinosa* Vahl. Arabia fel. ♀.
 - 6. *bispinosa* Vahl. Ibid. ♀.
 - 7. *buxifolia* L. In Indiis.
 - 8. *noctiflora* L. Tanschaur. ♀.
 - β. *Justicia lanceata* Forsk. Arabia fel.
 - 9. *acanthoides* Vahl. Arabia fel.
 - 10. *cristata* L. India. ♀.
 - 11. *strigosa* W. India orient. ♀.
 - 12. *pungens* L. Cap. b. sp.
 - 13. *longiflora* L. Malabar. ♀.
- 1197. DURANTA. Durante. T. III. p. 380.

1. Plumieri L. America merid. H.
 - β. D. inermis, L.
2. Ellisia L. Jamaica. H.
3. Mutisii L. America merid. H.
1198. MYOPORUM. Myoporum. T. III. p. 381.
 1. laetum Forster. Nova - Zeelandia, H.
 2. pubescens Forster. Ibid. H.
 3. crassifolium Forster. Ins. Botanices. H.
 4. tenuifolium Forster. Nova - Caledonia, H.
1199. OVIEDA. Oviedo. T. III. p. 381.
 1. spinosa L. Hispaniola. H.
 2. mitis L. Java. H.
1200. MALLINGTONIA. Mallingtonie. T. III. p. 382.
 1. hortensis L. . . . H.
1201. VOLKAMERIA. Volkamerie. T. III. p. 383.
 1. aculeata L. Jamaica, Barbados. H.
 2. ligustrina Jacq. Ins. Mauritii. H.
 3. inermis L. India orient. H.
 - β. foliis obtusissimis W.
 - 3a. buxifolia W. . . . Enum. p. 658.
 4. capitata W. Guinea. H.
 5. ferrata L. India,
 6. scandens L. Zeylon. H.
 7. japonica Thunb. Japonia. H.
 8. Kaempferi Jacq. China, Japonia. H.
1202. CLERODENDRUM. Loosbaum, T. III. p. 386.
 1. infortunatum L. India, H.
 - β. C. folio lato et acuminato Burmann.
 - 1a. viscosum Ventenat. India orient. H. Enumer. pag. 658.
 2. fortunatum L. India orient. H.
 3. calamitosum L. Java. H.
 4. phlomoides L. India orient. H.
 - (Volkameria multiflora Burmann.)
 5. squamatum Vahl. Ibid. H.
 6. trichotomum Thunb. Japonia. H.

7. *diversifolium* Vahl. India orient. H.
 8. *paniculatum* L. India. H.
 8^a. *fragrans* W. Japonia. H. Enum. p. 659.
 (*Volkmannia japonica* Jacq.)
1203. THUNBERGIA. Thunbergie. T. III. p. 388.
 1. *capensis* L. Cap. b. sp.
 2. *fragrans* Roxb. India orient. 24.
1204. MAURANDIA. Maurandie. T. III. p. 389.
 1. *semperflorens* Jacq. Mexico. 24.
 (*Usteria scandens* Cavanil.)
12. *antirrhiniflora* Humb. et Bonpl. Mexico.
 24. Enum. pag. 659.
1205. CASTILLEJA. Castilleje. T. III. p. 389.
 1. *integrifolia* L. Nova-Granada. 24.
 2. *fissifolia* L. Ibid. 24.
1206. VITEX. Müllen. T. III. p. 390.
 1. *ovata* Thunb. Japonia, China. H.
 (*V. rotundifolia* L.)
 2. *triflora* Vahl. Cajenna. H.
 3. *divaricata* Swartz. Ins. St. Luciae, Martini-
 ca, St. Crucis. H.
 4. *pubescens* Vahl. India orient. H.
 5. *altissima* L. Zeylon. H.
 6. *Agnus castus* L. Sicilia, Neapolis. H.
 β. *V. latifolia* Miller.
 7. *incisa* La Marck. China. H.
 8. *Leucoxydon* L. Zeylon. H.
 9. *trifolia* L. India orient. H.
 9^a. *bicolor* W. India orient. H. Enum. p. 660.
 10. *umbrosa* Swartz. Jamaica. H.
 11. *capitata* Vahl. Trinidad. H.
 12. *Negundo* L. India. H.
 (*V. paniculata* La Marck.)
 13. *pinnata* L. Zeylon. H.
1207. AMASONIA. Amasonie. T. III. p. 394.
 1. *erecta* L. Surinam.
 2. *punicea* Vahl. Trinidad. H.

410 CLASSIS XIV. DIDYNAMIA.

- 1208. BONTIA.** Bontie. T. III. p. 394.
 1. *daphnoides* L. In Antillis. \bar{h} .
- 1209. AVICENNIA.** Avicennie. T. III. p. 395.
 1. *tomentosa* L. In Indiis. \bar{h} .
 2. *resinifera* Forster. Nova-Zeelandia. \bar{h} .
 3. *nitida* L. Martinica. \bar{h} .
- 1210. COLUMNEA.** Columpea. T. III. p. 396.
 1. *scandens* L. Gujana, in Caribaeis. \bar{h} .
 β . *flor. lutescente*.
 2. *hirsuta* Swartz. Jamaica. \bar{h} .
 3. *rutilans* Swartz. Ibid. \bar{h} .
 4. *hispida* Swartz. Ibid. \bar{h} .
- 1211. ACANTHUS.** Bärenklau. T. III. p. 397.
 1. *mollis* L. Italia, Sicilia. 4.
 β . *A. nigra* Miller.
 2. *carduifolius* L. Cap. b. sp.
 3. *spinosus* L. Italia. 4.
 4. *arboreus* Vahl. Arabia fel. \bar{h} .
 5. *Dioscoridis* L. In Libano.
 6. *ilicifolius* L. India. \bar{h} .
 7. *ebracteatus* Vahl. India orient, Cochinchina. \bar{h} .
 8. *capensis* L. Cap. b. sp. \bar{h} .
 9. *furcatus* L. Ibid.
 10. *procumbens* L. Ibid. \bar{h} .
 11. *integrifolius* L. Ibid.
 12. *repens* Vahl. India orient. 4.
 13. *edulis* Forsk. Arabia fel., Persia. \bar{h} .
(Ruellia ciliaris L.)
 14. *maderaspatensis* L. India. 4.
- 1212. LEPIDAGATHIS.** Schuppenknaul. T. III.
 p. 400.
 1. *cristata* W. India orient. \bar{h} .
- 1213. ALECTRA.** Alectra. T. III. p. 401.
 1. *capensis* Thunberg. Cap. b. sp. \odot .
- 1214. PEDALIUM.** Fußangel. T. III. p. 401.
 1. *Murex* L. Zeylon, Malabar. \odot .
- 1215. MELIANTHUS.** Honigblume. T. III. p. 402.

1. major L. Cap. b. sp. 5.
2. minor L. Ibid. 5.
3. comosus Vahl. Ibid. 4.

Classis XV.

TETRADYNAMIA.

SILICULOSAE.

1216. MYAGRUM. Leindotter. T. III. p. 406.
1. perenne L. Germania, Helvetia, Gallia. 4.
 2. orientale L. Oriens. ☉.
 3. rugosum L. Europa austr. ☉.
 4. hispanicum L. Hispania. ♂.
 5. perfoliatum L. Helvetia, Gallia. ☉.
 6. chloraefolium W. Oriens. 5.
 7. sativum L. Europa. ☉.
(*Alyssum sativum* Enum. p. 670.)
 8. dentatum W. Europa. ☉.
(*Alyssum dentatum* Enum. p. 671.)
 9. austriacum Jacq. Austria, Pannonia. 4.
 10. paniculatum L. Europa. ☉.
(*Alyssum paniculatum* Enum. p. 671.)
 11. saxatile L. Helvetia, Gallia, Italia, Carniola. 4.
(*Alyssum rupestre* Enum. p. 672.)
 12. aegyptium L. Aegyptus.
1217. BUNIAS. Zackenschote. T. III. p. 410.
1. spinosa L. Oriens, Aegyptus. ☉.
 2. Erucago L. Gallia. ☉.
 3. aspera Retz. America bor. ☉.
 4. orientalis L. Oriens. 4. ♂.
 5. cochlearioides Murray. Gallia, Italia, Hungaria, Slavonia. ☉.
(*M. erucaefolium* Villars. — *Crambe Corvini* Allion.)
 6. tatarica W. Sibiria. ☉.
(*Vella tenuissima* Pallas.)

7. *syriaca* Gaertner. Syria, Sibiria, Sumatra, Imp. Austriac. ☉.

(*Anastatica syriaca* L.)

8. *myagroides* L. Sibiria. ☉.

9. *aegyptiaca* L. Aegyptus. ☉.

10. *balearica* L. In Balearibus. ☉.

11. *prostrata* Desfont. Africa bor.

1218. PUGIONIUM. Säbelschöte. T. III. p. 416.

1. *cornutum* Gaertner. Sibiria.

(*Bunias cornuta* L.)

1219. CAKILE. Meersenf. T. III. p. 416.

1. *maritima* Scopoli. Europa, Asia, Africa, America. ☉.

(*Bunias Cakile* L.)

2. *aegyptiaca* W. Italia, Barbaria, Aegyptus. ☉.

1220. CRAMBE. Meerkohl. T. III. p. 418.

1. *maritima* L. Ad litora Oceani sept. 4.

β. *C. orientalis* Jacq.

2. *tatarica* L. , Hungaria, Moravia, Sibiria. 4.

3. *orientalis* L. Oriens. 4.

4. *hispanica* L. Hispania. ☉.

6. *reniformis* Desfont. Atlas.

6. *filiformis* Jacq. Patagonia. 4.

7. *fruticosa* L. Madera. 5.

8. *strigosa* l'Heritier. In Canariis. 5.

(*Myagrurn arborescens* Jacq.)

1221. ISATIS. Waid. T. III. p. 420.

1. *tinctoria* L. Ad litora maris Baltici et oceani Europaei, Helvetia. ♂.

β. *I. sativa* s. *latifolia* Bauhin.

2. *lusitanica* L. Hispania, Oriens. ☉.

(*I. orientalis* Enum. p. 663.)

3. *armena* L. Armenia.

4. *alpina* Villars. Italia, Gallia. 4.

1222. VELLA. Vella. T. III. p. 422.

1. *annua* L. Hispania. ☉.

2. *Pseudo - Cytisus* L. Ibid. 5.

1223. ANASTATICA. Jerichorose. T. III. p. 425.

1. hierochuntica L. Palaestina, Barbaria, Aegyptus. ☉.

1224. SUBULARIA. Pfriemenkresse. T. III. p. 423.

1. aquatica L. Europa. ☉.

2. alpina W. Carniolia. 4.

(*Draba mollis* Scopoli, Host.)

1225. DRABA. Hungerblümchen. T. III. p. 424.

* *Caule nudo.*

1. aizoides L. Germania, Helvetia, Gallia. 4.

2. rigida W. Armenia. 4.

3. ciliaris L. Gallia. 4.

4. alpina L. Europa. 4.

5. hispida W. Cappadocia. 4.

6. verna L. Europa. ☉.

7. caroliniana Walter. Carolina. ☉.

8. nivalis Liljeblad. Alpes Europae. 4.

(*D. stellata* Fl. dan.)

9. stellata Jacq. Ibid. 4.

(*D. hirta* Villars.)

10. androsacea W. Imper. Austriac. 4.

(*D. ciliaris* Host. — *D. fladnizensis* Wulfen.)

11. pyrenaica L. Alpes Europae. 4.

** *Caule folioso.*

12. muralis L. Europa. ☉.

13. nemoralis L. Suecia, Rossia, Japonia. ☉. ♂.

14. hirta L. Lapponia. 4.

(*D. norvegica* Fl. dan.)

15. incana L. Europa. ♂.

β. *D. contorta* Ehrhart.

16. magellanica La Marck. Ad fretum Magellanicum.

1226. LÉPIDIUM. Kresse. T. III. p. 431.

1. perfoliatum L. Austria, Persia, Syria. ☉.

2. vesicarium L. Iberia, Media. ☉.

3. nudicaule L. Hispania, Gallia, Algeria. ☉.

β. foliis cordato - ovatis longe petiolatis.

4. procumbens L. Hispania, Sibiria. ☉.
5. alpinum L. Alpes Europae. 4.
6. calycinum Stephan. Sibiria. 4.
7. petraeum L. Europa. ☉. ♂.
8. Cardamines L. Hispania. ♂.
9. spinosum L. Oriens. ☉.
10. sativum L. . . . ☉.
11. lyratum L. Oriens. ☉.
12. crassifolium *Waldst. et Kit.* Hungaria, Sibiria. 4.
13. latifolium L. Gallia, Anglia, Germania. 4.
14. amplexicaule *W.* Sibiria. 4.
15. glastifolium *Desfont.* Algeria.
16. oleraceum *Forster.* Nova Zeelandia. ☉.
17. piscidium *Forster.* Ins. Botanicas, Teautoa.
Huabeine. ☉.
18. subulatum L. Hispania. 4.
19. graminifolium L. Europa. 4.
20. apetalum *W.* Sibiria. ☉.
21. suffruticosum L. Hispania. 5.
22. didymum L. Anglia. ☉.

(*Sennebiera didyma* Enum. p. 668.)

23. ruderale L. Europa. ☉.
24. virginicum L. Virginia, Jamaica. ☉.
25. divaricatum *Aiton.* Cap. b. sp. 4.
26. Iberis L. Germania, Gallia, Italia, Sicilia. 4.
27. Pollichii *Roth.* Germania. ☉.

(*L. Iberis* Pollich.)

28. bonariense L. Bonaria, Paragay. ☉.
29. chalepense L. Oriens.

12264. SENNEBIERA. Enum. p. 668.

1. incisa *W.* Pensylvania. ☉.

1227. THLASPI. Täschelkraut. T. III. p. 442.

1. peregrinum L. Carniolia.
2. arabicum *Vahl.* Arabia, Cappadocia. ☉.

(*Iberis arabica* L.)

3. arvense L. Europa. ☉.
4. alliaceum L. Ibid. ☉.

5. *Psychine* *W.* *Barbaria*. ☉.
(*Psychine stilosa* Desfont.)
6. *saxatile* *L.* *Italia*, *Gallia*, *Austria*, *Helvetia*. ☉. ♂.
7. *hirtum* *L.* *Ibid.* ♂.
8. *campestre* *L.* *Europa*. ♂.
β. *minus*.
γ. *folio glabro, vix serrato*.
9. *montanum* *L.* *Helvetia*, *Austria*, *Italia*,
Gallia. 4.
β. *S. praecox* *Wulfen*.
10. *alpinum* *Jacq.* *Austria*, *Helvetia*. 4.
11. *perfoliatum* *L.* *Helvetia*, *Gallia*, *Germania*. ♂. ☉.
12. *alpestre* *L.* *Austria*, *Helvetia* ☉.
13. *Bursa pastoris* *L.* *Europa*. ☉.
β. *media* *Bauhin*.
γ. *major folio non sinuato* *Bauhin*.
14. *ceratocarpon* *L.* *Sibiria*. ☉.
(*Lepidium ceratocarpum* *Pallas*.)
1228. COCHLEARIA. Löffelkraut. T. III. p. 448.
 1. *officinalis* *L.* *Europa*. ☉. ♂.
 2. *danica* *L.* *Dania*, *Suecia*. ☉. ♂.
β. *C. danica repens* *Bauhin*.
γ. *C. minor erecta* *Bauhin*.
 3. *anglica* *L.* *Anglia*. ♂.
 4. *groenlandica* *L.* *Groenlandia*, *Norvegia*,
Islandia. ☉.
 5. *sibirica* *W.* *Sibiria*.
 6. *acaulis* *Desfont.* *Marocco*, *Lusitania*. 4.
 7. *Coronopus* *L.* *Europa*. ☉.
 8. *Armoracia* *L.* *Ibid.* 4.
 9. *macrocarpa* *Waldst. et Kit.* *Hungaria*. 4.
 10. *glastifolia* *L.* *Germania*. ♂.
 11. *Draba* *L.* *Austria*, *Gallia*, *Italia*. 4.
1229. IBERIS. Bauernsenf. T. III. p. 452.
 1. *semperflorens* *L.* *Sicilia*, *Persia*. 5.

2. cappadocica *W.* Cappadocia. 5.
3. sempervirens *L.* Creta, Italia. 5.
 - β. Iberia garrexiana *Allion.*
 - γ. caule herbaceo.
4. giberaltaria *L.* Hispania. 5.
5. saxatilis *L.* Italia, Gallia. 5.
6. vermiculata *W.* Tauria. 4.
(I. saxatilis Pallas.)
7. rotundifolia *L.* Helvet., German., Italia. 4.
8. cepeaeifolia *Wulfen.* Carinthia. 4.
9. carnosā *W.* In Pyrenaeis. 4.
10. ciliata *W.* Caucasus. ☉. ♂.
11. parviflora *La Marck.* Oriens.
12. nana *Allion.* Alpes Pedemont. ☉.
13. umbellata *L.* Hetruria, Hispania, Creta. ☉.
14. amara *L.* Helvetia, Germania. ☉.
15. linifolia *L.* Hispania, Lusitania, Gallia. ♂.
16. odorata *L.* In alpibus Allobrogicis. ☉.
17. nudicaulis *L.* Europa. ☉.
18. pinnata *L.* Europa austr. ☉.
1230. ALYSSUM. Steinkraut. T. III. p. 459.

* *Suffruticosa.*

1. spinosum *L.* Hispania, Gallia. 5.
2. maritimum *W.* Hispania, Gallia, Africa
bor. 5.
(Clypeola maritima L. — Alyssum halimifolium
Aiton, Curtis.)
 - β. foliis viridibus.
 - γ. foliis canis.
3. halimifolium *L.* Europa austr. 5.
4. tenuifolium *Stephan.* Sibiria.
5. saxatile *L.* Creta. 5.
6. lunarioides *W.* Ins. Archipelagi. 5.
(Lunaria graeca Enum. p 675.)
7. argenteum *W.* In montibus Pedemontanis. 5.
(Lunaria argentea Allion.)
8. alpestre *L.* Gallia, Helvetia, Italia. 5.

8a. *A. murale* *Waldst. et Kit.* Hungaria. \bar{h} . En.
pag. 670.

. (*A. alpestre* β . *W.* *Sp. pl.*)

9. *serpyllifolium* *Desfont.* Atlas, Armenia. \bar{h} .

10. *atlanticum* *Desfont.* Atlas, Creta. \bar{h} .

11. *orientale* *Arduini.* Oriens. \bar{h} .

(*Clypeola tomentosa* *L.*)

** *Herbacea.*

12. *hyerboreum* *L.* America sept.

13. *incanum* *L.* Europa. 4. σ .

14. *minimum* *L.* Hispania, Sibiria. \odot .

15. *strictum* *W.* Armenia.

16. *calycinum* *L.* Austria, Helvetia, Germania,
Gallia. \odot .

16a. *eriophorum* *Pourret.* Hispania; \odot Enum.
pag. 671.

17. *sibiricum* *W.* Sibiria.

18. *spathulatum* *Stephan.* Sibiria. 4.

19. *montanum* *L.* Helvetia, Germania. 4.

20. *tortuosum* *Waldst. et Kit.* Hungaria, Sibi-
ria. 4.

20a. *edentulum* *Waldst. et Kit.* Banatus. σ . Enum.
pag. 671.

20b. *Draba* *Bieberst.* Caucasus. \odot . Enum. p. 672.

21. *campestre* *L.* Gallia, Germania, Helvetia. \odot .
 β . *A. simplex* *Rudolphi.*

22. *linifolium* *Stephan.* Tauria, Armenia. \odot .

23. *clypeatum* *L.* Europa, Tauria. \odot .

(*Lunaria canescens* Enum. p. 675.)

24. *cheiranthifolium* *W.* Oriens.

*** *Siliculis inflatis s. calycibus oblongis clausis.*

25. *sinuatum* *L.* Hispania. \odot . σ . 4.


26. *creticum* *L.* Hispania, Creta. \bar{h} .

27. *gemonense* *L.* Germania, Carinthia. 4.

28. *dasycarpum* *Stephan.* Sibiria.

29. *utriculatum* *L.* Oriens. 4.

D d



418 CLASSIS XV. TETRADYNAMIA.

30. *Vesicaria* L. Oriens. 4. -
 31. *deltoidium* L. Ibid. 5.
 1231. *CLYPEOLA*. Schildkraut. T. III. p. 471.
 1. *Jonthlaspi* L. Italia, Hispania, Tauria. ☉.
 1232. *PELTARIA*. Scheibenkraut. T. III. p. 471.
 1. *alliacea* L. Austria, Carniolia. 4.
 2. *Garcini* Burmann. Persia.
 3. *capensis* L. Cap. b. sp.
 1233. *BISCUTELLA*. Brillenschote. T. III. p. 472.
 1. *auriculata* L. Italia, Gallia. ☉.
 2. *apula* L. Italia. ☉.
 3. *lyrata* L. Hispania, Africa bor. ☉.
 4. *raphanifolia* Poiret. Sicilia, Africa bor. ☉.
 5. *coronopifolia* L. Hispania. ☉.
 5a. *didyma* W. Italia, Hispania. ☉. Enum. p. 673.
 5b. *depressa* W. Aegyptus. ♂. Enum. p. 673.
 6. *laevigata* L. Italia, Gallia, Helvetia, Germania. 4.
 6a. *saxatilis* de Cándol. Helvetia, in Pyrenaeis.
 4. Enum. p. 674.
 6d. *alpestris* Waldst. et Kit. Croatia. 4. Enum.
 pag. 674.
 7. *subspathulata* Desroufs. Italia. 4.
 8. *montana* Cavanil. Hispania. 4.
 9. *sempervirens* L. Oriens, Hispania. 5.
 19. *peruviana* Desroufs. Peru. 5.
 1234. *LUNARIA*. Mondviole. T. III. p. 476.
 1. *rediviva* L. Europa. 4.
 2. *annua* L. Ibid. ♂.
 2a. *suffruticosa* Ventenat. Persia. 5. Enumer.
 pag. 675.

SILIQUOSA.

1235. *RICOTIA*. Ricotie. T. III. p. 477.
 1. *aegyptiaca* L. Aegyptus. ☉.
 1236. *DENTARIA*. Zahnwurz. T. III. p. 478.
 1. *enneaphylla* L. Austria, Italia. ☉.

- 2. glandulosa *Waldst. et Kit.* Hungaria. 2.
- 3. laciniata *Mühlenberg.* Pennsylvania. 2.
- 4. bulbifera *L.* Europa. 2.
- 5. microphylla *W.* Sibiria. 2.
- 6. pinnata *La Marck.* Gallia, Helvetia. 2.
- 7. pentaphyllos *L.* Alpes Europae. 2.
- 1237. CARDAMINE. Schaumkraut. T. III. p. 481.

* *Foliis simplicibus.*

- 1. bellidifolia *L.* Lapponia, Norvegia. 2.
- 2. alpina *W.* Alpes Europae. 2.
- (*C. bellidifolia* *Wulfen, Allioni, Villars.*)
- 3. asarifolia *L.* Italia. 2.
- 4. nudicaulis *L.* Sibiria.
- 5. nivalis *Pallas.* Altai. 2.

** *Foliis ternatis.*

- 6. resedaefolia *L.* Helvetia, Gallia, Germania. 2.
- 7. trifolia *L.* Alpes Europae. 2.
- 8. scutata *Thunb.* Japonia. 2.
- 9. africana *L.* Africa, Arabia, Ins. Bourbon.

*** *Foliis pinnatis.*

- 10. chelidonia *L.* Italia.
- 11. thalictroides *Allion.* Italia, Gallia. ♂.
- (*C. Plumieri* *Villars.*)
- 12. macrophylla *W.* Sibiria. 2.
- (*C. chelidonia* *Pallas.*)
- 13. impatiens *L.* Europa. ♂.
- 14. parviflora *L.* Europa, Sibiria. ☉.
- 15. pensylvanica *Mühlenberg.* Pennsylvania.
- 16. graeca *L.* Sicilia, Corsica, Ins. Graeciae. ☉.
- 17. hirsuta *L.* Europa. ☉.
- 18. latifolia *Vahl.* Hispania.
- 19. pratensis *L.* Europa. 2.

β. flore majore.

- 20. amara *L.* Ibid. 2.
- 21. granulosa *Allion.* Taurini. 2.

22. *virginica* L. Virginia.

1238. *SISYMBRIUM*. Rruke. T. III. p. 489.

* *Siliquis declinatis brevibus.*

1. *Nasturtium* L. Europa, Oriens, America
sept. 4.

2. *sylvestre* L. Helvetia, Gallia, Germania. 4. ☉.

β. *S. lippizense* Wulfen.

3. *palustre* Leysser. Europa. ☉.

(*S. terrestre* Smith. — *S. islandicum* Fl. dan.)

4. *amphibium* L. Europa. 4.

α. *palustre*.

β. *aquaticum*.

γ. *terrestre*.

5. *pyrenaicum* L. Alpes Europae. 4.

(*Brachiolobus pyrenaicus* Allion.)

6. *tanacetifolium* L. Sibaudia, Helvetia. 4.

7. *ceratophyllum* Desfont. Africa bor. ☉.

8. *coronopifolium* Desfont. Ibid.

9. *tenuifolium* L. Germania, Gallia, Helvetia,
Anglia. 4.

10. *sagittatum* Aiton. Sibiria. 4.

(*S. molle* Jacq.)

11. *amplexicaule* Desfont. Algeria. ☉.

** *Siliquis sessilibus axillaribus.*

12. *fupinum* L. Gallia, Hispania. ☉.

13. *polyceratum* L. Helvetia, Italia. ☉.

14. *filifolium* W. Sibiria. ☉.

15. *bursifolium* L. Sicilia, Italia, Helvetia, Gal-
lia. ☉.

16. *torulosum* Desfont. In regno Tunetano.

*** *Caule nudo.*

17. *murale* L. Gallia, Italia. ☉.

β. *S. Erucastrum* Gouan.

18. *monense* L. Anglia, Hungaria. 4.

19. *repandum* W. Gallia, Pedemons. 4.

(*S. monense* Villars, Allioni.)

20. *Tillieri* Bellardi. In Valle Augusta. ♂.

- 21. *vimineum* L. Sicília, Gallia.
- 22. *Barrelieri* L. Hispania, Italia. ☉.
- 23. *arenosum* L. Borussia, Germania, Helvetia. ☉. ♂.
- 24. *valentinum* L. Hispania. ☉.

**** *Foliis pinnatis.*

- 25. *Parra* L. Parra. ☉. ♂.
- 26. *asperum* L. Hispania, Gallia. ☉.
- 27. *laevigatum* W. . . . ☉.
- 28. *millefolium* Aiton. Teneriffa. ♀.
(*Sinapis millefolia* Jacq.)
- 29. *Sophia* L. Europa. ☉.
- 29^a. *gallicum* W. Gallia. ☉. Enum. p. 678.
- 29^b. *contortum* Cavanil. Hispania. ☉.
- 30. *album* Pallas. Sibiria. 4.
- 31. *cinereum* Desfont. Africa bor. ☉.
- 32. *altissimum* L. Armenia, Sibiria, Austria. ☉.
- 33. *eckartsbergense* W. . . . ☉.
- 34. *pannonicum* Jacq. Hungaria. ☉.
(*S. Sinapios* Retz.)

- 35. *erysimoides* Desfont. In regno Tuneteno.
- 36. *Irio* L. Europa. ☉.
- 37. *Columnae* Jacq. Germania, Austria, Italia. ☉.
- 38. *Loeselii* L. Borussia, Gallia, Germania. ☉.
- 39. *obtusangulum* Schleicher. Helvetia. ☉. ♂.
- 40. *orientale* L. Oriens. ☉.
- 41. *barbareae* L. Ibid. 4.
- 42. *lyratum* Burmann. Cap. b. sp. 4.
- 43. *catholicum* L. Hispania, Lusitania.
- 44. *heterophyllum* Forster. Nova-Zeelandia.
- 45. *glaciale* Forster. Terra del Fuego. 4.

***** *Foliis lanceolatis integris.*

- 46. *strictissimum* L. Helvetia, Italia, Gallia, Germania, Austria. 4.

β. *foliis integerrimis.*

- 47. *pendulum* Desfont. Africa bor.
- 48. *hispanicum* Jacq. Hispania. ♂.

422 CLASSIS XV. TETRADYNAMIA.

49. *pumilum* *Stephan.* Persia. ☉.
 50. *salsuginosum* *Pallas.* Sibiria. ☉.
 51. *integrifolium* *L.* Ibid. ☉.
 52. *indicum* *L.* India ☉
 53. *hispidum* *Vahl* Aegyptus.
1239. ERYSIMUM. *Hederich.* T. III. p. 509.
1. *officinale* *L.* Europa ☉
 2. *Barbarea* *L.* Europa. 24.
β. *orientale.*
 3. *praecox* *Smith.* Anglia, Gallia. ♂.
 4. *Alliaria* *L.* Europa. ♂.
 5. *repandum* *L.* Hispania, Gallia, Germania. ☉.
 6. *cheiranthoides* *L.* Europa. ☉.
β. *Cheiranthus scapigerus* *W.*
 7. *hieracifolium* *L.* Germania, Helvetia, Suecia, Dania. ☉.
 - 7^a. *longisiliquosum* *W.* . . . ♂. Enum. p. 680.
 8. *odoratum* *Ehrhart.* Imper. Austriac. ♂.
(*E. hieracifolium* *Jacq.* *Host.*)
 9. *virgatum* *Roth.* . . . ♂.
 10. *diffusum* *Ehrhart.* Austria, Helvetia, Italia, Hungaria. ♂.
(*E. canescens* *Roth.* — *Cheiranthus alpinus* *Jacq.* *Host.*)
 11. *angustifolium* *Ehrhart.* Hungaria. ☉.
(*Cheiranthus canus* *Piller et Mitterpacher.*)
 12. *junceum* *W.* Hungaria. ☉. ♂.
(*Cheiranthus iunceus* *Waldst et Kit.*)
 13. *bicorne* *Aiton.* In Canariis. ☉.
 14. *quadricorne.* *Stephan.* Sibiria. ☉.
1240. CHEIRANTHUS. *Leucoje.* T. III. p. 514.
1. *erysimoides* *L.* Germania, Helvetia, Gallia, Hungaria. ♂.
 2. *helveticus* *Jacq.* Helvetia, Italia. ♂.
(*C. Boccone* *Allion.*)
 3. *alpinus* *L.* Lapponia, Sibiria. 24.
 4. *lanceolatus* *W.* Tauria.

- 4^a. *decumbens* Schleicher. Helvetia. ♂. Enum.
p. 680.
5. *Cheiri* L. Anglia, Helvetia, Gallia, Hispania. ♂. 4. 5.
 β. *Leucojum luteum*, magno flore Bauhin.
 γ. *Leucojum luteum*, serrato folio, flore grandiore Bauhin.
 δ. *Leucojum luteum*, pleno flore, majus Bauhin.
 ε. *Leucojum luteum* pleno flore, minus Bauhin.
6. *fruticulosus* L. Hispania, Anglia. 4.
 6^a. *ibericus* W. Iberia. 4. Enum, p. 681.
 6^b. *scoparius* Broussonet, Teneriffa. 5. Enum.
p. 681.
7. *callosus* L. Cap. b. sp. 5.
 8. *strictus* L. Ibid. 5.
 9. *tenuifolius* l'Heritier. Madera. 5.
 10. *mutabilis* l'Heritier. Ibid. 5.
 11. *apricus* Stephan. Sibiria. 4.
 12. *Chius* L. In Chio, Russia. ☉.
 13. *maritimus* L. Ad mare Mediterran. ☉.
 14. *parviflorus* Schousboe. Marocco. ☉.
 15. *salinus* L. Sibiria, Tataria. 5.
 16. *bicuspidatus* W. Armenia.
 17. *incanus* L. Hispania. 4. 5.
 β. flore albo.
18. *fenestralis* L. . . . ♂.
 19. *annuus* L. Europa. ☉.
 20. *littoreus* L. Ad Mare Mediterran. ☉.
 21. *contortuplicatus* Stephan. Sibiria.
 22. *leucanthemus* Stephan. Persia.
 23. *tristis* L. Hispania, Gallia, Italia. 5.
 24. *trilobus* L. Hispania. ☉.
 25. *pulchellus* W. Cappadocia. 4.
 26. *pinnatifidus* W. Sibiria.
 27. *tricuspidatus* L. Tripolis. ☉.
 28. *tomentosus* W. Ad mare Caspium. ♂.
 29. *odoratissimus* Pallas, Tauria, Persia. 5. ♂.

424. CLASSIS XV. TETRADYNAMIA.

30. *sinuatus* L. Hispania, Gallia, Anglia. ☉. ♀.
31. *taraxacifolius* Stephan. Sibiria.
32. *cuspidatus* Bieberst. Tauria, ad mare Caspi-
um, Hungaria. ♂.
33. *quadrangulus* l'Heritier. Sibiria. 4.
(*C. cornutus* La Marck. — *C. montanus* Pallas.)
34. *Farsetia* L. Aegyptus, Barbaria, Arabia. ♀.
(*Fursetia glabra* Turra.)
β. *C. linearis* Forsk.
1241. HELIOPHILA. Sonnenfreund. T. III. p. 527.
 1. *integrifolia* L. Cap. b. sp. ☉
 2. *incana* Aiton. Ibid. ♀.
(*H. frutescens* La Marck.)
 3. *circaeoides* L. Ibid. ☉
(*Chamira cornuta* Thunb.)
 4. *amplexicaulis* L. Ibid.
 5. *flava* L. Ibid. ♀.
 6. *canescens* Burmann. India orient.
 7. *pusilla* L. Cap. b. sp. ☉.
 8. *filiformis* L. Ibid. ☉.
 9. *pendula* W. ☉.
 - 9a. *crithmifolia* W. ☉. Enum. p. 682.
 10. *pinnata* L. Cap. b. sp.
 11. *coronopifolia* L. Ibid. ♀.
 12. *digitata* L. Ibid.
1242. HESPERIS. Nachtviole. T. III. p. 530.
 1. *tristis* L. Hungaria, Austria. ♂.
 - 1a. *runcinata* Waldst. et Kit. Hungaria. ♂.
 2. *lacinjata* Allion. Pedemons. ♂.
 3. *matronalis* L. Germania, Helvetia, Sibiria. ♂.
β. *H. sibirica* L.
 4. *inodora* L. Austria, Gallia. ♂.
 5. *tatarica* Pallas. Sibiria. 4.
 6. *africana* L. Africa, Gallia, Hungaria. ☉.
 7. *ramosissima* Desfont. Algeria. ☉.
 8. *arenaria* Desfont. Ibid. ☉.
 9. *verna* L. Galloprovincia. ☉. ♂.

10. *lacera* L. Lusitania, Gallia. ☉.
1243. ARABIS. Gänsekrant. T. III. p. 534.
1. *alpina* L. Alpes Europae. 4.
 α. caule erecto simplici.
 β. caule diffuso ramoso.
2. *grandiflora* L. Sibiria. 4.
3. *Thaliana* L. Europa. ☉.
4. *Crantziana* Ehrhart. Germania.
5. *recta* Villars. Gallia, Hispania. ☉.
- 5a. *crispata* W. Carniolia. 4. Enum. p. 684.
- 5b. *praecox* Waldst. et Kit. Hungaria. 4. Enum. p. 684.
- 5c. *ciliata* W. Carinthia. 4. Enum. p. 684.
6. *serpyllifolia* Villars. Delphinatus. ♂.
7. *reptans* La Marck. Virginia. 4.
8. *coerulea* Wulfen. Alpes Europae, 4.
 (*Turritis coerulea* Allion.)
9. *bellidifolia* L. Ibid. 4.
 (*Turritis bellidifolia* Allion.)
10. *nutans* Moench. Alpes Europae. 4.
 (*A. pumila* Wulfen, Jacq. — *A. scabra* Allion.)
11. *lyrata* L. Canada. ☉.
12. *hispida* L. Alpes Europae. 4.
 β. *Cardamine hastulata* Smith.
 (*C. petraea* Lightfooth.)
13. *stricta* Hudson. Italia, Anglia, Gallia, Helvet. 4.
 (*Turritis Razi* Villars, Allion. — *Arabis hispida* Aiton.)
- 13a. *incana* Roth. Helvetia. ♂.
 (*Turritis minor* Schleicher.)
14. *Halleri* L. Harcynia, Carniolia. ♂.
15. *ovirensis* Wulfen. Carinthia. 4.
16. *canadensis* L. Canada.
17. *lucida* L. Pannonia. 4.
18. *pendula* L. Sibiria, Dania. ☉. ♂.
19. *Turrita* L. Helvetia, Hungaria, Gallia, Sicilia. ☉.

20. *saxatilis* Allion. Gallia, Italia. ♂.

(*A. nova* Villars.)

21. *aspera* Allion. In agro Pedemontano. 4.

1244. TURRITIS. Thurmkräut. T. III. p. 542.

1. *glabra* L. Europa. ♂.

β. *Monstrum florum viridium* Boehmer.

2. *laevigata* Mühlenberg. Pennsylvania. ♂.

3. *stricta* Allion. Pedemons.

4. *hirsuta* L. Suecia, Germania, Anglia. ♂.

5. *patula* Ehrhart. Hungaria. ☉.

6. *pubescens* Desfont. Algeria.

7. *ciliata* Schleicher. Helvetia.

8. *alpina* L. Austria, Gotlandia. ♂. 4.

1245. BRASSICA. Kohl. T. III. p. 545.

* *Stylo obtusiusculo.*

1. *orientalis* L. Oriens, Gallia, Germania. ☉.

2. *austriaca* Jacq. Austria, Germania. ☉.

3. *campestris* L. Europa. ☉.

4. *arvensis* L. Ibid. 4.

5. *alpina* L. Germania, Helvetia. 4.

6. *Napus* L. Gotlandia, Belgium, Anglia. ♂.

β. *Napus sativa* Bathin.

7. *Rapa* L. Anglia, Belgium. ♂.

β. *sativa.*

8. *oleracea* L. Anglia. ♂.

β. *viridis.*

γ. *rubra.*

δ. *capitata.*

ε. *labauda.*

ζ. *laciniata.*

η. *selenisia.*

θ. *labellica.*

ι. *botrytis.*

κ. *Napobrassica.*

λ. *gongylodes.*

9. *Richeri* Villars. Delphinatus, Pedemons. 4.

10. *cretica* La March. Creta. ♀.
11. *suffruticosa* Desfont. Africa bor. ♀.
12. *chinensis* L. China. ♂. ☉.
13. *violacea* L. Ibid. ♂.
14. *subhastata* W. Ins. Archipelagi. ☉.
(*Sisymbrium subhastatum* Enum. p. 679.)
15. *polymorpha* Murray. Hungaria, Sibiria. ♀.
16. *teretifolia* Desfont. Africa bor.
- ** *Brucæ, siliquis stylo ensiformi.*
17. *Erucastrum* L. Europa. ☉.
18. *Eruca* L. Helvetia, Austria. ☉.
19. *pinnatifida* Desfont. Africa bor.
20. *elongata* Ehrhart. Hungaria. ♂.
21. *Cheiranthus* Villars. Delphinatus, Pedemons. ♂.
(*Sinapis Tournefortii* Allioni.)
22. *vesicaria* L. Hispania. ☉.
23. *lyrata* Desfont. Africa bor.
24. *crassifolia* Forsk. Aegyptus.
1246. SINAPIS. Senf. T. III. p. 554.
1. *arvensis* L. Europa. ☉.
2. *orientalis* L. Oriens. ☉.
3. *brassicata* L. China. ☉.
4. *alba* L. Anglia, Gallia, in Belgio. ☉.
5. *nigra* L. Europa. ☉.
6. *pyrenaica* L. In Pyrenæis, Pedemons. ♂.
β. *S. maritima* Allion.
7. *pubescens* L. Sicilia. ♀.
8. *hispida* Schousboe. Imper. Maroccanum. ☉.
9. *chinensis* L. ☉.
10. *junceæ* L. Asia, China. ☉.
- 10a. *foliosa* W. Oriens. ☉. Enum. p. 688.
11. *Allioni* Jacq. ☉.
12. *erucoides* L. Italia, Hispania. ☉.
13. *cœrnua* Thunb. Japonia, China. ☉.
14. *hispanica* L. Hispania.
15. *japonica* Thunb. Japonia.

16. *incana* L. Gallia, Lusitania, Hispania, Helvetia. ♂.
17. *frutescens* Aiton. Madera. ♀.
18. *radicata* Desfont. Algeria. ♀.
19. *laevigata* L. Lusitania, Hispania. ♂.
1247. RAPHANUS. Rettig. T. III. p. 560.
1. *sativus* L. China. ☉. ♂.
- β. *R. niger* Bauhin.
- γ. *R. chinensis annuus oleiferus*.
2. *caudatus* L. In Final. ☉.
3. *Raphanistrum* L. Europa. ☉.
- α. flore albo.
- β. flore albo striato.
- γ. flore purpureo.
- δ. flore luteo.
4. *sibiricus* L. Sibiria. ☉.
5. *tenellus* Pallas. Ad mare Caspium. ☉.
6. *arcuatus* W. . . . ☉.
7. *lanceolatus* W. In Antillis.
8. *pilosus* W. Guineæ.
1248. CORDYLOCARPUS. Keulenrettig. T. III. pag. 563.
1. *muricatus* Desfont. Algeria. ☉.
2. *laevigatus* W. Ins. Archipelagi.
(*Erucaria aleppica* Gaertner.)
1249. CLEOME. Cleome. T. III. p. 564.
1. *junccea* Sparrmann. Cap. b. sp. ♀.
2. *heptaphylla* L. In Indiis. ☉.
- β. *Sinapistrum indicum majus quinquefolium asperum* Raj.
3. *pentaphylla* L. Ibid. ☉.
4. *triphylla* L. Ibid. ☉.
5. *polygama* L. Jamaica. ☉.
6. *icosandra* L. Zeylon. ☉.
7. *viscosa* L. Zeylon, Malabar. ☉.
- 7a. *uniglandulosa* Cavanil. Nova - Hispania. ♀.
Enum. p. 689.

8. *dodecandra* L. In Indiis. ☉.
9. *felina* L. Zeylon.
10. *Chelidonii* L. Prope Tanseaur.
11. *gigantea* L. Guinea. ☿.
12. *aculeata* L. America calid. ☉.
- 12a. *pungens* W. America calid. ☉. ♂. Enum.
p. 689.
13. *spinosa* L. America merid. ☉.
14. *ferrata* L. Ibid. ☉.
15. *ornithopodioides* L. Circa Peram. ☉.
16. *violacea* L. Lusitania. ☉.
17. *arabica* L. Arabia. ☉.
18. *tenella* L. India orient. ☉.
19. *filifolia* Vahl. Arabia. fel. ☉.
(*C. angustifolia* Forsk.)
20. *gujanensis* Aublet. Gujana. ☉.
21. *monophylla* L. India. ☉.
22. *capensis* L. Cap. b. sp.; India.
23. *procumbens* L. Jamaica, Hispaniola. ♀.

Classis XVI.

M O N A D E L P H I A.

T R I A N D R I A.

1250. TAMARINDUS. Tamarinden. T. III. p. 577.
 1. *indica* L. India, Arabia, Aegyptus, America. ☿.
1251. SISYRINCHIUM. Schweinerüssel. T. III.
pag. 577.
 1. *elegans* W. Cap. b. sp. ♀.
(*Moraea elegans* Jacq.)
 2. *collinum* Cavanil. ♀.
(*Moraea collina* Thunb. Jacq.)
 3. *grandiflorum* Cavanil. Peru. ♀.

4. *Bermudiana* L. In Bermudis. 4.

5. *anceps* La Marck. Virginia, Canada. 4.

(*S. Bermudiana* a. L. — *S. gramineum* Curtis.
— *S. angustifolium* Miller.)

5a. *convolutum* Nocca. Mexico. 4. Enum. p. 690.

5b. *tenuifolium* Humboldt. et Bonpl. Ibid. 4.

6. *micranthum* Cavanil. Peru. 4.

7. *palmifolium* L. Brasilia. 4.

(*Moraea palmifolia* Thunb.)

8. *striatum* Smith. Mexico. 4.

(*S. spicatum* Cavanil. — *Moraea fertata* Jacq.)

1252. FERRARIA. Ferrarie. T. III. p. 580.

1. *undulata* L. Cap. b. sp. 4.

2. *Ferrariola* Jacq. Ibid. 4.

3. *pavonia* L. Mexico, Peru. 4.

(*Tigridia pavonia* Curtis.)

4. *ixioides* W. Nova Zeelandia. 4.

(*Sisyrinchium ixioides* Forster. — *Moraea ixioides* Thunb.)

1253. GALAXIA. Galaxie. T. III. p. 583.

1. *ovata* Thunb. Cap. b. sp. 4.

(*Ixia Galaxia*. L.)

α. corolla violacea.

β. corolla lilacina,

γ. corolla flava.

2. *graminea* Thunb. Ibid. 4.

β. corollis flavis.

γ. tubo corollae flavo, limbo violaceo.

3. *narcissoides* W. Ad fretum Magellan. 4.

(*Sisyrinchium narcissoides* Cavanil.)

β. floribus striatis.

1254. APHYTEJA. Piltzmalve. T. III. p. 584.

1. *Hydnora* L. Cap. b. sp.

(*Hydnore africana* Thunb.)

P E N T A N D R I A.

1255. OZOPHYLLUM. Stinkblatt. T. III. p. 585.

1. trifoliatum *W.* Gujana. *H.*

(*Ticorea foetida* Aublet.)

1256. SYMPHONIA. Drehblume. T. III. p. 585.

1. globulifera *L.* Gujana. *H.*

(*Moronobea coccinea* Aublet.)

1257. LERCHEA. Lerchee. T. III. p. 586.

1. longicauda *L.* India orient. *H.*

1258. WALTHERIA. Waltherie. T. III. p. 586.

1. americana *L.* Bahama, Barbichas, Surinam. *H.* ♂.

(*W. arborescens* Cavanil — *W. indica* Jacq.)

2. indica *L.* India. *H.*

3. *Lophanthus* Forster. Ins. Marchionis.

4. ovata *Cavanil.* Peru. *H.*

5. angustifolia *L.* India orient. *H.*

(*W. microphylla* Cavanil.)

6. elliptica *Cavanil.* India orient. *H.*

1259. HERMANNIA. Hermannie. T. III. p. 589.

1. althaeaeifolia *L.* Cap. b. sp. *H.*

(*H. aunea* Jacq.)

14. mollis *W.* Ibid. *H.* Enum. p. 692.

2. plicata *Aiton.* Ibid. *H.*

3. candicans *Aiton.* Ibid. *H.*

(*H. praemorsa* Wendland.)

4. disticha *Schrader.* Ibid. *H.*

(*H. rotundifolia* Jacq.)

5. salviaefolia *L.* Ibid. *H.*

6. micans *Schrader.* Ibid. *H.*

(*H. latifolia* Jacq.)

7. involucrata *Cavanil.* Ibid. 24.

8. scordifolia *Jacq.* Ibid. *H.*

9. denudata *L.* Ibid. *H.*

10. disermaefolia *Jacq.* Ibid. *H.*

11. alnifolia *L.* Ibid. *H.*

12. cuneifolia *Jacq.* Ibid. *H.*

13. *holosericea* Jacq. Cap. b. sp. H.
 14. *hirsuta* Schrader. Ibid. H.
 15. *scabra* Jacq. Ibid. H.
 16. *multiflora* Jacq. Ibid. H.
 17. *flammea* Jacq. Ibid. H.
 18. *angularis* Jacq. Ibid. H.
 19. *hyssopifolia* L. Ibid. H.
 20. *trifurcata* L. Ibid. H.
 21. *odorata* Aiton. Ibid. H.
 22. *lavandulaefolia* L. Ibid. H.
 23. *linifolia* L. Ibid. H.
 24. *filifolia* L. Ibid. H.
 25. *trifoliata* L. Ibid. H.
 26. *triphylla* Cavanil. Ibid. H.
 27. *procumbens* Cavanil. Ibid. H.
 28. *vesicaria* Cavanil. Ibid. H.
 29. *grossulariaefolia* L. Ibid. H.
 30. *incisa* W. H.
1260. MELOCHIA. Melochie. T. III. p. 600.
1. *pyramidata* L. Brasilia, in Ins. Caribaeis. H.
 2. *tomentosa* L. Jamaica, Domingo. H.
 β . *frutescens* Jacq.
 3. *crenata* Vahl. America merid. H.
 4. *depressa* L. Havanae.
 5. *truncata* W. India orient. H.
 6. *venosa* Swartz. Jamaica. H.
 7. *hirsuta* Cavanil.
 8. *concatenata* L. India utraque. 4.
 9. *odorata* L. Ins. Tanha et Ea-uwa.
 10. *lupulina* Swartz. Jamaica. H.
 11. *carracasana* Jacq. Carracas. H.
 12. *nodiflora* Swartz. Jamaica. H.
(M. carpinifolia Wendland.)
 β . *borbonica* Cavanil. Ins. Bourbon.
 13. *corchorifolia* L. India orient. ☉.
 14. *lupina* L. India.
1261. OCHROMA. Bleichwolle. T. III. p. 605.

1. *Lagopus Swartz.* Jamaica, Hispaniola. \bar{h} .
(*Bombax pyramidale Cavanil.*)

1a. *tomentosa Humb. et Bonpl.* America merid.
 \bar{h} . Enum. p. 695.

1262. PASSIFLORA. Passionsblume. T. III. p. 606.

> * *Foliis indivisis.*

1. *ferratifolia L.* Surinam. \bar{h} .

2. *pallida L.* Dominica, Brasilia. \bar{h} .

3. *adulterina L.* Nova-Granada. \bar{h} .

4. *cuprea L.* Providentia, Bahama. \bar{h} .

5. *tiliaefolia L.* Peru, Lima. \bar{h} .

6. *maliformis L.* Dominica, Martinica, Jamaica, Cajenna. \bar{h} .

7. *quadrangularis L.* Jamaica. \bar{h} .

8. *alata Aiton.* India occident. \bar{h} .

9. *laurifolia L.* Surinam. \bar{h} .

10. *coccinea Cavanil.* Gujana. \bar{h} .

11. *mucronata La Marck.* Brasilia. \bar{h} .

12. *glandulosa Vahl.* Cajenna. \bar{h} .

13. *multiflora L.* Dominica. \bar{h} .

** *Foliis bilobis.*

14. *perfoliata L.* Jamaica. \bar{h} .

15. *rubra L.* Jamaica, Dominica, Martinica, Cajenna. \bar{h} .

16. *normalis L.* America merid.

17. *lunata Smith.* Jamaica, Mexico. \bar{h} .

(*P. biflora Cavanil, La Marck*)

17a. *cuneata W.* Carracas. \bar{h} . Enum. p. 696.

17b. *tuberosa Jacq.* America calid. \bar{h} . En. p. 697.

18. *Murucuja L.* Dominica. \bar{h} .

19. *Vespertilio L.* America. \bar{h} .

20. *oblongata Swartz.* Jamaica. \bar{h} .

21. *capsularis L.* Gallia aequin. \bar{h} .

*** *Foliis trilobis.*

22. *rotundifolia L.* America austr. \bar{h} .

23. *orbiculata Cavanil.* St. Dominica. \bar{h} .

434 CLASSIS XVI. MONADELPHIA.

24. punctata L. Peru. H.
 25. lutea L. Virginia, Jamaica. H.
 26. angustifolia Swartz. Jamaica. H.
 (P. heterophylla Aiton, Jacq. — P. longifolia La Marck.)
 27. minima L. Curassao. H.
 28. suberosa L. In Dominica, Antillis. H.
 29. peltata Cavanil. In Antillis. H.
 30. hederacea Cavanil. In Antillis. H.
 31. glauca Aiton. Cajenna. H.
 (P. stipulata Aublet.)
 31a. carracasana Jacq. Carraeas. H. Enum. p. 698.
 32. holosericea L. Vera-Cruz. H.
 33. hirsuta L. Dominica, Curassao. H.
 34. foetida L. Dominica, Martinica, Curassao. ☉.
 β. P. vesicaria Pluken. alm. t. 104. f. 1.
 35. ciliata Aiton. Jamaica. H.
 36. ferrulata Jacq. Carthagenae. H.
 37. aurantia Forster. Nova-Caledonia. H.
 38. cuneifolia Cavanil. America. H.
 39. incarnata L. Virginia, Brasilia, Peru. H.
 40. tomentosa La Marck. Peru. H.
 41. mixta L. Nova-Granada. H.
 β. P. Tacso Cavanil. Peru. H.
 (P. longiflora La Marck.)
 41a. Adiantum W. H. Enum. p. 698.
 (P. glabra Wendland.)
 **** Foliis multifidis.
 42. coerulea L. Brasilia. H.
 β. angustifolia Enum. p. 698.
 43. filamentosa Cavanil. America. H.
 44. ferrata L. Martinica. H.
 45. pedata L. Dominica. H.
 46. heterophylla La Marck. Domingo. 4.
 1253. ERODIUM. Reiherschnabel. T. III. p. 625.
 * Foliis compositis, pinnatis, pinnatifidisque.
 1. crassifolium Aiton. Ins. Cypro, Africa bor. 4.

(*Geranium crassifolium* Desfont.)

2. *Stephalianum* W. Dauria.

3. *tataricum* W. Tataria, Sibiria. 4.

4. *supraeanum* l'Héritier. Hispania. 4.

(*Geranium rupestre* Cavanil.)

5. *petraeum* W. Gallia merid. 4.

(*Geranium petraeum* Gouan.; Cavanil.)

6. *absinthoides* W. Armenia. 4.

7. *glandulosum* W. Hispania.

(*E. macrademum* l'Héritier. — *Geranium glandulosum* Cavanil. — *G. radicatum* la Peyr.)

8. *bipinnatum* W. In Numidia. ☉.

(*G. bipinnatum* Cavanil. — *G. aethiopicum* La Marck.)

9. *alpinum* l'Héritier. Italia. 4.

(*Geranium alpinum* Burmann, Cavanil.)

10. *ciconium* W. Gallia, Hispania, Italia, Vallesia. ☉.

(*Geranium ciconium* L.)

11. *cicutarium* Smith. Europa. ☉.

(*Geranium cicutarium* L. — *G. chaerophyllum* Cavanil.)

12. *pimpinellifolium* W. Germania, Gallia. ♂.

(*Geranium cicutarium* Cavanil, Roth.)

13. *romanum* Aiton. Romae. ☉.

(*Geranium romanum* L.)

14. *moschatum* Aiton. Carniola, Helvetia, Anglia, Sibiria, Barbaria, Cap. b. sp., Brasilia, Peru. ☉.

(*Geranium moschatum* L.)

15. *praecox* W. Hispania. ☉.

(*Geranium praecox* Cavanil.)

16. *pulverulentum* W. Hispania, Africa bor. 4.

(*Geranium pulverulentum* Cavanil.)

17. *hirtum* W. Aegyptus. 4.

(*Geranium hirtum* Forsk., Vahl.)

18. *laciniatum* *W.* Creta, Africa bor. ☉. ♂.
(*Geranium laciniatum* Cavanil. Desfont.)
** *Foliis ternatis et tripartitis.*
19. *gruinum* *Aiton.* Creta, Africa bor., Ital., Hisp. ☉.
(*Geranium gruinum* L.)
β. *Geranium Botrys* Cavanil.
20. *chium*, *W.* In Chio. ☉.
(*Geranium chium* L.)
21. *asplenioides* *W.* Africa bor. 4.
(*Geranium asplenioides* Desfont.)
22. *hymenodes* *l'Héritier.* Atlas. 4.
(*Geranium trifolium* Cavanil. — *G. trilobatum* Jacq. — *G. geifolium* Desfont.)
23. *murcicum* *W.* In Murcia. ☉.
(*Geranium murcicum* Cavanil.)
*** *Foliis lobatis et indivisis.*
24. *guttatum* *W.* Africa bor. 4.
(*Geranium guttatum* Desfont.)
25. *glaucophyllum* *Aiton.* Aegyptus. ☉.
(*Geranium glaucophyllum* L. — *G. crassifolium* Forsk.)
26. *incarnatum* *Aiton.* Cap. b. sp. 5.
(*Geranium incarnatum* L.)
27. *arduinum* *W.* Ibid. 4.
(*Geranium arduinum* L.)
28. *ribifolium* *Jacq.* Ibid. ☉.
29. *arborescens* *W.* Africa bor. 5.
(*Geranium arborescens* Desfont.)
30. *heliotropioides* *W.*
(*Geranium heliotropioides* Cavanil.)
31. *malacoides* *W.* Gallia, Hispania, Italia, in Canariis. ☉.
(*Geranium malacoides* L.)
32. *maritimum* *Smith.* Anglia, Gallobelgia. 4.
(*Geranium maritimum* L.)
33. *malopoides* *W.* Algeria, Sicilia. 4.
(*Geranium molopoides* Desfont. — *G. crassifolium* Cavanil.)

34. *Chamaedryoides* Aiton. Minorca, Corsica, St. Michaelis. 2.

(*Geranium Chamaedryoides* Cavanil. — *G. parvulum* Scopoli. — *G. Reichardi* Murr. Curtis.)

HEPTANDRIA.

1264. PELARGONIUM. Kranichschnabel T. III. pag. 641.

* *Acaulia radice rapacea, umbella composita.*

1. longifolium Jacq. Cap. b. sp. 2.
(*Geranium prolificum* s. L.)
2. longiflorum Jacq. Ibid. 2.
β. *P. depressum* Jacq.
3. dipetalum l'Heritier . . . 2.
4. oxaloides W. Cap. b. sp. 2.
(*Geranium prolificum* s. L.)
β. foliis subrotundis Hermann.
5. Ficaria W. Ibid. 2.
(*Geranium Chelidonium* Houttuyn.)
6. ciliatum l'Heritier. Ibid. 2.
(*Geranium ciliatum* Cavanil.)
7. auriculatum W. Ibid. 2.
(*P. ciliatum* Jacq.)
8. auritum W. Ibid. 2.
(*Geranium auritum* L.)
9. pilosum W. Ibid. 2.
(*Geranium pilosum* Cavanil. cf. Enum. p. 713.)
10. punctatum W. Ibid. 2.
(*Geranium punctatum* Andrews.)
11. bifolium W. Ibid. 2.
(*Geranium bifolium* Burmann, Cavanil.)
12. hirsutum Aiton. Ibid. 2.
(*Geranium hirsutum* Burmann, Cavanil.)
13. atrum l'Heritier. Ibid. 2.
14. trifidum W. Ibid. 2.
(*Geranium trifidum* Burmann, Cavanil.)
15. heterophyllum Jacq. Ibid. 2.

16. triphyllum Jacq. Ibid. 4.

17. nervifolium Jacq. Ibid. 4.

18. pinnatum Aiton. Ibid. 4.

(*P. astragalifolium* Jacq. — *Geranium pinnatum* L.)

β. *Geranium pinnatum* Cavanil.

19. barbatum Jacq. Ibid. 4.

(*Geranium proliferum* Burmann, Cavanil.)

20. melananthos Jacq. Ibid. 4.

21. carneum Jacq. Ibid. 4.

(*Geranium pinnatifidum* Burmann, Cavanil.)

22. rapaceum Aiton. Ibid. 4.

(*Geranium rapaceum* L. — *Geranium felinum* Andrews.)

22a. laciniatum W. Ibid. 4. Enum. p. 700.

(*Geranium laciniatum* Andrews.)

** *Subacaulia, radice tuberosa.*

23. lobatum Aiton. Ibid. 4.

(*Geranium lobatum* L.)

24. triste Aiton. Ibid. 4.

(*Geranium triste* L.)

25. appendiculatum W. Ibid. 4.

(*Geranium appendiculatum* L.)

26. flavum Aiton. Ibid. 4.

(*Geranium flavum* L. — *G. daucifolium* Cavanil.)

β. *P. daucoides* Jacquin.

*** *Herbacea aut Suffruticosa.*

27. *Oenotherae* Jacq. Cap. b. sp. 4.

(*Geranium Oenotherae* L.)

28. chamaedryfolium Jacq. Ibid. 4.

29. ovale l'Héritier. Ibid. 4.

(*Geranium ovale* Burmann.)

30. trichostomum Jacq. Ibid. 4.

β. *Geranium glaucum* Cavanil.

31. blattarium Jacq. Ibid. 4.

32. eriostemon Jacq. Ibid. 4.

(*Geranium ovatum* Cavanil.)

33. elegans W. Ibid. 4.

- (*Geranium elegans* Andrews.)
 34. *stipulaceum* *W.* Ibid. 2.
 (*Geranium stipulaceum* L.)
 35. *articulatum* *W.* Ibid.
 (*Geranium articulatum* Cavanil.)
 36. *tabulare* *Aiton.* Ibid. 2.
 (*Geranium tabulare* L. — *G. elongatum* Cavanil.)
 37. *alchemilloides* *Aiton.* Ibid. 2.
 (*Geranium alchemilloides* L.)
 38. *odoratissimum* *Aiton.* Ibid. 2.
 (*Geranium odoratissimum* L.)
 β. *Geranium africanum* Cavanil.
 38^a. *fragrans* *W.* Ibid. 5. Enum. p. 701.
 38^b. *inodorum* *W.* Ibid. Enum. p. 702.
 39. *grossularioides* *Aiton.* Ibid. 2.
 (*Geranium grossularioides* L.)
 40. *anceps* *Aiton.* Ibid. 2.
 41. *althaeoides* *Aiton.* Ibid. ♂. ☉.
 (*Geranium althaeoides* L.)
 42. *columbinum* *Jacq.* Ibid. 2. ☉.
 43. *coronopifolium* *Jacq.* Ibid. 2.
 44. *capillare* *W.* Ibid. 2.
 (*Geranium capillare* Cavanil.)
 45. *tricolor* *Curtis.* Ibid. 2. 5.
 (*P. violaceum* Jacquin.)
 46. *senecioides* *Aiton.* Ibid. ☉.
 46^a. *canariense* *W.* In Canariis. ♂. Enum. p. 702.
 47. *myrrhifolium* *Aiton.* Cap. b. sp. 2.
 (*P. betonicum* Jacq. — *Geranium myrrhifolium* L.)
 β. *P. bullatum* Jacquin.
 48. *lacerum* *Jacq.* Ibid. 2.
 β. *P. longicaule* *Jacq.*
 γ. *P. anemonaeifolium* *Jacq.*
 49. *multicaule* *Jacq.* Ibid. 2. ♂.
 50. *coriandrifolium* *Aiton.* Ibid. ♂. 2.
 (*Geranium coriandrifolium* L.)
 51. *caucalifolium* *Jacq.* Ibid. 2.

440 CLASSIS XVI. MONADELPHIA.

52. *minimum* W. Ibid. 4.

(*Geranium minimum* Cavanil.)

52a. *quinquevulnerum* W. Ibid. 5. Enum. p. 703.

(*Geranium quinquevulnerum* Andrews.)

**** *Fruticosa, foliis indivisis non angulatis.*

53. *glaucum* Aiton. Cap. b. sp. 5.

(*Geranium glaucum* L. — *G. lanceolatum* Cavanil. Curtis.)

54. *diversifolium* Wendland. Ibid. 5.

54a. *reniforme* W. Ibid. 5. Enum. p. 703.

(*Geranium reniforme* Andrews.)

55. *betulinum* Aiton. Ibid. 5.

(*Geranium betulinum* L.)

56. *acetosum* Aiton. Ibid. 5.

(*Geranium acetosum* L.)

***** *Fruticosa, foliis angulatis, lobatis, palmatisve.*

57. *scandens* Ehrhart. Cap. b. sp. 5.

57a. *pumilum* W. Ibid. 5. Enum. p. 704.

58. *stenopetalum* Ehrhart. Ibid. 5.

59. *hybridum* Aiton. Ibid. 5.

(*P. coccineum* Ehrhart. — *Geranium hybridum* L.)

β. *P. roseum* Ehrhart.

60. *zonale* Aiton. Ibid. 5.

(*Geranium zonale* L.)

β. *G. marginatum* Cavanil.

γ. *floribus albis* Enum p. 704.

61. *inquinans* Aiton. Ibid. 5.

(*Geranium inquinans* L.)

β. *floribus majoribus elegantissime coccineis* Enum. p. 704.

(*P. bentinkianum* Anglor.)

62. *heterogamum* Aiton. . . . 5.

63. *monstrum* Aiton. . . . 5.

64. *crassicaule* Aiton. Africa austr. 5.

65. *peltatum* Aiton. Cap. b. sp. 5.

(*Geranium peltatum* L.)

66. *lateripes* Aiton. Ibid. 5.

67. *tetragonum* Aiton. Ibid. 5.
 (*Geranium tetragonum* L.)
- 67a. *penicillatum* W. Ibid. 5. Enum. p. 705.
- 67b. *conduplicatum* W. Ibid. 5. Enum. p. 705.
 (*P. cordifolium* Hortulan.)
68. *cordatum* Aiton. Ibid. 5.
 (*Geranium cordifolium* Cavanil.)
- α. foliis indivisis mollissimis planis Aiton.
 β. foliis laciniatis crispis Aiton.
69. *cucullatum* Aiton. Ibid. 5.
 (*Geranium cucullatum* L.)
- 69a. *Barringtonii* W. Ibid. 5. Enum. p. 706.
70. *angulosum* Aiton. Ibid. 5.
 (*Geranium acerifolium* Cavanil.)
- 70a. *sidaefolium* W. Ibid. 5. Enum. p. 706.
- 70b. *speciosum* W. Ibid. 5. Enum. p. 706.
71. *acerifolium* Aiton. Ibid. 5.
 (*Geranium citriodorum* Cavanil.)
72. *papilionaceum* Aiton. Ibid. 5.
 (*Geranium papilionaceum* L.)
73. *cortusaefolium* Aiton. Africa austr. 5.
74. *fuscatum* Jacq. Cap. b. sp. 5.
75. *saniculaefolium* W. Ibid. 5.
 (*P. cortusaefolium* Jacq. — *Geranium tabulare*
 Burmann, Cavanil.)
76. *patulum* Jacq. Ibid. 5.
77. *grandiflorum* W. Ibid. 5.
 (*Geranium grandiflorum* Andrews.)
78. *variegatum* W. Ibid. 5.
 (*Geranium variegatum* L.)
79. *Cotyledonis* Aiton. Ins. St. Helenae, Cap. b.
 sp. 5.
 (*Geranium Cotyledonis* L.)
80. *echinatum* Curtis. Cap. b. sp. 5.
 (*P. hamatum* Jacq.)
81. *australe* W. Nova-Hollandia. 5.
82. *vitifolium* Aiton. Cap. b. sp. 5.

- (*Geranium vitifolium* L.)
83. capitatum Aiton. Ibid. H.
(*Geranium capitatum* L.)
84. glutinosum Aiton. Ibid. H.
(*Geranium glutinosum* Jacq. — *G. viscosum* Cavanil. — *G. crataegifolium* Roth.)
85. hispidum W. Ibid. H.
(*Geranium hispidum* L.)
86. tomentosum Jacq. Ibid. H.
87. ribifolium Jacq. Ibid. H.
88. quercifolium Aiton. Ibid. H.
(*Geranium quercifolium* L.)
89. graveolens Aiton. Ibid. H.
(*Geranium therebinthinaceum* Cavanil.)
90. asperum Ehrhart. Ibid. H.
(*Geranium Radula* Roth.)
- 90a. cynosbatifolium W. . . . H. Enum. p. 708.
- 90b. delphinifolium W. Cap. b. Sp. H. Enum. pag. 708.
91. balsameum Jacq. Ibid. H.
92. Radula Aiton. Ibid. H.
(*Geranium Radula* Cavanil. — *G. revolutum* Jacq.)
- β. P. roseum W., Hortul.
93. denticulatum Jacq. Ibid. H.
***** *Fruticosa, foliis trifidis ternatisque.*
94. bicolor Aiton. . . . H.
(*Geranium bicolor* L.)
95. tricuspidatum Aiton. Cap. b. Sp. H.
96. scabrum Aiton. Ibid. H.
(*Geranium scabrum* L.)
97. spinosum W. Ibid. H.
98. rigidum Donn. Ibid. H.
99. crispum Aiton. Ibid. H.
(*Geranium crispum* L.)
- β. P. latifolium Enum. p. 709.
100. hermanniaefolium Jacq. Ibid. H.
(*Geranium hermanniaefolium* L.)

- 100^a. spurium *W.* . . . *H.* Enum. p. 709.
 100^b. nothum *W.* . . . *H.* Enum. p. 710.
 100^c. alnifolium *W.* . . . *H.* Enum. p. 710.
 100^d. gratum *W.* . . . *H.* Enum. p. 710.
 100^e. consanguineum *W.* . . . *H.* Enum. p. 710.
 100^f. pallidum *W.* . . . *H.* Enum. p. 710.
 100^g. obtusilobum *W.* . . . *H.* Enum. p. 711.
 101. adulterinum *Aiton.* Cap. b. sp. *H.*
 102. semitrilobum *Jacq.* Ibid. *H.*
 103. tripartitum *W.* Ibid. *H.*
 (*P. trifidum* *Jacq.*)
 103^a. splendens *W.* Ibid. *H.* Enum. p. 711.
 104. fulgidum *Aiton.* Ibid. *H.*
 (*Geranium fulgidum* *L.*)
 105. gibbosum *Aiton.* Ibid. *H.*
 (*Geranium gibbosum* *L.*)
 106. extipulatum *Aiton.* Ibid. *H.*
 (*Geranium extipulatum* *Cavanil.*)
 107. ternatum *Jacq.* Ibid. *H.*
 (*Geranium ternatum* *L.*)
 α . strictum *Enum.* p. 710.
 β . laxum *Enum.* p. 710.
 108. laevigatum *W.* Ibid. *H.*
 (*Geranium laevigatum* *L.*)
 109. fragile *W.* Ibid. *H.*
 (*Geranium fragile* *Andrews.*)
 110. incisum *W.* Ibid. *H.*
 (*Geranium incisum* *Andrews.*)
 ***** *Fruticosa, foliis pinnatifidis pinnatisque.*
 111. carnosum *Aiton.* Cap. b. sp. *H.*
 (*Geranium carnosum* *L.*)
 112. ferulaceum *W.* Ibid. *H.*
 (*Geranium ferulaceum* *Burm.*, *Cavanil.*)
 113. alternans *Wendland.* Ibid. *H.*
 114. ceratophyllum *Aiton.* Ibid. *H.*
 ***** *Fruticosa, foliis decompositis et supradecompositis.*
 115. crithmifolium *Smith.* Cap. b. sp. *H.*

(*P. paniculatum* Jacq.)

116. *ramosissimum* W. Ibid. 5.

(*Geranium ramosissimum* Cavanil.)

117. *abrotanifolium* Jacq. Ibid. 5.

(*Geranium abrotanifolium* L.)

118. *fruticosum* W. Ibid. 5.

(*Geranium fruticosum* Cavanil.)

119. *hirtum* Jacq. Ibid. 5.

(*Geranium hirtum* Cavanil.)

120. *tenuifolium* Aiton. Ibid. 5.

OCTANDRIA.

1265. PISTIA. Muschelblume. T. III. p. 690.

1. *Stratiotes* L. Asia, Africa, America merid. 4.

β. *Stratiotes aegyptiaca* Bauhin.

1266. AITONIA. Aitonie. T. III. p. 690.

1. *capensis* L. Cap. b. sp. 5.

DECANDRIA.

1267. CRINODENDRUM. Lilienbaum. T. III. p. 691.

1. *Patagua* Molina. Chili. 5.

1268. CONNARUS. Baumbohne. T. III. p. 692.

1. *africanus* La Marck. Sierra Leone. 5.

2. *asiaticus* W. India orient. 5.

(*C. monocarpus* L.)

3. *pentagynus* La Marck. Madagascar, Guinea. 5.

4. *decumbens* Thunberg. Cap. b. sp. 5.

5. *pinnatus* La Marck. India orient. 5.

6. *Santaloides* Vahl. Ibid. 5.

7. *mimosoides* Vahl. In insulis Nicobaricis. 5.

1269. HUGONIA. Knebelbart. T. III. p. 694.

1. *Mystax* L. Malabar, Zeylon. 5.

2. *ferrata* La Marck. Ins. Mauritii. 5.

(*H. Mystax* Cavanil.)

4. *tomentosa* Cavanil. Ins. Mauriti. 5.
 1270. *SENRAEA*. Senraa. T. III. p. 695.
 1. *incana* Cavanil. Arabia.
 1271. *GERANIUM*. Storchschnabel. T. III. p. 696.
 * *Pedunculis unifloris*.
 1. *spinosum* L. Cap. b. sp. 5.
 2. *fessiliflorum* Cavanil. Ad fretum Magellan. 4.
 3. *sibiricum* L. Sibiria, China. 4. ☉.
 4. *sanguineum* L. Europa. 4.
 β. *G. prostratum* Cavanil. Anglia, Suecia.
 ** *Pedunculis bifloris*. Perennia.
 5. *tuberosum* L. Italia. 4.
 6. *anemonefolium* Aiton. Madera. 5.
 (*G. palmatum* Cavanil. — *G. rutilans* Ehrhart.)
 7. *macrorhizon* L. Italia, Carinthia. 4.
 8. *phaeum* L. Pannonia, Styria, Helvetia. 4.
 β. *flore atro-rubente* Bauhin.
 9. *fuseum* L. Europa austr. 5.
 10. *reflexum* L. Italia. 4.
 11. *lividum* Aiton. Helvetia, Gallia. 4.
 (*G. patulum* Villars.)
 12. *nodosum* L. Anglia, Gallia. 4.
 13. *striatum* L. Italia. 4.
 14. *angulatum* Curtis . . . 4.
 15. *ibericum* Cavanil. Iberia. 4.
 β. *flore maximo*.
 16. *sylvaticum* L. Europa. 4.
 β. *flore albo*.
 γ. *flore albo lineis purpureis picto*.
 17. *palustre* L. Europa. 4.
 18. *asphodeloides* Burmann. Graecia, Oriens. 4.
 19. *aconitifolium* Aiton. Helvetia, Delphinatus. 4.
 (*G. rivulare* Villars.)
 20. *collinum* Stephan. Sibiria. 4.
 21. *pratense* L. Europa. 4.
 22. *maculatum* L. Carolina, Virginia, Sibiria. 4.

23. pilosum *Forster*. Nova Zeelandia. 4.
 24. canescens *Aiton*. Cap. b. sp. 4.
 25. incanum *L.* Ibid. 4.
 26. argenteum *L.* Gallia, Italia, Carinthia. 4.
 27. varium *l'Héritier* In Pyrenaeis. 4.
 (*G. cinereum* *Cavanil.* — *G. cineraceum* *la Pey-*
 rouse.)
 28. pyrenaicum *L.* Anglia, Gallia. 4.
 α. corolla purpurea.
 β. corolla alba.
 28^a. umbrosum *Waldst. et Kit.* Hungaria. 4. Enum.
 p. 715.
 28^b. parviflorum *W.* . . . 4. Enum. p. 716.
 *** *Pedunculis bifloris. Annua.*
 29. bohemicum *L.* Bohemia, Silesia. ☉.
 30. divaricatum *Ehrhart.* Hungaria, Sibiria. ☉ ♂.
 31. lucidum *L.* Europa. ☉.
 32. molle *L.* Europa. ☉.
 33. carolinianum *L.* Carolina, Virginia. ☉.
 33^a. lanuginosum *Jacq.* . . . ☉. Enum. p. 716.
 34. columbinum *L.* Gallia, Helvetia, Germania. ☉.
 35. dissectum *L.* Europa. ☉.
 36. rotundifolium *L.* Europa. ☉.
 37. pusillum *L.* Europa. ☉.
 β. *G. humile Cavanil.*
 38. Robertianum *L.* Europa, Arabia fel. ☉.
 39. purpureum *Villars.* Delphinatus Anglia. ♂.

E N D E C A N D R I A.

1272. BROWNEA. *Brownie.* T. III. p. 715.
 1. coccinea *L.* America. ♀.
 2. grandiceps *Jacq.* Carracas. ♀.
 3. Rosa de Monte *Berg.* Terra firma, Porto-
 bello. ♀.
 4. pauciflora *W.* Gujana. ♀.
 (*Poloue gujanensis Aublet.*)

D O D E C A N D R I A.

1273. ACIA. Acie. T. III. p. 717.

1. *dulcis* W. Gujana, 5.
(*Acioa gujanensis* Aublet.)

2. *amara* W. Ibid. 5.
(*Conepea gujanensis* Aublet.)

1274. MONSONIA. Monsonie. T. III. p. 717.

1. *tenuifolia* W. Cap. b. sp. 4.

2. *speciosa* L. Ibid. 4.

- 2a. *pilosa* W. Ibid. 4. Enum. p. 717.
(*M. filia* Hortulan.)

3. *lobata* Montin. Ibid. 4.
(*M. filia* L.)

4. *ovata* Aiton. Ibid. ♂.

- (*M. emarginata* l'Héritier. — *Geranium emarginatum* L.)

5. *spinosa* l'Héritier. . . . 5.

1275. PLAGIANTHUS. Schiefblume. T. III. p. 719.

1. *divaricatus* Forster. Nova Zeelandia. 5.

1276. HELICTERIS. Schraubenbaum. T. III. p. 720.

1. *baruensis* L. Ins. Baru, in isthmo Panama. 5.

2. *jamaicensis* Swartz. Jamaica. 5.

3. *Isora* L. Malabar, in Moluccis. 5.

4. *hirsuta* Loureiro. Cochinchina. 5.

5. *angustifolia* L. China. 5.

6. *pentahdra* L. Surinam. 5.

7. *carthagenensis* L. Carthageria. 5.

8. *apetala* L. Carthageria. 5.

1277. CIENFUEGOSIA. Cienfuegie. T. III. p. 723.

1. *digitata* Cavanil. Senegal. 5.

1278. ASSONIA. Assonie. T. III. p. 723.

1. *populnea* Cavanil. Ins. Bourbon. 5.

1279. DOMBEYXA. Dombeye. T. III. p. 724.

1. *palmata* Cavanil. Ins. Bourbon. 5.

2. *acutangula* Cavanil. Ibid. 5.

3. *angulata* Cavanil. Ibid. 5.

4. *tiliaefolia* Cavanil. Ibid. 5.

448 CLASSIS XVI. MANADELPHIA.

5. *tomentosa* Cavanil. Madagascar. 5.
6. *umbellata* Cavanil. Ins. Bourbon. 5.
7. *ferruginea* Cavanil. Ins. Mauriti. 5.
8. *Erythroxylon* W. Ins. St. Helena. 5.
(*Pentapetes Erythroxylon* Forster, Aiton.)
9. *decantha* Cavanil. Madagascar. 5.
10. *velutina* W. Arabia. 5.
(*Pentapetes velutina* Vahl. — *Melhania velutina* Forster.)
11. *ovata* Cavanil. Ins. Bourbon. 5.
12. *punctata* Cavanil. Ibid. 5.
1280. PENTAPETES. *Pentapetes*. T. III. p. 728.
 1. *phoenicea* L. India orient. ☉.
(*Dombeya phoenicea* Cavanil.)
 - 1a. *ovata* W. Nova-Hollandia. ☉. 24. Enumer.
pag. 719.
(*Brotera ovata* Cavanil.)
1281. PTEROSPERMUM. Flügelkern. T. III. p. 728.
 1. *suberifolium* W. India orient. 5.
(*Pentapetes suberifolia* L.)
 2. *acerifolium* W. Ibid. 5.
(*Pentapetes acerifolia* L.)

P O L Y A N D R I A.

1282. CAROLINEA. *Carolinea*. T. III. p. 729.
 1. *princeps* L. Gujana. 5.
(*Pachira aquatica* Aublet. Cavanil.)
 2. *insignis* Swartz. America merid., Brasilia,
Ins. Tabago, Martinica. 5.
1283. ADANSONIA. *Adansonie*. T. III. p. 730.
 1. *digitata* L. Senegal, Aegyptus. 5.
1284. BOMBAX. *Wollbaum*. T. III. p. 731.
 1. *pentandrum* L. India orient., America. 5.
 - 1a. *vitifolium* W. Brasilia. 5. Enum. p. 720.
 2. *Erianthos* Cavanil. Brasilia. 5.
 3. *Ceiba* L. America. 5.
(*B. quinatum* Jacq.)

4. *heptaphyllum* L. America. 5.
 (*B. septenatum* Jacq.)
5. *globosum* Aublet. Cajenna. 5.
6. *Gossypinum* L. India orient. 5.
1285. LAGUNAEA. Lagunoa. T. III. p. 733.
1. *lobata* W. Ins. Bourbon. ☉.
 (*Solandra lobata* Murray, Cavanil. — *Hibiscus*
Solandra l'Héritier. — *Triguera acerifolia*
 Cavanil.)
2. *ternata* W. Senegal. 5.
 (*Solandra ternata* Cavanil.)
3. *aculeata* Cavanil. Coromandel.
1286. SIDA. Sida. T. III. p. 734.
- * *Folius angustis lanceolatis, oblongis, ovatisque.*
1. *linifolia* Cavanil. Peru, Cajenna.
2. *angustifolia* l'Héritier. Brasilia, Ins. Bour-
 bon. 4. 5.
 (*S. ulmifolia* Retz.)
3. *acuta* Cavanil. Java.
4. *canariensis* W. In Canariis. 5.
 (*S. alba* Cavanil.)
5. *lanceolata* Retz. Zeylon, Ins. Mauritii. ☉.
 (*S. stipulata* Cavanil.)
6. *spinosa* L. India orient., Arabia fel., Sene-
 gal, Jamaica, Gujana. ☉.
7. *frutescens* Cavanil. . . . 5.
8. *carpinifolia* L. Madera. 5.
 (*S. planicaulis* Cavanil.)
9. *jamaicensis* L. Jamaica. 5.
10. *orientalis* Cavanil. India orient.
11. *glomerata* Cavanil. . . .
12. *maculata* Cavanil. Domingo. 5.
13. *suberosa* l'Héritier. Hispaniola. 5.
14. *capensis* Cavanil. . . .
15. *microphylla* Cavanil. India orient. 4.
16. *micans* Cavanil. Domingo.

450 CLASSIS XVI. MONADELPHIA.

17. *pusilla* Cavanil. Ins. Mahe. \bar{h} .

** *Foliis cuneiformibus.*

18. *rhombifolia* L. India orient., Jamaica. \bar{h} .

19. *canescens* Cavanil. Senegal. \bar{h} .

20. *retusa* L. Tranquebar, Amboina, in Philip-
pinis, Ins. Mauritii. \odot .

21. *alnifolia* L. India orient. \odot .

22. *ciliaris* L. Jamaica, St. Dominica. \bar{h} .

*** *Foliis cordatis integerrimis.*

23. *periplocifolia* L. America calid., Zey-
lon. \bar{h} .

24. *excelsior* Cavanil. Peru. \bar{h} .

25. *hernandioides* l'Heritier. Hispaniola. \bar{h} .

26. *nudiflora* l'Heritier. Peru, Ins. St. Domi-
nica. \bar{h} .

(*S. periplocifolia* β . L. — *S. stellata* Cavanil.)

**** *Foliis cordatis dentatis, pedunculis unifloris.*

27. *triquetra* L. America calid. \bar{h} .

28. *fragrans* l'Heritier. Hispaniola. \bar{h} .

29. *lignosa* Cavanil. St. Dominica. \bar{h} .

30. *reflexa* Cavanil. Peru. \bar{h} .

(*S. retrorsa* l'Heritier.)

31. *humilis* Cavanil. India orient. \odot .

(*S. unilocularis* l'Heritier. — *S. pilosa* Retz.)

β . *S. morifolia* Cavanil.

γ . *S. veronicaefolia* Cavanil.

32. *repens* Cavanil. Peru.

33. *bivalvis* Cavanil. Ins. St. Dominica. \bar{h} .

34. *ulmifolia* Cavanil. Ibid.

35. *multiflora* Cavanil. Brasilia.

36. *microsperma* Cavanil. \bar{h} .

37. *viscosa* L. Jamaica. \bar{h} .

38. *foetida* Cavanil. Peru. \odot .

(*S. viscosa* l'Heritier.)

39. *calycina* Cavanil. Ins. Bourbon.

40. *crispa* L. Carolina, Providentia, Bahama. \odot .

40^a. *virgata* Cavanil. Peru. \bar{h} . Enum. p. 72.

41. *persica* Burmann. Persia.
 42. *sylvatica* Cavanil. Peru. \bar{h} .
 43. *arborea* L. Peru. \bar{h} .
 (*S. peruviana* Cavanil.)
 44. *mauritiana* l'Heritier. Ins. Mauriti. \bar{h} .
 (*S. planiflora* Cavanil.)
 45. *occidentalis* L. America. \odot .
 46. *americana* L. Jamaica.
 47. *Abutilon* L. In Indiis, Helvetia, Sibiria. \odot .
 48. *Abutiloides* Jacq. Jamaica. \odot .
 (*Lavatera americana* L.)
 48a. *tiliaefolia* W. In regno Tibetano. \odot . Enum.
 pag. 722.
 49. *asiatica* L. India orient. \odot .
 49a. *albida* W. . . . \bar{h} . Enum. p. 722.
 49b. *glauca* Cavanil. Senegal. \bar{h} . Enum. p. 722.
 50. *populifolia* Cavanil. India orient. \odot .
 (*S. Belocere* l'Heritier.)
 51. *hirta* Cavanil. Ibid. \odot .
 (*S. pilosa* l'Heritier.)
 51a. *permollis* W. . . . \bar{h} . Enum. p. 723.
 52. *indica* L. Ibid. \odot .
 53. *mollissima* Cavanil. Peru. \bar{h} .
 (*S. cistiflora* l'Heritier.)
 54. *Sonneratiæ* Cavanil. Cap. b. sp.
 55. *pubescens* Cavanil. Ins. St. Dominica.
 56. *althaeifolia* Swartz. Jamaica. \bar{h} .
 57. *glutinosa* Cavanil. Ins. Mauriti.
 58. *exstipularis* Cavanil. Ins. Bourbon. \bar{h} .
 59. *nutans* l'Heritier. Peru. 4.
 60. *borbonica* Cavanil. Insula Bourbon.
 61. *flavescens* W. Brasilia. \bar{h} .
 (*S. prostrata* Cavanil.)
 β . *S. flavescens* Cavanil.
 62. *radicans* Cavanil. India orient.
 63. *arguta* Swartz. Jamaica. \bar{h} .

(*S. glabra* Miller.)

64. *multicaulis* Cavanil. Malabar.

65. *pilosa* Cavanil. Ins. St. Dominica.

66. *rotundifolia* Cavanil. Ins. Bourbon. ☉.

67. *lupina* l'Heritier. Hispaniola 2.

(*S. procumbens* Swartz. — *S. ovata* Cavanil.)

68. *truncata* Cavanil. Ins. St. Dominica ☉.

69. *herbacea* Cavanil. India orient.

70. *emarginata* W. Hispaniola. ☉.

(*S. truncata* l'Heritier.)

71. *alba* L. India orient. ☉.

72. *cordifolia* L. India, Cap. b. sp. ☉.

73. *hederaefolia* Cavanil. Ins. St. Dominica.

***** *Foliis cordatis denticatis, pedunculis multifloris v. racemosis.*

74. *verticillata* Cavanil. Brasilia.

75. *urens* L. Jamaica. H.

75a. *pulchella* W. Nova-Hollandia. H. Enum. pag. 724.

76. *umbellata* L. Jamaica. ☉.

76a. *cornuta* Humb. et Bonpl. America merid. H. Enum. p. 724.

76b. *grandifolia* W. . . . H. Enum. p. 724.

77. *pyramidata* Cavanil. Ins. St. Dominica.

78. *paniculata* L. Jamaica, Peru, Brasilia.

β. *S. atro* — *sanguinea* Jacq.

79. *dumosa* Swartz. Jamaica. H.

80. *ramosa* Cavanil. Senegal.

81. *spicata* Cavanil. Ins. St. Dominica. H.

82. *terminalis* Cavanil. Brasilia. H.

***** *Foliis cordatis tricuspidatis v. basi angulatis*

83. *vesicaria* Cavanil. Mexico. H.

83a. *mollicoma* W. . . . H. Enum. p. 725.

84. *crassifolia* l'Heritier. Hispaniola. H.

(*S. tricuspidata* Cavanil.)

85. *biflora* Cavanil. . . . H.

86. *obtusa* Cavanil. . . .

87. *gigantea* Jacq. Carracas. B.
 88. *javensis* Cavanil. Java.
 89. *hastata* W. Mexico, Lima. ☉.
 (*Anoda hastata* Cavanil — *S. cristata* L.)
 β. *Anoda foliis vix cordatis* Cavanil.
 γ. *Anoda foliis cordatis* Cavanil.
 90. *cristata* L. Mexico. ☉.
 (*Anoda triloba* Cavanil.)
 91. *Dilleniana* W. Mexico. ☉.
 (*Anoda Dilleniana* Cavanil.)
 91a. *triangularis* Humboldt. et Bonpl. Mexico. ☉.
 (*S. deltoidea* Hornem. — *S. suberosa* Hortulan.)
 ***** *Foliis lobatis, palmatis compositisve.*
 92. *triloba* Thunberg. Cap. b. sp. B.
 93. *ternata* Thunberg. Ibid.
 94. *pterosperma* l'Heritier. Peru. ☉.
 (*S. multifida* Cavanil.)
 95. *ricinoides* l'Heritier. Peru. ☉.
 (*S. palmata* Cavanil.)
 96. *jatrophoides* l'Heritier. Peru. ☉.
 (*S. palmata* Jacq. Cavanil.)
 97. *Napaea* Cavanil. Virginia. 4.
 (*Napaea laevis* L.)
 98. *dioica* Cavanil. Virginia. 4.
 (*Napaea seabra* L.)
 99. *Phyllanthus* Cavanil. Peru. 4.
 1287. PALAVIA. Palave. T. III. p. 767.
 1. *malvifolia* Cavanil. Lima. ☉.
 (*Malope parviflora* l'Heritier.)
 2. *moschata* Cavanil. Lima. ☉.
 1288. MALACHRA. Malachra. T. III. p. 768.
 1. *capitata* L. In Caribaeis. ☉.
 2. *fasciata* Jacq. Caracas. ☉.
 3. *alceaefolia* Jacq. Ibid. B.
 4. *radiata* L. St. Dominica.
 5. *bracteata* Cavanil. America.
 6. *plumosa* W. Brasilia.

(*Sida plumosa* Cavanil.)

1289. ALTHAEA. Eibisch. T. III. p. 771:

1. officinalis L. Europa. 2.

β. A. laciniato folio Bauhin.

2. narbonensis Aso. Gallia, Hispania. 2.

3. cannabina L. Hung. Ital. Gall.-Narbonens. 2.

4. hirsuta L. Europa. ☉.

5. Ludwigii L. Sicilia. ☉.

6. acaulis Cavanil . . . ☉.

7. rosea Cavanil. Oriens ♂.

(*Alcea rosea* L.)

β. A. sinensis Cavanil. China.

8. pallida W. Hungaria. ♂.

(*Alcea pallida* Waldst. et Kit.)

9. ficifolia Cavanil. Sibiria. ♂.

(*Alcea ficifolia* L.)

1290. MALVA. Malve. T. III. p. 774.

* *Foliis indivisis.*

1. spicata L. Jamaica. ♀.

β. M. ovata Cavanil.

2. polystachya Cavanil. Peru. ♀.

2a. borbonica W. Ins. Bourbon, St. Mauriti. ♀
Enum. p. 728.

3. tomentosa L. India. ♀.

4. scoparia l'Héritier. Peru. ♀.

5. gangetica L. India orient. ☉.

6. coromandelina L. Jamaica. ☉.

7. americana L. America calid. ☉.

8. calycina Thunberg. Cap. b. Ip. ♀.

9. cuneifolia Cavanil. . . .

10. angustifolia Cavanil. Mexico. ♀.

11. subhastata Cavanil. Brasilia, Peru. ♀.

12. scabra Cavanil. Peru. ♀.

** *Follis angulatis.*

13. peruviana L. Peru. ☉.

14. limensis L. Peru, Lima. ☉.

15. capitata Cavanil. Peru. ♀.

16. *bryonifolia* L. Cap. b. sp. H.
(*M. reflexa* Wendland.)
17. *umbellata* Cavanil. Mexico. H.
18. *abutiloides* L. In ins. Bahamensibus. H.
19. *abulensis* Cavanil. Hispania.
20. *lobata* Cavanil.
21. *fastigiata* Cavanil. In montibus Arvernus.
22. *bonariensis* Cavanil. Bonaria.
23. *stricta* Jacq. Cap. b. sp. H.
24. *lactea* Aiton. Mexico. H.
(*M. vitifolia* Cavanil.)
- 24a. *asperrima* Jacq. Cap. b. sp. H. Enum. p. 730.
25. *operculata* Cavanil. Peru. H.
26. *fragrans* Jacq. Cap. b. sp. H.
(*M. capensis* γ. L.)
27. *capensis* L. Ibid. H.
28. *balsamica* Jacq. . . . H.
29. *grosulariaefolia* Cavanil.
(*M. capensis* β. L.)
30. *virgata* Murray. Cap. b. sp. H.
(*M. capensis* L. Hort. cliff.)
- 30a. *divaricata* Andrews. Cap. b. sp. H. Enum.
pag. 730.
31. *miniata* Cavanil. H.
- 31a. *leprosa* Ortega. Cuba. H. Enum. p. 730.
32. *retusa* Cavanil. Cap. b. sp. H.
(*M. triloba* Thunb.)
33. *tridactylides* Cavanil. Ibid. H.
34. *althaeoides* Cavanil. Hispania. ☉.
35. *caroliniana* L. Carolina. ☉.
- 35a. *decumbens* W. America merid. 4, Enum. p. 731.
36. *prostrata* Cavanil. Brasilia.
37. *cretica* Cavanil. Creta. ☉.
38. *parviflora* L. Barbaria. ☉.
39. *nicæensis* Allion. Italia. ☉.
β. *M. montana* Forsk.
40. *rotundifolia* L. Europa. 4.

456 CLASSIS XVI. MONADELPHIA.

41. *acaulis* Cavanil. Peru. 4.
 42. *sherardiana* L. Bithynia. 4.
 43. *sylvestris* L. Europa. ♂. 4.
 44. *mauritiana* L. Italia, Hispania, Lusitania. ☉.
 - β. *folio ficus altera* Bauhin.
 - γ. *M. sinensis* Cavanil.
 45. *hispanica* L. Hispania. ☉.
 - β. *spithamea* Cavanil.
 46. *verticillata* L. China. ☉.
 47. *crispa* L. Syria. ☉.
 48. *Papaver* Cavanil. Lusitania.
 49. *stipulacea* Asso. Hispania. ☉.
 50. *Alcea* L. Germania, Gallia, Anglia. 4.
 51. *moschata* L. Ibid. 4.
 - β. *Alcea vulgaris minor* Bauhin.
 52. *elegans* Thunb. Cap. b. sp. 5.
 - (*M. abutiloides* L.)
 53. *Tournefortiana* L. Galloprovincia, Hispania. ☉.
 54. *aegyptia* L. Aegyptus. ☉.
 55. *trifida* Cavanil. Hispania. ☉.
1291. LAVATERA. Lavatere, T. III. p. 793.
 * *Caule fruticoso.*
1. *arborea* L. Italia, Anglia, Hispania, Africa bor. ♂.
 2. *micans* L. Hispania, Lusitania. 5.
 3. *hispida* Desfont. Algeria. 5.
 4. *olbia* L. In Olbia insula Galloprovinciae. 5.
 5. *triloba* L. Hispania, Gallia. 5.
 6. *lusitanica* L. Lusitania. 5.
 7. *maritima* Gouan. Gallia, Hispania. 5.
- ** *Caule herbaceo.*
8. *thuringiaca* L. Germania, Pannonia, Tataria, Suecia. 4.
 9. *cretica* L. Creta. ☉.
 99. *lanceolata* W. . . . ☉. Enum. p. 733.
 10. *flava* Desfont. Africa bor. ☉.

11. *punctata* *Allion.* In agro Nicaeensi. ☉.
12. *trimestris* *L.* Syria, Hispania, Gallia Narbonensis. ☉.
1292. *RUIZIA.* Ruizie. T. III. p. 798.
1. *cordata* *Cavanil.* Ins. Bourbon. ♀.
 2. *lobata* *Cavanil.* Ibid. ♀.
 3. *variabilis* *Jacq.* Ibid. ♀.
- (*R. palmata* *Cavanil.* — *R. laciniata* *Cavanil.*)
1293. *MALOPE.* Malope. T. III. p. 799.
1. *malacoides* *L.* Hetruria, Mauritania. ☉.
 2. *multiflora* *Cavanil.* Baetia. ☉.
 3. *trifida* *Cavanil.* Baetia, Barbaria. ☉.
1294. *KITAIBELIA.* Kitaibele. T. III. p. 800.
1. *vitifolia* *W.* Sclavonia. 4.
1295. *URENA.* Urene. T. III. p. 800.
1. *lobata* *L.* China. ♀.
 2. *reticulata* *Cavanil.* America aequin. ♀.
 3. *tricuspis* *Cavanil.* Ins. Mauritii et Bourbonia. ♀.
 4. *americana* *L.* Surinam. ♀.
 5. *sinuata* *L.* India orient. ♀.
 6. *multifida* *Cavanil.* Ins. Mauritii. ♀.
 7. *procumbens* *L.* China. ♀.
 8. *viminea* *Cavanil.* Brasilia. ♀.
1296. *GOSSYPIMUM.* Baumwolle. T. III. p. 803.
1. *herbaceum* *L.* India, Syria, Africa. ☉. ♀.
 2. *indicum* *La March.* India orient. ☉.
 3. *micranthum* *Cavanil.* Persia.
 4. *arborescens* *L.* India. ♀.
 5. *vitifolium* *La March.* India orient. ♂.
 6. *hirsutum* *L.* America cañd. ☉. ♂. ♀.
- β. foliis obtusis.
7. *religiosum* *L.* India orient. ♀.
 8. *latifolium* *Murray.* ♂. ♀.
 9. *barbadense* *L.* Barbados. ♂. ♀.
 10. *peruvianum* *Cavanil.* Peru. ♂.
1297. *HIBISCUS.* Hibiscus. T. III. p. 806.
1. *Moscheutos* *L.* Canada, Virginia. 4.

2. *incanus* *Wendland.* Carolina. 4.
3. *lasiocarpus* *Cavanil.* 5.
4. *palustris* *L.* Virginia, Canada. 4.
5. *militaris* *Cavanil.* Louisiana. 4.
6. *hastatus* *Cavanil.* India.
7. *ferrugineus* *Cavanil.* Madagascar.
8. *cordifolius* *L.* America merid. 5.
9. *populneus* *L.* India orient, Ins. Societatis. 5.
10. *tiliaceus* *L.* India orient. 5.
- 10^a. *circinatus* *W.* Carracas. 5. Enum. p. 735.
- 10^b. *abutiloides* *W.* America calid. 5. Enum. pag. 736.
11. *elatus* *Swartz.* Jamaica. 5.
12. *Lampas* *Cavanil.* In Philippinis. 5.
13. *membranaceus* *Cavanil.* . . 5.
14. *lunarifolius* *W.* India orient.
15. *Rosa sinensis* *L.* India. 5.
 - α. flore simplici. Enum. p. 736
 - β. flore pleno rubro.
 - γ. flore pleno atropurpureo Enum. p. 736.
 - δ. flore pleno rubro-flavescente. Enum. p. 736.
16. *spiralis* *Cavanil.* Mexico. 5.
17. *brasiliensis* *L.* Brasilia. 5.
18. *unilateralis* *Cavanil.* St. Dominica. 5.
19. *acuminatus* *Cavanil.* . . . 5.
20. *phoeniceus* *L.* India orient. 5.
 - β. *H. hirtus* *L.*
21. *ovalifolius* *Vahl.* Arabia fel. 5.
22. *clandestinus* *Cavanil.* Senegal. 5.
23. *rigidus* *L.* Zeylon. 5.
24. *micranthus* *L.* India orient. ☉.
25. *Gossypinus* *Thunb.* Cap. b. sp.
26. *ovatus* *Cavanil.* Ibid. 5.
27. *aethiopicus* *L.* Ibid. 5.
28. *microphyllus* *Vahl.* Arabia fel. 5.
29. *urens* *Thunb.* Cap. b. sp.
30. *calycinus* *W.* Ins Bourbon. 5.

(*H. calyphyllus* Cavanil.)

- 31. *mutabilis* L. India orient. 5.
- 32. *lyriacus* L. Syria, Europa austr. 5.
- 32a. *furcatus* W. . . . ①. Enum. p. 736.
- 33. *rhombifolius* Cavanil. India orient. 5.
- 34. *liliiflorus* Cavanil. Ins. Bourbon. 5.
- 35. *bifurcatus* Cavanil. Brasilia. 5.
- 36. *trilobus* Cavanil. St. Domingo. 5.
- 37. *diversifolius* Jacq. India orient. 5.

(*H. ficulneus* Cavanil.)

- 38. *domingensis* Jacq. Domingo. 5.

(*H. striatus* Cavanil.)

- 39. *ficulneus* L. Zeylon. 5.

(*H. sinuatus* Cavanil.)

- 40. *Sabdariffa* L. In Indiis. ①.

β. *Alcea americana* Clusius.

- 41. *speciosus* Aiton. Carolina. 4.

(*H. coccineus* Walter.)

- 42. *cannabinus* L. India orient. ①.

- 43. *fraternus* L. Surinam.

- 44. *fororius* L. Ibid.

- 45. *surattensis* L. India orient. ①.

- 46. *radiatus* Cavanil. . . . ①.

- 47. *Manihot* L. In India orient. 5.

β. *H. palmatus* Cavanil.

- 48. *digitatus* Cavanil. Brasilia. 5.

- 49. *flavescens* Cavanil. Pondicheri.

- 50. *spicatus* Cavanil. . . . 5.

- 51. *micans* Cavanil. Java. 5.

- 52. *Abelmoschus* L. America calid. 5.

- 53. *columnaris* Cavanil. Ins. Borbonia. 5.

- 54. *pedunculatus* L. Cap. b. sp. 5.

- 55. *esculentus* L. In Indiis. ①.

- 56. *longifolius* W. India orient. ①.

- 57. *clypeatus* L. Jamaica. 5.

- 58. *senegalensis* Cavanil. Senegal.

- 59. *tubulosus* Cavanil. India orient. ①.

460 CLASSIS XVI. MONADELPHIA.

60. obtusifolius *W.* Ibid.

61. vitifolius *L.* India orient. ☉.

62. tricuspis *Cavanil.* Societatis ins. *H.*

(*H. hastatus* Forster, *L.*)

63. virginicus *Jacq.* Virginia. 4.

64. pentacarpus *L.* Italia, Astrachan. 4.

65. vesicarius *Cavanil.* Africa. ☉.

66. Trionum *L.* Italia, Africa. ☉.

β. *H. ternatus* *Cavanil.*

1298. PAVONIA. Pavonie. T. III. 833.

1. praemorsa *W.* Cap. b. sp. *H.*

(*P. cuneifolia* *Cavanil.* — *Hibiscus praemorsus* *L.*)

2. leptocarpa *Cavanil.* Surinam. *H.*

(*Urena leptocarpa* *L.*)

3. Typhalaea *Cavanil.* Jamaica, Gujana. *H.*

(*Urena Typhalaea* *L.*)

4. hastata *Cavanil.* Brasilia. *H.*

5. spinifex *Cavanil.* America merid. *H.*

(*Hibiscus spinifex* *L.*)

β. *P. aristata* *Cavanil.*

6. papilionacea *Cavanil.* Taheiti. *H.*

7. cancellata *Cavanil.* Surinam.

(*Hibiscus cancellatus* *L.*)

8. racemosa *Swartz.* Jamaica. *H.*

(*P. spicata* *Cavanil.*)

9. corymbosa *W.* Jamaica, Hispaniola. *H.*

(*Althaea corymbosa* *Swartz.*)

10. paniculata *Cavanil.* Peru. *H.*

11. odorata *W.* India orient.

12. coccinea *Cavanil.* St. Domingo. *H.*

13. Columella *Cavanil.* Ins. Bourbon. *H.*

14. urens *Cavanil.* Ins. Mauritii. *H.*

15. zeylanica *Cavanil.* Zeylon. ☉.

(*Hibiscus zeylanicus* *L.*)

1299. ACHANIA. Tutenmalve. T. III. p. 839.

1. Malvaviscus *Swartz.* Jamaica, Mexico. *H.*

(*Hibiscus Malvaviscus* L. — *Malvaviscus arboreus* Cavanil.)

2. *mollis* Aiton. America. H.

3. *pilosa* Aiton. Jamaica. H.

1300. STUARTIA. Stuartie. T. III. p. 840.

1. *Malachodendron l'Héritier*. Carolina. H.

(*Stewartia Malacodendron* L. — *Stewartia virginia* Cavanil.)

2. *pentagyna l'Héritier*. Virginia. H.

(*Malachodendron ovatum* Cavanil.)

1301. GORDONIA. Gordonie. T. III. p. 840.

1. *Lasianthus* L. Carolina. H.

2. *Haematoxylon Swartz*. Jamaica. H.

3. *pubescens La Marck*. Carolina. H.

4. *Franklini l'Héritier*. Carolina. H.

1302. CAMELLIA. Camellie. T. III. p. 842.

1. *japonica* L. Japonia, China. H.

2. *Sasanqua Thunb*. Japonia. H.

1303. MESUA. Mesue. T. III. p. 843.

1. *ferrea* L. India. H.

1304. MYRODIA. Balsamduft. T. III. p. 843.

1. *turbinata Swartz*. In Caribaeis. H.

2. *longiflora Swartz*. Gujana. H.

(*Quararibea gujanensis Aublet*.)

1305. MORISONIA. Morisonie. T. III. p. 844.

1. *americana* L. America calid. H.

1306. POURRETIA. Pourretie. T. III. p. 844.

1. *arborea W.* Peru. H.

(*Cavanillesia Ruiz et Pavon*.)

1307. CROSSOSTYLIS. Kranzsaerule. T. III. p. 845.

1. *biflora Forster*. Ins. Societatis.

1308. BARRINGTONIA. Barringtonie. T. III. pag. 845.

1. *speciosa* L. Asia. H.

(*Butonia speciosa* La Marck, Aiton. — *Commer-sonia* Sonnerat.)

1309. GUSTAVIA. Gustavie. T. III. p. 846.

1. *augusta* L. Surinam, Cajenna. ♀.
(*Pirigara tetrapetala* Aublet.)
2. *fastuosa* W. Gujana. ♀.
(*Pirigara hexapetala* Aublet.)

Classis XVII.

D I A D E L P H I A.

P E N T A N D R I A.

1310. MONNIERIA. Monnierie. T. III. p. 856.
1. *trifolia* L. Cumana, Gujana, Cajenna. ♂.

H E X A N D R I A.

1311. SARACA. Saraca. T. III. p. 356.

1. *indica* L. India. ♀.

1312. FUMARIA. Erdrauch. T. III. p. 857.

* *Corollis bicalcaratis.*

1. *Cucullaria* L. Virginia, Canada. 4.
(*Corydalis Cucullaria* Enum. p. 739.)

2. *fungosa* Aiton. Pensylvania. ♂.
(*Corydalis fungosa* Enum. p. 739.)

3. *spectabilis* L. Sibiria. 4.

** *Corollis unicalcaratis.*

4. *nobilis* L. Sibiria. 4.

(*Corydalis nobilis* Enum. p. 739.)

5. *bracteata* Stephan. Ibid. 4.

6. *incisa* Thunb. Japonia.

7. *paeoniaefolia* Stephan. Sibiria. 4.

8. *longiflora* W. Ibid. 4.

(*F. Schangini* Pallas. — *F. caudata* La Marck.)

9. *Marschalliana* Pallas. Tauria. 4.

10. *bulbosa* L. Europa, Sibiria, Camtschatka. 4.

(*F. cava* Retz, Hoffmann. — *F. major* Roth. —
Corydalis bulbosa Enum. p. 739.)

11. *pauciflora* Stephan. Sibiria. 4.

12. *fabacea* Retz. Suecia, Germania. 4.

(*F. intermedia* Ehrhart. — *Corydalis fabacea* En.
pag. 740.)

13. *decumbens* Thunberg. Japonia. 4.

14. *Halleri* W. Europa.

(*F. solida* Smith, Curtis, Ehrhart, Hoffmann. —
F. minor Roth. — *F. bulbosa* α. L. — *Corydalis Halleri* Enum. p. 740.)

β. *flore viridi*.

15. *sempervirens* L. Canada, Virginia. ☉.

(*Corydalis sempervirens* Enum. p. 740.)

16. *sibirica* L. Sibiria. ☉.

17. *racemosa* Thunberg. Japonia.

18. *pallida* Thunberg. Japonia.

19. *lutea* L. Mauritania, Anglia. 4.

(*Corydalis lutea* Enum. p. 740.)

20. *acaulis* Jacq. Tergesti. ☉.

21. *Capnoides* L. Europa. ☉.

(*Corydalis Capnoides* Enum. p. 740.)

22. *enneaphylla* L. Hispania, Sicilia. 4.

23. *crassifolia* Desfont. Barbaria. 4.

24. *corymbosa* Desfont. Algeria. 4.

(*F. africana* La Marck.)

25. *officinalis* L. Europa. ☉.

26. *capreolata* L. Gallia Narbonensis, Anglia. ☉.

27. *parviflora* La Marck. Germania, Gallia, Angl.
(*F. spicata* β. L.)

28. *spicata* L. Hispania, Gallia Narbonensis, Ve-
ronae. ☉.

29. *claviculata* L. Anglia, Dania, Germania. ☉.

30. *vesicaria* L. Cap. b. sp. ☉.

(*Cysticapnos africana* Gaertner. — Enum. p. 741.)

1312a. *CORYDALIS*. Enum. p. 739.

1. *aurea* Mühlenberg. Canada. ♂. Enum. p. 739.

OCTANDRIA.

1313. POLYGALA. Polygala. T. III. p. 871.

* *Cristatae* (floribus appendice penicilliformi.)

1. incarnata L. Virginia, Canada. ☉.
2. aspalatha L. Brasilia.
3. brasiliensis L. Brasilia.
4. trichosperma L. Nova-Granada. 4.
5. amara L. Gallia, Germania, Helvetia. 4.
6. vulgaris L. Europa. 4.
 β. *P. vulgaris Bauhin.*
7. major Jacq. Austria, Pannonia, Oriens. 4.
8. monspeliaca L. Monspeli. 4.
9. rubella W. Pensylvania. 4.
10. rosea Desfont. Atlas. 5.
11. andrachnoides W. Armenia, Tauria. 4.
 (*P. supina Schreber.*)
12. oxycoccoides Desfont. Atlas. 5.
13. telephioides W. India orient. ☉.
14. arvensis W. Ibid. 4.
15. linarifolia W. Ins. Mindanao.
16. thesioides W. Brasilia.
17. paniculata L. Jamaica, Hispaniola, Panama. ☉.
18. tenella W. Panama. ☉.
19. fulcata W. Brasilia. ☉.
20. gnidioides W. Chili. 5.
21. sibirica L. Sibiria. 4.
22. tenuifolia W. Sibiria. 4.
 β. *P. ramosa Ammann.*
23. elongata Klein. India orient. ☉.
24. cinerea W. Gujana, Cajenna. ☉.
 (*P. violacea Aublet.*)
25. paucifolia W. Pensylvania. 4.
26. arenaria W. Guinea. ☉.
27. lupulina W. Gujana. ☉.
 (*P. Timoutou Aublet.*)

28. *japonica* Houttuyn. Japonia.
 29. *bracteolata* L. Cap. b. sp. \bar{h} .
 β . *P. floribus cristatis racemosis* L.
 γ . *P. floribus cristatis alternis* L.
 30. *cernua* Thunb. Ibid.
 31. *teretifolia* L. Ibid. \bar{h} .
 β . *P. aethiopica* Pluk. mant. t. 440. f. 6.
 32. *guineensis* W. Guinea.
 33. *saxatilis* Desfont. Atlas. \bar{h} .
 34. *umbellata* L. Cap. b. sp. \odot . σ .
 35. *virgata* Thunb. Ibid.
 36. *amoena* Thunb. Ibid.
 37. *myrtifolia* L. Ibid. \bar{h} .
 38. *tinctoria* Vahl, Arabia fel. \bar{h} .
 39. *oppositifolia* L. Cap. b. sp. \bar{h} .
 40. *cordifolia* Thunberg. Ibid. \bar{h} .
 41. *tomentosa* Thunberg. Ibid. \bar{h} .
 42. *spinosa* L. Ibid. \bar{h} .
 β . *P. foliis lanceolato-linearibus* Aiton.
 ** *Imberbes* (flores absque penicillo carinali) frutescentes.
43. *theezans* L. Japonia, Java. \bar{h} .
 44. *Penaea* L. America merid. \bar{h} .
 45. *diversifolia* L. Ibid. \bar{h} .
 46. *acuminata* W. Nova Hispania. \bar{h} .
 47. *aestuans* L. Nova Granada \bar{h} .
 48. *mucronata* W. America merid. \bar{h} .
 49. *violacea* Vahl. Cajenna. \bar{h} .
 50. *microphylla* L. Lusitania, Hispania. \bar{h} .
 51. *chinensis* L. India. \bar{h} .
 52. *myrtilloides* W. America austr. \bar{h} .
 53. *Chamaebuxus* L. Austria, Helvetia, Germania, Gallia. \bar{h} .
 54. *thymifolia* Thunberg. Cap. b. sp. \bar{h} .
 55. *alopecuroides* L. Ibid. \bar{h} .
 56. *Heisteria* L. Ibid. \bar{h} .

- 57. *mixta* L. Ibid. 5.
- 58. *phylicoides* Thunb. Ibid. 5.
- 59. *filiformis* Thunb. Ibid. 5.
- 60. *micrantha* Thunb. Ibid. 5.
- 61. *stipulacea* L. Ibid. 5.
- 62. *striata* Thunberg. Ibid.
- 63. *pauciflora* Thunberg. Ibid.
- 64. *laxa* Thunberg. Ibid.
- 65. *squarrosa* Thunberg. Ibid. 5.
- 66. *trinervia* Thunberg. Ibid. 5.

*** *Imberbes: herbaceae, caule simplicissimo.*

- 67. *Senega* L. Virginia, Pennsylvania, Marylandia. 4.
- 68. *lutea* L. Virginia. ☉.
- 69. *viridescens* L. Virginia. ☉.
- 70. *triflora* L. Zeylon. ☉.
- 71. *glaucioides* L. Zeylon, in Philippinis. 4.
- 72. *prostrata* W. India orient. ☉.

**** *Imberbes: herbaceae, ramosae.*

- 73. *ciliata* L. India orient. ☉.
- β. *foliis cordatis.*

- 74. *sanguinea* L. Virginia. ☉.

- 75. *verticillata* L. Ibid. ☉.

β. *floribus carneis.*

- 76. *cruciata* L. Virginia. ☉.

- 1314. BREDEMEYER A. Bredemeyere. T. III. p. 898.

- 1. *floribunda* W. Carracas. 5.

- 1315. SECURIDACA. Beilstrauch. T. III. p. 898.

- 1. *erecta* L. Hispaniola. 5.

- 2. *volubilis* L. America merid. 5.

- 3. *virgata* Swartz. Hispaniola. 5.

D E C A N D R I A.

- 1316. NISSOLIA. Nissolie. T. III. p. 899.

- 1. *arborea* L. Chartagena, Martinica. 5.

- 2. *ferruginea* W. Gujana. 5.

(*N. Quinata* Aublet.)

- 3. *fruticosa* L. Chartagena. 5.

34. *retusa* W. Enum. p. 742.

1317. DALBERGIA. Dalbergie. T. III. p. 900.

1. *Monetaria* L. Surinam. H.

2. *heterophylla* W. India orient. H.

3. *arborea* W. Ibid. H.

(*Galedupa indica* La Marck.)

4. *latifolia* Roxburgh. Coromandel. H.

5. *rubiginosa* Roxburgh. Ibid. H.

6. *paniculata* Roxburgh Ibid. H.

7. *Lanceolaria* L. Zeylon, Malabar. H.

1318. PTEROCARPUS. Flügelfrucht. T. III. p. 904.

1. *Draco* L. America merid. H.

2. *indicus* W. India orient. H.

3. *Marsupium* Roxburgh. Coromandel. H.

4. *Rohrii* Vahl. Gujana. H.

(*P. Apalatoa* Richard.)

5. *lynatus* L. America merid. H.

6. *santalinus* L. India, Zeylon. H.

7. *Ecastaphyllum* L. America merid. H.

1319. AMERIMNUM. Amerimnon. T. III. p. 908.

* *Foliis simplicibus.*

1. *Brownei* Swartz. Jamaica, Hispaniola, Carthagera. H.

2. *Ebenus* Swartz. America calid. H.

(*Aspalathus Ebenus* L.)

** *Foliis pinnatis*

3. *latifolium* W. Carthagera. H.

(*A. pinnatum* Jacq.)

4. *pubescens* W. Carracas. H.

5. *scandens* W. Ibid. H.

1320. DIPTERIX. Toncabohne. T. III. p. 910.

1. *odorata* W. Gujana. H.

(*Coumarouna odorata* Aublet.)

2. *oppositifolia* W. Cajenna. H.

(*Taralea oppositifolia* Aublet.)

1321. ABRUS. Paternostereerbse. T. III. p. 911.

1. *precatorius* L. India. 5.

β. *feminibus sanguineis.*

γ. *feminibus albis.*

1322. *ERYTHRINA*. Corallenbaum. T. III. p. 912.

1. *herbacea* L. Carolina, Florida. 4.

2. *carnea* Aiton. Vera Crux. 5.

3. *Corallodendrum* L. In Antillis. 5.

4. *indica* La Marck. India orient. 5.

(*E. Corallodendrum* β. L.)

5. *fusca* Loureiro. India, Cochinchina. 5.

6. *caffra* Thunberg. Cap. b. sp. 5.

7. *pieta* L. India orient. 5.

8. *velutina* W. Terra firma. 5.

9. *glauca* W. Carracas. 5.

10. *mitis* Jacq. Ibid. 5.

11. *isopetala* La Marck. Brasilia. 5.

12. *Crista galli* L. Ibid. 5.

(*E. laurifolia* Jacq.)

1323. *BUTEA*. Butea. T. III. p. 917.

1. *frondosa* Roxburgh. Coromandel. 5.

(*Erythrina monosperma* La Marck.)

2. *superba* Roxburgh. Ibid. 5.

1324. *RUDOLPHIA*. Rudolphe. T. III. p. 918.

1. *volubilis* W. Portorico. 5.

2. *peltata* W. St. Domingo. 5.

(*Erythrina planisiliqua* L.)

1325. *WIBORGIA*. Wiborgie. T. III. p. 919.

1. *obcordata* Thunberg. Cap. b. sp. 5.

2. *sericea* Thunberg. Ibid. 5.

1326. *PISCIDIA*. Fischfänger. T. III. p. 919.

1. *Erythrina* L. America calid. 5.

2. *carthaginensis* L. Ibid. 5.

3. *punicea* Cavanil. Ibid. 5.

4. *longifolia* W. Nova-Hispania. 5.

(*Aeschynomene longifolia* Cavanil.)

1327. *PLATYLOBIUM*. Plattschote. T. III. p. 921.

1. *formosum* Smith. Nova-Hollandia. 5.

2. parviflorum Smitt. - Ibid. 5.

1328. TRIGONIA. Dreykax. T. III. p. 921.

1. villosa Aublet. Cayenna. 5.

2. laevis Aublet. Gujana. 5.

1329. BORBONIA. Borbonie. T. III. p. 922.

1. erinaefolia L. Cap. b. sp. 5.

2. trinervia L. Ibid. 5.

3. lanceolata L. Ibid. 5.

4. perfoliata Thunberg. Ibid. 5.

5. ciliata W. Ibid. 5.

(B. perforata Thunberg. — Crotalaria perforata L.)

6. undulata Thunberg. Ibid. 5.

7. cordata L. Ibid. 5.

8. crenata L. Ibid. 5.

1330. ACHYRONIA. Achyronie. T. III. p. 925.

1. villosa Wendland. Nova Hollandia. 5.

1331. OEDMANNIA. Oedmannie. T. III. p. 925.

1. lancea Thunberg. Cap. b. sp. 24.

1332. SPARTIUM. Pfriemen. T. III. p. 926.

* *Folius simplicibus.*

1. junceum L. Europa australis. 5.

2. aphyllum Pallas. Ad Wolgam. 5.

3. monospermum L. Hispania. 5.

4. sphaerocarpon L. Europa austr. 5.

4a. procerum W. Lusitania. 5. Enum. p. 743.

(*Cytisus procerus* Link.)

5. cinereum Villars. Delphinatus, Comit. Ni-

caensis. 5.

(*Genista scoparia* Bellardi.)

6. virgatum Aiton. Madera. 5.

(*Cytisus tener* Jacq.)

6a. congestum W. Teneriffa. 5. Enum. p. 744.

7. ramosissimum Desfont. Atlas. 5.

8. purgans L. Mompeli. 5.

9. umbellatum l'Héritier. Barbaria. 5.

10. Scorpis L. Hispania, Gallia Narbonensis. 5.

β. *Genista spartium* — secundum *Bauhin.*

γ. *Genista spartium* — tertium *Bauhin.*

11. *aspalathoides* *Desfont.* *Barbaria.* ἥ.

(*Genista aspalathoides* *La Marck, Poiret.*)

** *Folii ternatis.*

12. *multiflorum* *Aiton.* *Lusitania, Barbaria.* ἥ.

(*S. album* *Desfont.*.)

13. *angulatum* *L.* *Oriens.* ἥ.

14. *persicum* *W.* *Persia.* ἥ.

(*Cytisus persicus* *Burm.*.)

15. *patens* *L.* *Lusitania, Hispania.* ἥ.

16. *nubigenum* *Aiton.* *Teneriffa.* ἥ.

(*S. supranubium* *L.*.)

17. *biflorum* *Desfont.* *Atlas.* ἥ.

18. *linifolium* *Desfont.* *Gallia, Hispania, Barbaria, Oriens.* ἥ.

(*Genista linifolia* *L.*.)

19. *scoparium* *L.* *Europa.* ἥ.

20. *arboreum* *Desfont.* *Barbaria.* ἥ.

21. *radiatum* *L.* *Italia, Carnioli.* ἥ.

22. *ferox* *Poiret.* *Barbaria.* ἥ.

(*S. heterophyllum* *l'Héritier.*.)

23. *spinosum* *L.* *Italia, Hispania, Barbaria.* ἥ.

24. *villosum* *Poiret.* *Barbaria, Creta.* ἥ.

(*S. lanigerum* *Desfont.*.)

25. *horridum* *Vahl.* *Aragonia.* ἥ.

1333 GENISTA. *Ginster.* T. III. p. 936.

** *Internod.*

1. *canariensis* *L.* *Hispania, in Canariis.* ἥ.

β. *Cytisus canariensis* *Commelin hort. t. 52.*

2. *candicans* *L.* *Italia, Monspeli.* ἥ.

3. *viscosa* *W.* . . . ἥ.

4. *triquetra* *La Marck* *Corsica.* ἥ.

5. *sagittalis* *L.* *Germania, Helvetia, Gallia.* ἥ.

6. *tridentata* *L.* *Lusitania.* ἥ.

β. *G. fruticosa lusitanica angustifolia* *Tournef.*

7. *triangularis* *W.* *In Banatu.* ἥ.

(*G. triquetra* Waldst. et Kit.)

8. *tinctoria* L. Germania, Helvetia, Gallia, Anglia. H.

9. *ovata* Waldst. et Kit. Slavonia, Banatus. H.

10. *sibirica* L. Sibiria. H.

11. *florida* L. Hispania. H.

12. *procumbens* Waldst. et Kit. Hungaria, Moravia. H.

13. *decumbens* W. Gallia, Helvetia. H.

(*G. prostrata* La Marck. — *G. pedunculata* P' Heritier. — *Spartium decumbens* Aiton.)

14. *pilosa* L. Pannonia, Gallia, Germania. H.

15. *humifusa* L. Oriens. H.

16. *albida* W. Tauria. H.

17. *diffusa* W. Tergesti, Syria. H.

(*G. humifusa* Wulfen. — *Spartium decumbens* Host., Jacquin.)

18. *sericea* Wulfen. Austria. H.

** *Spinosae.*

19. *anglica* L. Anglia, Germania. H.

20. *germanica* L. Germania, Gallia. H.

21. *sylvestris* Scopoli. Croatia, Carniolia. H.

(*G. hispanica* Wulfen, Jacquin, Host.)

22. *hispanica* L. Hispania, Gallia. H.

23. *hirsuta* Vahl. Hispania, Lusitania. H.

24. *tricuspidata* Desfont. Algeria. H.

25. *lusitanica* L. Lusitania, Hispania. H.

1334. *LEBECKIA*. Lebeckie. T. III. p. 946.

* *Foliis simplicibus.*

1. *contaminata* Thunberg. Cap. b. sp. H.

(*Spartium contaminatum* L.)

2. *sepiaria* Thunberg. Ibid. H.

(*Spartium sepiarium* L.)

3. *pungens* Thunberg. Ibid. H.

** *Foliis ternatis.*

4. *armata* Thunberg. Cap. b. sp. H.

5. *densa* Thunberg. Ibid. H.

6. *humilis* Thunberg. Cap. b. sp. 5.
 7. *sericea* Thunberg. Ibid. 5.
(*Spartium sericeum* Aiton.)
 8. *cytisoides* Thunberg. Ibid. 5.
(*Spartium cytisoides* L.)
1335. RAFFINIA. Rafnie. T. III. p. 949.
1. *perfoliata* W. Carolina. 4.
(*Crotalaria perfoliata* L.)
 2. *amplexicaulis* Thunberg. Cap. b. sp. 5.
(*Crotalaria amplexicaulis* L.)
 3. *elliptica* Thunberg. Ibid. 5.
(*Borbonia cordata* Andrews.)
 4. *cuneifolia* Thunberg. Ibid. 5.
 5. *triflora* Thunberg. Ibid. 5.
(*Crotalaria triflora* L.)
 6. *opposita* Thunberg. Ibid. 5.
(*Crotalaria opposita* L.)
 7. *axillaris* Thunberg. Ibid. 5.
 8. *angulata* Thunberg. Ibid. 5.
 9. *spicata* Thunberg. Ibid. 5.
 10. *angustifolia* Thunberg. Ibid. 5.
 11. *filifolia* Thunberg. Ibid. 5.
 12. *retroflexa* Thunberg. Ibid. 5.
 13. *erecta* Thunberg. Ibid. 5.
 14. *diffusa* Thunberg. Ibid. 5.
1336. ASPALATHUS. Witschen. T. III. p. 952.
1. *spinosa* L. Cap. b. sp. 5.
 2. *aculeata* Thunberg. Ibid. 5.
 3. *spinescens* Thunberg. Ibid. 5.
 4. *pungens* Thunberg. Ibid. 5.
 5. *verrucosa* L. Ibid. 5.
 6. *capitata* L. Ibid. 5.
β. *A. glomerata* L.
 7. *astroides* L. Ibid. 5.
 8. *Chenopoda* L. Ibid. 5.
 9. *albens* L. Ibid. 5.
 10. *armata* Thunberg. Ibid. 5.

11. *Hystrix* Thunberg. Cap. B. sp. H.
12. *incurva* Thunberg. Ibid. H.
13. *spicata* Thunberg. Ibid. H.
14. *thymifolia* L. Ibid. H.
15. *ericaefolia* L. Ibid. H.
16. *hispida* Thunberg. Ibid. H.
17. *flexuosa* Thunberg. Ibid. H.
18. *parviflora* Thunberg. Ibid. H.
19. *incompta* Thunberg. Ibid. H.
20. *asparagoides* Thunberg. Ibid. H.
21. *nigra* L. Ibid. H.
22. *multiflora* Thunberg. Ibid. H.
23. *pinguis* Thunberg. Ibid. H.
24. *carnosa* Bergius. Ibid. H.
25. *affinis* Thunberg. Ibid. H.
26. *sanguinea* Thunberg. Ibid. H.
27. *lactea* Thunberg. Ibid. H.
28. *ciliaris* L. Ibid. H.
29. *genistoides* L. Ibid. H.
30. *squarrosa* Thunberg. Ibid. H.
31. *galioides* Bergius. Ibid. H.
32. *bracteata* Thunberg. Ibid. H.
(*A. pedunculata* Aiton.)
33. *retroflexa* L. Ibid. H.
34. *vulnerans* Thunberg. Ibid. H.
35. *uniflora* L. Ibid. H.
36. *pinæa* Thunberg. Ibid. H.
37. *divaricata* Thunberg. Ibid. H.
38. *subulata* Thunberg. Ibid. H.
39. *laricifolia* Thunberg. Ibid. H.
40. *juniperina* Thunberg. Ibid. H.
41. *abietinata* Thunberg. Ibid. H.
42. *trigona* Thunberg. Ibid. H.
43. *araneosa* L. Ibid. H.
44. *comosa* Thunberg. Ibid. H.
45. *cephalotes* Thunberg. Ibid. H.
46. *triquetra* Thunberg. Ibid. H.

47. *canescens* L. Ibid. H.
 48. *indica* L. India orient. H.
 49. *quinquefolia* L. Cap. b. sp. H.
 50. *heterophylla* Thunberg. Ibid. H.
 51. *tridentata* L. Ibid. H.
 52. *lotoides* Thunberg. Ibid. H.
 53. *pilosa* L. Ibid. H.
 54. *obtusata* Thunberg. Ibid. H.
 55. *sericea* Thunberg. Ibid. H.
 56. *cinerea* Thunberg. Ibid. H.
 57. *anthylloides* Bergius. Ibid. H.
 58. *laxata* L. Ibid.
 59. *argentea* L. Ibid. H.
 60. *virgata* Thunberg. Ibid. H.
 61. *rubens* Thunberg. Ibid. H.
 62. *nivea* L. Ibid. H.
 63. *callosa* Bergius. Ibid. H.
 64. *acuminata* Thunberg. Ibid. H.
 65. *rugosa* Thunberg. Ibid. H.
 66. *fusca* Thunberg. Ibid. H.
 67. *orientalis* L. Oriens. H.
 68. *mucronata* Thunberg. Cap. b. sp. H.
 69. *pinnata* L. Ibid. H.
1336. STAURACANTHUS. Enum. p. 746.
1. *aphyllus* Link. Lusitania. H.
(*Ulex genistoides* Brotero.)
1337. SARCOPHYLLUM, Fleischblatt. T. III. p. 968.
1. *carnosum* Thunberg. Cap. b. sp.
1338. ULEX. Hecksame. T. III. p. 969.
1. *europaeus* L. Europa. H.
 2. *nanus* Smith. Anglia, Gallia. H.
(*U. europaeus* β. L. — *U. minor* Roth.)
1339. AMORPHA. Unform. T. III. p. 970.
1. *fruticosa* L. Carolina, Florida. H.
β. *A. calycibus canis, foliis emarginatis* W.
 2. *pubescens* W. Carolina. H.
(*A. herbacea* Walter.)

1340. DIMORPHA. Zweyform. T. III. p. 971.

1. grandiflora W. Gujana. H.

(Parivoa grandiflora Aublet.)

2. tomentosa W. Gujana. H.

(Parivoa tomentosa Aublet.)

1341. TERAMNUS. Laubenbohne. T. III. p. 972.

1. volubilis Swartz. Jamaica. H.

(Dolichos uncinatus L.)

2. uncinatus Swartz. Ibid. H.

1342. BOSSIAEA. Bossiaea. T. III. p. 972.

1. heterophylla Ventenat. Nova-Hollandia. H.

1343. CROTALARIA. Klapperschote. T. III. p. 973.

* Follis simplicibus.

1. sagittalis L. Jamaica, Martinica. ☉.

β. glabra.

2. parviflora Roth. Virginia, Carolina. ☉.

3. rubiginosa W. India orient. ☉.

4. chinensis L. China. H.

5. glauca W. Guinea.

6. juncea L. India orient. ☉.

7. fericea Retz. India orient. ☉.

8. linifolia L. Ibid.

9. imbricata L. Cap. b. sp. H.

10. parvifolia Thunberg. Ibid. H.

12. lanata Thunberg. Ibid. H.

12. reflexa Thunberg. Ibid. H.

13. retusa L. India. ☉.

14. sessiliflora L. China. ☉.

15. verrucosa L. Malabar, Java, Zeylon, in Philippinis. ☉.

(C. coerulea Jacq. — C. angulosa La Marck.)

16. semperflorens Ventenat. India orient. H.

17. hirsuta W. Ibid. ☉.

18. biflora L. Ins. St. Johanna.

(C. nana Burmann.)

19. Nummularia W. India orient.

20. bifaria L. Tanschauer.

21. *paniculata* W. Malabar. Java. H.

(*C. chinensis* La Marck.)

21a. *prostrata* Rottler. India orient. O. En. p. 747.

21b. *hirta* W. Ibid. O. Enum. p. 747.

(*C. pilosa* Rottler.)

** *Fabris compositis.*

22. *lotifolia* L. Jamaica, Ins. St. Crucis. H.

23. *pubera* Vahl. Ins. St. Martha. H.

24. *argentea* Jacq. Cap. b. sp. H.

25. *lunaris* L. Africa.

26. *laburnifolia* L. Asia. O.

27. *macrophylla* W. India orient. H.

28. *laevigata* La Marck. Madagascar. H.

29. *Trifolium* W. India orient.

30. *cordifolia* L. Cap. b. sp. H.

31. *pilosa* Thunberg. Ibid.

32. *villosa* Thunberg. Ibid.

33. *axillaris* Aiton. Guinea. O.

34. *incanescens* L. Cap. b. sp., Ins. Mauritii et Bourbon. H.

(*C. capensis* Thunberg, Jacquin. → *C. arborescens* La Marck.)

35. *incana* L. Jamaica, in Caribaeis. O.

36. *pallida* Aiton. Africa. O.

37. *longifolia* La Marck. Gujana. 24.

(*C. gujanensis* Aublet.)

38. *angustifolia* Jacq. Cap. b. sp. H.

39. *lineata* Thunberg. Ibid.

40. *genistoides* W. India orient.

41. *microphylla* Vahl. Arabia fel.

42. *volubilis* Thunberg. Cap. b. sp.

43. *heterophylla* L. India orient. O.

44. *quinquefolia* L. India. O.

44a. *orixensis* Rottler. India orient. O. Enum. pag. 747.

44b. *foliosa* W. Ibid. Enum. p. 747.

1344. ONONIS. Hauhechel. T. III. p. 988.

* *Floribus subsessilibus.*

1. antiquorum L. Europa austr. 4.
2. spinosa L. Europa. 4.
3. hircina Aiton. Europa. 4.
(*O. arvensis* Retz, Hoffmann, Roth: — *O. altissima* La Marck. — *O. spinosa* α. *mitis* L. — *Ononis foetens* Allion.)
4. repens L. Anglia, Oriens. 4.
5. caduca Villars. Delphinatus. 4.
6. hispida Desfont. Barbaria.
7. serrata Forsk. Arabia.
8. minutissima L. Italia, Gallia, Hispania. ☉.
(*O. saxatilis* La Marck. — *O. barbata* Cavanil.)
9. Columnae Allion. Austria, Hungaria, Helvetia, Gallia, Italia, Hispania. 4.
(*O. parviflora* La Marck, Cavanilles. — *O. subocculta* Villars. — *O. minutissima* Jacq.)
10. capitata Cavanil. Hispania. 4.
11. mitissima L. Barbados, Lusitania. ☉.
12. villosissima Desfont. Algeria. ☉.
13. alopecuroides L. Sicilia, Lusitania, Hispania, Barbaria. 4. ☉.
14. monophylla Desfont. Barbaria.
15. spicata Thunberg. Cap. b. sp. 5.
16. euphrasiaefolia Desfont. Barbaria. ☉.
17. variegata L. Hispania, Barbaria. ☉.
18. alba Poiret. Barbaria.
19. fasciculata Thunberg. Cap. b. sp.

** *Floribus pedunculatis pedunculo mutico.*

20. pubescens L. Europa austr. ☉.
21. persica Burmann. Persia.
22. cernua L. Cap. b. sp.
β. *Cytisus aethiopicus* L.
23. micrantha Thunberg. Cap. b. sp.
24. parviflora Thunberg. Ibid.
25. umbellata Thunberg. Ibid. 5.
26. involucrata L. Ibid.

- 27. *secunda* Thunberg. Cap. b. sp.
- 28. *glabra* Thunberg. Ibid.
- 29. *filiformis* L. Ibid. 4.
- 30. *capensis* L. Ibid. ☉.
- 31. *excisa* Thunberg. Ibid.
- 32. *prostrata* L. Ibid. 4.
- 33. *geminata* Aiton. Ibid. 4.
- 34. *elongata* Thunberg. Ibid.
- 35. *capillaris* Thunberg. Ibid.
- 36. *villosa* Thunberg. Ibid.
- 37. *heterophylla* Thunberg. Ibid.
- 38. *laxiflora* Desfont. Algeria. ☉.
- 39. *pendula* Desfont. Barbaria. ☉.
- 40. *reclinata* L. Gallia, Hispania, Italia. ☉.
- 41. *cenisia* L. Delphinatus, Italia. 4.

*** *Pedunculis aristatis.*

- 42. *vaginalis* Vahl. Aegyptus. 5.
- 43. *Cherleri* L. Gallia, Hispania, Italia, Barbaria. ☉.
- 44. *viscosa* L. Gallia, Hispania. ☉.
- β. *major.*
- 45. *biflora* Desfont. Barbaria.
- 46. *ornithopodioides* L. Sicilia, Hispania. ☉.
- 47. *ramosissima* Desfont. Barbaria. 4.
- 48. *picta* Desfont. Barbaria.
- 49. *pinguis* L. Europa austr. 4.
- β. *Anonis* — *oxytriphyllo* Pluk. alm. t. 135. f. 5.
- 49^a. *longifolia* W. Teneriffa. 5.
- 50. *cuspidata* Desfont. Algeria.
- 51. *Natrix* L. Gallia, Hispania. 4.
- 52. *hispanica* L. Hispania. 5.

**** *Fruticosae.*

- 53. *tridentata* L. Hispania. 5.
- 54. *strigosa* Thunberg. Cap. b. sp. 5.
- 55. *stipulata* Thunberg. Ibid. 5.
- 56. *junceae* Asso, Aragonia. 5.
- 57. *crispa* L. Hispania. 5.

β. *Anonis hispanica frutescens*, folio rosae sylvestris Tournef.

58. *arborescens* Desfont. Barbaria. 5.

59. *fruticosa* L. Delphinatus. 5.

60. *aragonensis* Asso. Aragonia. 5.

61. *rotundifolia* L. Helvetia, Carinthia, Gallia. 5.

62. *microphylla* Thunberg. Cap. b. sp.

***** *Dubiae*.

63. *hirsuta* Thunberg. Cap. b. sp.

64. *decumbens* Thunberg. Ibid.

65. *sericea* Thunberg. Ibid.

66. *racemosa* Thunberg. Ibid.

67. *Lagopus* Thunberg. Ibid.

68. *quinata* Thunberg. Ibid.

1345. ANTHYLLIS. Wollblume. T. III. p. 1013.

* *Herbaceae*.

1. *tetraphylla* L. Italia, Gallia, Sicilia. ☉.

2. *Vulneraria* L. Europa. 4.

β. flore coccineo.

γ. flore albo.

3. *montana* L. Helvetia, Gallia, Austria. 4.

4. *sericea* W. Barbaria, Oriens. ♂.

(*Ebenus pinnata* Aiton, Desfont. — *Hedysarum sericeum* Vahl.)

5. *polycephala* Desfont. Atlas. 5.

6. *cornicina* L. Hispania. ☉.

7. *hamosa* Desfont. Estremadura, Barbaria. ☉.

8. *lotoides* L. Hispania. ☉.

9. *Gerardi* L. Galloprovincia. ☉.

10. *onobrychioides* Cavanil. Hispania. 4.

11. *incisa* W. In insulis Archipelagi. 4.

12. *quinqueflora* L. Cap. b. sp.

** *Fruticosae*.

13. *linifolia* L. Cap. b. sp. 5.

14. *visciflora* L. Ibid. 5.

15. *Barba Jovis* L. Italia, Hispania, Oriens. 5.

16. *splendens* W. Creta. 5.

17. *cretica* La Marck. Creta. ♀.
(*Ebenus cretica*. L.)
18. *heterophylla* L. Lusitania, Hispania. ♀.
19. *cytisoides* L. Hispania, Gallia. ♀.
20. *Hermanniae* L. Graecia, Creta, Palaestina. ♀.
21. *Erinacea* L. Hispania, Barbaria. ♀.
1346. ARACHIS. Erdeichel. T. III. p. 1021.
1. *hypogaea* L. Surinam., Peru. ☉.
β. *Arachidnoides americana* Niss.
1347. LUPINUS. Feigbohne. T. III. p. 1022.
- * *Herbacei foliis digitatis*.
1. *perennis* L. Canada, Virginia, Carolina. 2.
2. *albus* L. Oriens. ☉.
3. *Termis* Forskål. Aegyptus. ☉.
(*L. prolifer* La Marck.)
4. *varius* L. Gallia. ☉.
(*L. semiverticillatus* La Marck.)
5. *hirsutus* L. Barbaria, Hispania, Ins. Archipelagi. ☉.
6. *bracteolaris* La Marck. Brasilia.
7. *pilosus* L. Europa austr. ☉.
8. *angustifolius* L. Hispania, Messanae. ☉.
9. *linifolius* Roth. . . . ☉.
10. *luteus* L. Sicilia, Gallia. ☉.
- ** *Fruticosi, foliis digitatis*.
100. *arboreus* Curtis. . . . ♀. Enum. p. 752.
11. *multiflorus* La Marck. Brasilia. ♀.
12. *linearis* La Marck. Ibid.
13. *microphyllus* La Marck. Peru. ♀.
14. *paniculatus* La Marck. Ibid. ♀.
15. *sarmentosus* La Marck. Ibid. ♀.
16. *bimaculatus* La Marck. Ibid. ♀.
17. *alopecuroides* La Marck. Ibid.
- *** *Herbacei, foliis simplicibus*.
18. *villosus* W. Carolina, Trinidad.
(*L. pilosus* Walter.)
19. *integrifolius* L. Cap. b. sp. ☉.

1348. PHASEOLUS. Bohnæ. T. III. p. 1030.

* Scandentes.

1. vulgaris L. India orient. ☉

2. multiflorus La Marck. . . . ☉

(P. vulgaris β. coccineus L. — P. coccineus Knip-
hof.)

β. Floribus seminibusque albis La Marck.

3. perennis Walter. Carolina. 4.

(P. paniculatus Michaux.)

4. lunatus L. Benghala. ☉

5. Pallar Molina. Chili.

6. inamoenus L. Africa. ☉

7. farinosus L. India.

8. vexillatus L. Hayana. ☉

9. helvolus L. Carolina. ☉

10. hirtus Retz. Cap. b. sp. ☉

11. semierectus L. America calid. ☉

12. alatus L. . . . ☉

13. Caracalla L. India orient. ☉

14. Asellus Molina. Chili.

14. heterophyllus Humboldt. America merid. 4.

Enum. p. 733.

** Erecti.

15. aconitifolius L. Franquebar.

16. trilobus Atton. India orient. ☉

(Dolichos trilobus L.)

17. stipularis La Marck. Peru. ☉

18. capensis Thunberg. Cap. b. sp.

19. nanus L. India orient. ☉

20. radiatus L. China, Zeylon. ☉

21. Max L. India. ☉

22. Mungo L. India orient. ☉

23. lathyroides L. Jamaica. ☉

24. sphaerospermus L. America calid. ☉

1349. DOLICHOS. Fasel. T. III. p. 1037.

* Volubiles.

1. *Lablab* L. Aegyptus. ☉.

β. flore albo *Enum.* p. 754.

2. *benghalensis* Jacq. Bengalia. ♀.

3. *sinensis* L. India orient. ☉.

4. *luteolus* Jacq. America torrida. ☉.

5. *umbellatus* Thunberg. Japonia.

6. *unguiculatus* L. Barbados. ☉.

7. *tranquebaricus* Jacq. Tranquebaria.

8. *cultratus* Thunberg. Japonia.

9. *gladiatus* Jacq. India orient. ☉.

10. *inturvus* Thunberg. Japonia.

11. *tetragonolobus* L. India.

12. *lesquipedalis* L. America calid. ☉.

13. *rotundifolia* Vahl. In Caribaeis. ♀.

14. *altissimus* L. Martinica. ♀.

15. *giganteus* W. India orient. ♀.

16. *pruriens* L. In Indiis. ♀.

17. *urens* L. America merid. ♀.

18. *articulatus* La Marck. St. Domingo. ♀.

19. *hirsutus* Thunberg. Japonia.

20. *pilosus* Klein. India orient.

21. *minimus* L. Jamaica.

22. *tetraspermus* W. India orient.

23. *medicagineus* La Marck. Zeylon.

24. *lineatus* Thunberg. Japonia.

25. *ruber* Jacq. Martinica. ♀.

26. *subracemosus* Jacq. Carthagera. ♀.

27. *tuberosus* La Marck. Martinica. ♀.

28. *capensis* L. Cap. b. sp.

29. *scarabaeoides* L. India orient. ☉.

30. *reticulatus* Aiton. Nova Hollandia. ♀.

31. *bulbosus* L. In Indiis.

32. *falcatus* Klein. India orient.

33. *lobatus* W. Cap. b. sp.

(*D. trilobus* Houtt. yn.)

34. *argenteus* W. Guinea.

35. *aristatus* L. America. ☉.

- 36. filiformis L. Jamaica.
- 37. purpureus L. In Indiis. ☉.
- 38. regularis L. Virginia.
- 39. ciliatus Klein. India orient.
- 40. lignosus L. Ibid. ☿.
- 41. polystachyos L. Virginia.
- 42. luteus Swartz. Jamaica. ☿.

** Erecti.

- 43. ensiformis L. Jamaica. ☉.
(*D. acinaciformis* Jacq.)
- 44. pubescens W. India orient. ☉.
- 45. Soja L. India orient., Japonia. ☉.
- 46. Catiang L. India orient. ☉.
- 47. angularis W. Japonia.
- 48. biflorus L. India.
- 49. repens L. Jamaica.
- 50. roseus Swartz. Jamaica.
- 51. fabaeformis l'Héritier. Arabia, Ind. orient. ☉.
(*D. psoraloides* La Marck — *Psoralea tetragono-*
loba L. — *Lupinus trifoliatus* Cavanil.)

*** Dubii.

- 52. gibbosus Thunberg. Cap. b, sp.
- 53. decumbens Thunberg. Ibid.
- 350. GLYCINE. Glycine. T. IH. p. 1054.
 - 1. subterranea L. Brasilia, Surinam. ☉.
 - 2. clandestina Wendland. Nova-Hollandia. ☿.
 - 3. precatoria Humboldt. America calid. ☿. Enum.
pag. 756.
(*Indigofera volubilis* Wendland.)
- 3. farmentosa Roth. Carolina. ☉.
(*G. monoica* Schkuhr.)
- 4. monoica L. America sept. ☉.
- 5. angulosa Mühlenberg. Pennsylvania.
- 6. triloba L. India. ☉.
- 7. villosa Thunberg. Japonia.
- 8. javanica L. India orient., Japonia.

... H-b a

9. *angustifolia* Jacq. Cap. b. sp. 5.
10. *heterophylla* Thunberg. Ibid. 5.
11. *argentea* Thunberg. Ibid.
(*Ononis argentea* L.)
12. *glandulosa* Thunb. Ibid.
13. *totta* Thunb. Ibid. 5.
14. *erecta* Thunb. Ibid.
15. *comosa* L. Virginia.
16. *umbellata* Mühlenberg. Pennsylvania. 4.
17. *sericea* W. Guinea. 5.
18. *tenuiflora* Klein. India orient. 5.
19. *parviflora* La Marck. Ibid.
20. *debilis* Aiton. Ibid. 5.
21. *hedysaroides* W. Guinea. 5.
22. *phaseoloides* L. Jamaica; Hispaniola. 5.
23. *lucida* Forster. Ins. Societatis.
24. *labialis* L. India orient. 5.
25. *tomentosa* L. America bor. 4.
β. *Dolichos pubescens* L.
(*Dolichos pubescens* Enum. p. 754.)
26. *reticulata* Swartz. Jamaica. 5.
27. *mollis* W.
28. *picta* Vahl. Gujana, Trinidad. 5.
(*Cytisus violaceus* Aublet.)
29. *oana* W. India orient. 5.
30. *luaveolens* L. Madras. 5.
31. *striata* L. America torrida.
32. *caribaea* Jacq. In Caribaeis. 5.
33. *bituminosa* L. Cap. b. sp. 4.
34. *secunda* Thunb. Ibid.
35. *rosea* Forster. Ins. Societatis.
36. *rubicunda* Curtis. Nova-Hollandia. 5.
- 36a. *minima* W. Ibid. 4. Enum. p. 756.
- 36b. *humifusa* W. ♂. Enum. p. 756.
37. *coccinea* Curtis. Ibid. 5.
38. *rhombifolia* W. India orient.
39. *punctata* W. Ins. St. Dominici,

40. *Nymphaea* L. India orient.
 41. *floribunda* W. Japonia. 5.
 (*Dolichos polystachyos* Thunb., Houttuyn.),
 42. *Apios* L. Virginia. 4.
 43. *frutescens* L. Carolina. 5.
 44. *bimaculata* Curtis. Nova-Hollandia. 5.
 44a. *sagittata* Humboldt. Ad Havanam. 5. Enum.
 pag. 757.

1351. CYLISTA. Kelchbeutel. T. III. p. 1068.

1. *scariosa* Roxb. Coremandel. 5.

1352. CLITORIA. Clitorisblume. T. III. p. 1068.

1. *Ternatea* L. India orient. 4.

α. *major*, foliis oblongis obtusis.

β. foliis ovatis acutis minoribus.

γ. flore pleno.

δ. floribus coeruleis.

ε. floribus albis.

2. *multiflora* Swartz. Domingo. 5.

3. *brasiliensis* L. Brasilia.

4. *virginiana* L. Virginia, Jamaica. 4.

5. *mariana* L. America sept.

6. *Galactia* L. Jamaica.

1353. PISUM. Erbse. T. III. p. 1070.

1. *sativum* L. Europa. ☉.

β. *P. hortense majus* Bauhin.

γ. *P. sine cortice durior* Bauhin.

δ. *P. umbellatum* Bauhin.

ε. *P. quadratum* Bauhin.

2. *arvense* L. Europa. ☉.

3. *maritimum* L. Europa, Canada. 4.

4. *Ochrus* L. Creta, Italia. ☉.

1354. QROBUS. Walderbse. T. III. p. 1072.

1. *lathyroides* L. Sibiria. 4.

2. *hirsutus* L. Thracia. 4.

3. *luteus* L. Alpes Europae. 4.

4. *vernus* L. Europa. 4.

β. flore albo W.

U. B. GENT

44. *varius* Curtis. Italia, 4. Enum. p. 758.
(*O. versicolor* Gmelin.)
5. *tuberosus* L. Europa, 4.
β. *O. tenuifolius* Roth.
6. *albus* L. Austria, Pannonia, Sibiria, 4.
(*O. pannonicus* Jacq. — *O. austriacus* Cranz.)
7. *angustifolius* L. Sibiria, 4.
8. *canescens* L. Gallia, 4.
9. *atropurpureus* Desfont. Algeria, 4.
10. *niger* L. Europa, 4.
11. *pyrenaicus* L. In Pyrenæis, 4.
12. *sylvaticus* L. Anglia, Gallia, 4.
13. *ochroleucus* Walst. et Kit. Hungaria, 4.
355. LATHYRUS, Platterbse, T. III. p. 1077.
* *Pedunculis unifloris*.
1. *Aphaca* L. Europa. ☉.
2. *Nissolia* L. Gallia, Anglia, Germania, Helvetia, ☉.
3. *amphicarpos* L. Syria. ☉.
4. *Cicera* L. Hispania, ☉.
5. *fativus* L. Europa, ☉.
β. *flore fructuque albo* Bauhin.
6. *inconspicuus* L. Oriens, ☉.
(*L. parviflorus* Roth.)
7. *setifolius* L. Gallia, Italia, ☉.
8. *sphaericus* Retz. Ibid. ☉.
(*L. axillaris* La Marck. — *L. coccineus* Allion.)
9. *angulatus* L. Europa austr., Oriens, ☉.
10. *tumidus* La Marck, . . . ☉.
- 10a. *spurius* W. . . . ☉. Enum. p. 760.
11. *hirtus* La Marck, . . . ☉.
12. *monanthos* W. Asia ruthenica, Germania, ☉.
(*Ervum monanthos* L.)
13. *articulatus* L. Baetica, Gallia, ☉.
β. *humilior*.
** *Pedunculis bifloris*.
14. *odoratus* L. Sicilia, Zeylon, ☉.

α. ficulus.

β. zeylanicus.

15. *annuus* L. Hispania, Gallia. ⑤.

16. *tingitanus* L. Mauritania. ⑤.

17. *subulatus* La March. Brasilia.

β. pedunculis trifloris.

18. *Clymenum* L. Mauritania, Orione. ⑤.

19. *tenuifolius* Desfont. Algeria.

*** *Pedunculis multifloris.*

20. *hirsutus* L. Europa. ⑤.

21. *magellanicus* La March. Ad. fretum Magellan.

22. *nervosus* La March. Brasilia.

23. *sericeus* La March. Ibid.

24. *tomentosus* La March. Bonaria.

25. *tuberosus* L. Europa, Tataria. 24.

26. *rotundifolius* W. Tauria.

27. *pratensis* L. Europa. 24.

28. *sylvestris* L. Ibid. 24.

β. L. platyphyllus Retz. Fl. Rhod.

29. *latifolius* L. Europa. 24.

30. *heterophyllus* L. Ibid. 24.

31. *palustris* L. Ibid. 24.

32. *incurvus* W. 24.

(*Vicia incurva* Roth.)

33. *myrtifolius* Mühlenberg. Pennsylvania. 24.

34. *venosus* Mühlenberg. Ibid.

35. *japonicus* W. Japonia.

(*L. pisiformis* Houttuyn.)

36. *pisiformis* L. Germania, Sibiria. 24.

1356. *VICIA* Wicke. T. Hl. p. 1093.

* *Pedunculis elongatis.*

1. *pisiformis* L. Pannonia, Germania. 24.

2. *caroliniana* Walter. Carolina. 24.

3. *pontica* W. In Ponto.

4. *dithetrum* L. Gallia, Helvetia, Germania. 24.

5. *sylvatica* L. Europa. 24.

6. *americana* Mühlenberg. Pennsylvania. 4.
7. *variegata* W. Oriens. 4.
8. *cassubica* L. Germania, Gallia. 4.
(*V. Gerardt* Jacq., Allion.)
9. *atropurpurea* Desf. Ins. Stoschades, Alger.
10. *villosa* Roth. Germania, Austria, Hungaria. ☉.
11. *polyphylla* Desfont. Hungar., Oriens, Alger.
12. *Cracca* L. Europa. 4.
β. *floribus albis*.
13. *tenuifolia* Roth. Germania, Tauria, 4.
14. *onobrychioides* L. Europa austr., Barbar. ☉.
15. *biennis* L. Sibiria. ♂. ☉.
16. *altissima* Desfont. Barbaria. 4.
17. *nissoliana* L. Oriens. ☉.
18. *benghalensis* L. Bengalia. ☉.
19. *canarcana* Billard. Syria. ☉.
20. *capensis* Bergius. Cap. b. sp. 4.
21. *pellucida* Jacq. Ibid. 4.
22. *fruticosa* W. Peru. 4.
(*Lathyrus tomentosus* Cavanil.)
23. *Ervilia* W. Gallia, Italia, Helvetia, Oriens. ☉.
(*Ervum Ervilia* L.)
24. *biflora* Desfont. Algeria.
25. *oroboides* Wulfen. Croatia, Carniolia. 4.
** *Floribus axillaribus, subsessilibus.*
26. *fativa* L. Europa. ☉.
β. *floribus albo* Enam. p. 763.
27. *globosa* Retz. . . ☉.
28. *angustifolia* Roth. Germania. ☉.
(*V. fativa* β. *nigra* L.)
29. *amphicarpa* Dorthes. Provincia. ☉.
30. *pusilla* Mühlenberg. Pennsylvania. ☉.
31. *lathyroides* L. Europa. ☉.
32. *lutea* L. Europa, Oriens. ☉.
33. *hybrida* L. Gallia, Anglia, Austria. ☉.
34. *paenonica* Jacq. Austria, Hungaria. ☉.
β. *floribus violaceis* W.

35. *laevigata* Smith. Anglia. 2.
36. *fordida* Waldst. et Kit. Hungaria. ☉.
- 36a. *megalosperma* Bieberst. Tauria. ☉. Enum.
p. 764.
37. *peregrina* L. Gallia. ☉.
38. *monantha* Retz. Barbaria. ☉.
(*V. calcarata* Desfont.)
- 38a. *articulata* W. . . . ☉. Enum. p. 764.
- 38b. *Michauxii* Sprengel. . . . ☉. Enum. p. 765.
39. *sepium* L. Europa. 2.
40. *hithynica* L. Italia, Germania. 5.
41. *platycarpus* Roth. . . . 5.
42. *narbonensis* L. Gallia, Anglia, Sibiria. 5.
42. *Faba* L. Ad mare Caspium. 5.
β. minor.
44. *terratifolia* Jacq. Pannonia. 5.
1357. ERVUM. Erve. T. III. p. 1112.
1. *tetraspermum* L. Europa. ☉.
- 1a. *dispermum* Roxburgh. India orient. ☉.
2. Enum. p. 766.
2. *vicioides* Desfont. Algeria.
3. *hirsutum* L. Europa, Oriens. ☉.
1358. CICER. Kicher. T. III. p. 1113.
1. *arietinum* L. Hispania, Italia, Oriens. ☉.
2. *Lens* W. Germania, Gallia, Helvetia, Car-
niolia. ☉.
(*Ervum Lens* L.)
- β. *semine nigro* Enum. p. 766.
1359. LIPARIA. Liparie. T. III. p. 1114.
1. *sphaerica* L. Cap. b. sp. 5.
2. *capitata* Thunberg. Ibid. 5.
3. *tomentosa* Thunberg. Ibid. 5.
4. *vestita* Thunberg. Ibid. 5.
5. *graminifolia* L. Ibid. 5.
6. *myrtifolia* Thunberg. Ibid. 5.
7. *laevigata* Thunberg. Ibid. 5.
(*Borbonia laevigata* L.)

8. umbellifera Thunb. Ibid. h.
9. villosa L. Ibid. h.
 β . Genista Seba thes. t. 24. f. 2.
 γ . Lotus fruticosus L.
10. teres Thunb. Ibid. h.
11. hirsuta Thunb. Ibid. h.
12. tecta Thunb. Ibid. h.
13. sericea L.
1360. CYTISUS Bohmenbaum. T. III. p. 118.
1. Laburnum L. Europa austr. h.
14. alpinus W. Scotia, Sabaudia, Hungaria. h.
 Enum. p. 767.
 (C. Laburnum β . Aiton.)
2. nigricans L. Germania, Italia, Imp. Austriacum. h.
3. foliolosus l'Héritier. In Canariis. h.
4. divaricatus l'Héritier. Hispania, Gallia. h.
 (Spartium complicatum L.)
5. ponticus W. In Ponto. h.
6. sessilifolius L. Italia, Galloprovincia. h.
7. wolgaricus L. Ad Wolgam. h.
 (C. pinnatus Pallas.)
8. hispidus W. Guinea. h.
 (Robinia guineensis Enum. p. 769.)
9. tericens W. Tranquebar. h.
10. Cajan L. Zeylon, Java, America calid. h.
 β . C. Pseudocajan Jacq. — Enum. p. 767.
11. hirsutus L. Hispania, Italia. h.
12. capitatus Jacq. Austria, Italia, Sicilia, Gall. h.
 (C. supinus L.)
13. austriacus L. Austria, Italia, Sibiria. h.
14. leucanthus Waldst. et Kit. Banatus. h.
15. purpureus Scopoli. Carniolia, Croatia, Forijulium. h.
154. elongatus Waldst. et Kit. Banatus. h. Enum. pag. 768.

135. *falcatulus* Walst. et Kit. Croatia, Banatus. *h.*
Enum. p. 768.

16. *supinus* Jacq. Austria, Pannonia, Sclavonia. *h.*

17. *biflorus* Aiton. Hungaria. *h.*
(*C. glaber* L.)

18. *triflorus* P. Herit. Barbaria, Hispania. *h.*

19. *proliferus* L. Teneriffa. *h.*

20. *pauciflorus*

20a. *nanus* W. *h.*

21. *lotoides* W. *h.*

22. *pygmaeus* A *h.*

23. *argenteus* E *h.*

24. *gracilis* L. *h.*

1361. MOLLERA.

1. *moniliformis* L. Surinam. *h.*

1362. GEOFFROYA. Geoffroye. T. III. p. 1129.

1. *spinosa* L. Brasilia. *h.*

2. *surinamensis* Bondl. S *h.*

3. *inermis* Swartz. Jamaica *h.*

1363. DIPHYSA. Blasenfehote.

1. *carthagenensis* Jacq. *h.*

(*ces.* *h.*)

1364. ROBINIA. Robinia. T. III. p. 1131.

1. *Pseudacacia* L. America bor. *h.*

2. *Robinia inermis* Enum. p. 769.

3. *viscosa* Ventenat. Carolina. *h.*

4. *violacea* L. Carthagera. *h.*

5. *striata* W. Carracas. *h.*

6. *hispida* L. Florida, Carolina, Virginia, Pen-

sylvania. *h.*

7. *topiaria* Swartz. Carthagera, Hispaniola. *h.*

8. *inquamata* Vahl. Ins. St. Thomas Americas. *h.*

9. *uliginosa* Roxburgh. India orient. *h.*

10. *securifera* W. Gujana. *h.*

(*R. Nicot. Aublet.*)

11. *tomentosa* W. Gajenna, Gujana. *h.*

(*R. Panacoco Aublet.*)

11. *Florida* Vahl. Ins. Krabben Eiland et St. Jo-
hannis Americæ. B.
12. *Caragana* L. Sibiria. B.
13. *Altagana* l'Héritier. Davuria. B.
14. *jubata* Pallas. Ad lacum Baical. B.
15. *cragacanthoides* Pallas. Ibid. B.
16. *spinosa* L. Sibiria. B.
(*R. ferox* Pallas. — *R. spinosissima* Laxmann.)
17. *Halodendro* B.
 β. *R. triflora* L.
18. *Chamlagu* B.
19. *frutescens* B.
20. *pygmæa* L.
1365. **COLUTEA** B. T. III. p. 1139.

* *Fruticoseæ.*

1. *arborescens* L. Anglia, Helvetia, Gallia,
Italia. B.
2. *media* W. B. Enum. p. 771.
3. *cruenta* Aiton. Germania, Italia, Tauria,
Oriens. B.
(*C. orientalis* du Roi. La Marck. Cavanil. —
C. sanguinea Pallas. — *C. humilis* Scopoli.)
4. *Pocockii* Aiton. Oriens. B.
(*C. halepica* La Marck. — *C. istria* Miele.)
5. *frutescens* L. Cap. b. sp. B.
6. *rigida* Thunb. Ibid. B.
7. *obtusata* Thunb. Ibid. B.

** *Herbaceæ.*

7. *linearis*, Thunb. Cap. b. sp.
8. *herbacea* L. Cap. b. sp. ♂. ♀.
(*Lessertia annua* de Candol. — Enum. p. 772.
Colutea annua Murray.)
9. *perennans* Aiton. Cap. b. sp. 4. ♂.
(*C. fistulosa* Retz. — *C. pubescens* Thunberg. —
Lessertia perennans de Cand. — Enum. p. 772.)
10. *prostrata*, Thunb. Cap. b. sp.
11. *excisa* Thunb. Ibid.

12. *vesicaria* Thunb. Ibid.
 13. *tomentosa* Thunb. Ibid.
 1366. GLYCYRRHIZA. Süfsholz. T. III. p. 1143.
 1. *echinata* L. Apulia, Tataria. 4.
 2. *foetida* Desfont. Atlas. 4.
 3. *glandulifera* Waldst. et Kit. Hungaria. 4.
 4. *glabra* L. Gallia, Hispania, Italia. 4.
 5. *asperma* L. Inter Wolgam et Jaicum. 4.
 6. *hirsuta* L. Oriens. 4.

1367. CORONILLA. Peltschen. T. III. p. 1149.

* *Floribus racemosis.*

1. *grandiflora* W. India orient. 5.
 (*Aeschynomene grandiflora* L.)
 2. *coccinea* W. India orient., Ins. Societatis et
 Botanices. 5.
 (*Aeschynomene coccinea* Forsk., L.)
 3. *occidentalis* W. India occid. 5.
 4. *Sesban* W. Aegyptus. 5.
 (*Aeschynomene Sesban* L.)
 5. *aculeata* W. Zeylon, Malabar. 5.
 (*Aeschynomene bispinosa* Jacq.)
 5. *sericea* W. Enum. p. 773.
 6. *cannabina* W. Malabar. 5.
 (*Aeschynomene cannabina* Rätz.)
 7. *pecta* W. Nova-Hispania. 5.
 (*Aeschynomene pecta* Cavanil.)
 8. *virgata* W. Nova-Hispania.
 (*Aeschynomene virgata* Cavanil.)

** *Floribus umbellatis.*

9. *Emerus* L. Italia, Gallia, Helvetia, Austr. 5.
 β. minor.
 10. *junceae* L. Gallia. 5.
 11. *valentina* L. Hispania, Italia. 5.
 12. *glauca* L. Gallia. 5.
 13. *inquamea* Cavanil. Hispania. 4.
 14. *coronata* L. Europa. 4.
 (*C. montana* Scopoli.)

15. minima L. Europa austr. 2.
 16. pentaphylla Desfont. Algeria. 5.
 17. argentea L. Creta. 5.
 18. cappadocica W. Cappadocia.
 19. vaginalis La Marck. Italia. 2.
 20. Securidaca L. Hispania. ☉.
 21. varia L. Europa. ☉.
 22. globosa La Marck. Creta. 2.
 23. cretica L. Creta. ☉.
 24. parviflora W. Creta. 2.
 25. scandens L. America calid.
1368. ORNITHOPUS. Vogelfuss. T. III. p. 1155.
1. perpusillus L. Europa. ☉.
 - β. ☉. intermedius Roth.
 - γ. ☉. nodosus Miller.
 2. compressus L. Italia, Sicilia. ☉.
 - 2a. heterophyllus Brotero. Lusitania. ☉. Enum. p. 775.
 3. durus Cavanil. Hispania. 2.
 4. scorpioides L. Gallia, Italia, Hispania. ☉.
 5. tetraphyllus L. Jamaica.
1369. HIPPOCREPIS. Pferdehufschote. T. III. p. 1158.
1. unisiliquosa L. Italia, Helvetia, Gallia. ☉.
 2. multisiliquosa L. Gallia, Hispania, Italia. ☉.
 3. balearica Jacq. Minorca. 5.
 4. comosa L. Germania, Gallia, Italia, Angli. 2.
1370. SCORPIURUS. Scorpionkraut. T. III. p. 1159.
1. vermiculata L. Europa austr. ☉.
 2. purpurea Desfont. Algeria. ☉.
 3. muricata L. Europa austr. ☉.
 4. fulcata L. Ibid. ☉.
 5. subvillosa L. Ibid. ☉.
1371. SMITHIA. Smithie. T. III. p. 1161.
1. sensitiva Aiton. India orient. ☉.
1372. AESCHYNOMENE. Schappflanze. T. III. pag. 1162.

1. *arborea* L. India. 5.
2. *aristata* Jacq. Domingo, Ins. St. Crucis. 5.
3. *sensitiva* Swartz. Jamaica, Martinica. 5.
4. *aspera* L. India orient. ☉.
5. *hispida* W. America bor. ☉.
6. *americana* L. Jamaica. ☉.
64. *viscidula* Roxburgh. India orient. ☉. Enum.
p. 776.

7. *indica* L. India.
 8. *diffusa* Klein. Tranquebar. ☉.
 9. *pumila* L. India. ☉.
1373. **STYLOSANTHES.** Säulenblume. T. III.
p. 1165.

1. *procumbens* Swartz. Jamaica. 4.
(*Hedysarum hamatum* L.)
2. *viscosa* Swartz. Jamaica. 4.
(*Hedysarum hamatum* β. L.)
3. *mucronata* W. Zeylon, Tranquebar. 4.
(*Arachis fruticosa* Retz.)
4. *elatio*r Swartz. Carolina, Virginia, Pennsylvania.
(*Trifolium biflorum* L.)
5. *gujanensis* Swartz. Gujana.
(*Trifolium gujanense* Aublet.)

1374. **HALLIA.** Hallie. T. III. p. 1167.

1. *alata* Thunberg. Cap. b. 1p.
2. *flaccida* Thunberg. Ibid.
3. *virgata* Thunberg. Ibid.
4. *cordata* Thunberg. Ibid. 5.
(*Hedysarum cordatum* Jacq. — *Glycine monophylla* L.)
5. *Asarina* Thunberg. Ibid. 5.
6. *hirta* W. Tranquebar. 5.
7. *inbricata* Thunberg. Cap. b. 1p. 5.
8. *sororia* W. India orient. 4.
(*Hedysarum sororium* L.)

1375. **HEDYSARUM.** Hahnenkopf. T. III. p. 1171.
* *Foliis simplicibus.*

1. *Alhagi* L. Tataria, Persia, Syria, Mesopotamia. 5.
 2. *bupleurifolium* L. India.
 3. *gramineum* Retz. Tranquebar. ☉. 5.
 4. *glumaceum* Vahl. Arabia fel. 4.
 5. *rugosum* W. Guinea. 4.
 6. *nummularifolium* L. India orient. 4.
 7. *moniliferum* L. Ibid. 4.
 8. *styracifolium* L. Asia. 5.
 9. *reniforme* L. India.
 10. *velutinum* W. America calid. 5.
 11. *gangeticum* L. India orient. 5.
 12. *maculatum* L. Ibid. ☉.
 13. *latebrosus* L. Ibid. 5.
 14. *vaginale* L. Ibid. ☉.
 15. *triquetrum* L. Ibid.
 16. *strabiliferum* L. Ibid. 5.
 17. *Vespertilionis* L. Cochinchina. ☉. ♂.
- ** *Foliis conjugatis.*
18. *diphyllum* L. India orient. ☉.
β. *H. diphyllum* Swartz. In Antillis.
 19. *conjugatum* W. Zeylon. ☉.
(*H. diphyllum* β. L.)
- *** *Foliis ternatis.*
20. *pulchellum* L. India. 5.
 21. *spartium* L. India orient. 5.
 22. *lineatum* L. Zeylon.
 23. *diffusum* W. Tranquebar. 5.
 24. *incanum* Swartz. Jamaica, Hispaniola. 5.
 25. *dichotomum* Klein. Tranquebar. 5.
 26. *tomentosum* Thunberg. Japonia.
 27. *retroflexum* L. India. 5.
 28. *striatum* Thunberg. Japonia.
 29. *sericeum* Thunberg. Ibid. 5.
 30. *umbellatum* L. Zeylon, Java, Ins. Mauriti. 5.
 31. *australe* W. Ins. Tanna, Nova-Caledonia. 5.
 32. *squarrosum* Thunberg. Cap. b. sp.

33. *biarticulatum* L. India orient. 5.
34. *lappaceum* Vahl. Arabia fel. 5.
35. *heterocarpon* L. India orient. 5.
36. *adscendens* Swartz. Jamaica. 5.
37. *mauritianum* W. Ins. Mauritii. 4.
38. *gyrans* L. Bengal. ♂.
39. *trigonum* Swartz. Jamaica. 5.
(*H. adherens* Vahl.)
40. *canadense* L. Virginia, Canada. 4.
41. *canescens* L. Virginia. 4.
42. *repandum* Vahl. Arabia fel. 5.
43. *capitatum* Burmann. Zeylon. 5.
44. *marilandicum* L. Carolina, Virginia. 4.
- 44^a. *serotinum* W. . . . 4. Enum. p. 777.
45. *obtusum* Mühlenberg. Pennsylvania. 4.
46. *supinum* Swartz. Jamaica. 5.
47. *tortuosum* Swartz. India occid. 5.
48. *molle* Vahl. Ins. St. Crucis. 5.
49. *microphyllum* Thunberg. Japonia. 5.
50. *viridiflorum* L. Virginia. 4.
51. *racemosum* Thunb. Japonia. 5.
52. *frutescens* L. America bor. 5.
53. *hirtum* L. Ibid. 5.
54. *trichocarpum* Stephan. Sibiria. 5.
55. *juncum* L. Sibiria, Tataria. ☉.
56. *reticulatum* Mühlenberg. America bor. 4.
57. *villosum* W. . . . 4.
58. *violaceum* L. Virginia.
59. *divergens* Mühlenberg. America bor. 4.
60. *ciliare* Mühlenberg. Ibid. 4.
61. *paniculatum* L. Virginia. 4.
62. *caudatum* Thunb. Japonia.
63. *tuberosum* Roxburgh. India orient. 5.
64. *cuspidatum* Mühlenberg. America bor. 4.
65. *glutinosum* Mühlenberg. Ibid. 4.
66. *nudiflorum* L. Virginia, Pennsylvania. 4.

67. axillare Swartz. Jamaica. 4.

68. pilosum Thunb. Japonia.

69. spirale Swartz. Jamaica. 5.

(*H. procumbens* Miller.)

70. Scorpiurus Swartz. Hispaniola, Jamaica.

71. biflorum W. India orient.

72. prostratum Mühlenberg. Pennsylvania. 4.

73. repens L. Virginia. 4.

74. virgatum Thunberg. Japonia.

75. heterophyllum W. Zeylon. 4.

(*H. triflorum* β. L.)

76. triflorum L. Malabar, Zeylon, China, Jamaica, Gujana. 4.

(*H. stipulaceum* Burmann.)

77. ciliatum Thunb. Cap. b. sp. 4.

β. foliis glabris.

78. tetraphyllum Thunb. Ibid.

79. barbatum L. Jamaica.

80. lagopodioides L. China.

81. uncinatum Jacq. Carracas. 5.

82. volubile L. America sept.

*** *Foliis pinnatis.*

83. pictum Jacq. Guinea. 5. ♂.

84. argenteum L. Sibiria. 4.

(*H. grandiflorum* Pallas.)

85. nitidum W. America? 4.

86. varium W. America. 4.

87. fruticosum Pallas. Sibiria, Davuria. 5.

88. Sennoides W. India orient. 5.

89. alpinum L. Sibiria. 4.

90. obscurum L. Alpes Europae. 4.

91. tauricum Pallas. Tauria. 4.

92. incarnatum W. Japonia.

(*H. incanum* Thunberg.)

93. carnosum Desfont. Barbaria. 4.

94. coronarium L. Italia. 4.

95. flexuosum L. Asia. ☉.

96. pallidum *Desfont.* Atlas. 4.
 97. capitatum *Desfont.* Barbaria.
 98. humile *L.* Gallia, Hispania. 4.
 99. muricatum *Jacq.* Patagonia. 4.
 100. spinosissimum *L.* Hispania. ☉.
 101. virginicum *L.* Virginia.
 102. pumilum *L.* Hispania. 5.
 103. venosum *Desfont.* In regno Tunetano. 4.
 104. circinatum *W.* Cappadocia. 4.
 105. Tournefortii *W.* Armenia. 4.
 106. Pallasii *W.* Tauria. 4.
 (*H. Buxbaumianum* Pallas.)
 107. ornatum *W.* Galatia. 4.
 108. *Onobrychis L.* Sibiria, Gallia, Anglia, Germania, Bohemia. 4.
 β. *Onobrychis inaeana*, foliis longioribus *C. B.*
 108a. carpatium *Waldst. et Kit.* In Carpathicis montibus. 4. *Enum.* p. 779.
 109. album *Waldst. et Kit.* Banatus. 4.
 110. saxatile *L.* Galloprovincia, in agro Nicaeensi, Sibiria. 4.
 111. petraeum *Pieberst.* Caucasus. 4.
 112. confertum *Desfont.* In regno Tunetano. 4.
 113. Caput galli *L.* Galloprovincia. 4. ☉.
 114. Crista galli *L.* Europa austr. ☉.
 115. crinitum *L.* India orient. 5.
 116. comosum *Vahl.* Ibid. 5.
 117. cornutum *L.* Oriens. 5.
 1376. INDIGOFERA *A.* Indigo. T. III, p. 1220.

* *Foliis simplicibus.*

1. filifolia *Thunb.* Cap. b. sp.
 2. linifolia *Vahl.* India orient. ☉.
 (*I. polygonoides* *Wendland.* — *Hedysarum linifolium L.*)
 3. simplicifolia *La Marck.* Sierra Leone.
 4. sericea *L.* Cap. b. sp. 5.

500 CLASSIS XVII. DIADELPHIA.

5. oblongifolia Vahl. Arabia fel. ̄.

6. depressa Thunb. Cap. b. sp. ̄.

(*Ulex capensis* L.)

7. ovata Thunb. Ibid.

8. echinata W. Tranquebar. ☉.

** *Foliis ternatis.*

9. trifoliata L. India.

10. psoraloides L. Cap. b. sp. ̄.

10a. rigida W. India orient. ̄. Enum. p. 780.

11. candicans Aiton. Ibid. ̄.

12. amoena Aiton. Ibid. ̄.

13. incana Thunb. Ibid. ̄.

14. cinerea W. India orient.

15. spinosa Vahl. Arabia fel., India orient. ̄.

16. procumbens L. Cap. b. sp. 4.

17. prostrata W. India orient.

18. sarmentosa Thunb. Cap. b. sp.

19. denudata Thunb. Ibid. ̄.

20. erecta W. Ibid.

21. mexicana L. Nova-Granada. ̄.

22. glandulosa Roxburgh. India orient. ☉.

23. trita L. India orient.

24. arcuata W. Ibid.

*** *Foliis quinatis.*

25. coriacea L. Cap. b. sp. ̄.

26. filiformis Thunb. Ibid.

27. digitata Thunb. Ibid. ̄.

**** *Foliis pinnatis.*

28. enneaphylla L. India orient. ☉.

29. pentaphylla L.

30. semitrijuga Forsk. Arabia, India orient. ̄.

31. fragrans Retz. India orient.

32. glabra L. India. ☉.

33. cytisoides L. Cap. b. sp. ̄.

34. frutescens Thunb. Ibid. ̄.

35. stricta Thunb. Ibid. ̄.

36. hendecaphylla Jacq. Guinea. ☉.

37. *lateritia* W. Guinea. ☉.
 (*I. hirsuta* Jacq.)
 38. *hirsuta* L. India orient. ☿.
 39. *spicata* Vahl. Arabia fel.
 40. *angustifolia* L. Cap. b. sp. ☿.
 41. *capillaris* Thunb. Ibid. ☿.
 42. *dendroides* Jacq. Guinea. ☉.
 43. *australis* W. ☿.
 44. *punctata* Thunb. Cap. b. sp.
 45. *viscosa* La Marck. India orient. ☉.
 (*I. gravecolens* Schrader et Wendland.)
 46. *inquinans* W. Ins. St. Dominici. ☉.
 47. *Anil* L. India orient. ☿.
 48. *tinctoria* L. Ibid. ☿.
 49. *disperma* L. In Indiis.
 50. *argentea* L. Aegyptus, Arabia, India ori-
 ent. ☿.

(*I. glauca* La Marck.)

51. *pulchra* W. Guinea.
 1377. GALEGA. Geisraute. T. III. p. 1239.

* *Foliis ternatis.*

1. *filifolia* Thunb. Cap. b. sp.
 2. *pusilla* Thunb. Ibid.
 3. *falcata* Thunb. Ibid.
 4. *filiformis* Jacq. America calid. ☿,
 5. *sericea* Thunb. Cap. b. sp.
 6. *totta* Thunb. Ibid.
 7. *longifolia* Jacq. America calid. ☿.

** *Foliis pinnatis.*

8. *officinalis* L. Hispania, Italia, Helvetia,
 Germania, Africa bor. 2.
 9. *orientalis* La Marck. Oriens. 2.
 10. *stricta* Thunb. Cap. b. sp.
 11. *davurica* Pallas. Davuria. 2.
 12. *cinerea* L. Jamaica. ☉.
 13. *tomentosa* Vahl. Arabia fel.
 14. *littoralis* L. Carthagena. 2.

(*Vicia littoralis* Jacq.)

- 15. *toxicaria* Swartz. India, occid. 5.
- 16. *virginiana* L. Virginia, Canada.
- 17. *grandiflora* Thunb. Cap. b. sp. 5.
- 18. *stricta* Aiton. Ibid. 5.

(*G. pulchella* Vahl.)

- 184. *G. mucronata* Thunb. Cap. b. sp. 5. Enum. pag. 781.

- 19. *pallens* Aiton. Ibid. 5.

(*G. humilis* Thunb.)

- 20. *villosa* L. India orient. 5.

β. *Coronilla zeylanica* Burmann.

- 21. *Colutea* Burmann. India orient. 5.
- 22. *maxima* L. Zeylon.
- 23. *piscatoria* Aiton. India orient., Insulae Maris pacifici. 5.

(*G. littoralis* Forster.)

- 24. *purpurea* L. Zeylon. 5.
- 25. *caribaea* L. In Caribaeis. 5.
- 26. *ochroleuca* Jacq. 5.
- 27. *coerulea* L. America merid.
- 28. *tinctoria* L. Zeylon. 5.
- 29. *linearis* W. Guinea.
- 30. *domingensis* W. St. Domingo. ☉.
- 31. *mimosoides* W. India orient. 5.
- 32. *dubia* Jacq. Cap. b. sp.
- 33. *capensis* Thunb. Ibid. 5.
- 34. *spinosa* L. Coromandel 5.
- 35. *pinnata* Thunb. Cap. b. sp.
- 36. *pumila* La Marck. Guinea, Madagascar.
- 37. *lenticosa* L. Zeylon. 5.

- 1378. PHACA. Berglinse. T. III. p. 1251.

- 1. *baetica* L. Hispania, Lusitania. 4.
- 2. *floridana* W. Florida. ☉.

(*Robinia vesicaria* Jacq.)

- 3. *falsula* Pallas. Davuria. 4.
- 4. *alpina* Jacq. Alpes Europae. 4.

(*Colutea alpina* La Marck.)

5. frigida Jacq. Alpes Europae. 4.
(*P. alpina* L.)

6. australis L. Alpes Europae austr. 4.
(*P. Halleri* Villars.)

7. arenaria Pallas. Sibiria. 4.

8. halicacaba W. Galatia. 4.

9. trifoliata L. China.

10. vesicaria L. Armenia. 4.

11. incana Vahl. Armenia. 4.

1379. ASTRAGALUS. Traganth. T. III. p. 1256.

* *Caulibus foliosis erectis, floribus axillaribus.*

1. christianus L. Armenia. 4.

2. Sieversianus Pallas. Sibiria. 4.

3. tomentosus La Marck. Aegyptus. 4.

** *Caulibus foliosis erectis, spicis cylindraceis axillaribus subsessilibus.*

4. alopecuroides L. Sibiria, Hispania. 4.
(*A. alopecurus* Pallas.)

5. maximus W. Armenia. 4.

6. Alopecias Pallas. Sibiria. 4.

7. narbonensis Gouan. Gallia, Hispania. 4.

8. ponticus Pallas. Tauria. 4.

β. *A. orientalis glaber galegae foliis* Tournef. Armenia.

9. vulpinus W. Sibiria. 4.

(*A. alopecuroides* Pallas.)

*** *Caulibus foliosis erectis, spicis racemisque pedunculatis.*

10. macrocephalus W. Galatia. 4.

11. capitatus L. Oriens.

12. Dasyanthus Pallas. Sibiria, Caucasus, Hungaria. 4.

(*A. Ericephalus* Waldst. et Kit.)

13. fragiformis W. Sibiria. 4.

(*A. anthylloides* Pallas.)

14. onobrychioides Bieberst. Persia. 4.

(*A. cephalotes* Pallas.)

- 15. *pilosus* L. Sibiria, Germania. 4.
- 16. *dealbatus* Pallas. Tauria, Caucasus. 5.
- 17. *fulcatus* L. Sibiria. 4.

(*A. leptostachys* Pallas.)

- 18. *hedysaroides* W. Armenia. 4.
- 19. *floribundus* Pallas. Sibiria. 4.
- 20. *versicolor* Pallas. Sibiria. 4.
- 21. *leptostachys* Sievers. Sibiria. 4.
- 22. *melilotoides* Pallas. Sibiria. 4.
- 23. *hyrcanus* Pallas. Ad Derbent. 5.
- 24. *virgatus* Pallas. Ad mare Caspium, Hungaria. 5.

(*A. varius* Gmelin, La Marck.)

- 25. *Garbanzillo* Cavanil. Peru. 5.
- 26. *vimineus* Pallas. Sibiria. 5.
- 27. *Arbuscula* Pallas. Sibiria. 5.
- 28. *aduncus* W. Armenia. 5.
- 29. *fruticosus* Pallas. Sibiria. 5.
- 30. *vaginatus* Pallas. Sibiria. 4.
- 31. *tenuifolius* L. Sibiria. 4.
- 32. *peregrinus* Vahl. . . .
- 33. *asper* Jacquin. Ad mare Caspium, Hungaria. 4.

(*A. chloranthus* Pallas.)

- 34. *galegiformis* L. Armenia, Caucasus. 4.
- 35. *chinensis* L. China. 4.
- 36. *virescens* Aiton. Sibiria, Armenia, Africa bor 4.

(*A. falcatus* Vahl, La Marck, Desfont, Pallas. —
A. isetensis Hortulan.)

- 37. *uliginosus* L. Sibiria. 4.
- 38. *carolinianus* L. Carolina. 4.
- 39. *Schanginianus* Pallas. Sibiria. 4.

*** *Caulibus foliosis, diffusis.*

- 40. *canadensis* L. Virginia, Canada. 4.
- 41. *odoratus* La Marck. Oriens. 4.
- 42. *Cicer* L. Europa. 4.

43. *glycyphyllos* L. Europa. 4.
 43a. *reptans* Humboldt. Mexico. 4. Enum. p. 783.
 44. *lanatus* Pallas. Tauria. 4.
 45. *tunetanus* W. In regno Tunetano. 4.
 (*A. leptophyllus* Desfont.)
 46. *microphyllus* L. Harcynia, Thuringia. 4.
 47. *parviflorus* La Marck. Sibiria ☉. ♂.
 (*A. hians* Jacq. — *A. retroflexus* Pallas.)
 48. *trimestris* L. Aegyptus. ☉.
 49. *hamosus* L. Europa australis, Africa borealis. ☉.
 50. *annularis* Forsk. Aegyptus.
 (*A. maculatus* La Marck.)
 51. *scorpioides* Pourret. Hispania. ☉.
 52. *contortuplicatus* L. Sibiria, Hungaria. ☉.
 53. *baeticus* L. Sicilia, Lusitania, Hispania,
 Tauria. ☉.
 54. *Stella* L. Gallia, Hispania, Africa bor. ☉,
 β. *A. subulatus* Desfont.
 55. *sesameus* L. Gallia, Italia. ☉.
 56. *geniculatus* Desfont. Barbaria. ☉.
 57. *pentaglottis* L. Hispania. ☉.
 (*A. dasyglottis* Pallas. — *A. echinatus* Murray. —
 A. cristatus Gouan.)
 58. *epiglottis* L. Oriens, Gallia, Hispania. ☉.
 59. *hypoglottis* L. Europa, Barbaria. 4.
 (*A. arenarius* Hudson, Pallas, Leysser. — *A.*
 danicus Retz, Roth, Hoffmann. — *A. Glaux*
 Villars.)
 60. *lyriacus* L. . . . 4.
 61. *humifusus* W. Cappadocia. 4.
 62. *leontinus* Jacq. Alpes tyrolens. helvet. 4.
 63. *tauricus* Pallas. Tauria. 4.
 64. *lunatus* Pallas. Persia. 5.
 65. *austriacus* L. Imp. Austriac., Russia, Tau-
 ria. 4.
 (*A. dichopterus* Pallas.)
 66. *subulatus* Pallas. Tauria, Sibiria. 5.

506 . CLASSIS XVII. DIADELPHIA.

67. *arenarius* L. Germania Scania. 4.
 68. *leucophaeus* Smith. 4.
 69. *depressus* L. In Pyrenaeis, Delphinatu,
 Sabaudia. 4.
 70. *Glaux* L. Hispania. ☉.
 71. *reduncus* Pallas. In imperio Ruthenico. 4.
 72. *sinicus* L. China. ☉.
 (*A. lotoides* Pallas.)
 73. *lineatus* La Marck. Oriens. 4.
 74. *albidus* Waldst. et Kit. Gallia, Italia, Hun-
 garia. 5.
 (*A. vesicarius* L., Allion, -Villars.)
 75. *nigrescens* Pallas. Russia. 4.
 76. *ornithopodioides* La Marck. Oriens. 4.
 77. *fragrans* W. Cappadocia. 4.
 78. *declinatus* W. Armenia. 4.
 79. *barbatus* La Marck. Armenia. 4.
 β. *A. hispidus* Billard.
 80. *Onobrychis* L. Helvet., German., Sibir. 4.
 81. *adsurgens* Pallas. Sibiria. 4.
 82. *Laxmanni* L. Sibiria. 4.
 83. *alpinus* L. Alpes Europae. 4.
 84. *pumilio* Pallas. In insulis Curilis. 4.
 85. *pygmaeus* Pallas. Sibiria. 4.
 86. *Ammodytes* L. Sibiria. 4.
 ***** *Caulescentes s. Acaules. foliis verticillato-*
 pinnatis.
 87. *dasyphyllus* Pallas. Sibiria. 4.
 (*Phaca sibirica* L.)
 88. *verticillaris* L. Sibiria. 4.
 (*A. myriophyllus* Pallas.)
 89. *polyphyllus* W. Sibiria. 4.
 (*A. microphyllus* Pallas. — *Phaca microphylla* L.)
 90. *sylvaticus* Pallas. Davuria. 4.
 91. *muricatus* Pallas. Ad Jeniseam et lacum
 Baical. 4.
 (*Phaca muricata* L.)

92. *daguricus* Pallas. Sibiria. 4.

(*Phaca prostrata* L.)

93. *oxyphyllus* Pallas. Sibiria. ♂.

94. *Baicalia* Pallas. Ad lacum Baical. 4.

95. *linarius* Pallas. Sibiria. 4.

***** Scapo nudo, absque caule folioso.

96. *cymbiformis* Brotero. Lusitania. ☉.

97. *montanus* L. Alpes Europae. 4.

98. *physodes* L. Sibiria, Tauria. 4.

99. *ampullatus* Pallas. Sibiria. 4.

100. *caespitosus* Pallas. Davuria. 4.

101. *longiflorus* Pallas. Tataria. 4.

102. *utriger* Pallas. Ural, Tauria. 4.

103. *caprinus* L. Barbaria. 5.

104. *longaricus* Pallas. Sibiria. 4.

105. *caudatus* Pallas. Sibiria. 4.

106. *follicularis* Pallas. Sibiria. 4.

107. *densifolius* La Marck. Oriens. 4.

β. *A. emarginatus* Billard.

108. *hirsutus* Vahl. Oriens. 4.

109. *globosus* Vahl. Armenia. 4.

110. *libanotis* W. In Libano. 4.

(*A. lanatus* Billard.)

111. *bicolor* La Marck. Oriens. 4.

112. *psoraloides* La Marck. Oriens. 4.

113. *Laguroides* Pallas. Sibiria. 4.

114. *lupulinus* Pallas. Ibid. 4.

115. *leucanthus* Pallas. Ibid. 4.

116. *argentatus* Pallas. Ibid. 4.

117. *candicans* Pallas. Ibid. 4.

118. *grandiflorus* Pallas. Ibid. 4.

119. *altaicus* Pallas. Ibid. 4.

120. *fetosus* Pallas. Ibid. 4.

121. *ambiguus* Pallas. Ibid. 4.

122. *uralensis* L. Sibiria, Helvetia, Carinthia, in Pyrenaeis. 4.

123. *sordidus* W. Alpes Scotiae, Norvegiae. 4.

(*A. uralensis* Fl. dan., Lightfoot.)

- 124. *baicalensis* Pallas. Sibiria. 4.
- 125. *monspessulanus* L. Monspeli, Helvetia. 4.
- 126. *elongatus* W. Galatia. 4.
- 127. *latifolius* La Marck. Oriens. 4.
- 128. *cinereus* W. Armenia. 4.
- 129. *alyssoides* La Marck. Oriens. 4.
- 130. *incanus* L. Galloprovincia. 4.
- 131. *incurvus* Desfont. Algeria. 4.
- 132. *rotundifolius* W. In regno Tunetano. 4.

(*A. nummularius* Desfont.)

- 133. *macrorhizus* Cavanil. Hispania. 4.
- 134. *campestris* L. Oelandia, Germania, Gallia, Helvetia. 4.
- 135. *viscosus* Villars. Delphinatus, Helvetia, Pedemont. 4.

β. *A. foetidus* Villars.

- 136. *leptophyllus* Pallas. Sibiria. 4.
- 137. *sanguinolentus* Bieberst. Ad mare Caspium. 4.
- 138. *uncatus* L. Aleppo. 4.
- 139. *pauciflorus* Pallas. Davuria. 4.
- 140. *buchtormensis* Pallas. Sibiria. 4.
- 141. *testiculatus* Pallas. Ad mare Caspium. 4.
- 142. *rupifragus* Pallas. Tauria. 4.
- 143. *diffusus* W. Tauria. 4.

(*A. dolichophyllus* Pallas.)

- 144. *galactites* Pallas. Sibiria. 4.
- 145. *nummularius* La Marck. Creta. 4.
- 146. *lanigerus* Desfont. Barbaria. 4.
- 147. *exscapus* L. Helvetia, Germania, Hungaria, Oriens. 4.

- 148. *tragacanthoides* L. Armenia. 4.
- 149. *triphyllus* Pallas. Ad lacum Baical. 4.

***** *Fruticosi et suffruticosi petiolis spinescentibus persistentibus.*

- 150. *Lagopodioides* Vahl. Armenia. 5.
- 151. *Lagurus* W. Armenia. 5.

(*A. Lagopodioides* La Marck.)

152. *angustifolius* La Marck. Armenia. H.

153. *pungens* W. Galatia. H.

154. *Tragacantha* L. Aragonia, Gallia, Sicilia, Barbaria. H.

(*A. massiliensis* La Marck.)

155. *echioides* l'Heritier. Creta. H.

156. *retusus* W. Oriens. H.

157. *Poterium* Vahl. Granada, Oriens. H.

(*A. Tragacantha* β. L. — *A. granatensis* La Marck.)

158. *aristatus* l'Heritier. Alpes Europae. H.

(*A. sempervirens* La Marck. — *A. Pseudo-tragacantha*. Pallas.)

159. *amarus* Pallas. In deserto Caspio. 4.

160. *coluteoides* W. In Libano. H.

(*A. tragacanthoides* Billard.)

161. *tumidus* W. Aragonia, Aegyptus, Syria. H.

(*A. Rauwolfii* Vahl. — *Colutea spinosa* Forsk.)

162. *armatus* W. Barbaria. H.

(*A. tragacanthoides* Desfont.)

163. *creticus* La Marck. Creta. H.

164. *leucophyllus* W. Armenia. H.

(*A. olympicus* Pallas.)

165. *caucasicus* Pallas. Caucasus, Armenia. H.

166. *gummifer* Billard. In Libano. H.

167. *Erianthus* W. Armenia. H.

168. *microcephalus* W. Armenia. H.

169. *Erioccephalus* W. Armenia. H.

170. *plumosus* W. Galatia. H.

171. *aureus* W. Armenia. H.

172. *compactus* La Marck. Armenia. H.

β. *Tragacantha orientalis humillima* Tournef.

173. *longifolius* La Marck. Armenia. H.

174. *pugniformis* l'Héritier. Armenia, Syria, Palaestina. H.

1380. BISERRULA. Sägekraut. T. III. p. 1335.

1. *Polecinus* L. Sicilia, Hispa., Galloprovincia. O.

1381. DALEA. Dalea. T. III. p. 1336.

1. cliffortiana *W.* Terra firma. ☉.
(*Psoralea Dalea* L. — *Psoralea annua* Miller.)
2. alopecuroides *W.* America bor. ☉.
- 2^a. bicolor *Humboldt.* America merid. ☿. Enum.
pag. 787.
3. candida *W.* Ibid.
4. violacea *W.* Ibid.
5. Kuhnistera *W.* Carolina.
(*Kuhnistera carolinensis* La Marck, Ventenat.)
6. enneaphylla *W.* Carthagens. ☿.
(*Psoralea enneaphylla* L.)
7. phymatodes *W.* Carracas.
(*Psoralea phymatodes* Jacq.)
8. nutans *W.* Nova Hispania. ♀.
(*Psoralea nutans* Cavanil.)
9. citriodora *W.* Nova Hispania. ☉.
(*Psoralea citriodora* Cavanil. — *Psoralea foliosa* Ait.)
10. mutabilis *W.* Cuba, Mexico. ♀.
(*Psoralea mutabilis* Cavanil.)
11. Lagopus *W.* Mexico. ☉.
(*Psoralea Lagopus* Cavanil. — *Psoralea leporina*
Aiton.)
12. reclinata *W.* Mexico.
(*Psoralea reclinata* Cavanil.)
13. lutea *W.* Mexico. ♀.
(*Psoralea lutea* Cavanil.)
14. tomentosa *W.* Mexico. ♀.
(*Psoralea tomentosa* Cavanil.)

1382. PSORALEA. Psoralea. T. III. p. 1342.

1. pinnata L. Cap. b. sp. ☿.
2. laevigata L. Ibid. ☿.
3. odoratissima *Jacq.* Ibid. ☿.
4. verrucosa *W.* Ibid. ☿.
(*P. angustifolia* Aiton, Jacq.)
5. aculeata L. Ibid. ☿.
6. bracteata L. Ibid. ☿.

7. *involucrata* Thunb. Cap. b. sp. 5.
 8. *spicata* L. Ibid. 5.
 9. *aphylla* L. Ibid. 5.
 β. *P. decidua* Thunb.
 10. *multicaulis* Jacq. Ibid. 4.
 11. *tenuifolia* L. Ibid. 5.
 12. *axillaris* L. Ibid.
 (*P. linearis* Thunb.)
 13. *decumbens* Aiton. Ibid. 5.
 14. *hirta* L. Ibid. 5.
 14^a. *divaricata* Humboldt. America merid. 5.
 Enum. p. 788.
 14^b. *pubescens* Persoon. . . . 5. Enum. p. 788.
 15. *Stachydis* Thunb. Cap. b. sp. 5.
 16. *striata* Thunb. Ibid. 5.
 17. *racemosa* Thunb. Ibid.
 18. *argentea* Thunb. Ibid.
 19. *tomentosa* Thunb. Ibid.
 20. *repens* L. Ibid. 5.
 21. *bituminosa* L. Sicilia, Italia, Narbona. 5.
 β. *angustifolia*.
 22. *glandulosa* L. Peru. 5.
 23. *palaestina* L. Palaestina. 4. 5.
 24. *americana* L. Madera. 5.
 25. *capitata* L. Cap. b. sp.
 26. *rotundifolia* L. Ibid.
 27. *corylifolia* L. India orient. ☉.
 28. *pentaphylla* L. Mexico. 4.
 29. *prostrata* L. Cap. b. sp.
 1382^a. MELILOTUS. Enum. p. 789.
 1. *Kochiana* W. Germania. ♂.
 2. *Petitpierreana* W. Ibid. ♂.
 1383. TRIFOLIUM. Klee. T. III. p. 1352.
 * *Meliloti*, *leguminibus nudis polyspermis*, *floribus racemosis*.
 1. *coeruleum* L. Bohemia, Lybia. ☉.
 (*Melilotus coerulea* Enum. p. 789.)

2. *indicum* L. India, Africa. ☉.
(*Melilotus indica* Enum. p. 789.)
 - β. *erecta*.
(*Melilotus rugulosa* Enum. p. 789.)
 - γ. *repens*.
 - δ. *minor*.
3. *messanense* L. Sicilia, Barbaria. ☉.
(*Melilotus messanensis* Enum. p. 789.)
4. *mauritanicum* Schousboe. Barbaria. ☉.
(*Melilotus mauritanica* Enum. p. 789. — *Melilotus fulcata* Desfont.)
5. *macrorhizum* Waldst. et Kit. Hungaria. 4.
(*Melilotus macrorhiza* Enum. p. 789.)
6. *polonicum* L. Polonia. ☉.
7. *dentatum* Waldst. et Kit. Banatus. 4.
(*Melilotus dentata* Enum. p. 790.)
8. *officinale* L. Europa. ☉.
(*Melilotus officinalis* Enum. p. 790.)
 - β. *flore albo*.
(*Melilotus vulgaris* Enum. p. 790.)
 - γ. *altissima*. ♂.
9. *italicum* L. Italia, Barbaria. ☉.
(*Melilotus italica* Enum. p. 790.)
10. *creticum* L. Creta, Barbaria. ☉.
(*Melilotus cretica* Enum. p. 791.)
11. *ornithopodioides* L. Anglia, Gallia, Dania. ☉.
(*Melilotus ornithopodioides* Enum. p. 791.)
- ** *Lotoidea, leguminibus tectis, polyspermis.*
12. *Lupinaster* L. Sibiria. 4.
13. *reflexum* L. Virginia. 4.
14. *angulatum* Waldst. et Kit. Hungaria. ☉.
15. *strictum* L. Italia, Hispania, Gallia, Hungaria. ☉.
16. *laevigatum* Poiret. Barbaria.
17. *caespitosum* Reynier. Helvetia, Delphinatus. 4.

(*T. Thalii* Villars.)

18. *hybridum* L. Europa. 2.

19. *repens* L. Europa. 2.

20. *comosum* L. America.

21. *alpinum* L. Alpes Europae. 2.

β. *flore albo.*

*** *Lagopoda*, *calycibus villosis.*

22. *tuberraneum* Rivin. Gallia, Italia. ☉.

23. *globosum* L. Arabia, Syria. ☉.

24. *hispidum* Desfont. Barbaria, Hispania. ☉.

25. *Cherleri* L. Gallia, Hispania, Barbaria. ☉.

26. *pictum* Roth. ☉.

27. *sphaerocephalon* Desfont. Barbaria.

28. *saxatile* Attion. Helvetia, Delphinatus, Pedemont. ♂.

(*T. thymiflorum* Villars.)

29. *capense* W. Cap. b. sp.

(*T. diffusum* Thunb.)

30. *lanatum* Thunb. Ibid.

31. *hirsutum* Thunb. Ibid.

32. *pappaceum* L. Mōispehi. ☉.

33. *diffusum* Ehrhart. Hungaria, Sibiria. ♂.

34. *Lagopus* Pourret. Hispania. ☉.

35. *stipulaceum* Thunb. Cap. b. sp.

36. *rubens* L. Italia, Gallia, Helvetia. 2.

β. *T. spica oblonga rubra* Battin.

36a. *bracteatum* Schrad. In Imp. Maroccano.

☉. ♂. Enum. p. 793.

37. *pratense* L. Europa. 2.

β. *T. procumbens villosum* Haller. Alpes Helvetiae et Delphinatus.

38. *medium* L. Europa. 2.

(*T. flexuosum* Jacq.)

38a. *pensylvanicum* W. America boreal. 2.

Enum. p. 793.

39. *alpestre* L. Europa. 2.

K. k

40. *pannonicum* L. Hungaria, Armenia. 4.
 40a. *armenium* W. Armenia. 4. Enum. p. 793.
 41. *elongatum* W. Galatia. 4.
 42. *canescens* W. Cappadocia. 4.
 43. *maritimum* Smith. Anglia. ☉. ♂.
 44. *squarrosum* L. Hispania. ☉.
 45. *incarnatum* L. Italia, Helvetia, Gallia. ☉.
 46. *pallidum* Waldst. et Kit. Banatus. ☉. ♂.
 47. *ochroleucum* L. Anglia, Helvetia, Austria,
 Gallia. 4.
 48. *angustifolium* L. Gallia, Italia, Carniol. ☉.
 49. *involutum* W. ☉.
 50. *argense* L. Europa, America sept. ☉.
 51. *stellatum* L. Europa austr. ☉.
 52. *clypeatum* L. Oriens. ☉.
 53. *albidum* Retz. ☉.
 54. *scabrum* L. Anglia, Gallia, Italia, Germa-
 nia. ☉.
 55. *glomeratum* L. Anglia, Hispania. ☉.
 56. *parviflorum* Ehrhart. Hungaria, Sibiria. ☉.
 57. *striatum* L. Germania, Gallia, Hispania. ☉.
 58. *gemellum* Pourret. Hispania. ☉.
 59. *phleoides* Pourret. Ibid. ☉.
 60. *alexandrinum* L. Aegyptus. ☉.
 61. *suffocatum* L. Anglia, Sicilia. ☉.
 62. *uniflorum* L. Syria, Arabia, Judaea, Cre-
 ta, Constantinopoli.
 **** *Vesicaria, calycibus inflatis ventricosus.*
 63. *spumosum* L. Gallia, Italia, Apulia. ☉.
 64. *resupinatum* L. Germania, Belgium, Ita-
 lia. ☉.
 65. *tomentosum* L. Gallia, Hispania, Lusitania,
 Mauritania. 4.
 66. *fragiferum* L. Europa. 4.
 66a. *recurvum* Waldstein et Kit. Hungaria. ♂.

Enum. p. 795.

**** *Lupulina, vexillis corollae inflexis.*

67. *montanum* L. Europa. 4.
 68. *speciosum* W. Creta.
 69. *agrarium* L. Europa. ☉.
 70. *spadiceum* L. Ibid. ☉.
 71. *procumbens* L. Ibid. ☉.
 72. *filiforme* L. Ibid. ☉.
 1348. LOTUS. Schotenklee. T. III. p. 1385.

* *Leguminibus rarioribus, nec capitulum constituentibus.*

1. *maritimus* L. Europa. 4.
 2. *filiquosus* L. Ibid. 4.
 3. *tetragonolobus* L. Sicilia. ☉.
 4. *flore rubro* Enum. p. 797.
 5. *flore flavo* Enum. p. 797.
 6. *conjugatus* L. Monspeli. ☉.
 7. *biflorus* La Marck. Algeria. 4.
 8. *tétraphyllus* L. Majorca. 4.
 9. *edulis* L. Italia, Hispania, Sicilia, Creta. ☉.
 10. *peregrinus* L. Europa austr., Barbaria. ☉.
 (L. *oligoceros* La Marck, Desfont.)
 11. *glaucus* Aiton. Madera. ♂.
 12. *angustissimus* L. Gallia Narbonensis. ☉.
 13. *gracilis* Waldst. et Kit. Hungaria. ☉.
 14. *diffusus* Smith. Anglia. ☉.
 15. *tenuis* Waldst. et Kit. Hungaria. 4. Enum.
 p. 797.
 16. *coimbricensis* Brotero. Lusitania. ☉.
 17. *arabicus* L. Arabia. 4. ☉.
 18. *Dioscoridis* Allion. Com. Nicaeensis, Creta. ☉.
 19. *ornithopodioides* L. Sicilia, Hispania. ☉.
 20. *jacobaeus* L. Ins. St. Jacobi. ♀.
 21. *persicus* La Marck. Persia, India orient.
 2. *minor*.
 22. *creticus* L. Syria, Creta, Hispania. ♀.
 23. *arboreus* Forster. Nova Zeelandia. ♀.
 ** *Pedunculis multifloris in capitulum.*

21. *hirsutus* L. Gallia, Italia, Oriens. 4. 5.
22. *graecus* L. Oriens, Graecia, Arabia. 4.
23. *rectus* L. Gallia, Sicilia, Calabria. 4. 5.
24. *palustris* W. Creta.
25. *parviflorus* Desfont. Atlas. ☉.
26. *pedunculatus* Cavanil. Hispania.
27. *prostratus* Desfont. Algeria. 4.
28. *corniculatus* L. Europa. 4.
- β. L. — flore majore.
- γ. L. *tenuifolius* Bauhin.
29. *cytisoides* L. Europa. 4.
30. *medicaginoïdes* Retz. . . . ☉.
1385. DORYCNIUM. Dorycnium. T. III. p. 1397.
1. *monspeliense* W. Hispania, Gallia, Helvetia. 5.
- (*D. suffruticosum* Villars. — *Lotus Dorycnium* L.)
2. *herbaceum* Villars. Gallia, Sabaudia, Austria, Hungaria. 4.
3. *latifolium* W. Oriens. 5.
1386. TRIGONELLA. Kuhhornklee. T. III. p. 1398.
1. *ruthenica* L. Sibiria. 4.
2. *platycarpus* L. Ibid. ♂. 4.
- 2^a. *esoulenta* W. India orient. ☉. Enum. p. 799.
- (*Medicago esoulenta* Rottler.)
3. *striata* L. . . . ☉.
4. *polycerata* L. Hispania, Gallia, Italia. ☉.
5. *hamosa* L. Aegyptus. ☉.
6. *hirsuta* Thunberg. Cap. b. sp.
7. *villosa* Thunberg. Ibid.
8. *armata* Thunberg. Ibid.
9. *spinosa* L. Creta. ☉.
10. *corniculata* L. Europa austr. ☉.
11. *monspeliaca* L. Gallia, Hungaria. ☉.
12. *glabra* Thunberg. Cap. b. sp.
13. *tomentosa* Thunberg. Ibid.
14. *laciniata* L. Aegyptus.
15. *pinnatifida* Cavanil. Hispania. ☉.

16. *Foenum graecum* L. Monspeli. ☉.
 β. *sylvestre*.
17. *indica* L. India orient. ☉.
1387. MEDICAGO. Schneckenlee. T. III. p. 1403.
 * *Medicagines, leguminibus lunatis subcontortis*.
1. *arborea* L. In Rhodo, Neapoli. ☿.
 10. *creracea* W. Tauria. ☿. Enum. p. 800.
 (*M. fruticans* Hornemann.)
2. *radiata* L. Italia. ☉.
 3. *circinnata* L. Hispania, Italia. ☉.
 β. *M. leguminibus margine integerrimis*.
4. *lativa* L. Hispania, Gallia, Germania, Helvetia. 24.
 β. *floribus pallide coeruleis*.
5. *prostrata* L. Hungaria, Italia. 24.
 6. *falcata* L. Europa. 24.
 6a. *glomerata* Balbis. Italia. 24. Enum. p. 801.
 7. *glutinosa* Bieberst. Tauria. 24.
 8. *lupulina* L. Europa, America bor. ♂.
 9. *obscura* Retz. . . . ☉.
- ** *Medicae, leguminibus cochleatis*.
10. *orbicularis* L. Europa austr., Barbaria. ☉.
 β. *M. cochleata altera* Morison.
 γ. *Fructibus minoribus* Enum. p. 801.
- 10a. *marginata* W. Europa austr. ☉. Enum. p. 802.
11. *elegans* Jacq. Sicilia. ☉.
 (*M. rugosa* La Marck.)
12. *scutellata* L. Italia, Gallia, Barbaria. ☉.
 13. *Helix* W. . . . ☉.
 14. *tornata* L. Gallia, Hispania, Barbaria. ☉.
 15. *turbinata* L. Gallia, Italia. ☉.
 16. *tuberculata* Retz. Europa austr. ☉.
 17. *aculeata* W. . . . ☉.
 18. *Murex* W. . . . ☉.
 19. *intertexta* L. Europa austr. Barbaria. ☉.
 20. *ciliaris* L. Gallia. ☉.
 20a. *granadensis* W. Hispania. ☉. Enum. p. 803.

318 CLASSIS XVIII. POLYADELPHIA.

(*M. polymorpha pinnatifida* Jacquin)

21. *karstiensis* Jacq. Carinthia. 4.

22. *maculata* W. Anglia, Gallia, Italia, Barbaria. ☉.

(*M. cordata* La Marck. — *M. polymorpha* γ *arabica* L.)

23. *tentaculata* Gaertner. Europa austr ☉.

24. *coronata* 4. Gallia. ☉.

25. *apiculata* W. Europa austr. ☉.

26. *denticulata* W. Europa austr. ☉.

27. *muricata* L. Anglia, Italia, Gallia. ☉.

28. *Gerardi* Waldst. et Kit. Hispania, Gallia, Hungaria. ☉.

29. *recta* Desfont. Barbaria. ☉.

30. *marina* L. Europa austr., Oriens, Barbar. 4.

31. *Terebellum* W. Europa austr. ☉.

32. *tribuloides* La Marck Ibid. ☉.

33. *uncinata* W. Ibid. ☉.

34. *rigidula* L. Gallia, Italia, Barbaria. ☉.

35. *minima* L. Europa. ☉.

β. *M. polymorpha* λ. *hirsuta* L.

35. *graeca* Hornemann. Graecia. ☉. En. p. 805.

36. *nigra* L. Europa austr. ☉.

37. *laciniata* L. Europa austr., Syria, Barbaria. ☉.

Classis XVIII.

P O L Y A D E L P H I A.

D E C A N D R I A.

1388. THEOBROMA. Cacao. T. III. p. 1422.

1. *Cacao* L. America merid., in Antillis. 5.

2. *gujanensis* W. Gujana. 5.

(*Cacao gujanensis* Aublet.)

D O D E C A N D R I A.

1389. BUBROMA. Ochsenfräse. T. III. p. 1423.

1. Guazuma W. Jamaica. H.

(Theobroma Guazuma L. — Guazuma polybotra Cavanil.)

14. polybotryum W. Brasilia. H. Enum. p. 806.

(Guazuma polybotra Cavanil.)

15. Invira W. Brasilia. H. Enum. p. 806.

1390. ABROMA. Abroma. T. III. p. 1424.

1. augustum L. India orient. H.

(A. fastuosum Jacq.)

2. Wheleri Retz. India orient. H.

I C O S A N D R I A.

1391. CITRUS. Citrone. T. III. p. 1426.

1. medica L. Asia, Media, Assyria, Persia. H.

β. C. Limon.

2. angulata W. Amboina. H.

3. japonica Thunb. Japonia. H.

4. Aurantium L. India orient. H.

β. C. Sinensis.

5. decumana L. India orient. H.

6. trifoliata L. Japonia. H.

1392. MELALEUCA. Cajaputbaum. T. III. p. 1428.

* Foliis alternis.

1. Leucadendron L. India orient. H.

2. viridiflora Smith. Nova-Hollandia, Nova-Caledonia. H.

(M. Leucadendron β. L. — Metrosideros quinque-nervia Cavanil.)

3. laurina Smith. Nova-Hollandia. H.

4. squarrosa Smith. Ibid. H.

5. stypheloides Smith. Ibid. H.

(M. obliqua Hortulan.)

6. ericæefolia Smith. Ibid. H.

520 CLASSIS XVIII. POLYADELPHIA.

(*M. armillaris* Wendland. — *M. alba* Hortulan.)

7. *nodosa* Smith. Ibid. 5.

(*Metrosideros nodosa* Cavanil.)

8. *armillaris* Smith. Ibid. 5.

(*Metrosideros armillaris* Gaertner, Cavanil.)

9. *genistifolia* Smith. Ibid. 5.

** *Folius oppositis.*

10. *linariifolia* Smith. Nova-Hollandia. 5.

(*Metrosideros hyssopifolia* Cavanil.)

11. *thymifolia* Smith. Ibid. 5.

(*Metrosideros calycina* Cavanil.)

12. *hypericifolia* Smith. Ibid. 5.

P O L Y A N D R I A.

1393. GLABRARIA. Glattholz. T. III. p. 1433.

1. *tersa* L. India orient. 5.

1394. LÜHEA. Lühea. T. III. p. 1434.

1. *speciosa* W. Carracas. 5.

1395. DURIO. Durio. T. III. p. 1434.

1. *zibethinus* L. India orient. 5.

1396. SYMPLOCOS. Symplocos. T. III. p. 1435.

1. *martinicensis* L. In Antillis. 5.

2. *Ciponima* l'Héritier. Gojana. 5.

(*Ciponima gujanensis* Aublet.)

3. *Arechea* l'Héritier. Peru. 5.

4. *octopetala* Swartz. Jamaica 5.

5. *tinctoria* l'Héritier. Carolina. 5.

(*Hippa tinctoria* L.)

6. *Alstonia* l'Héritier. America merid. 5.

(*Alstonia theaeformis* L.)

1397. HYPERICUM. Hartheu. T. III. p. 1437.

* *Pentagyna.*

1. *balearicum* L. Majorca. 5.

2. *Brathys* Smith. Nova-Granada. 5.

(*Brathys juniperina* L.)

3. *angustifolium* La. Matck. Ins. Bourbon. 5.

4. lanceolatum *La March.* Ibid. \bar{h} .
5. kalmianum *L.* Virginia. \bar{h} .
(*H. Bartramicum* Miller.)
6. cajennense *L.* Gujana, Cajenna. \bar{h} .
7. laurifolium *W.* Nova Granada. \bar{h} .
(*H. petiolatum* *L.*)
8. bacciferum *L.* Gujana, Mexico. \bar{h} .
(*H. gujanense* Aublet.)
9. latifolium *Aublet.* Gujana. \bar{h} .
10. sessilifolium *Aublet.* Ibid. \bar{h} .
11. monogynum *L.* China, Japonia, India orient. \bar{h} .
12. patulum *Thunberg.* Japonia. \bar{h} .
13. calycinum *L.* Graecia. \bar{h} .
14. Ascyroides *W.* Pennsylvania. $\bar{4}$.
15. Ascyron *L.* Sibiria, in Pyrenaeis. $\bar{4}$. \bar{h} .
16. pyramidatum. . . . $\bar{4}$.
(*H. amplexicaule* *La Marck.*)
17. alternifolium *Vahl.* India orient. \bar{h} .
18. guineense *L.* Guinea. \bar{h} .
** *Trigyna*, calycibus integerrimis.
19. Richeri *Villars.* Delphinatus, Helvetia. $\bar{4}$.
(*H. fimbriatum* *La Marck.*)
20. Androsæum *L.* Anglia, Gallia, Italia. \bar{h} .
21. emarginatum *La Marck.* . . . \bar{h} .
22. olympicum *L.* In Pyrenaeis, Olympe. \bar{h} .
23. petiolatum *L.* Brasilia. \bar{h} .
24. arborescens *Vahl.* India orient. \odot .
25. foliosum *Jacq.* In insulis Azoricis. \bar{h} .
26. floribundum *Aiton.* Madera. \bar{h} .
27. canariense *L.* In Canariis. \bar{h} .
28. elatum *Aiton.* America bor. \bar{h} .
29. hircinum *L.* Sicilia, Calabria, Creta. \bar{h} .
 β . minus.
30. inodorum *W.* Cappadocia. \bar{h} .
31. chinense *Retz.* China. \bar{h} .
32. procumbens *Desfont.* America bor. $\bar{4}$.
33. scabrum *L.* Arabia, Mauritania. \bar{h} .

518 CLASSIS XVIII. POLYADELPHIA.

(*M. polymorpha pinnatifida* Jacquin)

21. *karstiensis* Jacq. Carinthia. 4.

22. *maculata* W. Anglia, Gallia, Italia, Barbaria. ☉.

(*M. cordata* La Marck. — *M. polymorpha* *arabica* L.)

23. *tentaculata* Gaertner. Europa austr ☉.

24. *coronata* 4. Gallia. ☉.

25. *apiculata* W. Europa austr. ☉.

26. *denticulata* W. Europa austr. ☉.

27. *muricata* L. Anglia, Italia, Gallia. ☉.

28. *Gerardi* Waldst. et Kit. Hispania, Gallia, Hungaria. ☉.

29. *recta* Desfont. Barbaria. ☉.

30. *marina* L. Europa austr., Oriens, Barbar. 4.

31. *Terebellum* W. Europa austr. ☉.

32. *tribuloides* La Marck Ibid. ☉.

33. *uncinata* W. Ibid. ☉.

34. *rigidula* L. Gallia, Italia, Barbaria. ☉.

35. *minima* L. Europa. ☉.

β. *M. polymorpha* λ. *hirsuta* L.

35a. *graeca* Hornemann. Graecia. ☉. En. p. 805.

36. *nigra* L. Europa austr. ☉.

37. *laciniata* L. Europa austr., Syria, Barbaria. ☉.

Classis XVIII.

P O L Y A D E L P H I A.

D E C A N D R I A.

1388. THEOBROMA. Cacao. T. III. p. 1422.

1. Cacao L. America merid., in Antillis. 5.

2. *gujanensis* W. Gujana. 5.

(*Cacao gujanensis* Aublet.)

D O D E C A N D R I A.

1389. BUBROMA. Ochsenfrass. T. III. p. 1423.

1. Guazuma W. Jamaica. H.

(Theobroma Guazuma L. — Guazuma polybotra Cavanil.)

14. polybotryum W. Brasilia. H. Enum. p. 806.

(Guazuma polybotra Cavanil.)

15. Invira W. Brasilia. H. Enum. p. 806.

1390. ABROMA. Abroma. T. III. p. 1424.

1. augustum L. India orient. H.

(A. fastuosum Jacq.)

2. Wheleri Retz. India orient. H.

I C O S A N D R I A.

1391. CITRUS. Citrone. T. III. p. 1426.

1. medica L. Asia, Media, Assyria, Persia. H.

β. C. Limon.

2. angulata W. Amboina. H.

3. japonica Thunb. Japonia. H.

4. Aurantium L. India orient. H.

β. C. Sinensis.

5. decumana L. India orient. H.

6. trifoliata L. Japonia. H.

1392. MELALEUCA. Cajaputbaum. T. III. p. 1428.

* Foliis alternis.

1. Leucadendron L. India orient. H.

2. viridiflora Smith. Nova-Hollandia, Nova-Caledonia. H.

(M. Leucadendron β. L. — Metrosideros quinque-nervia Cavanil.)

3. laurina Smith. Nova-Hollandia. H.

4. squarrosa Smith. Ibid. H.

5. stypheloides Smith. Ibid. H.

(M. obliqua Hortulan.)

6. ericæefolia Smith. Ibid. H.

520 CLASSIS XVIII. POLYADELPHIA.

(*M. armillaris* Wendland. — *M. alba* Hortulan.)

7. *nodosa* Smith. Ibid. f.

(*Metrosideros nodosa* Cavanil.)

8. *armillaris* Smith. Ibid. f.

(*Metrosideros armillaris* Gaertner, Cavanil.)

9. *genistifolia* Smith. Ibid. f.

** *Folii oppositis.*

10. *linariifolia* Smith. Nova-Hollandia. f.

(*Metrosideros hyssopifolia* Cavanil.)

11. *thymifolia* Smith. Ibid. f.

(*Metrosideros calycinus* Cavanil.)

12. *hypericifolia* Smith. Ibid. f.

P O L Y A N D R I A.

1393. GLABRARIA. Glattholz. T. III. p. 1433.

1. *tersa* L. India orient. f.

1394. LÜHEA. Lühea. T. III. p. 1434.

1. *speciosa* W. Carracas. f.

1395. DURIO. Durio. T. III. p. 1434.

1. *zibethinus* L. India orient. f.

1396. SYMPLOCOS. Symplocos. T. III. p. 1435.

1. *martinicensis* L. In Antillis. f.

2. *Ciponima* l'Héritier. Gujana. f.

(*Ciponima gujanensis* Aublet.)

3. *Arechea* l'Héritier. Peru. f.

4. *octopetala* Swartz. Jamaica f.

5. *tinctoria* l'Héritier. Carolina. f.

(*Hopsa tinctoria* L.)

6. *Alstonia* l'Héritier. America merid. f.

(*Alstonia theaeformis* L.)

1397. HYPERICUM. Hartheu. T. III. p. 1437.

* *Pentagyna.*

1. *balearicum* L. Majorca. f.

2. *Brathys* Smith. Nova-Granada. f.

(*Brathys juniperina* L.)

3. *angustifolium* La Match. Ins. Bourbon. f.

4. lanceolatum *La March.* Ibid. \bar{h} .

5. kalmianum *L.* Virginia. \bar{h} .

(*H. Bartramicum* Miller.)

6. cajennense *L.* Gujana, Cajenna. \bar{h} .

7. laurifolium *W.* Nova Granada. \bar{h} .

(*H. petiolatum* *L.*)

8. bacciferum *L.* Gujana, Mexico. \bar{h} .

(*H. gujanense* Aublet.)

9. latifolium *Aublet.* Gujana. \bar{h} .

10. sessilifolium *Aublet.* Ibid. \bar{h} .

11. monogynum *L.* China, Japonia, India orient. \bar{h} .

12. patulum *Thunberg.* Japonia. \bar{h} .

13. calycinum *L.* Graecia. \bar{h} .

14. Ascyroides *W.* Pennsylvania. $\bar{4}$.

15. Ascyron *L.* Sibiria, in Pyrenaeis. $\bar{4}$. \bar{h} .

16. pyramidatum. . . . $\bar{4}$.

(*H. amplexicaule* *La Marck.*)

17. alternifolium *Vahl.* India orient. \bar{h} .

18. guineense *L.* Guinea. \bar{h} .

**Trigyna, calycibus integerrimis.*

19. Richeri *Villars.* Delphinatus, Helvetia. $\bar{4}$.

(*H. fimbriatum* *La Marck.*)

20. Androsæmum *L.* Anglia, Gallia, Italia. \bar{h} .

21. emarginatum *La Marck.* . . . \bar{h} .

22. olympicum *L.* In Pyrenaeis, Olympo. \bar{h} .

23. petiolatum *L.* Brasilia. \bar{h} .

24. arborescens *Vahl.* India orient. \odot .

25. foliosum *Jacq.* In insulis Azoricis. \bar{h} .

26. floribundum *Aiton.* Madera. \bar{h} .

27. canariense *L.* In Canariis. \bar{h} .

28. elatum *Aiton.* America bor. \bar{h} .

29. hircinum *L.* Sicilia, Calabria, Creta. \bar{h} .

β . minus.

30. inodorum *W.* Cappadocia. \bar{h} .

31. chinense *Retz.* China. \bar{h} .

32. procumbens *Desfont.* America bor. $\bar{4}$.

33. scabrum *L.* Arabia, Mauritania. \bar{h} .

522 CLASSIS XVIII. POLYADELPHIA.

34. *rosmarinifolium* La Marck. Carolina. 5.
35. *aspalathoides* W. Carolina. 5.
(*H. fasciculatum* La Marck.)
36. *nitidum* La Marck. 5.
37. *galloides* La Marck. Carolina. 5.
38. *empetrifolium* W. Oriens. 5.
39. *fasciculatum* Michaux. America bor. 5.
40. *repens* L. Oriens, Barbaria. 4.
41. *prolificum* L. America sept. 5.
(*H. Kalmianum* du Roi.)
42. *revolutum* Vahl. Arabia fel. 5.
43. *angulosum* Michaux. Carolina.
44. *gramineum* Forster. Nova-Caledonia.
45. *japonicum* Thunberg. Japonia.
46. *canadense* L. Canada. 5.
47. *virginicum* L. Pensylvania. 4.
48. *nudiflorum* Michaux. America bor. 4.
49. *parviflorum* W. Pensylvania, Carolina.
(*H. quinquenervium* Walter.)
50. *corymbosum* Mühlenberg. Pensylvania. 4.
- 50a. *undulatum* Schousboe. Barbaria. 4. Enum.
pag. 810.
51. *erectum* Thunberg. Japonia.
52. *connatum* La Marck. Brasilia. 5.
53. *aethiopicum* Thunberg. Cap. b. sp.
54. *reflexum* L. Teneriffa. 5.
55. *mexicanum* L. Nova Granada. 4.
56. *caracasenum* W. Caracas. 5.
57. *articulatum* La Marck. Madagascar. 5.
58. *quadrangulare* L. Europa. 4.
59. *dubium* Leers. Germania, Italia, Anglia, Gal-
lia. 4.
(*H. maculatum* Allion. — *H. fallax* Grimm. —
H. delphinense Villars.)
60. *perforatum* L. Europa. 4.
61. *afrum* Desfont. Barbaria. 5.
62. *humifusum* L. Europa. 4.—

63. *dichotomum* *La Marck.* St. Domingo. 5.
 64. *crispum* *L.* Calabria, Sicilia, Graecia, Bar-
 baria. 4.

65. *perfoliatum* *L.* . . . 4.

66. *barbatum* *L.* Austria. 4.

*** *Trigyna*: *Calycibus bracteisque ferrato - glan-
 dulosis.*

67. *ciliatum* *La Marck.* Oriens. 4.

β. *H. creticum* amplissimo folio nitido *Tournef.*

68. *montanum* *L.* Europa. 4.

β. foliis repandis.

69. *punctatum* *W.* Galatia. 4.

70. *glandulosum* *Vahl.* Madera. 4.

71. *hirsutum* *L.* Europa. 4.

β. *Androssemum hirsutum* *Bauhin.*

72. *elodes* *L.* Europa, Sibiria. 4.

73. *tomentosum* *L.* Gallia, Hispania. 4.

β. *majus.*

74. *lanuginosum* *La Marck.* Oriens. 4.

75. *origanifolium* *W.* Armenia. 4.

76. *orientale* *L.* Oriens. 4.

77. *aegypticum* *L.* Aegyptus. 5.

78. *pulchrum* *L.* Germania, Gallia, Anglia. 4.

79. *serpyllifolium* *La Marck.* Oriens. 5.

80. *nummularium* *L.* In Pyrenaeis. 4.

81. *elegans* *Stephan.* Sibiria. 4.

82. *linearifolium* *Vahl.* Hispania. 4.

83. *hyssopifolium* *W.* Iberia. 4.

84. *ericoides* *L.* Hispania, Lusitania. 4.

85. *Coris* *L.* Europa austr., Oriens. 5.

**** *Digyna.*

86. *mutilus* *L.* Virginia, Canada.

87. *setosum* *L.* Virginia.

***** *Incerta.*

88. *verticillatum* *Thunb.* Cap. b. sp.

1398. *ASCYRUM.* *Ascyrum.* T. III. p. 1472.

1. *Cruz Andreae* *L.* Virginia. 4.

2. *multicaule Michx.* America bor. 2.
3. *hypericoides L.* Virginia, Jamaica. 5.
4. *Itans Michaux.* America bor. 5.
(*Hypericum tetrapetalum La-March.*)
5. *villosum L.* Virginia. 5.
(*Hypericum pilosum Walter.*)

Classis XIX.

SYNGENESIA.

ÆQUALIS.

1399. GEROPOGON. Graubart. T. III. p. 1491.

1. *glaber L.* Italia. ☉.
2. *hirsutus L.* Ibid. ☉.
3. *calyculatus L.* . . 4.

1400. TRAGOPOGON. Bocksbart. T. III. p. 1492.

* *Caulescentes.*

1. *pratensis L.* Europa. ♂.
2. *mutabilis Jacq.* Sibiria. ♂.
3. *undulatus Jacq.* Tauria. ♂.
4. *orientalis L.* Oriens, Astracan. ♂.
5. *canus Waldst. et Kit.* Hungaria. ♂.
6. *major Jacq.* Germania, Austria. ♂.
7. *porrifolius L.* Helvetia, Germania. ♂.
β. *T. folio oblongo sinuato Bauhin.*
8. *angustifolius Bellardi.* Com. Nicaeensis. ♂.
9. *crocifolius L.* Italia, Gallia. ♂.
10. *villosus L.* Hispania, Sibiria. ♂.

** *Acaules scapis radicalibus.*

11. *Dandelion L.* Virginia.
 12. *lanatus L.* Oriens, Palaestina.
1401. ARNOPOGON. Schafsbart. T. III. p. 1496.
1. *Dalechampii W.* Hispania, Gallia. 2.
(*Tragopogon Dalechampii L.*)

2. *picroides* L. Creta, Monspelii. ♂.
(*Tragopogon picroides* L.)
 3. *asper* W. Monspelii.
(*Tragopogon asperum* L.)
 4. *capensis* W. Cap. b. sp. ♂.
(*Tragopogon capensis* Jacq.)
1402. SCORZONERA. Haberwutz. T. II. p. 1498.
1. *tomentosa* L. Armenia. 2.
 2. *austriaca* W. Austria, Helvetia. 2.
(*S. humilis* Jacq.)
 3. *humilis* L. Europa. 2.
 4. *hispanica* L. Hispania, Hungaria, Sibiria. 2.
 5. *glaberrima* W. German., Bohemia, Silesia. 2.
(*S. graminifolia* Hoffmann, Röth.)
 6. *caricifolia* Pallas. Sibiria. 2.
 7. *parviflora* Jacq. Austria, Pannonia. 2.
 8. *undulata* Desfont. Graecia, Barbatia. 2.
 9. *graminifolia* L. Lusitania, Sibiria. 2.
 10. *tuberosa* Pallas. Ad Wolgam, Syria. 2.
 11. *pusilla* Pallas. Circa mare Caspium. 2.
 12. *rosea* Waldst. et Kit. Marchia Brandenburgica,
Hungaria, Carniolia. 2.
 13. *purpurea* L. Austria, Sibiria. 2.
 14. *angustifolia* L. Hispania, Gallia, Austr. 2.
 15. *pinifolia* Gouan. Hispania, Gallia. 2.
 16. *hirsuta* L. Apulia, Oriens. 2.
 17. *villosa* Scopoli. Tergesti.
 18. *eriosperma* Bieberst. Ad mare Caspium. 2.
 19. *cretica* W. Creta. 2.
 20. *capensis* Thunb. Cap. b. sp.
 21. *chondrilloides* Pourret. Hispania.
 22. *resedaefolia* L. Hispania, Monspelii, Ori-
ens. 2.
 23. *calceitrapifolia* Vahl. Africa bor., Oriens. 2.
 24. *laciniata* L. Germania, Gallia. ♂.
 25. *octangularis* Nuttall. Europa austr. ♂.
 26. *pumila* Cavanili. Hispania. ♂.

526 CLASSIS XIX, SYNGENESIA.

27. coronopifolia Desfont. Barbaria. 2.
(*S. brevicaulis* Vahl.)
28. orientalis L. Oriens.
29. asperissima W. Galatia.
30. taraxacifolia Jacq. Bohemia. 2.
31. acaulis W. Silesia. ♂.
(*S. Taraxaci* Roth.)
32. elongata W. Græcia.
(*Catananche graeca* L.)
1403. SONCHUS. Gänsedistel. T. III. p. 1599.
 1. maritimus L. Europa austr., Africa bor. 2.
 2. crassifolius Poirer. Hispania. 2.
 3. quercifolius Desfont. Barbaria. 5.
 4. fruticosus L. Madera. 5.
 5. acidus Schousboe. Marocco. 5.
 6. pinnatus Aiton. Madera. 5.
 7. radicans Aiton. Ibid. 2.
 8. taraxacifolius W. Guinea. 2.
 9. palustris L. Europa. 2.
 10. arvensis L. Europa. 2.
 11. agrestis Swartz. Jamaica. ☉.
(*S. laevis* Sloane.)
 12. lacerus W. . . . ☉.
 13. angustifolius Desfont. Barbaria. 2.
 14. umbellifer Thunberg. Cap. b. sp.
 15. glaber Thunb. Ibid.
 16. goraeensis La Marck. Ins. Gorea ad litt. Afri-
cas. ☉.
 17. oleraceus L. Europa. ☉.
 - α. *S. laevis* Camerar.
 - β. minor.
 - γ. asper Blackwell.
 - δ. *S. asper* non laciniatus Tournef.
 18. tenerimus L. Gallia, Italia, Barbaria. ☉.
 19. chondrilloides Desfont. Barbaria, Sicilia. 2.
 20. hispanica Jacq. Hispania. ☉.
 21. tingitanus La Marck. Barbaria. ☉.

(*Scorzonera tingitana* L. — *Picridium tingitanum* Desfont.)

22. *picroides* L. *Allion.* Gallia, Barbatia. ☉.

(*Scorzonera picroides* L.)

23. *dichotomus* W. Arabia fel., in regno Tunetano.

(*Scorzonera dichotoma* Vahl, Desfont.)

24. *Plumieri* L. In Pyrenaeis. 24.

25. *macrophyllus* W. America bor. 24.

(*S. canadensis* Froelich. — *S. luxurians* Schrader.)

26. *alpinus* Gouan. Alpes Europae, Canadae. 24.

(*S. canadensis* L. — *S. montanus* La Marck. — *S. coeruleus* Smith.)

β. flore albo.

27. *lapponicus* Froelich. Alpes Lapponiae. ♂.

(*S. alpinus* L.)

28. *leucophaeus* W. America bor. ♂.

(*S. spicatus* La Marck.)

29. *floridanus* L. Virginia, Canada. ♂.

30. *acuminatus* W. America bor. ♂.

31. *pallidus* W. Canada.

(*Lactuca canadensis* L.)

32. *sibiricus* L. Sibiria, Suecia, Finlandia. 24.

β. flore albo.

33. *tataricus* L. Tataria, Sibiria. 24.

1404. LACTUCA. Salat. T. III. p. 1525.

1. *fativa* L. ☉.

β. *L. capitata* Bauhin,

2. *crispa* Roth. ☉.

(*L. fativa* γ. L.)

3. *palmata* W. ☉.

(*L. laciniata* Roth.)

4. *intybacea* Jacq. America merid. ☉.

5. *racemosa* W. Armenia. 24?

6. *quercina* L. Germania, Ins. Carolina Baltici. 24.

7. *stricta* Waldst. et Kit. Hungaria, Italia. ♂.

(*L. viulea* Bellardi.)

8. *Chaixi* Villars. Delphinatus. ☉

9. *elongata* Mühlenberg. Pennsylvania. ♂.

(*L. longifolia* Michaux.)

10. *capensis* Thunb. Cap. b. sp.

11. *Scariola* L. Europa austr. ☉.

β. *maculata*.

γ. *caesia*.

12. *virosa* L. Europa austr. ☉.

13. *angustana* Allion. In valle Augustae Praetoriae. ☉.

14. *sagittata* Waldst. et Kit. Hungaria. ♂.

15. *saligna* L. Gallia, Germania, Austria. ☉.

16. *tuberosa* Jacq. 4.

17. *indica* L. Java.

18. *legusiana* Balbis. In agro Pedemontano. ☉.

19. *tenerima* Pourrét. Hispania. 4.

20. *perennis* L. Germania, Gallia, Helvetia. 4.

21. *sonchifolia* W. Creta, Tauris, Tataria. 4.

(*Sonchus tuberosus* L.)

1405. CHONDRILLA: Knorpelsalat. T. III. p. 1531.

1. *junceae* L. Germania, Helvetia, Gallia. 4 ♂.

2. *crepoides* L. ☉.

3. *nudicaulis* Murray. Aegyptus.

1406. PRENANTHES: Hasenlattich. T. III. p. 1533.

1. *tenuifolia* L. Alpes Europae austr. 4.

2. *hispida* Pallas. Sibiria.

3. *chinensis* Thunb. China, Japonia.

4. *virgata* Michaux. America bor.

5. *purpurea* L. Germania, Helvetia, Gallia, Italia. 4.

β. *purpureo* — *coerulea*.

6. *javanica* W. Java.

(*Hieracium javanicum* Burmann.)

7. *lanceolata* Houttuyn. Japonia. ☉.

(*P. integra* Thunberg.)

8. *debilis* Thunb. Ibid. ☉.

9. *dantata* Thunb. Ibid.

(*P. denticulata* Houttuyn.)

10. *rhombifolia* Humboldt. Ad Caracas.

11. *hastata* Thunb. Japonia.

12. *alba* L. Carolina, Virginia, Pennsylvania. 4.

13. *rubicunda* W. Pennsylvania, Virginia. 4.

(*P. alba* β. L.)

14. *repens* L. Sibiria. 4.

15. *altissima* L. Virginia, Pennsylvania, Canada. 4.

16. *chondrilloides* L. Europa austr., Arabia. 4.

17. *spinosa* Forst. Hispania, Barbaria, Arabia. 5.

(*Lactuca spinosa* Desfont, La Marck.)

18. *ramosissima* Allion. Nicaeae. 5. 4.

19. *viminea* L. Austria, Gallia, Lusitania. ♂.

20. *aspera* Schrader. . . .

21. *pinnata* L. Teneriffa. 5.

22. *farmentosa* W. India orient.

23. *asplenifolia* W. India orient.

(*Hieracium dichotomum* Roxburgh.)

24. *fonchifolia* W. India orient. 4.

25. *hieracifolia* W. Gallia, Italia. 4.

(*Crepis pulchra* L.)

β. *Lapsana chondrilloides* L. Hort. Ups.

26. *lquarrosa* Thunb. Japonia.

(*P. laciniata* Houttuyn.)

27. *multiflora* Thunb. Japonia. 4.

28. *acanthifolia* W. Creta. 4.

29. *erysimifolia* W. In Ponto.

30. *muralis* L. Europa. ☉.

31. *japonica* L. Japonia.

32. *humilis* Thunb. Japonia. ☉.

33. *lyrata* Houttuyn. Japonia. 4.

2407. LEONTODON. Löwenzahn. T. III. p. 1544.

1. *Taraxacum* L. Europa, America bor. 4.

β. *Dens leonis angustiore folio* Bauhin.

γ. *Dens leonis folio tenuissimo* Bauhin.

2. *ferotinus* *Waldst. et Kit.* Hungaria, Tauria. 4.
 3. *lividus* *Waldst. et Kit.* Europa. 4.
(*L. palustre* Smith. — *L. salinum* Pollich. — *L. erectum* Hoffmann.)
 4. *laevigatus* *W.* Hispania. 4.
 5. *obovatus* *W.* Hispania. 4.
1408. APARGIA. Pfaffenröhrlein. T. III. p. 1547.
1. *aurantiaca* *Waldst. et Kit.* Hungaria. 4.
 2. *alpina* *Host.* Alpes Europae austr. 4.
(*Leontodon alpinum* Jacq. — *Hedypnois pyrenaica* Villars. — *Leontodon pyrenaicum* Gouan. — *Picris saxatilis* Allion.)
 3. *crocea* *W.* In Carpathicis. 4.
(*Leontodon croceum* Haenke.)
 4. *hastilis* *Host.* Europa austr. 4.
(*Leontodon hastile* L.)
 5. *dubia* *Hoppe.* Alpes Salisburgens. 4.
 6. *tuberosa* *W.* Italia, Gallia. 4.
(*Leontodon tuberosum* L.)
 7. *incana* *Scopoli.* Germania, Gallia, Helvetia, Carniola. 4.
(*Hieracium incanum* L.)
 8. *Taraxaci* *W.* Alpes Europae. 4.
(*Hedypnois Taraxaci* Villars. *Picris Taraxaci* Allion. — *Hieracium Taraxaci* L.)
 9. *autumnalis* *Hoffmann.* Europa. 4.
(*Leontodon autumnale* L. — *Hedypnois autumnalis* Smith.)
 10. *crispa* *W.* Gallia, Helvetia. 4.
(*Leontodon crispum* Villars.)
 11. *hispida* *W.* Europa. 4.
(*Leontodon hispidum* L.)
 12. *Villarsii* *W.* Delphinatus. 4.
(*Leontodon hirtum* Villars.)
 13. *coronopifolia* *W.* Barbaria.
(*Leontodon coronopifolium* Desfont.)
 14. *hispanica* *W.* Hispania.

(*Leontodon hispidum* Cavanil.)

15. *aspera* Waldst. et Kit. Hungaria. 24.

16. *variegata* W. In Monte Video.

(*Hieracium variegatum* La Marck.)

17. *hieracioides* W. Galatiz.

1409. THRINCIA. Thrincie. T. III. p. 1554.

1. *hirta* Roth. Europa. 24.

(*Apargia hirta* Hoffmann, — *Colobium hirtum* Roth, — *Leontodon hirtum* L.)

2. *hispidia* Roth. Hispania, Gallia. ☉.

(*Hyoseris taraxacoides* Villars.)

1410. PICRIS. Bitterkraut. T. III. p. 1556.

1. *hieracioides* L. Europa. 24.

2. *japonica* Thunb. Japonia.

3. *aculeata* Vahl. Barbaria. 24.

4. *pauciflora* W. Gallia austr. ☉.

5. *asplenioides* L. Barbaria. 24.

(*Leontodon muricatum* l'Heritier. — *Vireia scabra* Scopoli.)

6. *ruderalis* Smith. Bohemia. 24.

1411. HIERACIUM. Habichtskraut. T. III. p. 1559.

* *Scapo unifloro.*

1. *aureum* Villars. Helvetia, Austria, Italia, Gallia. 24.

(*Leontodon aureum* L.)

2. *rupestre* Allion. In montibus Pedemontanis, Helveticis, Salisburgensib. 24.

3. *pinnatifidum* W. Armenia. 24.

4. *purpureum* W. Tauria. 24.

5. *alpestre* Jacq. In Subalpinis Europae. 24.

6. *alpinum* L. Alpes Europae, in monte Bructero. 24.

7. *pumilum* Hoppe. Alpes Salisburgenses. 24.

8. *glabratum* Hoppe. Ibid. 24.

9. *bulbosum* W. Monspelii, Italia, Barbaria. 24.

(*Leontodon bulbosum* L.)

10. *Pilosella* L. Europa. 24.

** *Scapo multifloro.*

11. *dubium* L. Europa. 24.

(*H. Auricula* Pollich; Fl. dan. t. 1111.)

β. *alpinum* W.

12. *Auricula* L. Europa. 24.

(*H. dubium* Pollich; Fl. dan. t. 1044.)

12a. *fallax* W. . . 24. Enum. p. 822.

13. *repens* W. . . . 24.

14. *angustifolium* Hoppe. Alpes Salisburgenses,
in M. Caenisio. 24.

15. *florentinum* Allion. Germania, Gallia, Ita-
lia. 24.

(*H. piloselloides* Villars. — *H. cymosum* Leers.)

16. *cymosum* L. Europa. 24.

17. *staticifolium* Allion. Alpes Europae austr. 24.

18. *praemorsum* L. Europa. 24.

19. *integrifolium* Hoppe. In subalpinis Europae. 24.

(*H. succisaefolium* Allion.)

20. *incarnatum* Jacq. Carinthia, Carniolia. 24.

(*H. montanum* Scopoli.)

21. *aurantiacum* L. Helvetia, Gallia, Italia,
Syria, Austria, Silesia. 24.

22. *Lawsonii* Villars. Delphinatus. 24.

23. *laniferum* Cavanil. Hispania. 24.

24. *venosum* L. America bor. 24.

25. *Gronovii* L. Virginia, Pennsylvania. 24.

26. *croceum* La Marck. Sibiria. 24.

27. *Gmelini* L. Ibid. 24.

28. *capense* L. Cap. b. sp.

*** *Caule folioso.*

29. *paniculatum* L. Canada, Pennsylvania.

30. *marianum* W. America bor. 24.

31. *chondrilloides* L. Austria. 24.

32. *humile* Host. Europa austr. 24.

33. *nigrescens* W. 24.

34. *prunellaefolium* Gouan. Alp. Eur. austr. 24.

(*H. pumilum* L. — *Leontodon dentatum* L. — *Crepis pygmaea* L.)

35. foetidum *W.* Armenia. 24.
36. montanum *Jacq.* Alpes Europae merid. 24.
(*Hypochaeris pontana* L. — *Andryala pontana* Villars.)
37. porrifolium L. Alpes Austriae, Galliae, Helvetiae. 24.
38. laxatile *Jacq.* Austria, Hungaria. 24.
39. glaucum *Allion.* Alpes Italiae, Galliae. 24.
(*H. scorzonerifolium* Villars.)
40. molle *Jacq.* Austria, Helvetia, Scotia. 24.
41. murorum L. Europa. 24.
 - α. *H. pilosissimum* Bauhin.
 - β. *H. sylvaticum* Bauhin, *Roth*, *Fl. dan.* t. 1113.
 - γ. *H. macrocaulon* Raj.
 - δ. *Pulmonaria gallica rotundifolia* Barrel.
42. sylvaticum *Gouan.* Gallia, Italia, Anglia. 24.
(*H. murorum* Allioni.)
43. ramosum *Waldst. et Kit.* Hungaria. 24.
- 43^a. pallescens *Waldst. et Kit.* Croatia. 24. Enum. pag. 823.
- 43^b. cydoniaefolium *Villars.* Gallia. 24. Enum. pag. 824.
44. paludosum L. Europa. 24.
45. lapsanoides *Gouan.* In Pyrenaeis. 24.
46. lyratum L. Sibiria.
47. cerinthoides L. In Pyrenaeis. 24.
48. flexuosum *Waldst. et Kit.* Alpes Croatiae, Pedemontii. 24.
(*H. bupleuroides* Bellardi.)
49. oroticum *Waldst. et Kit.* Alpes Croatiae. 24.
50. amplexicaule L. In Pyrenaeis. 24.
 - β. *H. pyrenaicum rotundifolium amplexicaule* Tournef.
51. pyrenaicum L. Alpes Europae austr. 24.
 - β. *H. blattarioides* L.

- γ. *H. pilosum*.
 (*Picris pyrenaica* L.).
 δ. *austriacum*.
 (*Crepis austriaca* Jacq.)
 52. *sibiricum* W. Sibiria. 4.
 (*Crepis sibirica* L.)
 53. *grandiflorum* Allion. Gallia, Italia, Helvetia, Pannonia, Silesia. 4.
 (*H. conyzaeifolium* Gouan. — *H. pappoleucon* Villars.)
 54. *intybaceum* Allion. Alpes Europae. 4.
 (*H. albidum* Villars)
 55. *ciliatum* W. Creta.
 56. *villosum* L. Alpes Europae. 4.
 β. *Pilosella* s. *Pulmonaria lutea* Bauhin.
 γ. *H. valde pilosum* Villars.
 57. *lanatum* Waldst. et Kit. Croatia. 4.
 58. *Halleri* Villars. Alpes Europae. 4.
 59. *echioides* Lumnitz. Hungaria, Neomarchia, Borussia. 4.
 60. *undulatum* Aiton. Hispania. 4.
 61. *glutinosum* L. Gallia. ☉.
 62. *Kalmii* L. Pennsylvania.
 63. *racemosum* Waldst. et Kit. Hungaria. 4.
 64. *foliosum* Waldst. et Kit. Ibid. 4.
 65. *fabaudum* L. Europa. 4.
 β. *altissimum* Morison.
 66. *prenanthoides* Villars. Scotia, Gallia, Helvetia, Italia. 4.
 (*H. spicatum* Allion.)
 67. *laevigatum* W. 4.
 68. *lanceolatum* Villars. Delphinatus. 4.
 β. *caule paucifloro*.
 γ. *caule unifloro*.
 69. *fruticosum* W. 5.
 70. *umbellatum* L. Europa. 4.
 β. *foliis pene ovatis*.

γ. foliis angustissimis.

δ. *H. coronopifolium Bernhardi*. — *Enum.* p. 826.

1412. CREPIS. Pippau. T. III. p. 1592.

1. bursifolia L. Sicilia. 24.

2. nemausensis Gouan. Gallia, Italia, Palaestina. ☉.

(*Hieracium sanctum* L. — *Andryala nemausensis* Villars.)

3. leontodontoides Allion. Pedemons. ♂.

4. taraxacifolia W. Barbaria. ♂.

(*C. taraxacoides* Desfont.)

5. apargioides W. Austria, Germania. 24.

(*Hieracium stipitatum* Jacq.)

6. vesicaria L. Creta. 24.

7. scariosa W. Apulia. ☉.

(*C. vesicaria* β. L.)

7^a. intybacea Brotero. Lusitania. ♂.

8. taurinensis W. In collibus Taurinensibus.

☉. ♂.

(*C. vesicaria* Balbis taur.)

9. alpina L. Alpes Italiae, Sibiriae. ☉.

10. albida Villars. Italia, Gallia, Hispania. 24.

11. rigida Waldst. et Kit. Hungaria, Tauria. 24.

12. rigens Aiton. In Azoreis. 24.

13. rubra L. Apulia. ☉.

14. foetida L. Germania, Gallia, Helvetia. ☉.

β. *Hieracium foliis pinnatifidis, hinc hastatis*
Gmelin.

15. sprengeriana Allion. Lusitania, Italia. ☉.

(*Hieracium sprengerianum* L.)

16. aspera L. Oriens, Sicilia, Palaestina. ☉.

17. lappacea W. ☉.

18. rhagadioloides L. Hispania. ☉.

19. virgata Desfont. Barbaria. ☉.

20. hieracioides Waldst. et Kit. Hungaria. 24.

21. hispida Waldst. et Kit. Pannonia, Croatia,
Solavonia, Banatus. ☉.

22. *tectorum* L. Europa. ☉.

23. *agrestis* Waldst. et Kit. Hungaria. ☉.

24. *biennis* L. Europa. ♂.

25. *scabra* W. Gallia.

26. *pinnatifida* W. Germania, Italia. ☉.

(*C. virens* Allion, Roth, Hoffmann.)

27. *virens* L. Helvetia, Gallia. ☉.

28. *Dioscoridis* L. Gallia, Sibir., Palatinatus. ☉.

29. *macrophylla* Desfont. Algeria.

30. *coronopifolia* Desfont. In Canariis. ☉.

(*C. succulenta* Aiton. — *Chondrilla hieracioides* Roth.)

31. *tenuifolia* W. Tauria. 4?

32. *filiformis* Aiton. Madera. ♂.

1413. HELMINTIA. Wormsalat. T. III. p. 1607.

1. *echioides* W. Anglia, Gallia, Italia. ☉.

(*Picris echioides* L.)

β. *Hieracium capitulis cardui benedicti* Hermann.

1414. TOLPIS. Tolpis. T. III. p. 1608.

1. *barbata* Gaertner. Gallia, Italia, Sicilia, Lusitania. ☉.

(*Crepis barbata* L.)

1415. ANDRYALA. Wolldistel. T. III. p. 1609.

1. *cheiranthifolia* l'Héritier. Madera. 4. ♀.

(*A. glandulosa* La Marck.)

2. *pinnatifida* Aiton. α. in Madera. β. in Canariis. ♂.

α. *A. foliorum pinnis distantibus dentatis.*

β. *A. foliorum pinnis brevibus integris.*

3. *crithmifolia* Aiton. Madera. ♂.

4. *nigricans* Poiret. Barbaria.

5. *ragusina* L. Ins. Archipelagi. 4.

6. *lanata* L. Europa austr. 4.

(*Hieracium lanatum* Villars.)

1416. ROTHIA. Rothie. T. III. p. 1612.

1. *andryaloides* Gaertner. Hispania. ☉.

(*Voigtia tomentosa* Roth.)

2. *cheiranthoides* Roth. Hispania, Gallia. ☉.
(*Andryala sinuata* L.)

3. *runcinata* Roth. Europa austr., Sicilia. ☉.
(*Andryala integrifolia* L.)

1417. HYOSERIS. Schweinesalat. T. III. p. 1612.

* *Acaules*.

1. *radiata* L. Hispania, Gallia, Barbaria. 4.

2. *lucida* L. Oriens. 4.

3. *scabra* L. Sicilia, Barbaria. ☉.

4. *hispida* Schousboe. Marocco. ☉. 4.

5. *pygmaea* Aiton. Madera. ☉.

** *Caulescentes*.

6. *hirta* Balbis

7. *arenaria* Schousboe. Marocco. ☉.

8. *prenanthoides* W. America bor.
(*Tragopogon virginicum* L.)

1418. HEDYPNOIS. Röhrleinkraut. T. III. p. 1616.

1. *monspeliensis* W. Europa austr. ☉.
(*Hyoseris Hedypnois* L.)

2. *mauritanica* W. . . . ☉.
(*Hyoseris mauritanica* Hortulan.)

3. *rhagadioloides* W. Europa austr. ☉.
(*Hyoseris rhagadioloides* L. — *H. cretica* Cavanil.)

4. *cretica* W. Creta. ☉.
(*Hyoseris cretica* Kniphausen.)

5. *pendula* W. . . . ☉
(*Hyoseris pendula* Balbis.)

1419. KRIGIA. Krigie. T. III. p. 1618.

1. *virginica* W. Virginia, Pennsylvania. 4.
(*Hyoseris virginica* L.)

1420. SERIOLA. Nesselsalat. T. III. p. 1619.

1. *laevigata* L. Barbaria. 4.

2. *aethnensis* L. Italia, Barbaria. ☉.

3. *cretensis* L. Creta.

4. *urens* L. Sicilia.

1421. HYPOCHOERIS. Ferkelkraut. T. III. p. 1620.

1. *helvetica* Jacq. Europae austr. 4.

538 CLASSIS XIX. SYNGENESIA.

(*H. uniflora* Villars, Alkoni.)

2. *maculata* L. Europa. 4.

2^a. *hispida* W. Europa austr. 4. Enum. p. 831.

3. *minima* Desfont. Barbaria. ☉.

(*H. hispida* Roth.)

4. *glabra* L. Europa. ☉.

5. *radicata* L. Europa. 4.

1422. LAPSANA. Rainkohl. T. III. p. 1622.

* *Acaules.*

1. *foetida* W. Alpes Europae, Hungaria. 4.

(*Hyoseris foetida* L. — *Lampsana foetida* Scopoli.)

2. *pusilla* W. Europa. ☉.

(*Hyoseris minima* L. — *Arnoseris pusilla* Gaertner.)

** *Caulescentes.*

3. *virgata* Desfont. Barbaria. 4.

(*Crepis patula* Poiret.)

3^a. *lyrata* W. Ad mare Caspium. 4. Enum.
p. 832.

4. *communis* L. Europa. ☉.

5. *crispa* W. ☉.

1423. ZACINTHA. Zacinthe. T. III. p. 1624.

1. *verrucosa* Gaertner. Italia, Oriens. ☉.

(*Lapsana Zacintha* L.)

1424. RHAGADIOLUS. Sichelalat. T. III. p. 1626.

1. *stellatus* W. Italia, Gallia. ☉.

(*Lapsana stellata* L.)

2. *edulis* Gaertner. Oriens, Carniolia. ☉.

(*Lapsana Rhagadiolus* L.)

3. *Koelpinia* W. Peru, Davuria. ☉.

(*Lapsana Koelpinia* L. — *Koelpinia linearis* Pallas.)

1425. TRIPTILION. Salatdistel T. III. p. 1626.

1. *laciniatum* Ruiz et Pavon. Peru, Chili. ☉.

1626. CATANANCHE. Zwangkraut. T. III. p. 1627.

1. *coerulea* L. Gallia, Barbaria. 4. ♂.

β. flore pleno.

2. *caespitosa* Desfont. Atlas. 4.

3. *lutea* L. Creta. ☉.

1427. CICHORIUM. Cicherien. T. III. p. 1628.

1. Intybus L. Europa. 24.

β. flore albo.

γ. flore rubro.

δ. hortensis Blackwell. t. 177.

2. pumilum Jacq. . . . ☉.

3. Endivia L. India orient. ☉. ♂.

β. C. crispum Miller

4. divaricatum Schousboe. Marocco. ☉.

5. spinosum L. Creta, Sicilia. ♂.

1428. SCOLYMUS. Golddistel. T. III. p. 1630.

1. maculatus L. Gallia, Italia, Barbaria. ☉.

2. hispanicus L. Italia, Sicilia, G. Narbonensis, Barbaria. ♂.

3. grandiflorus Desfont. Barbaria. 24.

1429. ARCTIUM. Klette. T. III. p. 1631.

1. Lappa L. Europa, America bor. ♂.

β. flore albo.

2. Bardana W. Europa. ♂.

(Arctium Lappa β. L.)

1430. VERNONIA. Vernonie. T. III. p. 1632.

1. noveboracensis W. America bor. 24.

(Serratula noveboracensis L.)

2. praecalta W. Carolina, Virginia, Pensylvan. 24.

(Serratula praecalta L.)

3. glauca W. Carolina, Marylandia, Virginia. 24.

(Serratula glauca L.)

4. anthelmintica W. India orient. ☉.

(Conyza anthelmintica L.)

1431. LIATRIS. Prachtscharte. T. III. p. 1635.

1. squarrosa W. Virginia, Pennsylvania. 24.

(Serratula squarrosa L.)

2. scariosa W. Virginia, Pennsylvania. 24.

(Serratula scariosa L.)

3. elegans W. Carolina, Georgia. 24.

[Serratula speciosa Aiton. — Stachelina elegans Walter.]

4. pilosa *W.* America bor. 24.
(*Serratula pilosa* Alton.)
 5. graminifolia *W.* Carolina. 24.
(*Anonymos graminifolius* Walter.)
 6. spicata *W.* Virginia, Pennsylvania. 24.
(*Serratula spicata* L.)
 7. paniculata *W.* Carolina. 24.
(*Anonymos paniculatus* Walter.)
 8. odoratissima *W.* Carolina. 24.
(*Anonymos odoratissimus* Walter.)
1432. SERRATULA. Scharte. T. III. p. 1638.
1. tinctoria L. Europa. 24.
 - β. foliis omnibus integris.
 - γ. foliis inferioribus integris, superioribus incisis.
 - δ. foliis omnibus incisis.
 - ε. foliis omnibus laciniatis.
(*S. alpina* Zanoni.)
 - ζ. flore albo.
 2. coronata L. Sibiria, Italia. 24.
 3. quinquefolia Bieberst. Persia. 24.
 4. humilis Desfont. Atlas. 24.
 5. mollis Cavanil. Hispania. 24.
 6. pygmaea Jacq. Alpes imper. Austriaci. 24.
(*Cnicus pygmaeus* L.)
 7. alpina L. Alpes Europae. 24.
 - β. cynoglossifolia.
 8. discolor *W.* Alpes Europae. 24.
(*S. alpina* Villars.)
 - β. *S. alpina* γ. lapathifolia L.
 9. angustifolia *W.* Sibiria. 24.
(*S. alpina* δ. angustifolia L.)
 10. salicifolia L. Sibiria. 24.
 11. indica Klein. India orient. 24.
 12. multiflora L. Sibiria. 24.
 13. caspica Pallas. Ad mare Caspium. 24.
 14. mucronata Desfont. Barbaria. 24.
 15. amara L. Sibiria. 24.

16. *centauroides* L. Sibiria. 24.

17. *japonica* Thunb. Japonia.

18. *ciliata* Vahl. Aegyptus.

19. *setosa* W. Silesia. ♂.

20. *arvensis* L. Europa. ♂.

β. *Cirsium arvense*, sonchi folio, radice repente, caule tuberoso Tournef.

2433. **CARDUUS.** Distel. T. III. p. 1646.

* *Foliis decurrentibus.*

1. *leucographus* L. Campania. ☉.

2. *peregrinus* Retz. ☉.

3. *arabicus* Jacq. ☉.

4. *lanuginosus* W. Armenia.

5. *macrocephalus* Desf. In regno Tunetano.

6. *nutans* L. Europa. ♂.

β. flore albo.

7. *carlinoides* Gouan. In Pyrenaeis. 24.

8. *carlinaefolius* La Marck. In Pyrenaeis. 24.

9. *acanthoides* L. Europa. ☉. ♂.

10. *hamulosus* Ehrhart. Hungaria. ♂.

11. *candicans* Waldst. et Kit. Hungaria. ♂.

12. *Personata* Jacq. Helvetia, Austria. ♂.

(*Arctium Personata* L.)

13. *crispus* L. Europa. ☉.

14. *tenuiflorus* Smith. Anglia. ☉.

(*C. acanthoides* Hudson, Lightfooth.)

15. *polyanthemus* L. Romae. ♂.

16. *paniculatus* Vahl. In Pyrenaeis 24.

17. *pycnocephalus* L. Europa austr. 24.

18. *argentatus* L. Aegyptus. ☉.

19. *cyanoides* L. Germania, Sibiria. 24.

20. *polyclonos* W. Sibiria. 24.

(*C. cyanoides* β. *polyclonos* L.)

21. *pectinatus* L. ♂.

22. *arctioides* W. Carniolia, Croatia. 24.

(*C. centauroides* Hoppe. — *Arctium carduelis* L.)

23. *alpestris* Waldst. et Kit. Croatia. 24.

4. pilosa *W.* America bor. 24.

(*Serratula pilosa* Aiton.)

5. graminifolia *W.* Carolina. 24.

(*Anonymos graminifolius* Walter.)

6. spicata *W.* Virginia, Pennsylvania. 24.

(*Serratula spicata* L.)

7. paniculata *W.* Carolina. 24.

(*Anonymos paniculatus* Walter.)

8. odoratissima *W.* Carolina. 24.

(*Anonymos odoratissimus* Walter.)

1432. SERRATULA. Scharte. T. III. p. 1638.

1. tinctoria L. Europa. 24.

β. foliis omnibus integris.

γ. foliis inferioribus integris, superioribus incisis.

δ. foliis omnibus incisis.

ε. foliis omnibus laciniatis.

(*S. alpina* Zanoni.)

ζ. flore albo.

2. coronata L. Sibiria, Italia. 24.

3. quinquefolia Bieberst. Persia. 24.

4. humilis Desfont. Atlas. 24.

5. mollis Cavanil. Hispania. 24.

6. pygmaea Jacq. Alpes imper. Austriaci. 24.

(*Cnicus pygmaeus* L.)

7. alpina L. Alpes Europae. 24.

β. cynoglossifolia.

8. discolor *W.* Alpes Europae. 24.

(*S. alpina* Villars.)

β. *S. alpina* γ. lapathifolia L.

9. angustifolia *W.* Sibiria. 24.

(*S. alpina* δ. *angustifolia* L.)

10. salicifolia L. Sibiria. 24.

11. indica Klein. India orient. 24.

12. multiflora L. Sibiria. 24.

13. caspica Pallas. Ad mare Caspium. 24.

14. mucronata Desfont. Barbaria. 24.

15. amara L. Sibiria. 24.

16. *centauroides* L. Sibiria. 24.

17. *japonica* Thunb. Japonia.

18. *ciliata* Vahl. Aegyptus.

19. *setosa* W. Silesia. ♂.

20. *arvensis* L. Europa. ♂.

β. *Cirsium arvense*, sonchi folio, radice repente, caule tuberoso Tournef.

1433. **CARDUUS.** Distel. T. III. p. 1646.

* *Foliis decurrentibus.*

1. *leucographus* L. Campania. ☉.

2. *peregrinus* Retz. ☉.

3. *arabicus* Jacq. ☉.

4. *lanuginosus* W. Armenia.

5. *macrocephalus* Desf. In regno Tunetano.

6. *nutans* L. Europa. ♂.

β. flore albo.

7. *carlinoides* Gouan. In Pyrenaeis. 24.

8. *carlinaefolius* La Marck. In Pyrenaeis. 24.

9. *acanthoides* L. Europa. ☉. ♂.

10. *hamulosus* Ehrhart. Hungaria. ♂.

11. *candicans* Waldst. et Kit. Hungaria. ♂.

12. *Personata* Jacq. Helvetia, Austria. ♂.

(*Arctium Personata* L.)

13. *crispus* L. Europa. ☉.

14. *tenuiflorus* Smith. Anglia. ☉.

(*C. acanthoides* Hudson, Lightfooth.)

15. *polyanthemus* L. Romae. ♂.

16. *paniculatus* Vahl. In Pyrenaeis 24.

17. *pycnocephalus* L. Europa austr. 24.

18. *argentatus* L. Aegyptus. ☉.

19. *cyanoides* L. Germania, Sibiria. 24.

20. *polyclonos* W. Sibiria. 24.

(*C. cyanoides* β. *polyclonos* L.)

21. *pectinatus* L. ♂.

22. *arctioides* W. Carniolia, Croatia. 24.

(*C. centauroides* Hoppe. — *Arctium carduelis* L.)

23. *alpestris* Waldst. et Kit. Croatia. 24.

542 CLASSIS XIX. SYNGENESIA.

24. *defloratus* L. Helvetia, Germania, Gallia. 2.
25. *feminudus* Bieberst. Persia.
26. *pannonicus* L. Austria, Pannonia. 2.
(*C. serratuloides* Jacq.)
27. *parviflorus* L. Europa. 2.
- 27^a. *crassifolius* Hornemann. . . . 2. Enumer.
pag. 838.
- 27^b. *orientalis* Adams. Iberia. — Enum. p. 838.
- 27^c. *wolgensis* Bieberst. Ad Wolgam. ☉. Enum.
pag 839.
- ** *Foliis sessilibus.*
28. *radiatus* Waldst. et Kit. Hungaria. 2.
29. *lycopifolius* Villars. Delphinatus. 2.
(*Serratula heterophylla* Desfont.)
30. *virginianus* L. Virginia.
31. *marianus* L. Europa. ☉. ♂.
32. *nitidus* Waldst. et Kit. Hungaria. 2.
33. *cerinthoides* W. Europa austr. 2.
(*C. cerinthefolius* Villars. — *C. glaucus* Cavan. —
Centaurea nudicaulis L.)
34. *leucanthos* Cavanil. Hispania. ☉.
35. *linearis* Thunb. Japonia.
36. *mollis* L. Austria, Gallia. 2.
1434. CNICUS. Kratzkraut. T. III. p. 1662.
- * *Foliis decurrentibus.*
1. *palustris* Roth. Europa. 2.
(*Carduus palustris* L.)
2. *pungens* W. Armenia.
3. *arenarius* W. Barbaria.
(*Carduus arenarius* Desfont.)
4. *canus* W. Austria. 2.
(*Carduus canus* L. — *Carduus tuberosus* Jacq.)
5. *pyrenaicus* W. In Pyrenaeis. 2.
(*Carduus pyrenaicus* Gouan, Jacq.)
6. *Gouani* W. In Pyrenaeis. 2.
(*Carduus medius* Gouan.)

7. dissectus *W.* Gallia. 4.
• (*Carduus dissectus* L.)
8. Acarna L. Hispania, Gallia. ☉.
9. monspessulanus *W.* Monspeli. 4.
, (*Carduus monspessulanus* L.)
10. lanceolatus Roth. Europa, Asia, America
bor. ♂.
(*Carduus lanceolatus* L.)
11. ferox L. Gallia, Italia. ♂.
** *Foliis sessilibus.*
12. ciliatus *W.* Sibiria. 4. ♂.
(*Carduus ciliatus* Murray, Aiton.)
13. leucocephalus *W.* Creta.
14. echinatus *W.* Barbaria.
(*Carduus echinatus* Desfont.)
15. eriophorus Roth. Europa. ♂.
(*Cnicus eriophorus* L.)
β. *Carduus spurius* L.
16. cynaroides L. Creta.
(*Cnicus cynaroides* La Marck.)
17. orientalis *W.* Oriens.
18. discolor Mühlenberg. America bor. ♂.
19. giganteus *W.* Algeria. 4.
(*Carduus giganteus* Desfont. — *Carduus scaber*
Poiret.)
20. altissimus *W.* Carolina. 4.
(*Carduus altissimus* L.)
21. lanatus *W.* India orient.
(*Carduus lanatus* Roxburgh.)
22. inermis *W.* . . . 4.
23. pratensis *W.* Anglia. 4.
(*Carduus pratensis* Smith. — *Carduus heterophyl-*
lus Lightfooth.)
24. heterophyllus *W.* Europa. 4.
(*Carduus heterophyllus* L. — *Carduus helenioides*
Hudson. Lightfooth. — *Cirsium heterophyl-*
lum Allion.)

544 CLASSIS XIX. SYNGENESIA.

- β. *Cirsium helenoides* Allion.
 25. *helenioides* W. Sibiria. 24.
 (*Carduus helenioides* L.)
 26. *ferratuloides* Roth. Sibiria, Helvetia, Gal-
 lia. 24.
 (*Carduus ferratuloides* L.)
 27. *medius* W. Italia. 24.
 (*Cirsium medium* Allion.)
 28. *rigens* W. Helvetia. 24.
 (*Carduus rigens* Aiton.)
 29. *salisburgensis* W. In pratis Salisburgensi-
 bus. 24.
 (*Carduus rivularis* Hoppe.)
 30. *rivularis* W. Austria, Pannonia. 24.
 (*Carduus rivularis* Jacquin.)
 30a. *munitus* Bieberstein. Ad Caucasum. 24. Enum.
 p. 841.
 31. *montanus* Waldstein et Kit. Croatia. 24.
 32. *antarcticus* W. Delphinatus 24.
 (*Carduus antarcticus* Villars.)
 33. *carniolicus* Hoppe. Carniolia. 24.
 (*Cirsium carniolicum* Scopoli.)
 34. *pauciflorus* Waldstein et Kit. Hungaria. ♂.
 35. *tartaricus* W. L. Sibiria, Austria. 24.
 (*Carduus tataricus*.
 36. *oleraceus* L. Europa. 24.
 β. *Cirsium latissimum* Bauhin.
 37. *Erisithales* L. Austria, Helvetia, Gallia. 24.
 β. floribus purpureis.
 γ. floribus albis.
 δ. floribus ochroleucis.
 38. *ochroleucus* W. Helvetia, Sabaudia. 24.
 (*Cirsium ochroleucum* Allion.)
 39. *tuberosus* Roth. Europa. 24.
 (*Carduus tuberosus* L.)
 β. *Carduus pratensis asphodeli radice, foliis tenui-*
 ter incisis Bauhin.

40. *acaulis* Roth. Europa. 24.
 (*Carduus acaulis* L)
 β. *Cnicus dubius* W.
 γ. Flore albo.
41. *dentatus* W. . . . 24.
42. *Casabonae* W. Europa austr. ♂.
 (*Carduus Casabonae* L.)
43. *afer* W. Barbaria, Syria. ♂.
 (*Carduus afer* Jacquin.)
 β. *Carduus diacantha* Billard. Syria.
44. *stellatus* W. . . . ☉.
 (*Carduus stellatus* L.)
45. *syriacus* W. Hispania, Barbaria, Aegyptus,
 Creta, Syria ☉.
 (*Carduus syriacus* L.)
- 45a. *obvallatus* Bieberstein. Ad Caucasum. 24.
 Enum. p. 842.
46. *flavescens* W. Hispania. ☉.
 (*Carduus flavescens* L)
47. *pinnatifidus* W. Hispania. ☉.
 (*Carduus pinnatifidus* Cavanil.)
48. *spinosissimus* L Helvetia, Austria, Sibir. 24.
49. *echinocephalus* W. Tauria. 24.
50. *centauroides* L. In Pyrenaeis, Sibiria. 24.
51. *uniflorus* L. Sibiria. 24.
52. *carthamoides* W. Sibiria. 24.
53. *cernuus* L. Sibiria. 24.
1435. ONOPORDUM. Krebsdistel. T. III. p. 1686.
1. *Acanthium* L. Europa ♂.
2. *tauricum* W. Tauria ♂.
3. *macrocanthum* Schousboe. Marocco ♂. ☉.
4. *illiricum* L. Europa australis. ♂.
5. *deltoides* Aiton. Sibiria. 24.
6. *graecum* L. Oriens. ☉.
7. *arabicum* L. Lusitania, G. Narbonensis. ♂.
8. *uniflorum* Cavanil. Hispania. ♂.

9. *acaulon* L. . . . ♂.
10. *rotundifolium* Allion. Delphinatus, Italia, Valesia. 4.
(*Berardia subacaulis* Villars.)
1436. CYNARA. Artischocke. T. III. p. 1690.
1. *integrifolia* Vahl. Hispania.
 2. *Scolymus* L. G. Narbonensis, Italia, Sicilia, Barbaria. 4.
β. *Cinara hortensis aculeata* Bauhin.
 - γ. *Cinara hortensis foliis non aculeatis* Bauhin.
 3. *horrida* Aiton. Madera. 4.
 4. *Cardunculus* L. Creta, Barbaria. 4.
 5. *humilis* L. Baetica, in agro Tingitano. 4.
 6. *acaulis* L. Barbaria, Oriens. 4.
 7. *glomerata* Thunb. Cap. b. sp.
 8. *pygmaea* W. Hispania. 4.
1437. CARLINA. Eberwurz. T. III. p. 1693.
1. *acaulis* L. Germania, Helvetia, Gallia, Italia. 4.
(*C. caulescens* La Marck.)
β. *caule pedali*.
 2. *acanthifolia* Allion. In Pyrenaeis, Italia, Carniolia. 4.
(*C. Chardousse* Villars.)
 3. *adgregata* Waldstein. et Kit. Croatia. 4.
 4. *lyrata* Thunb. Cap. b. sp.
 5. *lanata* L. Italia, G. Narbonensis, Barbaria. ☉.
 6. *involuta* Poiret. Algeria. 4.
 7. *corymbosa* L. Italia, Gallia, Carniolia, Barbaria. 4.
β. *C. multicaulis*.
 8. *sulphurea* Desfont. Algeria. ☉.
 9. *vulgaris* L. Europa. ♂.
 10. *racemosa* L. Hispania. ☉.
 11. *pyrenaica* L. In Pyrenaeis. 4.
 12. *xeranthemoides* L. Teneriffa 5.
1438. ATRACTYLIS. Strahlkopf. T. III. p. 1698.
1. *humilis* L. Hispania, Aegyptus. ♂.

β. *Carlina minima caulodes hispanica* Barrelier,
Circa Narbonam.

2. *flava* Desfont. Barbaria. 4.

1439. ACARNA. Acarne. T. III. p. 1699.

1. *gummifera* W. Hispania, Italia, Creta, Barbaria. 4.

(*Atractylis gummifera* L.)

2. *macrocephala* W. In regno Tunetano. 4.

(*Atractylis macrocephala* Desfont.)

3. *macrophylla* W. Atlas. 4.

(*Atractylis macrophylla* Desfont.)

4. *caespitosa* W. Barbaria. 5.

(*Atractylis caespitosa* Desfont.)

5. *lancea* W. Japonia.

(*Atractylis lancea* Thunberg.)

6. *ovata* W. Japonia.

(*Atractylis ovata* Thunberg.)

7. *cancellata* W. Hispania, Barbaria, Creta. ☉.

(*Atractylis cancellata* L.)

1440. ONOSERIS. Eselssalat. T. III. p. 1702.

1. *purpurata* W. Nova-Granada. 5.

(*Atractylis purpurea* L. — *A. purpurata* Smith.)

2. *mexicana* W. Mexico. 5.

(*Atractylis mexicana* L.)

1441. STOKESIA. Stokesie. T. III. p. 1703.

1. *cyanea* l'Heritier. Carolina. 4.

(*Carthamus laevis* Hill.)

1442. STOBAEA. Stobaea. T. III. p. 1703.

1. *glabrata* Thunb. Cap. b. sp.

2. *carlinoides* Thunb. Cap. b. sp.

3. *atractyloides* Thunb. Cap. b. sp.

(*Carlina atractyloides* L.)

4. *decurrens* Thunb. Cap. b. sp.

5. *lanata* Thunb. Cap. b. sp.

6. *rigida* Thunb. Cap. b. sp.

7. *heterophylla* Thunb. Cap. b. sp.

M m 2

8. *pinnatifida* Thunb. Cap. b. sp.
 9. *pinnata* Thunb. Cap. b. sp.
 1443. BARNADESIA. Barnadesie. T. III. p. 1705.
 1. *spinosa* L. America merid. ̄.
 1444. JOHANNIA. Johannie. T. III. p. 1705.
 1. *insignis* W. Peru. ̄.
 (*Chuquiraga* Jussieu.)
 1445. CARTHAMUS. Saflor. T. III. p. 1706.
 1. *tinctorius* L. Aegyptus, India orient. ☉.
 2. *flavescens* W. Armenia. ☉.
 24. *armenus* W. Armenia. — Enum. p. 845.
 26. *rigidus* W. Hispania. — Enum. p. 845.
 3. *persicus* Desfont. Persia. ☉.
 4. *dentatus* Vahl. Melitae, Natolia. ☉.
 5. *lanatus* L. Gallia, Helvetia, Carniolia, Italia, Creta. ☉.
 6. *creticus* L. Creta. ☉.
 7. *pectinatus* Desfont. Barbaria. 4.
 8. *multifidus* Desfont. Algeria.
 9. *tingitanus* L. Algeria. 4.
 10. *coeruleus* L. Hispania, Barbaria. 4.
 11. *helenioides* Desfont. Barbaria. ☉.
 12. *pinnatus* Desfont. Barbaria. 4.
 13. *mitissimus* L. Galia. 4.
 14. *Carduncellus* L. Monspeli. 4.
 15. *arborescens* L. Hispania ̄.
 16. *salicifolius* L. Madera. ̄.
 1446. SPILANTHES. Fleckblume. T. III. p. 1712.
 1. *urens* L. America.
 2. *Pseudo-Acmella* L. Zeylon. ☉.
 (*Pyrethrum acmella* Medicus.)
 3. *Acmella* L. Zeylon. ☉.
 (*ABCdaria* Rumpf. — *Verbesina Acmella* Miller.)
 4. *uliginosa* Swartz. Jamaica. ☉.
 5. *exasperata* Jacq. Venezuela. ☉.
 6. *alba* l'Héritier. Peru. ☉.
 (*S. jalivaria* Murray.)

7. *atriplicifolia* L. America merid.
8. *insipida* L. America.
9. *oleracea* L. India orient. ☉.
(*Pyrethrum Spilanthus* Medicus. — *Bidens acmeloides* Bergius.)
1447. BIDENS. Zweyzahn. T. III. p. 1715.
 - a. *tripartita* L. Europa. ☉.
β. *Conyza palustris*, foliis tripartito-divisis Loefel.
 2. *nodiflora* L. Benghala ☉.
 3. *tenella* L. Cap. b. sp. ☉.
 4. *cernua* L. Europa, America bor. ☉.
β. *B. minima* L.
(*Verbesina minima* Dillen., Raj.)
 - γ. *Coreopsis Bidens* L.
 5. *chrysanthemoides* Michaux. America borealis. ☉.
 6. *heterophylla* Ortega. Mexico. 4: 5.
 - 6a. *luxurians* W. Mexico. 4. Enum. p. 847.
 7. *frondosa* L. America sept. ☉.
 8. *connata* Mühlenberg. America bor. ☉.
 9. *leucantha* W. America calid. ☉.
(*Coreopsis leucantha* L.)
 10. *chinensis* W. India orient., China, Japonia. ☉.
(*Bidens pilosa* β. *chinensis* L.)
 11. *pilosa* L. America bor. ☉.
 12. *sambucifolia* Cavanil. Peru, Mexico. 4.
 13. *odorata* Cavanil. Mexico. ☉.
 14. *bipinnata* L. Virginia, Pennsylvania. ☉.
 - 14a. *parviflora* W. Ad lacum Baical. ☉.
(*B. macrosperma* Fischer.)
 15. *nivea* L. Carolina, Jamaica. 4.
β. *B. folio trilobato* Dillen.
γ. *B. folio panduraeformi* Dillen.
 16. *verticillata* L. Vera-Cruz.
 17. *hirsuta* Swartz. Jamaica. ☉.
 18. *scandens* L. Vera-Cruz., Jamaica. 5.

19. *crocata* Cavanil. Mexico. 4.

20. *bullata* L. America bor., nunc in Italia. ☉.

1448. **LAVENIA**. *Lavenia*. T. III. p. 1724.

1. *decumbens* Swartz. Jamaica. ☉.

(*Cotula Verbestna* L.)

2. *erecta* Swartz. Zeylon, Ins. Societatis.

(*Adenostemma viscosa* Forster. — *Verbesinia Lavenia* L.)

1449. **CACALIA**. *Pestwurz*. T. III. p. 1725.

* *Frutescentes*.

1. *papillaris* L. Cap. b. sp. 5.

2. *pendula* Forskål. Arabia fel. 5.

3. *Anteuphorbium* L. Cap. b. sp. 5.

4. *cuneifolia* L. Ibid. 5.

5. *Kleinia* L. In Canariis. 5.

5a. *cylindrica* de Candol. . . . 5. Enum. p. 849.

6. *odora* Forsk. Arabia fel. 5.

7. *Ficoides* L. Cap. b. sp. 5.

8. *carnosa* Aiton. Cap. b. sp. 5.

9. *repens* L. Cap. b. sp. 5.

10. *articulata* Thunb. Cap. b. sp. 5.

(*C. laciniata* Jacq. — *C. runcinata* La Marck.)

11. *rigida* Thunb. Cap. b. sp. 5.

12. *arbuscula* Thunb. Cap. b. sp. 5.

13. *tomentosa* Thunb. Cap. b. sp. 5.

14. *asclepiadea* L. America merid. 5.

15. *appendiculata* L. Teneriffa. 5.

16. *reticulata* Vahl. Ins. Bourbon. 5.

** *Herbaceae*.

17. *acaulis* Thunb. Cap. b. sp. 4.

18. *radicans* Thunb. Cap. b. sp. 4.

19. *sempervirens* Vahl. Arabia fel. 4.

(*C. semperviva* Forskåhl.)

20. *fonchifolia* L. Zeylon, Malabar, China. ☉.

21. *sagittata* Vahl. Java. ☉.

22. *hieracioides* W. India orient. ☉.

23. *bicolor* Roxburgh. India orient.

24. *incana* L. India.
25. *rotundifolia* W. India orient. 2.
26. *scabra* Vahl. Brasilia.
27. *faracenea* L. Gallia. 2.
28. *hastata* L. Sibiria. 2.
29. *suaveolens* L. Virginia, Canada. 2.
30. *atriplicifolia* L. Ibid. 2.
- 30a. *rhombifolia* W. Ad Caucasum. 2. Enum.
pag. 850.
- 30b. *pinnata* W. Iberia. 2. Enum. p. 850.
31. *repiformis* Mühlenberg. Pennsylvania. 2.
32. *echinata* L. Teneriffa.
33. *alpina* L. Alpes Europæ. 2.
(*C. glabra* Villars.)
34. *albifrons* L. Alpes Europæ. 2.
(*C. hirsuta* Villars. — *C. tomentosa* Jacq. — *C. alliariae* Gouan.)
35. *leucophylla* W. Delphinatus. 2.
(*C. tomentosa* Villars.)
36. *candicans* Vahl. Ad fretum Magellanicum. 2.
37. *scandens* Thunb. Cap. b. sp.
38. *quinqueloba* Thunb. Cap. b. sp.
39. *bipinnata* Thunb. Cap. b. sp.
(*C. pinnatifida* Bergius.)
1450. KLEINIA. Kleinie. T. III. p. 1738.
 1. *ruderalis* Jacq. Jamaica, Hispaniola, Martinica. ☉.
(*Cacalia ruderalis* Swartz.)
 2. *Porophyllum* W. Peru, Martinica. ☉.
(*Cacalia Porophyllum* L.)
 3. *angulata* W. Arabia fel.
(*Cacalia sonchifolia* Forsk. — *Cacalia angulata* Vahl.)
 4. *suffruticosa* W. Nova-Hispania, Brasil. 5.
(*Cacalia suffruticosa* L. — *Cacalia Linaria* Cavan.)
1451. ETHULIA. Ethulie. T. III. p. 1740.
 1. *conyzoides* L. Fil. India orient. ☉.

2. *Sparganophora* L. India.
 3. *Struchium* Swartz. Jamaica. ☉.
 4. *divaricata* L. Malabar. ☉.
 5. *tomentosa* L. China. ☿.
 6. *Bidentis* L. India. ☉.
 7. *uniflora* Walter. Carolina.
1451. HUMEA. Enum. p. 851.

1. *elegans* Smith. Nova-Hollandia. ♂.
- (*Calomeria amaranthoides* Ventenat.)

1452. MIKANIA. Mikanie. T. III. p. 1742.

* *Caule scandente.*

1. *Houstonis* W. Vera-Cruz, Jamaica. ☿.
- (*Eupatorium Houstonis* L.)
2. *hastata* W. Jamaica ☿.
- (*Eupatorium hastatum* L.)
3. *scandens* W. Virginia. ☿.
- (*Eupatorium scandens* L.)
4. *volubilis* W. India orient. ☿.
- (*Eupatorium volubile* Vahl.)
- β. *Eupatorium cordatum* Burmann.
5. *denticulata* W. Surinam,
- (*Eupatorium denticulatum* Vahl.)
6. *tomentosa* W. Ins. Bourbon. ☿.
- (*Eupatorium tomentosum* La Marck.)
- β. *Eupatorium foliis obsolete dentatis subinteger-*
rimis basi rotundatis La Marck.
7. *amara* W. Gujana, in Caribaeis. ☿.
- (*Eupatorium amarum* Vahl. — *Eup. parviflorum* Aublet.)
8. *chenopodifolia* W. Sierra Leone.
 9. *auriculata* W. Cap. b. sp. 2.
- (*Eupatorium auriculatum* La Marck.)
10. *stipulacea* W. Brasilia.
- (*Eupatorium stipulaceum* Vahl.)
- ** *Caule erecto.*
11. *cordifolia* W. America merid. ☿.
- (*Cacalia cordifolia* L.)

12. *laurifolia* W. Mexico. 5.
(*Cacalia laurifolia* L.)
13. *melissaefolia* W. Peru.
(*Eupatorium melissaefolium* La Marck.)
14. *saurejaefolia* W. In Monte Video. 5.
(*Eupatorium saurejaefolium* La Marck.)
- β. *Eupatorium minus*, caulibus filiformibus, fasciculis subtrifloris *La Marck.*
1453. PIQUERIA. Piquerie. T. III. p. 1748.
 1. *trinervia* Cavanil. Mexico. 4.
1454. EUPATORIUM. Wasserdost. T. III. p. 1748.
* *Calycibus tri - usque quinquefloris.*
 1. *parviflorum* Swartz. Jamaica. 5.
 2. *Dalea* L. Jamaica. 5.
 3. *triflorum* Aublet. Gujana. 5.
 4. *hyssopifolium* L. Virginia, Pennsylvania. 4.
 5. *linearifolium* Walter. Carolina. 4.
 6. *coronopifolium* W. Carolina. 4.
(*Chrysocoma coronopifolia* Michaux.)
 7. *foeniculaceum* W. Carolina. 4.
(*Chrysocoma capillacea* Michaux.)
 8. *zeylanicum* L. Zeylon.
 9. *fessilifolium* L. Virginia, Pennsylvania. 4.
 10. *truncatum* Mühlenberg. Pennsylvania. 4.
 11. *album* L. Pennsylvania, Japonia. 4.
 12. *lanceolatum* Mühlenberg. America bor. 4.
 13. *teucrifolium* W. America bor. 4.
 14. *cuneifolium* W. Carolina. 4.
 15. *chinense* L. China, Japonia. 4.
 16. *melissoides* W. Pennsylvania. 4.
 17. *rotundifolium* L. Virginia, Canada.
 18. *altissimum* L. Pennsylvania. 4.
 19. *ceanothifolium* Mühlenberg. America bor. 4.
 20. *pubescens* Mühlenberg. America bor. 4.
 21. *trifidum* Vahl. In Caribaeis.
 22. *trifoliatum* L. Virginia. 4.
 23. *cannabinum* L. Europa. 4.

554 CLASSIS XIX. SYNGENESIA.

β. foliis integris Raj.

24. japonicum *Tbunb.* Japonia. 4.

25. syriacum *Jacq.* Syria. 4.

*** Calycibus sex - vel novemfloris*

26. auriculatum *Vahl.* Brasilia. 5.

27. coriaceum *Vahl.* 5.

28. diffusum *Vahl.* America merid. 4.

29. cinereum *L.* Cap. b. sp. 5

30. scabrum *L.* Nova-Granada. 4.

31. purpureum *L.* America sept. 5.

32. maculatum *L.* Ibid 4.

32a. punctatum *W.* Ibid. 4. Enum. p. 853.

(*E. maculatum* Hortulan.).

33. verticillatum *Mühlenberg.* Ibid. 4.

34. perfoliatum *L.* Virginia, Pennsylvania. 4.

35. flexuosum *La Marck.* Ins. Mauritii. 5.

36. nervosum *Swartz.* Jamaica. 5.

37. rigidum *Swartz.* Jamaica.

38. glutinosum *La Marck.* Peru. 5.

39. microphyllum *L.* Nova Granada. 5.

40. canescens *Vahl.* Ins. St. Crucis et S. Thomae. 5.

41. villosum *Swartz.* Jamaica, Domingo. 5.

42. molle *Swartz.* Gujana, Jamaica. 0.

(*Ageratum gujanense* Aublet.)

43 cordifolium *Swartz.* Jamaica. 5.

44. montanum *Swartz.* Jamaica. 5.

45. coelestinum *L.* Carolina, Virginia. 4.

46. urticaefolium *L.* Nova-Granada. 4.

47. macrophyllum *L.* In Caribaeis. 4.

48. squarrosum *Cavanil.* Mexico. 4.

49. aromaticum *L.* Virginia. 4.

50. ageratoides *L.* Canada, Virginia. 4.

(*Ageratum altissimum* Miller.)

51. deltoideum *Jacq.* 4.

52. conyzoides *Vahl.*

53. atriplicifolium *Vahl.* Ins. St. Crucis et
Guadelupae. 5.

54. repandum *W.* In Antillis. \bar{h} .
(*E. atriplicifolium* La Marck.)
55. sinuatum *La Marck.* St. Domingo. \bar{h} .
56. odoratum *L.* Jamaica. \bar{h} .
57. divaricatum *Bergius.* Cap. b. sp. \bar{h} .
(*Chrysocoma oppositifolia* L.)
58. obtusifolium *W.* America calid. \bar{h} .
59. coloratum *W.* Guinea. \bar{h} .
60. retrofractum *Thunb.* Cap. b. sp.
61. cotinifolium *W.* Martinica. \bar{h} .
62. Ayapana *Ventenat.* Brasilia. \bar{h} .
63. triplinerve, *Vahl.* Ins. St. Crucis.
64. ivaefolium *L.* Jamaica. 4.
65. stoechadifolium *L.* Nova-Granada. 4.
66. myosotifolium *Jacquin.* America calid. ♂.
67. amygdalinum *La Marck.* Peru.
68. spicatum *La Marck.* In Monde Video. 4.
69. salicinum *La Marck.* Peru. 4.
70. furcatum *La Marck.* In Antillis.
71. sophiaefolium *L.* In Antillis. ☉.
1455. KUHNIA. Kuhnle. T. III. p. 1772.
 1. eupatorioides *L.* Pennsylvania. 4.
(*Eupatorium alternifolium* Arduini.)
 2. Critonia *W.* Pennsylvania, Virginia. 4.
(*Critonia Kuhnle* Gaertner.)
1456. AGERATUM. Ageratum. T. III. p. 1773.
 1. conyzoides *L.* America. ☉.
 - α . floribus albis.
 - β . floribus coeruleis.
 2. latifolium *Cavanil.* Peru. ☉.
 3. ciliare *L.* In Bisnagarla.
1457. STEVIA. Stevia. T. III. p. 1774.
 1. linearis *W.* Mexico. \bar{h} .
(*Ageratum lineare* Cavanil.)
 2. Eupatoria *W.* Mexico. 4.
(*Mustelia Eupatoria* Sprengel.)
 - 2^a. purpurea *W.* Mexico. 4. Enum. p. 855.

- 2b. *ivaefolia* W. Ibid. 4. Enum. p. 855.
- 3. *salicifolia* Cavanil. Mexico. 4.
- 4. *ferrata* Cavanil. Mexico. 4.
(*Ageratum punctatum* Jacquin.)
- 4a. *ovata* W. Ibid. 4. Enum. p. 855.
- 5. *pedata* Cavanil. Mexico. ☉.
- 1458. HYMENOPAPPUS. Hautfeder. T. III. p. 1776.
 - 1. *scabiosaeus* l'Heritier. Carolina. ☉.
- 1459. PTERONIA. Federtraeger. T. III. p. 1776.
 - 1. *spinosa* L. Cap. b. sp. 5.
 - 2. *camphorata* L. Ibid. 5.
 - 3. *stricta* Aiton. Ibid. 5.
 - 4. *echinata* Thunb. Ibid. 5.
 - 5. *flexicaulis* Thunb. Ibid. 5.
 - 6. *fastigiata* Thunb. Ibid. 5.
 - 7. *paniculata* Thunb. Ibid. 5.
 - 8. *fasciculata* Thunb. Ibid. 5.
 - 9. *succulenta* Thunb. Ibid. 5.
 - 10. *glabrata* Thunb. Ibid. 5.
 - 11. *pallens* Thunb. Ibid. 5.
 - 12. *aspera* Thunb. Ibid. 5.
 - 13. *minuta* L. Ibid.
 - 14. *cephalodes* Thunb. Ibid. 5.
 - 15. *villosa* Thunb. Ibid. 5.
 - 16. *hirsuta* Thunb. Ibid. 5.
 - 17. *cinerea* Thunb. Ibid. 5.
 - 18. *oppositifolia* L. Ibid. 5.
 - 19. *viscosa* Thunb. Ibid. 5.
 - 20. *glauca* Thunb. Ibid. 5.
 - 21. *ciliata* Thunb. Ibid. 5.
 - 22. *glomerata* Thunb. Ibid. 5.
 - 23. *retorta* Thunb. Ibid. 5.
 - 24. *inflexa* Thunb. Ibid. 5.
 - 25. *membranacea* Thunb. Ibid. 5.
 - 26. *scariosa* Thunb. Ibid. 5.
 - 27. *Porophyllum* Cavanil. Mexico, ☉.
- 1460. STAEHELINA, Staheline. T. III. p. 1783.

1. dubia L. Hispania, Gallia, Italia. H.
2. arborescens L. Galloprovincia, Creta, Ins.
Stoechadum. H.
3. fruticosa L. Creta, Oriens. H.
4. hastata Vahl. Arabia fel. H.
(*Chrysocoma spathulata* Forskål.)
5. ilicifolia L. Nova-Granada. H.
6. spinosa Vahl. Aegyptus. H.
(*Chrysocoma mucronata* Forskål.)

7. Chamaepeuce L. Creta. H.

8. imbricata L. Cap. b. sp. H.

9. corymbosa Thunb. Ibid. H.

461. LACHNOSPERMUM. Filzsame. T. III.
pag. 1787.

1. ericaefolium W. Cap. b. sp. H.

(*Stachelina fasciculata* Thunb.)

462. HAYNEA. Haynea. T. III. p. 1787.

1. edulis W. Gujana. 4.

(*Pacourina edulis* Aublet.)

463. CEPHALOPHORA. Kopfträger, T. III. p. 1788.

1. glauca Cavendish. Chili. 4. ♂.

464. CHRYSOCOMA. Goldhaar. T. III. p. 1788.

* *Frutescentes.*

1. Comaurea L. Cap. b. sp. H.

2. patula L. Ibid. H.

3. cernua L. Ibid. H.

4. microphylla Thunb. Ibid. H.

5. ciliaris L. Ibid. H.

6. montana Vahl. In monte Horeb. H.

7. tomentosa L. H.

8. nivea W. Cap. b. sp. H.

(*C. tomentosa* Jacq.)

9. scabra L. Cap. b. sp. H.

10. denticulata Jacq. H.

** *Herbaceae.*

11. undulata Thunb. Cap. b. sp. 4.

12. purpurea Forster. Ins. Tanna.

13. *Linosyris* L. Europa. 4.

14. *biflora* L. Sibiria. 4.

(*C. dracunculoides* La Marok.)

15. *villosa* L. Sibiria, Tataria, Hungaria. 4.

1465. **TARCHONANTHUS** Pelzsame. T. III.
pag. 1793.

1. *camphoratus* L. Cap. b. sp. 5.

2. *ellipticus* Thunb. Ibid. 5.

3. *lanceolatus* Thunb. Ibid. 5.

4. *dentatus* Thunb. Ibid. 5.

5. *ericoides* L. Ibid. 5.

1466. **CALEA** Schönkraut. T. III. p. 1794.

1. *jamaicensis* L. Jamaica. 5.

2. *aspera* Jacq. America calid. ☉.

3. *oppositifolia* L. Jamaica.

4. *Amellus* L. Jamaica.

5. *lobata* Swartz. Vera-Cruz., Jamaica. 5.

(*Conyza lobata* L.).

6. *scoparia* L. Jamaica. 5.

7. *pinifolia* Forster. Nova-Zeelandia. 5.

8. *leptophylla* Forster. Ibid. 5.

1467. **CAESULIA** Gürtelkraut. T. III. p. 1796.

1. *axillaris* Roxburgh. India orient. 4. ☉.

2. *radicans* W. Guinea. 4.

1468. **SANTOLINA** Heiligenpflanze. T. III. p. 1797.

1. *Chamae-Cyparissus* L. Europa austr. 5.

2. *squarrosa* W. Hispania. 5.

(*S. rosmarinifolia* δ. L. — *S. villosa* Miller.)

3. *viridis* W. Hispania. 5.

(*S. rosmarinifolia* γ. L. — *S. virens* Miller.)

4. *rosmarinifolia* L. Hispania. 5.

β. *S. minor* Miller.

5. *maritima* L. Europa austr., Africa bor. 4.

(*Filago maritima* Miller, — *Diotis candidissima*
Desfont.)

6. *fragrantissima* Forsk. Aegyptus. 5.

7. *alpina* L. Italia. 4. ♂.

8. *anthemoides* L. Hispania, Italia. 4.
1469. BALSAMITA. Frauenmünze. T. III. p. 1801.
1. *grandiflora* Desfont. Algeria. ♂.
 2. *virgata* Desfont. In agro Nicaeensi. ☉. 4.
(*Cotula grandis* L. — *Chrysanthemum discoideum* Allion.)
 3. *ageratifolia* Desfont. Creta. ♀.
(*Chrysanthemum flosculosum* L.)
 4. *vulgaris* W. Hetruria, Narbona, Helvetia. 4.
(*B. major* Desfont. — *Tanacetum Balsamita* L.)
1470. ATHANASIA. Athanasie. T. III. p. 1802.
1. *crenata* L. Cap. b. sp. ♀.
 2. *punctata* Bergius. Ibid. ♀.
 3. *capitata* L. Ibid. ♀.
 4. *scabra* Thunb. Ibid. ♀.
 5. *pubescens* L. Ibid. ♀.
 6. *canescens* Thunb. Ibid. ♀.
(*A. lanuginosa* Cavanil)
 7. *glabra* Thunb. Ibid. ♀.
 8. *annua* L. Barbaria. ☉.
β. *Achillea inodora* L.
γ. floribus solitariis.
 9. *dentata* L. Cap b. sp. ♀.
 10. *aspera* Thunb. Ibid. ♀.
(*A. laevigata* L.)
 11. *quinquedentata* Thunb. Ibid. ♀.
 12. *trifurcata* L. Ibid. ♀.
 13. *virgata* Jacquin. Ibid. ♀.
 14. *hirsuta* Thunb. Ibid. ♀.
 15. *tomentosa* Thunb. Ibid. ♀.
(*A. cinerea* L.)
 16. *flexuosa* Thunb. Ibid. ♀.
 17. *filiformis* Thunb. Ibid. ♀.
 18. *crithmifolia* L. Ibid. ♀.
 19. *parviflora* L. Ibid. ♀.
(*Tanacetum crithmifolium* Miller.)
 20. *pectinata* Thunb. Ibid. ♀.

560 CLASSIS XIX. SYNGENESIA.

21. *pinnata* Thunb. Ibid. 5.
 1471. PENTZIA. Pentzie. T. III p. 1808.
 1. *flabelliformis* W. Cap. b. sp. 5.
 (*P. crenata* Thunberg. — *Tanacetum flabelliforme* l'Heritier. — *Gnaphalium dentatum* L.
Balsamita flabelliformis W. Enum. p. 858.)

S U P E R F L U A

1472. TANACETUM. Wurmkrout. T. III. p. 1809.
 1. *vestitum* Thunb. Cap. b. sp.
 2. *longifolium* Thunb. Ibid.,
 3. *linifolium* Thunb. Ibid.
 4. *axilare* Thunb. Ibid.
 5. *suffruticosum* L. Ibid. 5.
 6. *sibiricum* L. Sibiria. 4.
 7. *argenteum* W. Armenia. 4.
 (*Achillea argentea* La Marck.)
 8. *angulatum* W. Oriens. 4.
 (*Achillea filipendulina* La Marck.)
 9. *incanum* L. Oriens. 4.
 10. *cotuloides* L. Cap. b. sp. ☉.
 11. *orientale* W. Armenia. 4.
 12. *annuum* L. Hispania, Hetruria, Gallia. ☉.
 13. *obtusum* Thunb. Cap. b. sp.
 14. *grandiflorum* Thunb. Cap. b. sp.
 15. *monanthus* L. Oriens. ☉.
 16. *multiflorum* Thunb. Cap. b. sp.
 17. *myriophyllum* W. Oriens. 4.
 (*Archillea bipinnata* L.)
 18. *vulgare* L. Europa. 4.
 β. *Tanacetum crispum* Bauhin.
 1473. ARTEMISIA. Beyfus. T. III. p. 1815.
 * *Fruticosae*.
 1. *vermiculata* L. Cap. b. sp. 5.
 2. *ambigua* L. Ibid. 5.
 3. *judaica* L. Judaea, Arabia, Numidia. 5.
 4. *valentina* La Marck. In regno Valentino. 5

(*A. aethiopica* L.)

5. *aragonensis* La Marck. Hispania. 5.

(*A. herba alba* Asso.)

6. *contra* L. Persia. 5.

7. *capillaris* Thunberg. Japonia. 5.

8. *Abrotanum* L. Carniolia, Gallia, Italia, Cappadocia, Galatia, Syria. 5.

9. *procera* W. Italia, Gallia, Sibiria. 5.

(*A. paniculata* La Marck)

10. *tenuifolia* W. India orient, China. 5.

(*A. capillifolia* La Marck.)

11. *odoratissima* Desfont. Barbaria. 5.

12. *afra* Jacquin . . . 5.

13. *arborescens* L. Italia, Oriens, Barbaria. 5.

14. *argentea* l'Héritier. Madera. 5.

** *Herbaceae, caule simplicissimo, floribus racemosis*

15. *glacialis* L. Alpes Europae austr. 4.

16. *mutellina* Villars. Ibid. 4.

(*A. umbelliformis* La Marck. — *A. glacialis* Wulfen, — *A. rupestris* Allioni.)

17. *splendens* W. Armenia. 4.

18. *lanata* W. Hispania. 4.

19. *caucasica* W. Caucasus. 4.

(*A. rupestris* Pallas.)

20. *alpina* Pallas. Sibiria. 4.

21. *spicata* Jacquin. In summis alpibus Europae austr. 4.

(*A. Boccone* Allion. — *A. rupestris* Villars. — *A. Genipi* Stechmann.)

22. *pectinata* Pallas. Davuria. ☉. ♂.

23. *tanacetifolia* L. Alpes Delphinatus et Pedemontii. 4.

24. *insipida* Villars. Delphinatus. 4.

*** *Herbaceae et suffruticosae, caule subramoso, floribus paniculatis, foliis compositis.*

25. *dentata* W. Sibiria. 4.

562 CLASSIS XIX. SYNGENESIA.

26. *Santonica* L. Tataria, Persia. 4.
27. *Scoparia* Waldst. et Kit. Hungaria, Tataria,
Tauria. ☉. ♂.
28. *campestris* L. Europa. 4.
- 28a. *neglecta* Sprengel. Sibiria. 4. Enum. p. 860.
29. *herbacea* Ehrhart. Sibiria. 4.
30. *pauciflora* Stechmann. Ad ripas Volgae. 4.
- 30a. *humilis* Wulffen. Carniolia, Tyrol. 5. Enum.
p. 861.
(*A. rupestris* Scopoli.)
31. *anethifolia* Stechmann. Sibiria. 4.
32. *palustris* L. Ibid. ☉.
33. *camphorata* Villars. Carniolia, Carinthia,
Italia. Gallia. 5.
(*A. humilis* Wulffen. — *A. rupestris* Scopoli.)
- 33a. *subcanescens* W. Europa austr. 5. Enum.
p. 861.
34. *crithmifolia* L. Lusitania, Gallia. 4.
35. *saxatilis* Waldst. et Kit. Hungaria. 4.
(*A. rupestris* Piller et Mitterpacher.)
36. *nutans* W. In territorio Calmuccorum. 4.
37. *glauca* Pallas. Sibiria. 4.
38. *falsoloides* W. Sibiria. 5.
39. *nitrosa* Stechmann. Sibiria. 5.
40. *monogyna* Waldst. et Kit. Hungaria, Sibi-
ria. 4.
41. *palmata* La Marck. Gallia. Hispania. 5.
42. *maritima* L. Europa. 4.
43. *salina* W. Germania, Hungaria. 4.
(*A. maritima* Leysser, Hoffmann, Roth.)
44. *gallica* W. Gallia. 4.
(*A. maritima* β. La Marck.)
45. *fragrans* W. Armenia. 4.
(*A. maritima* γ. La Marck.)
- 45a. *nivea* Redowsky. Davuria. 4. Enum. p. 863.
46. *austriaca* Jacquin. Austria, Hungaria. 4.
47. *orientalis* W. Armenia. 4.

(*A. austriaca* β . La Marck.)

48. *vallesiaca* Allion. Helvetia, Italia, Hispania. 4.

(*A. flaginoidea* Stechmann.)

49. *taurica* W. Tauria. 4.

(*A. Messerschmidii* Stechmann.)

50. *Lerchiana* Stechmann. Prope Astrachan. 4.

51. *frigida* W. Davuria. 4.

52. *rupestris* L. Oelandia. 4.

53. *borealis* Pallas. Sibiria. 4.

54. *sericea* Stechmann. Ibid. 4.

55. *repens* Pallas. Ibid. 4.

56. *pontica* L. Germania, Helvetia, Italia. 4.

β . *A. Gmelini* Stechmann.

57. *chamaemelifolia* Villars. Gallia, Italia, Oriens. 4.

(*A. Lobelii* Allion.)

58. *annua* L. Sibiria. \odot . σ .

59. *biennis* W. . . . σ .

(*A. hispanica* Jacquin. — *A. annua* β . La Marck.)

60. *laciniata* W. Sibiria. 4.

β . *Absinthium pimpinellae folio*. Amman.

61. *canescens* W. Armenia. 4.

62. *armeniaca* La Marck. Ibid. 4.

63. *Absinthium* L. Europa. 4.

64. *liversiana* Ehrhart. Sibiria. σ .

65. *vulgaris* L. Europa. 4.

66. *indica* W. India orient., China, Japonia, Davuria. 4.

**** *Suffruticosae, caule ramoso, foliis simplicibus.*

67. *integrifolia* L. Sibiria. 4.

68. *japonica* Thunb. Japonia. 4.

69. *coerulescens* L. Europa. 5. 4.

70. *Dracunculus* L. Sibiria, Tataria, Europa. 4.

70^a. *inodora* W. Davuria. 4. Enum. p. 864.

71. *chinensis* L. China, Sibiria. 5.

1474. GNAPHALIUM. Ruhrkaut. T. III. p. 1849.

* *Fruticosa*, *Argyrocoma*.

1. *eximium* L. Cap. b. sp. H.
2. *crispum* L. Ibid. H.
(*G. undulatum* Thunberg.)
3. *arboreum* L. Ibid. H.
4. *proteoides* La Marck. Ins. Mauritii. H.
5. *grandiflorum* L. Cap. b. sp. H.
6. *fruticans* L. Ibid. H.
7. *congestum* La Marck. Ibid. H.
8. *appendiculatum* L. Ibid. H.
(*G. lupulaceum* La Marck.)
9. *heliotropifolium* La Marck. Ins. Bourb. H.
10. *domingense* La Marck. Ins. St. Dominici. H.
11. *yuccaefolium* La Marck. Ins. Mauritii. H.
12. *trinerve* Forster. Nova-Zeelandia. H.
13. *coronatum* L. Cap. b. sp. H.
14. *patulum* L. Ibid. H.
15. *divaricatum* Thunb. Ibid. H.
(*G. spathulatum* Burmann.)
16. *discolorum* L. Ibid. H.
(*G. pyramidale* Bergius.)
17. *asperum* Thunb. Ibid. H.
18. *cephalotes* Thunb. Ibid. H.
(*G. muricatum* β . Bergius.)
19. *muricatum* L. Ibid. H.
(*G. muricatum* γ . *saturejaefolium* Bergius.)
20. *hispidum* L. Ibid. H.
21. *divergens* Thunb. Ibid. H.
(*G. muricatum* β . Bergius.)
22. *fasciculatum* Thunb. Ibid. H.
(*G. muricatum* δ . Bergius.)
23. *fastigiatum* Thunb. Ibid. H.
(*G. muricatum* α . Bergius.)
24. *polyanthos* Thunb. Ibid. H.
25. *hirsutum* Thunb. Ibid. H.
26. *seriphioides* Bergius. Ibid. H.
27. *milleflorum* L. Ibid. H.

- 28. *ericoides* L. Cap. b. sp. 5.
- 29. *teretifolium* L. Ibid. 5.
- 30. *umbellatum* L. Ibid. 5.
- 31. *caespitosum* La Marck. Ins. Mauriti. 5.
- 32. *multicaule* La Marck. Ibid. 5.

** *Fruticosa*, *Chrysocoma*.

- 33. *mucronatum* L. Cap. b. sp. 5.
- 34. *Stoechas* L. Europa austr., Oriens. 5.

(*G. italicum* Roth)

- 34a. *dasyanthum* W. Cap. b. sp. 5. Enum. .
pag. 865.

- 35. *ignescens* L. . . . 5.
- 36. *microphyllum* W. Creta. 5.
- 37. *excisum* Thunb. Cap. b. sp. 5.
- 38. *ferratum* L. Ibid. 5.
- 39. *petiolatum* L. Ibid. 5.
- 40. *aturejoides* La Marck. In Monte Video. 5.
- 41. *crassifolium* L. Cap. b. sp. 5.
- 42. *maritimum* L. Ibid. 5.
- 43. *capitellatum* Thunb. Ibid. 5.
- 44. *repens* L. Ibid. 4.

** *Herbacea*, *Chrysocoma*.

- 45. *cylindricum* L. Cap. b. sp.
- 46. *orientale* L. Africa. 5. 4.
- 47. *arenarium* L. Europa. 4.
- 48. *lavandulaefolium* W. Armenia. 4.
- 49. *candidissimum* Bieberst. Ad mare Caspium
4. 5.

- 50. *japonicum* Thunb. Japonia. ☉.
- 51. *rutilans* L. Cap. b. sp. 4.
- 52. *imbricatum* L. Ibid. 4.

(*G. paniculatum* Bergius.)

- 53. *cymosum* L. Ibid. 5.
- 54. *nudifolium* L. Ibid. 4.
- 55. *pallidum* La Marck. Ins Mauriti. et Bourb.
- 56. *luteo-album* L. Helvetia, Germania, Gal-
lia, Hispania, Lusitania. ☉.

566 CLASSIS XIX. SYNGENESIA.

57. lanatum Forster. Nova-Zeelandia.

58. albescens Swartz. Jamaica. 5.

59. pedunculare L. Cap. b. sp.

60. odoratissimum L. Ibid. 4.

(*G. aureo-fulvum* Bergius.)

61. cauliflorum Desfont. In regno Tunetano. ☉

62. leysseroides Desfont. Ibid. ☉.

63. muscoides Desfont. Ibid. ☉.

**** *Herbacea*, *Argyrocoma*.

54. uniflorum La Marck. Peru. 4.

65. sanguineum L. Aegyptus, Palaestina. 4.

66. Oculus Cati L. Cap. b. sp. ☉.

67. foetidum L. Ibid. ☉. ♂.

68. undulatum L. Africa. ☉.

69. felinum Thunb. Cap. b. sp. 4.

(*G. crispum* L.)

70. cheiranthifolium La Marck. In Monte Video.

71. helianthemifolium L. Cap. b. sp. 5.

72. squarrosum L. Ibid. 4.

73. stellatum L. Ibid. 4.

74. tinctum Thunb. Ibid.

75. notatum Thunb. Ibid.

(*G. paniculatum* Bergius.)

76. rubellum Thunb. Ibid.

77. pygmaeum Thunb. Ibid. 4.

(*G. coronatum* L.)

78. auriculatum Thunb. Ibid. 4.

79. spathulatum Thunb. Ibid. 4.

80. denudatum L. Ibid.

81. dealbatum Thunb. Ibid. ☉.

82. prostratum Thunb. Ibid. ☉.

83. obtusifolium L. Virginia, Pennsylvania. ☉.

84. margaritaceum L. Europa, Kamtschatka, America bor. 4.

85. pilosellum L. Cap. b. sp. 4.

86. plantaginifolium L. Virginia, Pensylv. 4.

87. *dioicum* L. Europa. 4.
 88. *alpinum* L. Alpes Europae. 4.
 89. *nodiflorum* La Marck. Lusitania.
 90. *indicum* L. India orient. 4.
 91. *purpureum* L. America sept. 4.
 ***** Filaginoidea.
 92. *sylvaticum* L. Europa. 4.
 (*G. norvegicum* Gunner, Retz, Haenke. — *G. sylvaticum* A. medium Villars.)
 92a. *americanum* Swartz. Jamaica. 4. Enumer. pag. 867.
 93. *rectum* Smith. Europa. 4.
 (*G. sylvaticum* Lightfooth, Villars, Allioni, Roth, Hoffmann.)
 94. *verticillatum* L. Cap. b. sp. ☉.
 95. *spicatum* Vahl. Aegyptus.
 96. *coarctatum* W. In Monte Video.
 (*G. spicatum* La Marck)
 97. *pensylvanicum* W. Pensylvan., Virgin. ☉.
 (*G. spathulatum* La Marck. — *G. americanum* W. Sp. pl.)
 98. *stachydifolium* La Marck. In Monte Video.
 99. *multicaule* W. India orient. ☉.
 100. *lupinum* L. Alpes Europae. 4.
 101. *pusillum* Hünke. In Sudetis, alpibus Salisburgensibus. 4.
 (*Filago acaulis* Krock.)
 102. *fuscum* Scopoli. Carniola. 4.
 103. *declinatum* L. Cap. b. sp.
 104. *falcatum* La Marck. In Monte Video.
 105. *retusum* La Marck, Ibid. ☉.
 106. *uliginosum* L. Europa, America bor. ☉.
 107. *glomeratum* L. Cap. b. sp. 4.
 107a. *sphaericum* W. Nova-Hollandia. 4. Enum. pag. 867.
 107b. *cephaloidem* W. ☉. Enum. p. 868.
 108. *involutum* Forster. Nova-Zeelandia.

568 CLASSIS XIX. SYNGENESIA.

109. bracteatum *W.* In Monte Video.
(*G. involucreatum* La Marck.)
110. Leontopodium *La Marck.* Alpes Europ. 2.
(*Filago Leontopodium* L.)
111. asterisciflorum *La Marck.* Hispania. 2.
112. Leontopodioides *W.* Sibiria. 2.
113. arnicoides *La Marck.* Ins. Bourbon.
114. germanicum *Bauhin.* Europa, America bor. ☉
(*Filago germanica* L.)
115. gallicum *Smith.* Europa. ☉.
(*Filago gallica* L.)
116. pyramidatum *W.* Gallia, Hispania. ☉.
(*Filago pyramidata* L.)
117. montanum *W.* Europa. ☉.
(*Filago montana* L.)
118. minimum *Lobel.* Anglia. ☉.
(*G. montanum* Hudson. — *Filago montana* Re-
ham.)
119. arvense *W.* Europa. ☉.
(*Filago arvensis* L.)
120. Lagopus *Stephan.* Sibiria. ☉.
***** *Dubia.*
121. capitatum *Thunb.* Cap. b. sp.
122. decumbens *Thunb.* Ibid.
123. conyzoides *Thunb.* Ibid.
124. heterophyllum *Thunb.* Ibid.
125. splendidum *Thunb.* Ibid.
126. debile *Thunb.* Ibid.
127. nanum *W.* Ibid.
(*G. pusillum* Thunb.)
128. expansum *Thunb.* Ibid.
129. micranthum *Thunb.* Ibid.
130. maculatum *Thunb.* Ibid.
131. stachelinoides *Thunb.* Ibid.
132. trifidum *Thunb.* Ibid.
133. revolutum *Thunb.* Ibid. 5.
134. molle *Thunb.* Ibid.

- 135. strigosum Thunb. Ibid.
- 136. adscendens Thunb. Ibid.
- 137. cernuum Thunb. Ibid. H.
- 138. niveum Thunb. Ibid. H.
- 139. scabrum Thunb. Ibid. H.
- 140. humile Thunb. Ibid. H.
- 141. polifolium Thunb. Ibid.
- 142. multiflorum W. Ibid. H.

(*G. polyanthos* Thunberg.)

- 143. orbiculare Thunberg. Ibid.
- 144. rotundifolium Thunberg. Ibid.
- 145. latifolium Thunb. Ibid.
- 146. capillaceum Thunb. Ibid.

1475. XERANTHEMUM. Spreublume. T. III.
p. 1901.

- 1. annuum L. Austria, Italia, Gallia. ☉.

β. *Jacea incana* cyani capitulis Bauhin.

- 2. inapertum W. Austr. Helvetia, Hungaria,
Italia. ☉

(*X. annuum* β. L.)

- 3. orientale W. Armenia. ☉.

(*X. annuum* β. L.)

1476. ELICHRYSUM. Strohblume. T. III. p. 1903.

- 1. vestitum W. Cap. b. sp. H.

(*Xeranthemum vestitum* L. — *Gnaphalium vesti-*
tum Thunberg.)

β. *Gnaphalium ferrugineum* Schrader et Wendland.

- 2. spirale W. Ibid. H.

(*Xeranthemum spirale* Andrews.)

- 3. speciosissimum W. Ibid. H.

(*Xeranthemum speciosissimum* L.)

- 3a. bracteatum W. Nova Hollandia. ♂.

(*Xeranthemum bracteatum* Ventenat.)

- 4. fulgidum W. Cap. b. sp. H.

(*Xeranthemum fulgidum* L. — *Gnaphalium aure-*
um Houttuyn.)

- 5. proliferum W. Ibid. H.

570 CLASSIS XIX. SYNGENESIA.

- (*Xeranthemum proliferum* L.)
 6. *imbricatum* *W.* Cap. b. sp. 5.
 (*Xeranthemum imbricatum* L.)
 7. *canescens* *W.* Ibid. 5.
 (*Xeranthemum canescens* L.)
 8. *argenteum* *W.* Ibid. 5.
 (*Xeranthemum argenteum* Thunberg.)
 9. *recurvatum* *W.* Ibid. 5.
 (*Xeranthemum recurvatum* L.)
 10. *retortum* *W.* Ibid. 5.
 (*Xeranthemum retortum* L.)
 11. *stoloniferum* *W.* Ibid. 4.
 (*Xeranthemum stoloniferum* L.)
 12. *radicans* *W.* Ibid. 4.
 (*Xeranthemum radicans* Thunberg.)
 13. *frigidum* *W.* Syria, Corsica. 4.
 (*Xeranthemum frigidum* Billard.)
 14. *spinosum* *W.* Cap. b. sp. 5.
 (*Xeranthemum spinosum* L.)
 15. *sesamoides* *W.* Ibid. 5.
 (*Xeranthemum sesamoides* L.)
 β. *Xeranthemum sesamoides* *Pluk. amalth. t. 449. f. 5.*
 16. *fasciculatum* *W.* Ibid. 5.
 (*Xeranthemum fasciculatum* Andrews.)
 β. flore albo.
 17. *virgatum* *W.* Ibid. 5.
 (*Xeranthemum virgatum* L.)
 18. *striatum* *W.* Ibid.
 (*Xeranthemum striatum* Thunberg.)
 19. *lancifolium* *W.* Ibid.
 (*Xeranthemum lancifolium* Thunberg.)
 20. *Stachelina* *W.* Ibid. 5.
 (*Xeranthemum Stachelina* L.)
 21. *variegatum* *W.* Ibid. 5.
 (*Xeranthemum variegatum* L.)
 22. *paniculatum* *W.* Ibid. 5.
 (*Xeranthemum paniculatum* L.)

23. *bellidioides* W. Nova-Zeelandia.

(*Xeranthemum bellidioides* Forster.)

1477. DENEKIA. Denekie. T. III. p. 1912.

1. *capensis* Thunb. Cap. b. sp.

1478. CARPESIMUM. Kragenblume. T. III. p. 1912.

1. *cernuum* L. Europa austr. 4. ♂.

2. *abrotanoides* L. China. 4. ♂.

1479. BACCHARIS. Baccharis. T. III. p. 1913.

1. *ivæefolia* L. Virginia, Peru. ♀.

2. *nereifolia* L. Cap. b. sp. ♀.

3. *arborea* L. India orient. ♀.

4. *viscosa* La Marck. Ins. Mauritii et Bourbon. ♀.

5. *halimifolia* L. Virginia, Carolina. ♀.

5a. *adnata* Humboldt. America merid. ♀. Enum. pag. 870.

6. *arbutifolia* Vahl. Peru. ♀.

7. *sessiliflora* Vahl. Brasilia. ♀.

8. *Dioscoridis* L. Syria, Aegyptus. ♀.

9. *villosa* Vahl. Arabia. ♀.

10. *indica* L. India orient. ♀.

11. *brasiliانا* L. Brasilia.

12. *tridentata* Vahl. Brasilia. ♀.

13. *dioica* Vahl. Ins. Montserrat et S. Dominici. ♀.

14. *foetida* L. Virginia. 4.

1480. CONYZA. Dürnwurz. T. III. p. 1918.

* *Herbaceae, foliis non decurrentibus.*

1. *lquarrosa* L. Europa. ♂. 4.

2. *scabra* L. India orient.

3. *foliolosa* W. India orient.

4. *patula* Aiton. China. ☉.

4a. *axillaris* Hornemann. . . . ☉. Enum. p. 871.

5. *paniculata* W. India orient.

6. *bifrons* L. Canada. 4.

7. *bifoliata* L. India orient. ☉.

8. *pubigera* L. Ibid.

9. *purpurascens* Swartz. Jamaica. ☉.

10. *trinervis* La Marck. Brasilia.

572 CLASSIS XIX. SYNGENESIA.

11. *ferrulata* *La Marck.* Ibid.
12. *madagascariensis* *La Marck.* Madagascar.
13. *stricta* *W.* India orient. ☉.
14. *canescens* *L.* Cap b.^o sp.
(*C. pinifolia* *La Marck.*)
15. *oleaeifolia* *La Marck.* Armenia. 4.
16. *candida* *L.* Creta, Dalmatia. 5.
17. *verbascifolia* *W.* Sicilia, Graecia, Armenia. 5.
18. *balsamifera* *L.* India orient.
19. *mollis* *W.* Ibid.
20. *chenopodiifolia* *La Marck.* Insula Bourbon.
β. foliis latioribus.
21. *cinerea* *L.* India orient. ☉.
22. *prolifera* *La Marck.* Java.
23. *chinensis* *L.* China.
24. *hirsuta* *L.* China.
25. *pauciflora* *W.* Ad Senegal. ☉.
26. *aegyptiaca* *Aiton.* Sicilia, Aegyptus. ☉.
(*Erigeron aegyptiacum* *L.* — *E. ferratum* *Forsk.*)
27. *Gouani* *W.* In Canariis. ☉. 4.
(*Erigeron Gouani* *L.*)
28. *senegalensis* *W.* Ad Senegal.
29. *dentata* *W.* Ibid.
30. *villosa* *W.*
31. *anrita* *L.* India orient. ☉.
32. *guineensis* *W.* Guinea. ☉.
33. *amplexicaulis* *La Marck.* India orient. ☉.
34. *obliqua* *W.* Ibid ☉.
(*Erigeron obliquum* *L.*)
35. *orientalis* *L.* Armenia. 4.
36. *ficula* *W.* Sicilia, Gallia. ☉.
(*Erigeron ficulum* *L.*)
37. *foetida* *W.* Africa. 4.
(*Erigeron foetidum* *L.*)
38. *pungens* *La Marck.* Aegyptus.
** *Fruticosae, foliis non decurrentibus.*

39. *sordida* L. Gallia, Italia, Hispania, Lusitania, Barbaria. H.

(*Gnaphalium sordidum* Gouan.)

40. *saxatilis* L. Europa austr., Palaestina, Barbaria. H.

41. *rupestris* L. Arabia. H. 4.

42. *sericea* Aiton. In Canariis. H.

(*Chrysocoma sericea* L.)

43. *ericoides* La Marck. Peru. H.

44. *thyoides* La Marck. Peru. H.

45. *cupressiformis* La Marck. Ad fretum Magellanicum. H.

46. *lycopodioides* La Marck. Ins. Bourbon. H.

47. *bryoides* La Marck. Ad fretum Magellanicum. H.

48. *linearifolia* La Marck. Ins. Bourbon. H.

49. *punctata* W. Chili. H.

50. *canariensis* W. In Canariis. H.

51. *incana* W. Arabia fel. H.

(*Erigeron incanum* Vahl)

52. *inuloides* Aiton. Teneriffa. H.

(*Chrysocoma dichotoma* L.)

53. *chrysocomoides* Desfont. Barbaria. H.

54. *Coronopus* La Marck. Ins. Rodrigo. H.

55. *salicifolia* La Marck. Ins. Mauritii et Bourbon. H.

β. C. foliis linearibus angustissimis La Marck.

56. *laurifolia* La Marck. Ins. Bourbon. H.

β. C. foliis versus apicem latioribus La Marck.

57. *tortuosa* L. In Vera Cruce. H.

58. *rigida* Swartz. Jamaica. H.

59. *glabra* W. America calid. H.

60. *amygdalina* La Marck. Ins. Bourbon. H.

β. C. foliis subsessilibus utrinque tomentosis sericeis La Marck.

61. *melastomoides* La Marck. Ins. Bourbon. H.

62. *lithospermifolia* La Marck. Ins. Mauritii. H.

63. *heliotropiifolia* La Marck. Ins. Bourbon. H.

64. *panamensis* W. Panama. H.
 65. *pyrifolia* La Marck. Java. H.
 66. *appendiculata* La Marck. Ins. Bourbon. H.
 67. *argentea* La Marck. Ibid. H.
 68. *populifolia* La Marck. Ins. Mauritiæ. H.
 69. *carolinensis* Jacq. Carolina, Florida, Ins. Bahamenses. H.
 70. *odorata* L. America merid. H.
 71. *arborescens* L. Ibid. H.
 72. *fruticosa* L. Ibid. H.
 73. *incisa* Aiton. Cap. b. sp. H.
 74. *arbutifolia* La Marck. Peru. H.
 75. *myrsinites* La Marck. St. Domingo. H.
 76. *magellanica* La Marck. Ad fretum Magellanicum. H.
 77. *tricuneata* W. Mexico. H.
 (*C. cuneifolia* La Marck. — *Erigeron tricuneatum* L.)
 78. *retusa* La Marck. Ins. Bourbon. H.
 79. *buxifolia* La Marck. Peru. H.
 *** *Fruticosæ et herbaceæ, caule alato.*
 80. *genistelloides* La Marck. Peru. H.
 81. *articulata* La Marck. In Monte Video. H.
 82. *sagittalis* La Marck. Ibid. H.
 83. *crispata* Vahl. Arabia fel. H.
 84. *arabica* W. Ibid. H.
 (*Erigeron decurrens* Vahl.)
 85. *thapsoides* Bieberst. Ad mare Caspium. 4.
 86. *virgata* L. Jamaica, Carolina. 4.
 87. *rugosa* Vahl. Brasilia.
 88. *alopecuroides* La Marck. Martinica. 4.
 89. *spicata* La Marck. America merid. 4.
 90. *redolens* W. Nova-Caledonia. H.
 (*Gnaphalium redolens* Forster.)
 91. *decurrens* L. India. ☉.
 1481. **MADIA.** Madie. T. III. p. 1951.
 1. *latica* Molina. Chili. ☉.
 2. *melibsa* Molina. Ibid. ☉.

3. *viscosa* Cavanil. Ibid. ☉.

(*M. mellosa* Jacq.)

1482. ERIGERON. Berufungskraut. T. III. p. 1952.

1. *graveolens* L. Gallia, Oriens. ☉.

2. *glutinosum* L. Gallia, Hispania. 4.

3. *canescens* W.

4. *carolinianum* L. Carolina. 4.

5. *nervosum* W. — America bor. 4.

6. *canadense* L. Canada, Virginia, Europa. ☉.

7. *bonariense* L. America austr. ☉.

8. *linifolium* W. ☉.

9. *sumatrense* Retz. Sumatra.

10. *sericeum* Retz. Java. *

11. *strigosum* Mühlenberg. Pennsylvania.

12. *heterophyllum* Mühlenberg. Ibid.

13. *chinense* Jacq. China. ☉.

14. *japonicum* Thunb. Japonia. ☉.

15. *jamaicense* L. Jamaica. ☉.

16. *rivulare* Swartz. Jamaica, Hispaniola. ☉.

17. *scabrum* Thunb. Cap. b. sp.

18. *philadelphicum* L. Canada. 4.

19. *purpureum* Aiton. Ad sinum Hudsonis. 4.

20. *bellidifolium* Mühlenberg. Pennsylvania. 4.

21. *Villarsii* Bellardi. Delphinat., Pedement. 2f.

(*E. atticum* Villars.)

22. *acris* L. Europa. 4.

β. *E. droebachense* Retz.

23. *alpinum* L. Alpes Helvetiae, Carnioliae. 4.

24. *uniflorum* L. Alpes Europae. 4.

25. *gramineum* L. Sibiria. 4.

26. *camphoratum* L. Virginia, Pennsylvania. ☉.

27. *tuberosum* L. Gallia, Syria. 4.

(*Inula tuberosa* Enum. p. 896.)

α. *Conyza marina* Morison.

β. *Conyza tuberosa lutea* Morison.

γ. *Aster conyzoides gesneri* Morison.

28. *hirtum* Thunb. Cap. b. sp.

- 29. *scandens* Thunb. Japonia.
 - 30. *incisum* Thunb. Cap. b. sp.
 - 31. *pinnatifidum* Thunb. Ibid.
 - 32. *pinnatum* L. Ibid.
 - 324. *dolphinifolium* Humboldt. America merid.
- ♂. Enum. p. 873.

1483. TUSSILAGO. Huflatrig. T. III. p. 1962.

- 1. *Anandria* L. Sibiria. 4.
- 2. *lyrata* W. Ibid. 4.
- 3. *dentata* L. America calid.
- 4. *integrifolia* Michaux. Carolina. 4.
(*Perdicium semiflosculare* Walter.)
- 5. *albicans* Swartz. Jamaica. ☉.
(*Leontodon tomentosum* L.)
- 6. *pumila* Swartz. Ibid. ☉.
- 7. *nutans* L. Ibid. ☉.
- 8. *trifurcata* Forster. Terra Magellanica. 4.
- 9. *alpina* L. Alpes Europae. 4.
- 10. *discor* Jacq. Ibid. 4.
(*T. alpina* β. L.)
- 11. *sylvestris* Jacq. Imper. Austricum. 4.
- 12. *Farfara* L. Europa. 4.
β. *Foliis glaberrimis* W.
- 13. *japonica* L. Japonia. 4.
- 14. *frigida* L. Alpes Europae bor. 4.
- 15. *fragrans* Villars. Circa Neapolin. 4.
- 16. *laevigata* W. Bohemia, Sibiria. 4.
(*T. bohemia* Hoppe.)
- 17. *alba* L. Europa. 4.
(*T. ramosa* Hoppe. — *T. alba* β. Gmelini Villars.)
- 18. *nivosa* Villars. Silesia, Austria, Helvetia, Gal-
lia. 4.
(*T. spuria* Schrank. — *T. paradoxa* Retz. —
T. frigida Host, Krocker, Suter.)
- 19. *Petasites* L. Europa. 4.
(*T. hybrida* L.)
- 20. *spuria* Retz. Germania, Scania. 4.

(*T. tomentosa* Ehrhart, Hoppe.)

21. *palmata* Aiton. America bor. 4.

1484. **SENECIO.** Kreutzkraut. T. III. p. 1973.

* *Floribus flosculosis.*

1. *reclinatus* L. Cap. b. sp. 5.

(*S. graminifolius* Jacq. — *S. Chrysocoma* Meerburgh. — *Jacobaea reclinata* Thunb.)

2. *angustifolius* W. Ibid. 5.

(*Jacobaea angustifolia* Thunb.)

3. *mucronatus* W. Ibid. 5.

(*Jacobaea mucronata* Thunb.)

4. *niveus* W. Ibid. 5.

(*Jacobaea nivea* Thunb.)

5. *hieracifolius* L. America sept. ☉.

6. *purpureus* W. Cap. b. sp. 4.

(*Jacobaea purpurea* Thunb. — *Cacalia villosa* Jacq.)

7. *cernuus* L. India orient ☉.

(*S. rubens* Jacq. — *S. uniflorus* Retz.)

8. *erubescens* Aiton. Cap. b. sp. 5.

9. *persicifolius* L. Ibid. 5.

(*Jacobaea persicifolia* Thunb.)

10. *biflorus* Vahl. Arabia. 5.

11. *paniculatus* Bergius. Cap. b. sp. 5.

(*Jacobaea paniculata* Thunb.)

12. *bidentatus* W. Ibid. 5.

(*Jacobaea bidentata* Thunb.)

13. *scaber* W. Ibid.

(*Jacobaea scabra* Thunb.)

14. *vestitus* W. Ibid. 5.

(*Jacobaea vestita* Thunb.)

15. *virgatus* L. Ibid. 5.

16. *divaricatus* L. China.

17. *croaticus* Waldst. et Kit. Croatia. 4.

18. *Pseudo-China* L. India orient. 4.

18a. *haematophyllus* Hortulan. . . . 5. Baum.

pag. 875,

19. japonicus Thunb. Japonia. 4.
20. vulgaris L. Europa. ☉.
21. peucedanifolius L. Cap. b. sp. 5.
(*Jacobaea peucedanifolia* Thunb. — *Cacalia peucedanifolia* Jacq.)
22. arabicus L. Aegyptus. ♂.
(*S. hieracifolius* Forsk.)
23. verbenaeifolius Jacq. Aegyptus. ☉.
** *Floribus radiatis, radio revolutis.*
24. triflorus L. Aegyptus. ☉.
25. aegyptius L. Ibid. ☉.
26. australis W. Nova-Zeelandia.
(*S. angustifolius* Forster.)
27. lautus Forster. Ibid.
28. crassifolius W. Gallia, Italia. ☉.
29. humilis Desfont. Barbaria. ☉.
30. leucanthemifolius Poirét. Ibid. ☉.
31. auritus Desfont. Ibid. ☉.
32. giganteus Desfont. Algeria. 4.
33. lividus L. Hispania. ☉.
34. telephifolius Jacq. Cap. b. sp. ☉.
35. trilobus L. Hispania. ☉.
36. cinerascens Jacq. Cap. b. sp. 5.
37. javanicus W. Java.
(*S. coronopifolius* Burmann.)
38. viscosus L. Europa. ☉.
β. corollis non radiatis Haller.
39. sylvaticus L. Europa. ☉.
40. coronopifolius W. Hispania. ☉.
41. multifidus W. Java.
(*S. tenuifolius* Burmann.)
42. nebrodensis L. Sicilia, Hispania, in Pyrenaeis. ☉.
43. glaucus L. Aegyptus. ♂.
44. varicosus L. Ibid. ☉.
*** *Floribus radiatis, radio patentis. Foliis pinnatifidis.*

45. *hastatus* L. Cap. b. sp. 2.
46. *squamosus* Thunb. Ibid.
47. *incisus* Thunb. Ibid.
48. *carnosus* Thunb. Ibid.
49. *abruptus* Thunb. Ibid.
50. *lyratus* L. Ibid.
51. *spiraeaeifolius* Thunb. Ibid.
52. *pubigerus* L. Ibid.
53. *vernalis* Waldst. et Kit. Hungaria. ☉.
54. *montanus* W. In montibus Salisburgensib. ☉.
(*S. paradoxus* Hoppe.)
β. *floribus nudis* W.
55. *rupestris* Waldst. et Kit. Hungaria, Croat. 2.
56. *dentatus* Jacquin. Cap. b. sp. ☉. ♂.
57. *venustus* Aiton. Ibid. ♂.
58. *elegans* L. Ibid. ☉. ♂. 2.
β. *Jacobaea africana frutescens* Volkammer Nor-
rimb. t. 225.
59. *isqualidus* L. Gallia, Anglia. ☉.
(*S. gallicus* Villars.)
60. *crucifolius* L. Europa. 2.
61. *speciosus* W. China. 2.
(*S. Pseudo - China* Andrews.)
62. *erosus* L. Cap. b. sp. 2.
63. *uniflorus* Allion. Alpes Vallesiae, Pedemontanae. 2.
64. *incanus* L. Alpes Helvetiae, Austriae, Galilae. 2.
β. *S. foliis incanis biplanatifidis, caulibus altioribus* W. Italia.
65. *carniolicus* W. Styria, Carniolia. 2.
(*S. incanus* Scopoli.)
66. *parviflorus* Allion. Alpes Pedemont. 2.
67. *muricatus* Thunb. Cap. b. sp.
68. *laevigatus* Thunb. Ibid.
69. *grandiflorus* Bergius. Ibid.

70. *abrotanifolius* L. Alpes Europae. 4.
 71. *myrrhaefolius* Thunb. Cap. b. sp.
 72. *diffusus* L. Ibid.
 73. *canadensis* L. Canada.
 74. *delphinifolius* Desfont. Barbaria.
 75. *tenuifolius* Jacquin. Germania, Anglia. 4.
 (S. *erucifolius* Hudson, Relhan, Curtis.)
 76. *Jacobaea* L. Europa. 4.
 β. *discoidea*.
 77. *aquaticus* Hudson. Germania, Anglia. 4.
 β. *Corollis nudis* W.
 78. *auriculatus* Vahl. Arabia fel.
 (S. *lyratus* Forskål.)
 79. *aureus* L. Virginia, Canada. 4.
 80. *Balsamitae* Mühlenberg. America bor. 4.
 81. *obovatus* Mühlenberg. Ibid. 4.
 82. *umbellatus* L. Ibid.
 **** *Floribus radiatis, radio patente. Foliis indivisis.*
 83. *linifolius* L. Hispania, Italia, Russia. 4.
 84. *juniperinus* L. Cap. b. sp. 5.
 85. *rosmarinifolius* Thunb. Ibid. 5.
 86. *asper* Aiton. Ibid. 5.
 87. *striatus* Thunb. Ibid.
 88. *cruciatus* L. Ibid.
 89. *rigescens* Jacquin. Ibid. 5.
 90. *pinnulatus* Thunb. Ibid.
 91. *paludosus* L. Europa. 4.
 β. *Foliis utrinque tomentosis.*
 92. *hadiensis* Forsk. Arabia fel. 5.
 93. *nemorensis* L. Germania, Helvetia, Gall. 4.
 β. *S. Barrolieri* Hoppe.
 94. *ovatus* W. Germania. 4.
 (*Jacobaea ovata* Flora der Wetterau.)
 95. *saracenicus* L. Europa. 4.
 95a. *umbrosus* Waldst. et Kit. Hungaria. 4. Enum.
 pag. 877.
 96. *coriaceus* Aiton. Oriens. 4.

(*S. orientalis* Miller.)

97. *Doria* L. Germania, Austria, Gallia, Oriens. 4.
 98. *orientalis* W. Armenia. 4.
 99. *Barrelieri* Gouan. In Pyrenaeis. 4.
 100. *Doronicum* L. Alpes Europae. 4.
 β. *Doronicum foliis oblongo - lanceolatis serratis*
 Monnier.
 γ. *Doronicum foliis lanceolatis denticulatis subtus*
 tomentosis, caule unifloro Royen.
 δ. *Tussilago alpina*, folio oblongo Bauhin.
 ε. *Virga aurea montana serrata*, magno flore
 Bauhin.

101. *arenarius* Thunb. Cap. b. sp.

102. *lanceus* Aiton. Cap. b. sp. 5.

(*S. littoreus* Thunberg.)

103. *glastifolius* L. Ibid.

104. *oporinus* W. Ibid. 4.

(*S. lanceus* Jacquin.)

105. *longifolius* L. Ibid. 5.

106. *undulatus* Thunb. Ibid.

107. *byzantinus* L. Byzantii. ♂.

108. *heterophyllus* Thunb. Cap. b. sp. 5.

109. *halimifolius* L. Ibid. 5.

(*S. sessilis* Thunberg.)

110. *marginatus* L. Ibid.

111. *maritimus* L. Ibid.

β. *foliis lanceolatis.*

112. *lanatus* L. Ibid.

113. *mollis* W. Galatia. 4.

114. *quercifolius* Thunb. Cap. b. sp.

115. *illicifolius* L. Ibid. 5.

116. *crispus* Thunb. Ibid.

117. *crenatus* Thunb. Ibid.

118. *angulatus* L. Ibid. 5.

119. *cordifolius* L. Ibid.

120. *repandus* Thunb. Ibid.

121. *rigidus* L. Ibid. 5.

582 CLASSIS XIX. SYNGENESIA.

122. *solidaginoides* Bergius. Ibid. 5.

(*S. populifolius* L.)

1485. ASTER. Sternblume. T. III. p. 2014.

* *Fruticosi.*

1. *taxifolius* L. Cap. b. sp. 5.

(*A. muricatus* Thunberg.)

2. *reflexus* L. Ibid. 5.

3. *crinitus* L. Ibid. 5.

4. *tomentosus* Schröder et Wendland. Nova-Hollandia. 5.

(*A. dentatus* Andrews.)

5. *sericeus* Ventenat. . . . 5.

6. *hirtus* Thunb. Cap. b. sp. 5.

7. *Cymbalariae* Thunb. Ibid. 5.

8. *carolinianus* Walter. Carolina. 5.

9. *heterophyllus* Thunb. Cap. b. sp. 5.

10. *macrorrhizus* Thunb. Ibid. 5.

11. *villosus* Thunb. Ibid. 5.

12. *angustifolius* Jacquin. Ibid. 5.

13. *obtusatus* Thunb. Ibid. 5.

14. *fruticulosus* L. Ibid. 5.

β. *A. maritimus fruticosus* Plukenet.

** *Herbacei, caule uni - vel bifloro.*

15. *alpinus* L. Austria, Helvetia, Gallia, Sibir. 4.

β. *A. atticus alpinus alter* Bauhin.

γ. *A. hirsutus austriacus caeruleus* Bauhin.

16. *pulchellus* W. Armenia, Caucasus. 4.

17. *holosericeus* Forster. Nova-Zelandia. 4.

18. *coriaceus* Forster. Ibid. 4.

19. *caucasicus* Mussin-Puskin. In Caucaso. 4.

20. *biflorus* Michaux. Canada. 4.

*** *Herbacei, foliis linearibus lanceolatisve integerrimis.*

21. *tenellus* L. Cap. b. sp. ①. ♂.

22. *strigosus* Thunb. Ibid.

23. *nemoralis* Aiton. America bor. 4.

24. *hyssopifolius* L. Ibid. 4.

25. punctatus *Waldst. et Kit.* Hungaria. 2.
 (*A. hyssopifolius* Cavanil.)
26. acris L. Gallia, Hungaria. 2.
27. canus *Waldst. et Kit.* Banatus. 2.
28. solidaginoides *Michaux.* America bor. 2.
 (*Conyza linifolia* L.)
29. linifolius L. Ibid. 2.
30. linariaefolius L. Ibid. 2.
31. pilosus *W.* Ibid. 2.
 (*A. villosus* Michaux.)
32. foliolosus *Aiton.* Ibid. 2.
33. tenuifolius L. Ibid. 2.
34. dumosus L. Ibid. 2.
 α. *A. radio pallide violaceo, caule pubescente* *Aiton.*
 β. *A. radio albo, caule glabro* *Aiton.*
35. ericoides L. Ibid. 2.
36. multiflorus *Aiton.* Ibid. 2.
- 36a. sparsiflorus *Michaux.* Carolina, 2. Enum.
 pag. 880.
37. ciliatus *Mühlenberg.* Ibid. 2.
38. coridifolius *Michaux.* Ibid. 2.
39. squarrosus *Walter.* Carolina.
40. concolor L. America bor. 2.
41. vernus L. Virginia.
42. elongatus *Thunb.* Cap. b. sp.
43. umbellatus *Aiton.* Pennsylvania. 2.
44. salicifolius *Aiton.* America bor. 2.
45. aestivus *Aiton.* Ibid. 2.
46. pannonicus *Jacq.* Hungaria. 2.
- 46a. altaicus *W.* Sibiria. 2.
 (*A. pumilus* Fischer.)
47. Amellus L. Europa. 2.
48. rigidus L. Virginia. 2.
49. novae angliae L. Nova-Anglia. 2.
50. spurius *W.* America bor. 2.
 (*A. novae angliae* β. *Aiton.*)
51. paludosus *Aiton.* Carolina. 2.

52. *grandiflorus* L. America sept. 4.
 53. *phlogifolius* Mühlenberg. Pennsylvania. 4.
 54. *patens* Aiton. Virginia, Pennsylvania. 4.
 **** Herbacei, *foliis cordatis ovatisque serratis*.
 55. *undulatus* L. America bor. 4.
 56. *sagittifolius* Wedemeyer. Ibid. 4.
 57. *paniculatus* Aiton. Ibid. 4.
 57^a. *heterophyllus* W. Ibid. 4. Enum. p. 882.
 β. *Foliis caulinis minoribus subserratis*.
 58. *cordifolius* L. Ibid. 4.
 59. *corymbosus* Aiton. Ibid. 4.
 60. *macrophyllus* L. Ibid. 4.
 β. *A. corollae radio albo* W.
 61. *chinensis* L. China, Japon., Ind. orient. ☉.
 ***** Herbacei, *foliis ovatis integerrimis*.
 62. *rotundifolius* Thunb. Cap. b. sp.
 63. *humilis* W. Pennsylvania. 4.
 64. *cornifolius* Mühlenberg. Pennsylvania. 4.
 ***** Herbacei, *foliis lanceolatis, inferioribus serratis*.
 65. *Tripolium* L. Europa. ♂.
 α. *flore radiato*,
 β. *flore discoideo*.
 66. *salignus* W. Germania, Hungaria. 4.
 (*A. salicifolius* Scholler, Roth.)
 67. *puniceus* L. America sept. 4.
 α. *A. septempedalis* Aiton.
 β. *octopedalis* Aiton.
 γ. *tripedalis* Aiton.
 67^a. *adulterinus* W. Ibid. 4. Enum. p. 884.
 68. *tataricus* L. Sibiria. 4.
 69. *annuus* L. Canada, Dania, German. ☉. ♂.
 70. *dentatus* Thunb. Cap. b. sp.
 71. *ferratus* Thunb. Ibid.
 72. *indicus* L. China, India orient. ☉.
 73. *sibiricus* L. Sibiria, 4.
 α. *floribus numerosis* Aiton.

β. floribus paucis Aiton.

74. *elegans W.* 2.
 75. *hispidus Thunb.* Japonia. 2.
 75a. *concinus W.* America bor. 2. Enum. p. 884.
 76. *scaber Thunb.* Japonia.
 77. *conyzoides W.* America bor. 2.

(Conyza asteroides L.)

78. *divaricatus L.* Virginia. 2.
 79. *Radula Aiton.* In Nova-Scotia. 2.
 80. *laevis L.* America sept. 2.
 81. *mutabilis L.* Ibid. 2.
 82. *versicolor W.* Ibid. 2.
 83. *laevigatus W.* Ibid. 2.
 84. *preanthoides Mühlenberg.* Pensylvan. 2.
 85. *amplexicaulis Mühlenberg.* Ibid. 2.
 86. *vimineus La Marek.* Canada. 2.
 87. *Tradescanti L.* Virginia. 2.

*α. A. floribus albis Aiton.**β. A. floribus coeruleis Aiton.*

88. *recurvatus W.* America bor. 2.
 89. *floribundus W.* Ibid. 2.
 90. *novi belgii L.* Virginia, Pennsylvania. 2.

β. Foliis glaucis Aiton.

- 90a. *bellidiflorus W.* America bor. 2. Enum.
 pag. 886.

91. *spectabilis Aiton.* America bor. 2.
 92. *feroxinus W.* Ibid. 2.
 93. *tardiflorus L.* Ibid. 2.
 93a. *eminens W.* Ibid. 2. Enum. p. 886.
 93b. *laxus W.* Ibid. 2. Enum. p. 886.
 93c. *simplex W.* Ibid. 2. Enum. p. 887.
 94. *juncus Aiton.* Ibid. 2.
 95. *lanceolatus W.* Ibid. 2.
 96. *dracunculoides W.* Ibid. 2.
 97. *fragilis W.* Ibid. 2.
 97a. *polyphyllus W.* Ibid. 2. Enum. p. 888.
 98. *missa L.* Ibid. 2.

99. *divergens* Aiton. Ibid. 24.
 100. *diffusus* Aiton. Ibid. 24.
 α . A. disco rubro Aiton.
 β . A. disco stramineo Aiton.
 101. *pendulus* Aiton. Ibid. 24.
 ***** *Herbacei, foliis pinnatis.*
 102. *aurantius* L. Vera-Cruce. ☉.
 103. *pinnatus* Cavanil. Nova-Hispania. 24.
 1486. SOLIDAGO. Goldenrute. T. III. p. 2053.
 * *Arborescentes.*
 1. *Ipuria* Forster. Ins. St. Helena. 5.
 2. *Leucadendron* Forster. Ibid. 5.
 3. *arborescens* Forster. Nova-Zeelandia. 5.
 ** *Herbacei, racemis secundis, foliis triplinerviis.*
 4. *canadensis* L. Virginia, Canada. 24.
 α . S. foliis nudiusculis Aiton.
 β . S. foliis scabris Aiton.
 γ . S. foliis subtus villosis Aiton.
 5. *procera* Aiton. America bor. 24.
 6. *serotina* Aiton. Ibid. 24.
 7. *gigantea* Aiton. Ibid. 24.
 8. *ciliaris* Mühlenberg. Pennsylvania. 24.
 9. *reflexa* Aiton. America bor. 24.
 10. *lateriflora* L. Ibid. 24.
 *** *Racemis secundis, foliis venosis.*
 11. *aspera* Aiton. America bor. 24.
 12. *altissima* L. Ibid. 24.
 α . S. caule quinquepedali piloso Aiton.
 β . S. pilosa Miller.
 γ . S. recurvata Miller.
 δ . S. virginiana Miller.
 12^a. *recurvata* W. Ibid. 24. Enum. p. 889.
 13. *rugosa* Miller. Ibid. 24.
 (S. *altissima* α . Aiton.)
 14. *scabra* Mühlenberg. Pennsylvania. 24.
 15. *nemoralis* Aiton. America bor. 5.
 16. *patula* Mühlenberg. Pennsylvania. 24.

17. *ulmifolia* Mühlenberg. Ibid. 24.

18. *arguta* Aiton. America bor. 24.

19. *junceae* Aiton. Ibid. 24.

20. *elliptica* Aiton. Ibid. 24.

(*S. latissimifolia* Miller.)

21. *sempervirens* L. In Noveboraco, Canada. 24.

(*S. maxima* Cornuti.)

22. *odora* Aiton. America bor. 24.

**** *Racemis erectis.*

23. *bicolor* L. America sept. 24.

24. *petiolaris* Aiton. Ibid. 24.

25. *stricta* Aiton. Ibid. 24.

26. *lanceolata* L. Ibid. 24.

26a. *livida* W. Ibid. 24. Enum. p. 891.

27. *caesia* Aiton. Ibid. 24.

28. *hispida* Mühlenberg. Pennsylvania. 24.

29. *laevigata* Aiton. America bor. 24.

30. *mexicana* L. Ibid. 24.

31. *viminea* Aiton. Ibid. 24.

(*S. integerrima* Miller.)

32. *flexicaulis* L. Canada. 24.

β. *L. latifolia* L.

33. *ambigua* Aiton. . . . 24.

33a. *hirta* W. America bor. 24. Enum. p. 891.

33b. *lithospermifolia* W. Ibid. 24. Enum. p. 892.

34. *alpestris* Waldst. et Kit. Alpes Austriacae. 24.

35. *Virgaurea* L. Europa. 24.

36. *cambrica* Hudson, In Anglia. 24.

(*S. minuta* Miller.)

37. *multiradiata* Aiton. In terra Labrador. 24.

38. *minuta* L. In Pyrenaeis, Helvetia, Sicilia. 24.

39. *rigida* L. Pennsylvania. 24.

40. *noveboracensis* L. America sept. 24.

1487. MUTISIA. Mutisia. T. III. p. 2068.

* *Foliis pinnatis.*

1. *Clematis* L. Peru, Nova-Granada. 7.

2. *peduncularis* Cavanil. Peru. 7.

3. *viciaefolia* Cavanil. Peru. H.

** *Foliis simplicibus.*

4. *ilicifolia* Cavanil. Chili. H.

5. *runcinata* W. America merid. H.

(*M. retrorsa* Cavanil.)

6. *sinuata* Cavanil. Chili. H.

7. *subspinosa* Cavanil. Peru. H.

8. *sagittata* W. Chili. H.

(*M. hastata* Cavanil.)

9. *decurrens* Cavanil. Chili. H.

10. *iflexa* Cavanil. Chili. H.

11. *lineariaefolia* Cavanil. Chili. H.

1488. CINERARIA. Aschenpflanze. T. III. p. 2071.

* *Floribus fasciculosis*

1. *nivea* W. Cap. b. sp. H.

(*Doria nivea* Thunberg.)

2. *undulata* W. Ibid. ☉.

(*Doria nudulata* Thunberg.)

3. *alata* L. Ibid. H.

(*Doria alata* Thunberg.)

4. *perfoliata* L. Ibid.

(*Doria perfoliata* Thunberg.)

5. *denticulata* W. Ibid.

(*Doria denticulata* Thunberg.)

6. *ferrata* W. Ibid.

(*Doria ferrata* Thunberg.)

7. *elongata* L. Ibid. (

(*Doria elongata* Thunberg.)

8. *erosa* W. Ibid.

(*Doria erosa* Thunberg.)

9. *fonchifolia* L. Ibid.

(*Doria fonchifolia* Thunberg.)

10. *incisa* W. Ibid.

(*Doria incisa* Thunberg.)

11. *pinnatifida* W. Ibid.

(*Doria pinnatifida* Thunberg.)

12. *bipinnata* W. Ibid.

(*Doria bipinnata* Thunberg.)

** *Floribus radiatis.*

- 13. *filifolia* Thunb. Cap. b. sp.
- 14. *cacalioides* L. Ibid.
- 15. *lineata* L. Ibid.
- 16. *americana* L. America merid. H.
- 17. *repanda* Forster. Nova-Zeelandia. H.
- 18. *rotundifolia* Forster. Nova-Zeelandia. H.
- 19. *geifolia* L. Cap. b. sp. H.

(*Othonna geifolia* Kniphausen.)

- 20. *aurita* l'Héritier. Madera. H.
- 20a. *hybrida* W. . . H. Enum. p. 893.
- 21. *cruenta* l'Héritier. In Canariis. 24.

(*C. aurita* Andrews.)

- 22. *cymbalariaefolia* L. Cap. b. sp.

β. *Jacobaea afra*, *geranii columbini folio* Vaillant.

- 23. *lobata* Thunb. Cap. b. sp. H.
- 24. *multiflora* l'Héritier. In Canariis. 24.
- 25. *Tussilaginis* l'Héritier. Teneriffa. ☉.
- 26. *praecox* Cavanil. Mexico. H.
- 27. *malvaefolia* l'Héritier. In Canariis et in insula S. Miguel. 24.

- 28. *glabra* Swartz. Jamaica. H.

- 29. *discolor* Swartz. Ibid. H.

- 30. *coronata* Thunb. Cap. b. sp. H.

- 31. *sibirica* L. Sibiria; Oriens, Hungaria, Gall. 24.

- 32. *glauca* L. Sibiria. 24.

- 33. *palustris* L. Europa. 24.

- 34. *campestris* Retz. In subalpinis Europae. ♂.

(*C. alpina* γ. *integrifolia* L. — *C. integrifolia* β. Villars. — *C. integrifolia pratensis* Jacquin.)

- 35. *aurantiaca* Hoppe. Gallia, Italia, Carinthia. 24.

(*C. alpina* Allion, Wulfen. — *C. integrifolia* A. Villars.)

- 36. *integrifolia* Jacquin. Austria, Helvetia, Germania. 24.

(*C. alpina* Hoppe.)

37. *longifolia* Jacquin. German. Gall. Aust. ♂.
(*C. alpina* δ. *helenitis* L.)
38. *crispa* L. Germania, Imper. Austriacum. ♀.
39. *cordifolia* L. Alpes Europae austr. 4.
40. *alpina* W. Alpes Europae. 4.
(*C. alpina* β. L. — *C. cordifolia auriculata* Jacq.
— *Senecio alpinus* L. Suppl.)
- 40a. *parviflora* Bieberstein. Caucasus. 4. Enum.
p. 894.
41. *aurea* L. Sibiria. 4.
42. *japonica* Thunb. Japonia.
43. *maritima* L. Ad mare Mediterran. 4.
44. *bicolor* W. . . ♀.
45. *canadensis* L. Canada. 4.
46. *aspera* Thunb. Cap. b. sp.
47. *capillacea* L. Ibid.
48. *minuta* Cavanil. Hispania. ♂.
49. *linifolia* L. Cap. b. sp. ♀.
50. *humifusa* l'Héritier. Ibid. 4.
(*C. pumila* Thunb.)
51. *viscosa* l'Héritier. Ibid. 4.
52. *purpurata* L. Ibid. ♀.
53. *scapiflora* l'Héritier. Ibid. 4.
54. *lanata* l'Héritier. In Canariis. ♀.
55. *amelloides* L. Cap. b. sp. ♀.
- 1488a. GRINDELIA. Grindelia. Enum. p. 894.
1. *inuloides* W. Mexico. ♀.
(*Aster jpathularis* Broussonet.)
1489. INULA. Alant. T. III. p. 2089.
1. *Helenium* L. Europa. 4.
2. *odora* L. Italia, Galloprovincia, Narbona. 4.
3. *Oculus Christi* L. Austria, Germania. 4.
4. *Britannica* L. Europa. 4.
β. *Conyza aquatica*, asteris flore aureo Bauhin.
5. *dysenterica* L. Europa. 4.
6. *undulata* L. Aegyptus.
7. *indica* L. India orient. ♂.

8. *Pulicaria* L. Europa. ☉.

β. major.

9. *arabica* L. Arabia, India. 24.

10. *spiraeaeifolia* L. Italia.

11. *japonica* Thunb. Japonia. 24.

12. *squarrosa* L. Italia, Gallia. 24.

13. *viscosa* Aiton. Hispania, Gallia, Italia, Barbaria. 24. ☿.

(*Erigeron viscosum* L.)

14. *salicina* L. Europa. 24.

15. *grandiflora* W. Iberia. 24.

16. *glandulosa* Mussin - Puskin. Georgia. 24.

17. *Bubonium* Jacq. Austria, Carniol., Tauria. 24.

(*Aster Bubonium* Scopoli.)

18. *hirta* L. Europa. 24.

19. *suaveolens* Jacq. Europa austr. 24.

20. *Vaillantii* Killars. Alpes Europae austr. 24.

(*Aster Vaillantii* Allion.)

21. *mariana* L. America sept. 24.

22. *dubia* Thunb. Japonia.

23. *orientalis* W. Armenia. 24.

24. *germanica* L. Germania, Pannonia, Sibiria. 24.

25. *ensifolia* L. Austria, Germania, ad mare Caspium. 24.

26. *crithmifolia* L. Anglia, Gallia, Hispania, Lusitania, Barbaria. ☿.

(*Senecio succulentus* Forsk.)

27. *provincialis* L. Galloprovincia. 24.

28. *montana* L. Gallia, Germania, Helvetia, Hispania. 24.

29. *aestuans* L. America calid.

30. *bifrons* L. Europa austr. ♂.

31. *caerulea* L. Cap. b. sp. ☿.

(*Inula cernua* Bergius.)

32. *aromatica* L. Ibid. ☿.

33. *saturejoides* Miller. Vera-Cruz. ☿.

34. *pinifolia* L. Cap. b. sp. 5.

35. *foetida* L. Melita. ☉.

1490. RHANTERIUM. Flockensame. T. III. p. 2105.

1. *suaveolens* Desfont. In regno Tunetano. 5.

1491. ARNICA. Wolverley. T. III. p. 2106.

1. *montana* L. Europa. 24.

β. *Arnica alpina* L.

(*Caltha alpina* Tabernemont.)

2. *piloselloides* L. Cap. b. sp.

3. *hirsuta* Forsk. Arabia fel. 24.

4. *oporina* Forster. Nova-Zeelandia. 5.

5. *lanata* Thunb. Cap. b. sp.

6. *grandis* Thunb. Ibid. 5.

7. *cordata* Thunb. Ibid.

8. *ciliata* Thunb. Japonia. 24.

9. *scorpioides* L. Helvetia, Austria. 24.

β. *Doronicum radice dulci* Bauhin.

10. *Doronicum* Jacq. Alpes Europa austr. 24.

(*A. stiriaca* Villars. — *A. Clusii* Allion.)

11. *glacialis* Wulfen. Alpes Carinthiae, Salisburgi. 24.

12. *Bellidiastrum* Villars. Europa austr. 24.

(*Doronicum Bellidiastrum* L.)

β. *Bellis* caule pedali f. bipedali nudo, foliis magnis latis, floribus rubris et albis Mentzel.

13. *rotundifolia* W. Barbaria. 24.

(*Doronicum rotundifolium* Desfont.)

14. *maritima* L. Kamtschatka, America sept. 24.

15. *inuloides* Vahl. Cap. b. sp. 5.

16. *tabularis* Thunb. Ibid. 5.

17. *crocea* L. Ibid. 24.

18. *crenata* Thunb. Ibid. 24.

19. *japonica* Thunb. Japonia.

20. *palmata* Thunb. Ibid.

21. *sinuata* Thunb. Ibid. 24.

22. *ferrata* Thunb. Ibid. 24.

23. *Gerbera* L. Ibid. 24.

24. coronopifolia L. Ibid.

1492. DORONICUM. Gemswurzel. T. III. p. 1213.

1. Pardalianches L. Germania, Helvetia, Italia, Gallia. 24.

2. scorpioides W. Germania, Austria. 24.
(*D. plantagineum* Roth.)

3. austriacum Jacq. In subalpinis Austriae, Carinthiae, Salisburgi. 24.

4. altaicum Pallas. In alpibus Altaicis. 24.

5. plantagineum L. Lusitania, Hispania. 24.

β. *D. plantaginis folio*, lusitanicum Tournef.

6. glutinosum W. Mexico. 5.

(*Aster glutinosus* Cavanil. — Enum. p. 878.)

6a. orientale Adams. Caucasus. 24. En. p. 898.

(*D. caucasicum* Bieberst.)

1493. TETRAGONOTHECA. Würfelkelch. T. III. pag. 2116.

1. helianthoides L. Virginia, Carolina. 24.
(*Polymnia Tetragonotheca* Abbot.)

1494. XIMENESIA. Ximenesie. T. III. p. 2116.

1. encelioides Cavanil. Mexico. 24.

1495. PERDICCIUM. Perdicium. T. III. p. 2116.

1. Taraxaci Vahl. Cap. b. sp. 24.

(*P. semiflosculare* L.)

2. tomentosum Thunb. Japonia. 24.

(*Arnica Gerbera e Japonia* Houttuyn.)

3. purpureum Vahl. Ad fretum Magellanic. 24.

4. magellanicum L. Ibid. 24.

5. nervosum Thunb. Cap. b. sp.

6. chilense W. Chili. 24.

7. lactuoides Vahl. Ad fretum Magellanic. 24.

(*Aster magellanicus* La Marck.)

8. squarrosum Vahl. In Monte Video. 24.

9. brasiliense L. Brasilia. 24.

10. laevigatum Bergius, In Porto bello. 5.

11. radiale L. Jamaica. 5.

(*Trixis frutescens* Brown.)

594 CLASSIS XIX. SYNGENESIA.

12. *recurvatum* Vahl. Ad fretum Magellanic. 5.
 1496. HELENIUM. Helenie. T. III. p. 2120.
 1. autumnale L. America sept. 4.
 2. pubescens Aiton. Ibid. 4.
 3. quadridentatum La Billard, Louisiana. 4. ☉
 (*Rudbeckia alata* Jacq.)
 1497. BELLIS. Masliebe. T. III. p. 2121.
 1. perennis L. Europa. 4.
 β. *Bellis hortensis*.
 γ. *B. hortensis*, flore albo bullato Tournef.
 δ. *B. hortensis rubra*, flore multiplici fistuloso Tourn.
 ε. *B. hortensis prolifera*.
 2. *sylvestris* Dodoens. Italia. 4.
 3. *annua* L. Sicilia, Hispania, Gallia. ☉.
 1498. BELLIIUM. Bundblume. T. III. p. 2122.
 1. *bellidioides* L. Italia, Ins. Balearicae. ☉.
 (*Bellis droseraefolia* Gouan.)
 2. *minutum* L. Oriens. ☉.
 (*Pectis minuta* Schreber.)
 1498a. DYSSODIA. Enum. p. 900.
 1. *Porophyllum* W. Mexico. ☉.
 1499. GEORGINA. Georgine. T. III. p. 2124.
 1. *purpurea* W. Mexico. 4.
 (*Dahlia pinnata* Cavanil. — *Georgina variabilis*
 α. Enum. p. 899.
 2. *rosea* W. Mexico. 4.
 (*Dahlia rosea* Cavanil. — *Georgina variabilis* β.
 Enum. p. 899.)
 3. *coccinea* W. Mexico. 4.
 (*Dahlia coccinea* Cavanil.)
 α. *G. coccinea* Enum. p. 900.
 β. *G. crocea* Enum. p. 900.
 γ. *G. flava* Enum. p. 900.
 1500. SCHLECHTENDALIA. Schlechtendalie.
 T. III. pag. 2125.
 1. *glandulosa* W. Mexico. 4.
 (*Willdenowa glandulosa* Cavanil.)

1501. BOEBERA. Boebera. T. III. p. 2125.

1. chrysanthemoides W. Carolina, Florida, Mexico. ☉.

(*Tagetes papposa* Michaux. — *Tagetes pumila* Hort. pisan. — *Dyssodia glandulosa* Cavan.)

1502. TAGETES. Todtenblume. T. III. p. 2126.

1. lucida Cavanil. Mexico. 4.

2. patula L. Mexico. ☉.

(*Flos africanus* Dodoens.)

β. T. indicus minor, multiplicato flore Tournef.

3. erecta L. Mexico. ☉.

β. T. maximus rectus, flore maximo multiplicato Bauhin.

γ. T. mexicanus, flore fistuloso, simplex Col.

δ. T. mexicanus alter polyanthos, fistuloso flore Col.

4. elongata W. America calid. ☉.

5. minuta L. Chili. ☉.

6. caracasana Humboldt. Ad Carracas. ☉.

7. tenuifolia Cavanil. Peru. ☉.

8. micrantha Cavanil. Nova Hispania. ☉.

1503. HETEROSPERMUM. Doppelsame. T. III. pag. 2129.

1. pinnatum W. Nova-Hispania. ☉.

(*Heterosperma pinnata* Cavanil.)

2. ovatum W. Peru.

(*Heterosperma ovatifolia* Cavanil.)

504. SCHKUHRIA. Schkuhrrie. T. III. p. 213e.

1. abrotanoides Roth. Mexico. ☉.

(*Pectis pinnata* La Marck, Cavanil.)

505. PECTIS. Angerblume. T. III. p. 213b.

1. humifusa Swartz. Guadeloupe, Ins. St. Cruc. ☉.

2. prostrata Cavanil. Nova-Hispania. ☉.

3. ciliaris L. Hispaniola. ☉.

4. linifolia L. Jamaica. ☉.

5. punctata L. Hispaniola. ☉.

506. LEYSSERA. Leyssere. T. III. p. 213a.

1. ciliata Thunb. Cap. b. sp. 5.

2. *gnaphalodes* L. Cap. b. sp. 5.

3. *Callicornia* L. Ibid. 5.

(*Callicornia gnaphaloides* Burmann.)

4. *incana* Thunb. Ibid. 5.

5. *squarrosa* Thunb. Ibid. 5.

(*Stachelina gnaphaloides* L.)

6. *Pilosella* Thunb. Ibid.

7. *ovata* Thunb. Ibid.

8. *picta* Thunb. Ibid.

1507. ROSENIA. Rosenie. T. III. p. 2134.

1. *glandulosa* Thunb. Cap. b. sp. 5.

1508. RELHANIA. Relhanie. T. III. p. 2135.

* *Floribus aggregatis.*

1. *squarrosa* Thunb. Cap. b. sp. 5.

(*Athanasia squarrosa* L.)

2. *genistaefolia* Thunb. Ibid. 5.

(*Athanasia genistifolia* L.)

3. *microphylla* l'Héritier. Ibid. 5.

4. *passerinoides* l'Héritier. Ibid. 5.

5. *viscosa* l'Héritier. Ibid. 5.

** *Floribus solitariis.*

6. *laxa* l'Héritier. Cap. b. sp. 6.

7. *pedunculata* l'Héritier. Ibid.

(*R. pumila* Thunb. — *Athanasia pumila* L. —
Zoega capensis L.)

8. *lateriflora* l'Héritier. Ibid.

(*R. sessiliflora* L.)

9. *cuneata* Thunb. Ibid. 5.

(*Athanasia uniflora* L.)

10. *virgata* l'Héritier. Ibid. 5.

11. *paleacea* Thunb. Ibid. 5.

(*Leyssera paleacea* L. — *L. ericoides* Bergius.)

12. *santolinoides* Thunb. Ibid. 5.

13. *tomentosa* Thunb. Ibid. 5.

14. *reflexa* Thunb. Ibid. 5.

15. *pungens* Thunb. Ibid. 5.

16. *decussata* l'Héritier. Ibid. 5.

17. *trinervis* Thunb. Cap. b. sp.
18. *quinquenervis* Thunb. Ibid.
19. *pinnata* Thunb. Ibid.
1509. ZINNIA. Zinnie. T. III. p. 2159.
 1. *pauciflora* L. Peru. ☉.
 2. *multiflora* L. Louisiana, Mexico. ☉.
 - α. flore rubro. Enum. p. 901.
 - β. flore flavo Enum. p. 901.
 3. *verticillata* Andrews. Mexico. ☉.
 4. *elegans* Jacquin. Mexico. ☉.

(*Z. violacea* Cavanil, Andrews.)
 5. *tenuiflora* Jacquin. Mexico. ☉.

(*Z. revoluta* Cavanil.)
1510. CHRYSANTHEMUM. Wucherblume. T. III. p. 2141.

* *Leucanthema*.

 1. *pinnatifidum* L. Madera. 5.
 2. *paludosum* Poiret. In regno Tunetano. ☉.
 3. *atratum* L. Helvetia, Austria. 4.
 - β. *Bellis alpina minor*, folio non rigido Bauhin.
 4. *heterophyllum* W. In umbrosis Pedemontanis. 4.
 5. *Leucanthemum* L. Europa. 4.
 - β. *Bellis montano*, folio obtuso crenato Bauhin.
 - γ. *Leucanthemum vulgare*, caule villis canescente Tournef.
 6. *montanum* L. Gallia, Germania, Italia. 4.
 7. *rotundifolium* Waldst. et Kit. Hungaria. 4.
 8. *ceratophylloides* Allion. In montibus Pedemontanis. 4.

(*Pyrethrum ceratophylloides* W. Enum. p. 905.)
 9. *graminifolium* L. Gallia. 4.
 10. *coccineum* W. Iberia. 4.

(*Pyrethrum roseum* Bieberstein. — Enum. p. 905.)
 11. *tanacetifolium* W. Oriens. 4.
 12. *monspeliense* L. Monspeli. 4.
 13. *Achilleae* L. Italia. 4.

14. *argenteum* *W.* Oriens. 4.

(*Matricaria argentea* L.)

15. *arcticum* L. Kamtschatka, America sept. 4.

16. *carinatum* Schousboe. Barbaria. ☉.

(*C. tricolor* Andrews.)

16a. *pumilum* *W.* . . . ☉. Enum. p. 903.

** *Chrysanthema*.

17. *indicum* L. India orient. 5.

β. *Chrysanthemum maderaspatanum* *Plukenet. alm.*
t. 160. f. 6.

18. *pectinatum* L. Hispania, Italia. 4.

19. *segetum* *Clusius*. Europa. ☉.

20. *Myconis* *Dalechamp*. Lusitania, Hispania,
Italia. ☉.

21. *italicum* L. Italia. 4.

22. *umbrosum* *W.* In monte Athos.

23. *coronarium* L. Creta, Sicilia, Helvetia. ☉.

*** *Dubia*.

24. *japonicum* *Thunb.* Japonia.

25. *incanum* *Thunb.* Cap. b. sp.

26. *hirtum* *Thunb.* Ibid.

1511. PYRETHRUM. *Bertramwurz*. T. III. p. 215a.

* *Leucanthema*.

1. *frutescens* *W.* In Canariis. 5.

(*Chrysanthemum frutescens* L.)

1a. *foeniculaceum* *Broussonet*. Teneriffa. 5.
Enum. p. 905.

1b. *crithmifolium* *Broussonet*. Ibid. 5. Enum.
p. 903.

1c. *anethifolium* *Broussonet*. Ibid. 5. Enum.
p. 904.

1d. *coronopifolium* *W.* . . . 5. Enum. p. 904.

1e. *grandiflorum* *Broussonet*. In Canariis. Enum.
p. 904.

2. *simplicifolium* *W.* In Curaçao. ☉.

(*Matricaria prostrata* Swartz.)

3. *ptarmicaefolium* *W.* Ad Caucasum. 4.

(*Chrysanthemum ptarmicaefolium* Mussin — Puskin — *Achillea grandiflora* Bieberst. Enum. p. 912.)

4. *serotinum* W. America bor. 2.

(*Chrysanthemum serotinum* L.)

4a. *latifolium* W. In Pyrenaeis. 2.

(*Chrysanthemum maximum* Ramond. — *Chr. grandiflorum* La Peyrouse.)

5. *uliginosum* Waldst. et Kit. Hungaria, Hispania. 2.

6. *Halleri* W. Helvetia. 2.

(*Chrysanthemum Halleri* Suter.)

7. *alpinum* W. Alpes Europae austr. 2.

(*Chrysanthemum alpinum* L.)

β. *Chrysanthemum minimum* Villars.

8. *Balsamita* W. Oriens. 2.

(*Chrysanthemum Balsamita* L.)

9. *palustre* W. Armenia. 2.

10. *pinnatifidum* W. . . . 2.

11. *macrophyllum* W. Imperium Austriacum. 2.

(*Chrysanthemum macrophyllum* Waldst. et Kit. — *Achillea macrophylla* Host, Piller et Mitterpacher.)

12. *corymbosum* W. Germania, Austria, Gallia, Helvetia, Sibiria. 2.

(*Chrysanthemum corymbosum* L.)

β. *Tanacetum inodorum* Clusius.

13. *Parthenium* Smith. Europa. 2.

(*Matricaria Parthenium* L.)

14. *parthenifolium* W. Ad Caucas., Persia. 2.

(*Chrysanthemum praealtum* Ventenat.)

14a. *pulverulentum* W. Iberia. 2. Enum. p. 906.

(*P. fruticulosum* Sprengel. — *P. parthenifolium* β. Bieberstein.)

14b. *tenuifolium* W. Caucasus. 2. Enum. p. 906.

15. *caucasicum* W. In Caucaso. 2.

(*Chrysanthemum caucasicum* Mussin - Puskin.)

16. *fuscatum* W. In regno Tunetano.
 17. *inodorum* Smith. Europa. ☉.
 (*Chrysanthemum inodorum* L.)
 18. *maritimum* Smith. Europa. 4.
 (*Matricaria maritima* L.)
 19. *parviflorum* W. . . . ☉.
 ** *Chrysanthema*.
 20. *multicaule* W. Barbaria.
 (*Chrysanthemum multicaule* Desfont.)
 21. *trifurcatum* W. Barbaria.
 (*Chrysanthemum trifurcatum* Desfont.)
 22. *Bocconi* W. Hispania. 4.
 (*Chrysanthemum Bocconi* Pourret. — *Chr. aragonense* Asso.)
 23. *orientale* W. Georgia.
 (*Chrysanthemum orientale* Mussin. Paskin.)
 24. *millefoliatum* W. Sibiria. 4.
 (*Chrysanthemum millefoliatum* L.)
 25. *bipinnatum* W. Sibiria. 4.
 (*Chrysanthemum bipinnatum* L.)
 1512. MATRICARIA. Mutterkraut. T. III. p. 2161.
 1. *suaveolens* L. Europa. ☉.
 2. *Chamomilla* L. Ibid. ☉.
 24. *pusilla* W. . . . ☉. Enum. p. 907.
 3. *capensis* L. Cap. b. sp. 4.
 1513. BOLTONIA. Boltonie. T. III. p. 2162.
 1. *asteroides* Aiton. Pennsylvania, Virginia. 4.
 (*Matricaria asteroides* L.)
 2. *glastifolia* Aiton. Ibid. 4.
 1514. LIDBECKIA. Lidbeckie. T. III. p. 2163.
 1. *lobata* Thunb. Cap. b. sp.
 (*Cotula quinqueloba* L. — *Lancisia* La Marck.)
 2. *pectinata* Bergius. Ibid. 5.
 (*Cotula stricta* L.)
 3. *turbinata* Thunb. Ibid. ☉.
 (*Cotula turbinata* L.)
 4. *bipinnata* Thunb. Ibid.

1515. COTULA. Laugenblume. T. III. p. 2165.

1. filifolia Thunb. Cap. b. sp. ☉.
2. anthemoides L. Hispania, Ins. St. Helenae, ☉.
β. Artemisia nilotica L. Aegyptus.
3. aurea L. Europa austr. ☉.
4. pubescens Desfont. Barbaria. ☉.
5. pusilla Thunb. Cap. b. sp.
6. nudicaulis Thunb. Ibid.
(Cotula pumila Houttuyn.)
7. abrotanifolia W. Creta. 4.
8. coronopifolia L. Cap. b. sp., Germania,
Frisia. ☉.
9. viscosa L. In Vera Cruce.
10. bipinnata Thunb. Cap. b. sp.
11. globifera Thunb. Ibid. ☉.
(C. pilulifera L.)
12. tanacetifolia L. Ibid. ☉.
(C. tripinnata Thunberg.)
13. sericea L. Ibid. 4.
14. umbellata L. Ibid.
15. quinquefida Thunb. Ibid.
16. cuneifolia W. China. ☉.
(Grangea La Marck.)
17. minuta Forster. Nova Caledonia.
18. minima W. China. ☉.
(Artemisia minima L.)
19. maderaspatana W. India orient. ☉.
(Artemisia maderaspatana L.)
20. bicolor Roth. India orient. ☉.
(Sphaeranthus africanus Burmann.)
21. pyrethraria L. America.
22. Spilanthus L. Carthago.
(Spilanthus urens Jacquin.)

1516. ANACYCLUS. Ringblume. T. III. p. 2171.

1. creticus L. Creta. ☉.
2. orientalis L. Oriens.
3. aureus L. Europa austr., Oriens. ☉. 4.

4. alexandrinus *W.* Aegyptus. ☉.
 5. valentinus *L.* Hispania, Barbaria. ☉.
 1517. ANTHEMIS. Chamille. T. III. p. 2174.
 * *Radio discolore seu albo.*
1. Cota *L.* Italia. ☉.
 2. altissima *L.* Italia, Hispania, Gallia. ☉.
 - 2^a. rigescens *W.* Caucasus. 4. Enum. p. 909.
 - 2^b. Chamomilla *W.* Europa austr. 4. Enum. pag. 910.
 3. punctata *Desfont.* Atlas. 5.
 4. maritima *L.* Gallia, Italia. 4.
 5. clavata *Desfont.* Barbaria. ☉.
 6. tomentosa *L.* Graecia, Asia minor.
 7. pubescens *W.* Hispania, Gallia. 4.
 (*A. tomentosa* Gouan.)
 8. australis *W.* Gallia. 4.
 9. mixta *L.* Italia, Gallia. ☉.
 10. coronopifolia *W.* Hispania.
 11. alpina *L.* Alpes austriacae.
- β. Chamaemelum orientale foliis pinnatis *Tournef.*
 Cappaducia.
12. carpatica *Waldst.* et *Kit.* In Caparticiis. 4.
 13. corymbosa *Haenke.* In alpihus Salisburgensibus, 4.
 14. chia *L.* In Chio. ☉.
 15. nobilis *L.* Europa. 4.
- β. floribus semiplenis.
 γ. floribus plenis.
 δ. flore nudo.
16. arvensis *L.* Europa, America bor. ♂. ☉.
 17. austriaca *Jacq.* Imp. Austriacum, Italia. ☉.
 (*Chamaemelum Triumphetti* Allion.)
 18. Cotula *L.* Europa. ☉.
 19. fuscata *Brotero.* Lusitania. ☉.
 20. peregrina *L.* In agro Pedemontano. ☉.
 (*Anthemis altissima* Bellardi.)
 21. nicaeensis *W.* In agro Nicaeensi.

22. *pedunculata* Desfont. Barbaria.
 23. *montana* L. In Italia, inque Pyrenaeis. 24.
 24. *pontica* W. In Ponto. 24.
 25. *Pyrethrum* L. Europa, Creta, Syria, Arabia. 24.
 26. *artemisiaefolia* W. China. 5.
 (*Chrysanthemum indicum*, Curtis.)
 ** *Radio concolore seu luteo.*
 27. *occidentalis* W. America merid.
 (*A. americana* L.)
 28. *bupthalmoides* Jacq. Peru. 6.
 (*A. ovatifolia* Ortega. — *Bupthalmum scabrum* Cavanil.)
 29. *Garcini* Burmann. Persia. 5.
 30. *repanda* L. Hispania, Lusitania.
 31. *odorata* Aiton. Cap. b. sp. 5.
 32. *trilobata* Ortega. Mexico. 5.
 33. *monantha* W. Tauria.
 34. *globosa* Ortega. Mexico. 24.
 35. *marschalliana* W. Ad Caucasum. 24.
 (*Chrysanthemum biebersteinianum* Mussin-Puskin.)
 36. *valentina* L. Hispania, Gallia.
 β. *Bupthalmum narbonense* Clusius.
 γ. *Chamaemelum foetidum marinum* Vaillant.
 37. *discoidea* W. Italia, Graecia. 24.
 (*A. tinctoria* β. Vahl. — *Chamaemelum discoideum* Allion. — *Santolina flava* Forskål.)
 38. *tinctoria* L. Europa. 24.
 39. *arabica* L. Barbaria. 6.
 1518. SANVITALIA. Sanvitalie. T. III. p. 2190.
 1. *procumbens* W. Mexico. 6.
 (*S. villosa* Cavanil. — *Laurentia atropurpurea* Ortega.)
 2. *helianthoides* Richard. Peru.
 1519. ACHILLEA. Garbe. T. III. p. 2190.
 * *Foliis indivisis.*
 1. *lingulata* Waldst. et Kit. Hungaria. 24.

2. *Herba rota* Allion. Gallia, Pedemont. 2.
(*A. cuneifolia* La Marck. — *Herba rota* Bauhin.)
3. *Ptarmica* L. Europa, Asia bor., America
sept. 2.
β. flore pleno.
- 3a. *decolorans* Schrader. . . . 2. Enum. p. 913.
(*A. fragilis* Hortulan.)
- 3b. *Ipeciosa* Sprengel. . . . 2. Enum. p. 913.
4. *cristata* Retz. Italia. 2.
5. *Ageratum* L. Gallia, Hispania, Italia. 2.
β. *Ageratum* quae *Agerato* Mesue cognata proce-
rior L.
- *** *Foliis pinnatifidis.*
6. *alpina* L. Helvetia, Sabaudia, Sibiria. 2.
(*A. cristata* W.)
β. *A. alpina* W.
7. *ferrata* Retz. Helvetia. 2.
8. *coronopifolia* W. Oriens. 2.
9. *Clavennae* L. Alpes Europae austr. 2.
α. *A. foliis obovatis incisiss tomentosis* W.
β. *A. capitata* W.
10. *Gerberi* W. Sibiria. 2.
11. *pilosa* W. . . . 2.
12. *impatiens* L. Sibiria. 2.
13. *pectinata* W. Hungaria. 2.
(*A. ochroleuca* Waldst. et Kit.)
- 13a. *asplenifolia* Ventenat. America bor. 2. En.
pag. 914.
14. *lquarrosa* Aiton. . . . 2.
*** *Foliis pinnatis, foliolis transversis subimbricatis.*
15. *teretifolia* W. Galatia. 2.
16. *falcata* L. Oriens. 2.
17. *tenuifolia* W. Oriens. 5.
(*A. Santolina* W.)
18. *Santolina* L. Ibid. 5.
**** *Foliis pinnatis, pinnis planis.*
19. *anthemoides* W. . . . 2.

(*A. Santolina* Hortulan.)

20. *atrata* L. Alpes Europae. 4.

21. *moschata* Jacq. Ibid. 4.

(*A. livia* Scopoli. — *A. Genipi* Murray.)

22. *nana* L. Ibid. 4.

23. *cretica* L. Creta. 4.

24. *aegyptiaca* L. Aegyptus, Oriens, circa As-
trachan. 4.

***** *Foliis pinnatis, pinnis extimis confluentibus.*

25. *auriculata* W. Oriens. 4.

26. *macrophylla* L. Alpes Europae. 4.

***** *Foliis bipinnatifidis s. bipinnatis.*

27. *pauciflora* W. Oriens. 4.

28. *aurea* La Marck. Oriens. 4.

29. *Eupatorium* Bieberst. Ad mare Caspium. 4.

30. *compacta* W. Ad ripas fluvii Tyrae. 4.

31. *pubescens* L. Oriens. 4.

32. *crithmifolia* Waldst. et Kit. Hungaria. 4.

33. *tanacetifolia* Allion. Helvetia, Italia, Del-
phinatus, Salzburg. 4.

33a. *lanata* Sprengel. 4. Enum. p. 915.

34. *distans* Waldst. et Kit. Banatus, Italia. 4.

(*A. magna* Allion.)

35. *magna* L. Europa austr. 4.

36. *Millefolium* L. Europa, Asia, America
bor. 4.

β. flore purpureo.

37. *micrantha* W. Oriens, Europa Austria. 4.

38. *tomentosa* L. Helvetia, Europa austr., Ta-
taria. 4.

39. *ochroleuca* Ehrhart. 4.

40. *microphylla* W. Hispania. 4.

41. *ligustica* Allion. Italia. 4.

42. *nobilis* L. Helvetia, Germania, Bohemia,
Hungaria, G. Narbonensis, Tataria. 4

43. *odorata* L. Alpes Europae.

(*A. odorata* β. W.)

44. *setacea* *Waldst. et Kit.* Germania, Helvetia, Hungaria. 24.
(*A. odorata* α. *W.*)
45. *abrotanifolia* *L.* Oriens. 24.
- 45a. *myriophylla* *W.* 24. Baum. p. 916.
(*A. abrotanifolia* Hortulan.)
1520. ACTINEA. Strahlenkpf. T. III. p. 2213.
1. *heterophylla* *Jussieu.* Bonaria. 5.
1521. TRIDAX. Dreyspalt. T. III. p. 2214.
1. *procumbens* *L.* In Vera - Cruce.
1522. BALBISIA. Balbisie. T. III. p. 2214.
1. *elongata* *W.* Mexico. ☉.
(*Amellus pedunculatus* Ortega.)
1523. AMELLUS. Ameile. T. III. p. 2214.
1. *Lychnitis* *L.* Cap. b. sp. 5.
2. *diffusus* *Forster.* Ad fretum Magellanic. 5.
3. *annuus* *W.* ☉.
(*A. alternifolius* Roth.)
1524. STARKEA. Starkea. T. III. p. 2216.
1. *umbellata* *W.* Jamaica. 24.
(*Amellus umbellatus* *L.*)
1525. COLUMELLIA. Columellie. T. III. p. 2216.
1. *biennis* *Jacq.* Cap. b. sp. ♂.
1526. ECLIPTA. Mehlblume. T. III. p. 2217.
1. *erecta* *L.* Virgin. Surin. Aegypt. Asia min. ☉.
(*Verbesina alba* Miller. — *Cotula alba* Murray. —
Micrelium asteroides Forsk.)
2. *punctata* *L.* Domingo, Martinica. ☉.
(*Bellis ramosa* Jacq.)
3. *latifolia* *L.* India orient. ☉.
4. *prostrata* *L.* Ibid. ☉.
(*Verbesina prostrata* Miller. — *Micrelium Tolak* Forsk.)
5. *undulata* *W.* Ibid. ☉.
6. *procumbens* *Michaux.* Carolina.
7. *brachypoda* *Michaux.* Ibid.
1527. SIEGESBECKIA. Siegesbeckie. T. III. p. 2219.

1. *orientalis* L. India orient., China, Mexico. ☉.

2. *iberica* W. Iberia. ☉.

3. *flosculosa* l'Héritier. Peru. ☉.

1528. PHAETHUSA. Phaëthuse. T. III. p. 2221.

1. *americana* Gaertner. America bor. 4.

1529. VERBESINA. Verbesine. T. III. p. 2221.

* *Foliis alternis.*

1. *alata* L. Curassao, Surinam. 4.

2. *chinensis* L. China. 5.

3. *virginica* L. Virginia.

4. *virgata* Cavanil. Mexico. 4.

5. *mutica* L. India occid. ☉.

6. *Boswallia* L. India orient. ☉.

7. *gigantea* Jacquin. India occid. 5.

(*V. pinnatifida* Swartz.)

** *Foliis oppositis.*

8. *pinnatifida* Cavanil. Mexico. 4.

9. *Siegesbeckia* Michaux. Virginia, Carolina. 4.

(*Siegesbeckia orientalis* L.)

10. *ferrata* Cavanil. Mexico. 4.

11. *ceanothifolia* W. Ad Acapulco.

12. *biflora* L. India orient.

13. *calendulacea* L. Zeylon.

14. *nodiflora* L. In Caribaeis. ☉.

15. *dichotoma* Murray. India orient. ☉.

16. *fruticosa* L. America merid. 5.

1530. GALINSOGEA. Galinsogea. T. III. p. 2228.

1. *parviflora* Cavanil. Peru. ☉.

(*Wiborgia Acmella* Roth.)

2. *trilobata* Cavanil. Nova Hispania. ☉.

1531. PASCALIA. Pascalie. T. III. p. 2228.

1. *glauca* Ortega. Chili. 4.

1532. BUPHTHALMUM. Rindsauge. T. III.

p. 2229.

* *Asterisca.*

1. *frutescens* L. Jamaica, Virginia. 5.

2. arborescens L. In insulis Bahamensibus. 5.
3. lineare W. Peru. 5.
(*B. peruvianum* La Marck.)
4. sericeum L. Teneriffa. 5.
5. flosculosum Ventenat. In Mesopotamia. 5.
6. odorum Schousboe. Imp. Maroccanum. 5.
7. spinosum L. Gallia, Hispania, Italia,
Oriens. ☉. ♂.
8. graveolens Forskål. Aegyptus. 4.
9. pratense Vahl. Aegyptus. ☉.
(*Cervana* Forsk.)
10. aquaticum L. Creta, Lusitania, Massiliae. ☉
11. maritimum L. Ad maris Mediterranei litto-
ra. 4.
12. durum L. Cap. b. sp. 5.
13. repens La Marck. St. Domingo. 4.
** *Asteroidea*.
14. salicifolium L. Austria, Styria, Helvetia,
Gallia. 4.
15. grandiflorum L. Alpes Europae austr. 4.
16. speciosissimum L. In montibus Brixien-
sibus. 4.
17. cordifolium Waldst. et Kit. Banatus, Croa-
tia, Cappadocia. 4.
(*B. speciosum* Schreber.)
18. uniflorum Forster. Ins. Norfolck.
19. helianthoides L. America sept. 4.
(*Helianthus laevis* Gronovius. — *Rudbeckia opposi-
tifolia* L. — *Silphium solidaginoides* L.)
20. ramosum Forsk. Arabia fel.

F R U S T R A N E A.

1533. HELIANTHUS. Sonnenblume. T. III. p. 2237.
1. annuus L. Peru, Mexico. ☉.
 2. indicus L. Aegyptus. ☉.
 3. tubaeformis Jacquin. Mexico. ☉.
 4. quinqueradiatus Cavanil. Ibid. 5.

5. *dentatus* Cavanil. Ibid
 6. *multiflorus* L. Virginia 2.
 7. *tuberosus* L. Brasilia. 2.
 8. *pubescens* Vahl. America bor. ♂.
 (*H. mollis* La Marck. — *H. canescens* Michaux.)
 9. *mollis* W. America bor. 2.
 (*H. tomentosus* Michaux.)
 9^a. *macrophyllus* W. Ibid. 2. Enum. p. 920.
 10. *trachelifolius* Hortulan. Ibid. 2.
 11. *decapetalus* L. Canada. 2.
 12. *frondosus* L. Ibid. 2.
 13. *strumosus* L. Ibid. 2.
 14. *prostratus* Hortulan. America bor. 2.
 15. *giganteus* L. Virginia, Canada. 2.
 β. *Chrysanthemum virginianum* Plukenet. alm. t.
 159. f. 5.
 16. *altissimus* L. Pennsylvania. 2.
 17. *excelsus* W. Mexico. 2.
 (*H. giganteus* Cavanil.)
 18. *linearis* Cavanil. Mexico. 5.
 19. *angustifolius* L. A Virginia ad Floridam. 2.
 20. *divaricatus* L. America sept. 2.
 21. *atrorubens* L. Virginia, Carolina. ♂.
 1534. GALARDIA. Galardie. T. III. p. 2245.
 1. *bicolor* La Marck. A Carolina ad Floridam. ☉.
 (*G. lanceolata* Michaux. — *Gaillarda pulchella*
 Fougeroux. — *Colonnea pulcherrima* Buchoz.
 — *Virgilia helioides* l'Héritier.)
 2. *fimbriata* Michaux. A Carolina ad Floridam.
 1535. TITHONIA. Tithonie. T. III p. 2246.
 1. *tagetiflora* La Marck. In Vera Cruce. ☉.
 1536. RUDBECKIA. Rudbeckie. T. III. p. 2246.
 1. *laciniata* L. Virginia, Canada. 2.
 1^a. *digitata* Aiton. Amer. bor. 2. Enum. p. 921.
 2. *pinnata* Enum. p. 921. America bor. 2.

(*R. pinnata* Michaux, Ventenat, Smith. — *R. odorata* Hortul. — *R. digitata* W. sp. pl.)

3. *triloba* L. Virginia. 4.

4. *hirta* L. Virginia, Florida. ♂.

5. *fulgida* Aiton. Pennsylvania, Carolina. 4.

(*R. chrysomela* Michaux.)

6. *spathulata* Michaux. Carolina.

7. *amplexifolia* Jacquin. Louisiana, Mexico. ☉.

(*R. amplexicaulis* Vahl. — *R. perfoliata* Cavanil.)

8. *purpurea* L. Virginia, Carolina, Florida. 4.

9. *angustifolia* L. Virginia. 4.

1537. COSMEA. *Cosmea*. T. III. p. 225e.

1. *sulphurea* W. Mexico.

(*Cosmos sulfureus* Cavanil. — *Coreopsis artemisiaefolia* Jacquin.)

2. *bipinnata* W. Mexico. 4. ☉.

(*Cosmos bipinnatus* Cavanil.)

3. *parviflora* W. Mexico. ☉.

(*Coreopsis parviflora* Jacquin.)

1538. COREOPSIS. *Coreopsis*. T. III. p. 225l.

1. *ferulaefolia* Jacquin. Mexico. 4.

2. *verticillata* L. Virginia. 4.

(*C. delphinifolia* La Marck.)

3. *tenuifolia* Ehrhart. Carolina. 4.

(*C. verticillata* La Marck.)

4. *coronata* L. India occid. ☉.

5. *trichosperma* Michaux. Carolina.

6. *aristata* Michaux. America bor.

7. *mitis* Michaux. Carolina.

8. *chrysantha* L. India occid.

9. *aurea* Aiton. America bor. 4.

10. *tripteris* L. Virginia, Carolina. 4.

11. *fenifolia* Michaux. Carolina. 4.

12. *alba* L. Ins. St. Crúcis. 4.

13. *foetida* Cavanil. Mexico. ☉.

14. *reptans* L. India occid.

15. *heterophylla* Cavanil. Mexico.
16. *baccata* L. Surinam.
17. *auriculata* L. Virginia, Carolina. 24.
18. *lanceolata* L. Carolina. ♂.
19. *crassifolia* Aiton. Carolina. 24.
(*C. lanceolata* β. Michaux.)
20. *latifolia* Michaux. Carolina. 24.
21. *angustifolia* Aiton. Carolina, Florida. 24.
22. *alata* Cavanil. Mexico. 24.
23. *ovata* Cavanil. Ibid. 24.
24. *alternifolia* L. Virginia, Canada. 24.
25. *procera* Aiton. America bor. 24.
1539. OSMITES. Osmites. T. III. p. 2258.
 1. *Bellidiastrum* L. Cap. b. sp. 5.
 2. *dentata* Thunb. Ibid. 5.
 3. *camphorina* L. Ibid. 5.
 4. *Asteriscoides* L. Ibid. 5.
1540. LAPEYROUSIA. Lapeyrousie. T. III.
p. 2260.
 1. *calycina* Thunb. Cap. b. sp. 5.
(*Osmites calycina* L.)
1541. PALLASIA. Pallasie. T. III. p. 2260.
 1. *halimifolia* Aiton. Mexico. 5.
(*Encelia canescens* Cavanil. — *Coreopsis limensis* Jacquin.)
 2. *grandiflora* W. Mexico. 5.
(*Encelia halimifolia* Cavanil.)
1542. SCLEROCARPUS. Hartsame. T. III. p. 2261.
 1. *africanus* Jacquin. Guinea. ☉.
1543. DIDELTA. Didelte. T. III. p. 2262.
 1. *carnosa* Aiton. Cap. b. sp. 5.
(*D. tetragoniaefolia* l'Héritier. — *Chloristea car-*
nosa Thunberg. — *Polymnia carnososa* L.)
 2. *spinosa* Aiton. Ibid. 5.
(*Chloristea spinosa* Thunberg. — *Polymnia spi-*
nosa L.)

612 CLASSIS XIX. SYNGENESIA.

1544. MUSSINIA. Mussinie. T. III. p. 2263.

1. linearis *W.* Cap. b. sp. ☉.
(*Gorteria linearis* Thunberg.)
2. uniflora *W.* Ibid. 4.
(*Gorteria uniflora* L.)
3. speciosa *W.* Ibid. ☉.
(*Gorteria rigens* β. Thunberg.)
4. incisa *W.* Ibid. ☉.
(*Gorteria incisa* Thunberg)
5. Othonna *W.* Ibid. 4.
(*Gorteria Othonna* Thunberg.)
6. pinnata *W.* Ibid. ☉.
(*Gorteria pinnata* Thunb.)

1545. GORTERIA. Gorterie. T. III. p. 2265.

1. personata L. Cap. b. sp. ☉.
2. diffusa Thunb. Ibid.
3. integrifolia Thunb. Ibid. 5.
4. rigens L. Ibid. 5.
5. pectinata Thunb. Ibid. 4.
6. cernua L. Ibid. 5.
7. ciliata Thunb. Ibid. 5.

1546. BERCKHEYA. Berckheya. T. III. p. 2269.

1. incana *W.* Cap. b. sp. 5.
(*B. fruticosa* Ehrhart. — *Rohria incana* Thunb. —
Gorteria fruticosa L. — *Gorteria asteroides*
L. — *Atractylis fruticosa* Royen.)
2. obovata *W.* Ibid. 5.
(*Rohria obovata* Thunb. — *Gorteria spinosa* L. —
Basteria aculeata Houttuyn.)
3. lanceolata *W.* Ibid. 4.
(*Rohria lanceolata* Thunb. — *Rohria revoluta*
Vahl. — *Atractylis angustifolia* Houttuyn.)
4. cuneata *W.* Ibid. 5.
(*Rohria cuneata* Thunb.)
5. spinosissima *W.* Ibid. 4.
(*Rohria spinosissima* Thunb.)
6. palmata *W.* Ibid. 5.

- (*Rohria palmata* Thunb.)
7. *grandiflora* W. Ibid. 5.
(*Rohria grandiflora* Thunb. — *Rohria ilicifolia* Vahl, — *Gorteria fruticosa* Bergius.)
8. *fulcata* W. Ibid. 5.
(*Rohria fulcata* Thunb. — *Gorteria spinosa* Jacq.)
9. *bisulca* W. Ibid. 5.
(*Rohria bisulca* Thunb.)
10. *pectinata* W. Ibid. 5.
(*Rohria pectinata* Thunb.)
11. *patula* W. Ibid. 5.
(*Rohria patula* Thunb.)
12. *squarrosa* W. Ibid. 5.
(*Rohria squarrosa* Thunb. — *Gorteria squarrosa* Bergius.)
13. *setosa* W. Ibid. 5.
(*Rohria setosa* Thunb. — *Gorteria setosa* L.)
14. *ciliaris* W. Ibid. 5.
(*Rohria ciliaris* Thunb. — *Gorteria ciliaris* L.)
15. *hispida* W. Ibid. 5.
(*Rohria hispida* Thunb. — *Gorteria hispida* L.)
16. *uniflora* W. Ibid.
(*Rohria monanthos* Thunb.)
17. *carthamoides* W. Ibid. 4.
(*Rohria carthamoides* Thunb. — *Rohria armata* Vahl.)
18. *carlinoides* W. Ibid. 4.
(*Rohria carlinoides* Thunb. — *Rohria barbata* L.)
19. *cynaroides* W. Ibid. 4.
(*Rohria cynaroides* Thunberg. — *Gorteria herbacea* L.)
20. *pungens* W. Ibid.
(*Rohria pungens* Thunb.)
21. *cruciata* W. Ibid. 5.
(*Rohria cruciata* Thunberg. — *Gorteria cruciata* Houttuyn.)
22. *decurrens* W. Ibid. 4.

614 . CLASSIS XIX. SYNGENESIA.

(*Rohria decurrens* Thunb.)

1547. ZOEGERA. Zoegea. T. III. p. 2276.

1. *Leptaurea* L. Oriens. ☉.

(*Z. aleppica* Jacq.)

1548. CENTAUREA. Flockenblume. T. III. p. 2277.

* *Jaceae: calycibus laevibus inermibus.*

1. *Crupina* L. Europa austr., Oriens, Africa bor. ☉.

2. *crupinoides* Desfont. Barbaria. ☉.

3. *arenaria* Bieberst. Ad Volgam. ☉.

4. *glauca* Mussin - Puskin. Ad Caucasum.

5. *moschata* L. Graecia. ☉.

6. *inaveolens* W. Oriens. ☉.

(*C. Amberboi* La Marck. — *C. moschata* β. *Amberboi* L.)

7. *verbascifolia* L. Arabia fel. ☿.

(*C. maxima* Forsk.)

8. *erucaefolia* L. 4.

9. *Lippii* L. Aegyptus, Barbaria. ☉.

10. *africana* La Marck. Algeria. 4.

11. *alpina* L. In m. Baldo. 4.

12. *Centaureum* L. Italia. 4.

13. *ruthenica* Gmelin. Sibiria. 4.

14. *nana* Desfont. Atlas. ☿.

** *Cyanoidea: calycinis squamis setaceo - ciliatis, ciliis recurvatis s. rectis.*

15. *phrygia* L. Europa. 4.

β. *Jacea alba, hirsuto capite* Bauhin.

15a. *nervosa* W. Europa austr. 4. Enum. p. 925.

16. *salicifolia* Bieberst. Ad Caucasum. 4.

17. *austriaca* W. Austria, Hungaria. 4.

(*C. phrygia* Jacq.)

18. *pectinata* L. Gallia, Hungaria. 4.

19. *capillata* L. Sibiria, Hispania.

20. *involuta* Desfont. Atlas.

21. *uniflora* L. Europa austr. 4.

22. *flosculosa* Balbis. Italia. 4.

23. *trichoecephala* Bieberst. Ad Velgam. 24.
 24. *linifolia* L. Hispania, Italia. 24.
 (*C. linarifolia* La Marck.)
 25. *hyssopifolia* Vahl. Hispania. 5.
 26. *coronopifolia* La Marck. Iberia, Armen. ☉.
 β. *C. exaltata* Mussin - Puskin.
 (*C. reticulata* Bieberst.)
 27. *nigra* L. Europa. ♂. 24.
 β. *C. calycibus ferratis ciliatisque, foliis lanceo-*
 latis dentatis, floribus sessilibus L. Hort-
 cliff.
 *** *Cyani: calycinis squamis ciliato - ferratis.*
 28. *nigrescens* W. Hungaria, Austria. 24.
 (*C. schemnitzensis* Hortulan.)
 29. *Triumfetti* Allion. In m. Cenisio. 24.
 30. *cheiranthifolia* W. Armenia. 24.
 31. *ochroleuca* Mussin - Puskin. Caucasus, Ibe-
 ria. 24.
 (*C. caucasica* Bieberst.)
 32. *atrata* W. Armenia. 24.
 33. *axillaris* W. Aust. Hungar. Helvet. Gall. 24.
 (*C. feusana* Villars. — *C. variegata* La Marck, —
 C. stricta Waldst. et Kit.)
 34. *montana* L. Europa. 24.
 β. *Floribus albis, foliis incisis* Haller.
 35. *Cyanus* L. Europa. ☉.
 β. *Cyanus hortensis, flore simplici* Bauhin.
 γ. *Cyanus hortensis, flore pleno* Bauhin.
 δ. *Floribus albis.*
 ε. *Floribus roseis.*
 η. *Floribus purpureis.*
 36. *virgata* La Marck. Armenia.
 37. *ovina* Pallas. Ad Caucasum. ♂.
 38. *paniculata* L. Europa. ☉.
 β. *Foliis canescentibus.*
 39. *spinosa* L. Creta. 5.
 40. *ragusina* L. In Creta, Epidauro. 24.

41. *Cineraria* L. Italia. 4.

(*C. candidissima* La Marck.)

42. *cinerea* L. & Marck. Italia. 4.

(*C. Cineraria* β. L.)

43. *dealbata* W. Iberia. 4.

44. *argentea* L. Creta. 4.

45. *sempervirens* L. Lusitania. 4.

46. *coriacea* Waldst. et Kit. Hungaria. 4.,

47. *Scabiosa* L. Europa. 4.

48. *tatarica* L. Tataria. 4.

(*C. orientalis* Hortulan.)

49. *Stoebe* L.

**** *Rhaponticoidea: calycinis squamis aridis scariosis ciliato-ferratis.*

50. *pulcherrima* W. Oriens. 4.

51. *Balsamita* La Marck. Armenia.

52. *macrocephala* Mussin-Puskin. Iberia. 4.

52a. *calocephala* W. Oriens. 4. Enum. p. 928.

53. *atropurpurea* Waldst. et Kit. Banatus. 4.

54. *orientalis* L. Sibiria. 4.

55. *sibirica* L. Ibid. 4.

56. *sessilis* W. Armenia. 4.

57. *elongata* Schousboe. Barbaria. 4.

57a. *canariensis* Broussonet. Teneriffa. 5. Enum. pag. 929.

58. *alata* Aiton. Tataria. 4.

59. *trinervia* Stephan. Sibiria.

***** *Rhapontica: calycinis squamis aridis scariosis integerrimis v. laceris.*

60. *Behen* L. Asia minor. 4.

61. *repens* L. Oriens. 4.

62. *Picris* Pallas. Ad mare Caspium.

63. *Jacea* L. Europa. 4.

(*Jacea nigra* Fl. dan. t. 256.)

β. *autumnalis*,

γ. *Floribus albis.*

64. *amara* L. Italia, Gallia. 4.

β. *Jacea laxatilis* Boccone.

65. *alba* L. Hispania, Helvetia. 4.

66. *splendens* L. Helvetia, Austria, Gallia, Hispania. ♂.

67. *nitens* Bieberst. Caucasus. ☉.

68. *tagana* Brotero. Lusitania. 4.

69. *Rhapontica* L. Alpes Europae austr. 4.

β. *C. lyrata* Bellardi.

70. *babylonica* L. Oriens. 4.

(*Serratula babylonica* Gouan.)

71. *glastifolia* L. Oriens, Sibiria. 4.

72. *conifera* L. Monspeli. 4.

***** Stoebe: *calycinis squamis apice fasciculo spinarum vel spina palmata instructis.*

73. *ionchifolia* L. Ad mare Mediterraneum. 4.

73a. *cruenta* W. . . . 4. Enum. p. 929.

74. *seridis* L. Hispania. 4.

75. *romana* L. In Campania Romana. 4.

76. *ferox* Desfont. Barbaria. 4.

77. *solstitialis* L. Europa. ☉.

78. *melitensis* L. In Melita, Monspeli. ☉.

78a. *sulphurea* W. . . . ☉. Enum. p. 930.

79. *Adami* W. Iberia. ☉.

80. *ficula* L. Sicilia. ☉.

(*C. Pottii* Hortulan.)

81. *sphaerocephala* L. Mauritania, Hispania, Italia. 4.

(*C. caespitosa* Cyrillo.)

82. *Isnardi* L. . . 4.

83. *polyacantha* Hortulan. . . ☉.

84. *straminea* W. Aegyptus. ☉.

(*C. prolifera* Ventenat. — *C. glomerata* Vahl.
— *C. acaulis* Forsk.)

85. *pullata* L. Hispania, Gallia, Africa bor., Oriens. ☉. ♂.

86. *napifolia* L. Creta, Barbaria. ☉.

87. *heterophylla* W. Hispania. ☉.

88. *aspera* L. Europa austr. ☉.

β. *Carduus pumilus lupinus* Barrelier.

***** *Calcitrapae: calycinis spinis compositis.*

89. *benedicta* L. In Chio, Lemno, Hispania. ☉.

90. *apula* La Marck. Apulia, Barbaria. ☉.

91. *oriophora* L. Lusitania. ☉.

92. *aegyptiaca* L. Aegyptus. ☉.

93. *Calcitrapa* L. Europa. ☉.

β. *Flore albo.*

94. *calcitrapoides* L. Monspehi, Palaestina

***** *Calcitrapoidea: calycinis squamis ciliatis
spina terminatis.*

95. *nicaeensis* Allion. In agro Nicaeensi. ♂.

96. *fuscata* Desfont. Barbaria.

97. *hybrida* Allion. Circa Augustam Taurinor. ♂.

98. *lquarrosa* W. Oriens.

99. *parviflora* Desfont. Oriens, Barbaria.

(*C. diffusa* La Marck.)

100. *coerulescens* W. Hispania.

101. *jacobaeaeifolia* La Marck.

102. *reflexa* La Marck. Iberia, Armenia.

103. *ornata* W. Hispania.

104. *eryngioides* La Marck. Oriens. 4.

105. *centauroides* L. Europa austr, Oriens.

106. *collina* L. Europa austr. 4.

107. *rupestris* L. Italia. 4.

108. *pubescens* W. . . . 4.

109. *fordida* W. . . . 4. .

110. *acaulis* L. Barbaria. 4.

***** *Crocodiloidea: spinis simplicibus.*

111. *Verutum* L. Oriens. ☉.

112. *salmantica* L. Europa austr., Barbaria. ☉.

113. *aurea* Aiton. Europa australis. 4.

114. *cichoracea* L. Italia.

115. *muricata* L. Hispania. ☉.

116. *peregrina* L. Europa australis. ♂.

117. *radiata* L. Ad Tanam.

(*Xeranthemum crucifolium* Pallas.)

- 118. *Crocodylium* L. Syria. ☉.
- 119. *pumila* L. Aegyptus. 24.
- 120. *tingitana* L. In agro Tingitano. 24.
- 121. *galactites* L. Europa austr., Barbaria. ☉.
- β. *Carduus creticus non maculatus, caule alato*
Tournefort.

NECESSARIA.

549. ACICARPHA. Fächerkopf. T. III. p. 2327.

- 1. *tribuloides* Jussieu. In Bonaria.

550. MILLERIA. Millerie. T. III. p. 2328.

- 1. *quinqueflora* L. In Panama, Vera-Cruce,
Mexico. ☉.

(*M. dichotoma* Cavanil.)

β. *M. maculata* Miller.

- 2. *biflora* L. In Campechia. ☉.

- 3. *Contrayerba* Cavanil. Peru. ☉.

(*Flaveria Contrayerba* Enum. p. 941. — *Vermifuga corymbosa* Ruiz et Pavon.)

- 4. *angustifolia* Cavanil. Nova Hispania. ☉.

551. BALTIMORA. Baltimore. T. III. p. 2329.

- 1. *recta* L. Marylandia. ☉.

552. SILPHIUM. Silphie. T. III. p. 2330.

- 1. *laciniatum* L. America bor. 24.

- 2. *compositum* Michaux. Carolina, Florida. 24.

(*S. laciniatum* Walter.)

- 3. *therebinthinaceum* L. America bor. 24.

- 3a. *conjunctum* W. Ibid. 24. Enum. p. 933.

- 4. *perfoliatum* L. Ibid. 24.

- 5. *connatum* L. Ibid. 24.

- 6. *Asteriscus* L. Virginia, Carolina. 24.

- 7. *pumilum* Michaux. Florida. 24.

- 8. *integrifolium* Michaux. America bor. 24.

- 9. *trifoliatum* L. Virginia, Carolina. 24.

(*S. ternifolium* Michaux.)

10. *ternatum* Retz. America bor. 4.
 11. *atropurpureum* Retz. Ibid. 4.
1553. **WEDELIA**. Wedellie. T. III. p. 2334.
 1. *frutescens* Jacquin, Carthagenae. 5.
 (*Polymnia Wedelia* L.)
 2. *perfoliata* W. Mexico. ☉.
 (*Alcīna perfoliatā*. Cavanil.)
1554. **POLYMNIA**. Polymnie. T. III. p. 2335.
 1. *canadensis* L. Canada, Pennsylvania. 4.
 2. *Uvedalia* L. Virginia, Carolina. 4.
 3. *maculata* Cavanil Mexico. 4. Enum. p. 934.
 3. *abyssinica* L. Abyssinia, ♂.
1555. **TRIXIS** Trixis. T. III. p. 2337.
 1. *therebinthinacea* Swartz. Jamaica. 5.
 2. *aspera* Swartz, India occid., Gujana. 5.
 3. *prosa* Swartz, Ins. St. Dominica et St. Christophori. 5.
1556. **CHRYSOGONUM**. Goldspitze. T. III. p. 2337.
 1. *virginianum* L. Virginia, Carolina.
1557. **MELAMPODIUM**. Geisfufs. T. III. p. 2338.
 1. *americanum* L. In Vera Cruce.
 2. *humile* Swartz. Jamaica, Domingo. ☉.
 3. *australe* L. Cumana. 4.
 3. *longifolium* Broussonet. Mexico. ☉. Enum. p. 934.
1558. **UNXIA**. Riechkraut. T. III. p. 2339.
 1. *camphorata* L. Surinam.
 2. *hirsuta* Richard. Cajenna. ☉.
1559. **CALENDULA**. Ringelblume. T. III. p. 2340.
 1. *arvensis* L. Europa. ☉.
 1. *ficula* W. Sicilia. ☉. Enum. p. 934.
 2. *stellata* Cavanil. Barbaria. ☉.
 3. *sancta* L. In Palaestina. ☉.
 4. *officinalis* L. Europa. ☉.
 β. *Caltha polyanthos major* Bauhin.
 γ. *Caltha floribus reflexis* Bauhin.
 δ. *Caltha prolifera*, majoribus floribus Bauhin.

- 4^a. *denticulata* Schousboe. *Barbar.* 5. *Enum.* p. 935.
 4^b. *marginata* W. *Ad Giberaltariam.* 5. *Enum.*
 p. 935.
 5. *suffruticosa* Vahl. *Tuneti.* 5.
 6. *incana* W. *Marocco, Lusitania.* ☉.
 (*C. tomentosa* Desfont.)
 7. *pluvialis* L. *Cap. b. sp.* ☉.
 8. *hybrida* L. *Ibid.* ☉.
 9. *amplexicaulis* Thunberg. *Ibid.*
 10. *pinnata* Thunb. *Ibid.*
 11. *scabra* Thunb. *Ibid.*
 12. *parviflora* Thunb. *Ibid.*
 13. *decurrentis* Thunb. *Ibid.*
 14. *nudicaulis* L. *Ibid.*
 15. *tomentosa* L. *Ibid.*
 16. *pumila* Forster. *Nova-Zeelandia.* 4.
 17. *magellanica* W. *Ad fretum Magellanic.* 4.
 (*C. pumila* β. Forster. — *Aster nudicaulis* La-
 Marck.)
 18. *graminifolia* L. *Cap. b. sp.*
 19. *Tragus* Aiton. *Cap. b. sp.* 5.
 20. *oppositifolia* Aiton. *Ibid.* 5.
 21. *glabrata* Thunb. *Ibid.* 5.
 22. *fruticosa* L. *Ibid.* 5.
 23. *arborescens* Jacquin. *Ibid.* 5.
 (*C. rigida* Aiton. — *C. aspera* Thunb.)
 24. *muricata* Thunb. *Ibid.* 5.
 25. *cuneata* Thunb. *Ibid.* 5.
 1560. ARCTOTIS. *Bährenohr.* T. III. p. 2347.
 * *Receptaculo villosa.*
 1. *calendulacea* L. *Cap. b. sp.* ☉.
 2. *hypochondriaca* L. *Ibid.* ☉.
 (*A. tristis* Miller.)
 β. *tristis* L.
 γ. *A. coruscans* L.
 δ. *superba* L.
 24. *bicolor* W. *Ibid.* 5. *Enum.* p. 936.

3. *acaulis* L. Cap. b. sp. 4.
4. *tricolor* Jacquin. Ibid. 4.
5. *undulata* Jacquin. Ibid. 4.
(*A. lanata* Thunberg.)
6. *speciosa* Jacquin. Ibid. 4.
(*A. breviscapa* Thunberg.)
7. *glaucophylla* Jacquin. Ibid. 4.
8. *plantaginea* L. Ibid. 4.
9. *argentea* Aiton. Ibid. 4.
10. *rosea* Jacquin. Ibid. 5.
11. *decumbens* Thunb. Ibid. 4.
12. *angustifolia* L. Ibid. 5.
β. *Foliis oblongis dentatis.*
13. *flaccida* Jacquin. Ibid. ☉.
14. *virgata* Jacquin. Ibid. ☉.
15. *paniculata* Jacquin. Ibid. 5.
16. *decurrens* Jacquin. Ibid. 5.
17. *reptans* Jacquin. Ibid. 4.
18. *auriculata* Jacquin. Ibid. 4.
19. *fastuosa* Jacquin. Ibid. ☉.
20. *spinulosa* Jacquin. Ibid. ☉.
21. *maculata* Jacquin. Ibid. 5.
(*A. caulescens* Thunberg.)
22. *grandiflora* Jacquin. Ibid. 5.
23. *aspera* L. Ibid. 5.
β. *Anemonospermos afra* Boerhaave.
γ. *Radio albo* W.
24. *lyrata* W. Ibid. 5.
- 24^a. *melanocicla* W. Ibid. 5. Enum. p. 937.
25. *elatior* Jacquin. Ibid. 5.
26. *arborescens* Jacquin. Ibid. 5.
(*A. undulata* Thunberg.)
27. *revoluta* Jacquin. Ibid. ☉.
28. *cuprea* Jacquin. Ibid. 5.
(*A. denudata* Thunberg.)
29. *sqarrosa* Jacquin. Ibid. 5.
30. *Cineraria* Jacquin. Ibid. 4.

(*A. candida* Thunberg.)

31. *glabrata* Jacq. Cap. b. sp. 5.

(*A. laevis* Thunb.)

** *Receptaculo paleaceo.*

32. *paradoxa* L. Cap. b. sp. 5.

33. *paleacea* L. Ibid. 5.

34. *dentata* L. Ibid. 5.

35. *pilifera* Bergius. Ibid.

36. *scariosa* Aiton. Ibid. 5.

(*A. punctata* Thunb.)

37. *crithmoides* Bergius. Ibid. 5.

38. *anthemoides* L. Ibid. ☉.

39. *foeniculacea* Jacq. Ibid. ☉.

40. *ferrata* L. Ibid. 4.

41. *tenuifolia* L. Ibid.

42. *leucanthemoides* Jacq. Ibid. ☉.

*** *Dubiae.*

43. *linearis* Thunb. Cap. b. sp.

44. *pinnatifida* Thunb. Ibid.

45. *glandulosa* Thunb. Ibid.

46. *grandis* Thunb. Ibid.

47. *elongata* Thunb. Ibid.

48. *diffusa* Thunb. Ibid.

49. *scabra* Thunb. Ibid. 5.

50. *incisa* Thunb. Ibid.

51. *muricata* Thunb. Ibid.

52. *petiolata* Thunb. Ibid.

53. *formosa* Thunb. Ibid.

54. *pectinata* Thunb. Ibid. 5.

55. *elegans* Thunb. Ibid. 5.

56. *trifida* Thunb. Ibid.

57. *nodosa* Thunb. Ibid. 5.

58. *nudicaulis* Thunb. Ibid.

59. *cernua* Thunb. Ibid. 5.

60. *sericea* Thunb. Ibid.

61. ARCTOTHECA. Bärenbüchse. T. III. p. 2355.

1. *repens* Wendland, Cap. b. sp. 4, 5.

(*Arctotis repens* Jacquin. — *Arctotis scapigera* Thunberg.)

1562. OSTEOSPERMUM. Beinsame. T. III. p. 2365.

1. spinosum L. Cap. b. sp. 5.

2. spineſcens W. Ibid. 5.

(*O. spinosum* Thunb.)

3. pisiferum L. Ibid. 5,

4. moniliferum L. Ibid. 5.

5. ilicifolium L. Ibid. 5.

6. rigidum Aiton. Ibid. 5.

7. coeruleum Aiton. Ibid. 5.

(*O. pinnatifidum* Thunb., l'Héritier.)

8. bipinnatum Thunb. Ibid.

9. arctotoides L. Ibid.

10. perfoliatum L. Ibid.

11. niveum L. Ibid.

12. herbaceum L. Ibid.

13. hirsutum Thunb. Ibid.

14. Bidens Thunb. Ibid.

(*O. calendulaceum* L.)

15. ciliatum L. Ibid. 5.

16. junceum L. Ibid.

17. corymbosum L. Ibid. 5.

18. scabrum Thunb. Ibid.

19. incanum Thunb. Ibid.

20. triquetrum L. Ibid. 5.

21. teretifolium Thunb. Ibid. 5.

22. imbricatum L. Ibid. 5.

23. polygaloides L. Ibid. 5.

1563. OTHONNA. Othonne. T. III. p. 237.

* *Foliis incisis pinnatisve.*

1. capillaris L. Cap. b. sp. 0.

2. trifurcata L. Ibid. 5.

3. trifida L. Ibid. 5.

4. multifida Thunb. Ibid.

5. ciliata L. Ibid.

6. pinnatifida Thunb. Ibid.

7. *munita* L. Cap. b. sp. H.
8. *pinnata* L. Ibid. 4.
9. *Tagetes* L. Ibid. ☉.
10. *pectinata* L. Ibid. H.
- β. *Jacobaea absynthites* Plukenet.
11. *Athanasiae* Thunb. Ibid. H.
12. *abrotanifolia* L. Ibid. H.
- (*Cineraria abrotanifolia* Bergius.)
13. *digitata* L. Ibid. 4.
- ** *Foliis indivisis dentatis integerrimisve.*
14. *retrofracta* Jacq. Cap. b. sp. H.
15. *coronopifolia* L. Ibid. H.
16. *cheirifolia* L. Africa. H.
17. *crassifolia* L. Ibid. H.
18. *fulcata* Thunb. Cap. b. sp.
19. *denticulata* Thunb. Ibid. H.
20. *quinquedentata* Thunb. Ibid. H.
21. *heterophylla* L. Ibid. 4.
22. *Lingua* L. Ibid. 4.
23. *filicaulis* Jacq. Ibid. 4.
24. *bulbosa* L. Ibid. 4.
- (*O. tuberosa* Thunb.)
25. *parviflora* L. Ibid. H.
26. *amplexicaulis* Thunb. Ibid. H.
27. *lateriflora* L. Ibid. H.
28. *imbricata* Thunb. Ibid.
29. *virginica* L. Ibid. H.
30. *ericoides* L. Ibid. H.
31. *linifolia* L. Ibid. 4.
32. *tenuissima* L. Ibid. H.
- (*Crassula fruticosa* Miller.)
33. *frutescens* L. Ibid. H.
- (*Cineraria othonnites* Miller.)
34. *arborescens* L. Ibid. H.
35. *cacalioides* L. Ibid. H.
1564. HIPPIA. Hippie. T. III. p. 2382.

1. *frutescens* L. Cap. b. sp. 5.

(*Tanacetum frutescens* Miller.)

2. *minuta* L. America merid.

3. *stolonifera* Brotero. Lusitania. ☉.

4. *integrifolia* L. India orient. ☉.

(*Sphaeranthus africanus* Burmann. — *Ethulia peniculata* Houttuyn.)

1565. PSIADIA. Tropfenpflanze. T. III. p. 2384.

1. *glutinosa* Jacq. Ins. Mauriti. 5.

(*Solidago viscosa* Schrader et Wendland. — *Conyza glutinosa* La Marck.)

1566. ERIOCEPHALUS. Wallenkopf. T. III. p. 2384.

1. *africanus* L. Cap. b. sp. 5.

2. *glaber* Thunb. Ibid. 5.

3. *racemosus* L. Ibid. 5.

1567. PARTHENIUM. Parthenie. T. III. p. 2385.

1. *Hysterophorus* L. Jamaica, Martinica, Mexico. ☉.

(*Argyrochaeta bipinnatifida* Cavanil. — *Villanovae bipinnatifida* Ortega.)

2. *integrifolium* L. Virginia, Carolina. 4.

1568. JVA. Jva. T. III. p. 2386.

1. *annua* L. America merid. ☉.

2. *ciliata* W. America bor. ☉.

(*J. annua* Michaux.)

3. *imbricata* Walther. Carolina, Georgia. 5.

4. *frutescens* L. Nova-Anglia, Virginia, Carolina, Florida, Peru. 5.

1569. FILAGO. Filzkraut. T. III. p. 2388.

1. *pygmaea* L. Europa austr., Oriens. ☉.

(*Evax umbellata* Gaertner.)

1570. MICROPUS. Falzblume. T. III. p. 2388.

1. *lupinus* L. Lusitania, Hispania, Italia, Oriens. ☉.

2. *erectus* L. Ibid. ☉.

1570a. GYMNSTYLES. Enum. p. 940.

1. *anthemifolia* Jussieu. Nova-Hollandia. ☉

S E G R E G A T A.

1571. ELEPHANTOPUS. Elefantenfufs. T. III.
pag. 2389.

1. scaber L. India orient. 4.

2. carolinianus W. Carolina, Florida, Jamaica. 4.

(*E. scaber* Swartz.)

3. tomentosus L. India orient.

4. nudiflorus W. St. Domingo. 5.

5. spicatus Swartz. Jamaica, Hispaniola. 5.

6. angustifolius Swartz. Jamaica. 5.

1572. JUNGIA. Jungie. T. III. p. 2391.

1. ferruginea L. America merid. 5.

1573. OEDERA. Oedere. T. III. p. 2392.

1. prolifera L. Cap. b. sp. 5.

(*Bupthalmum capense* Bergius.)

2. aliena L. Ibid. 5.

3. hirta Thunb. Ibid. 5.

1574. CRASPEDIA. Craspedie. T. III. p. 2393.

1. uniflora Forster. Nova-Zeelandia.

1575. NAUENBURGIA. Nauenburgie. T. III.
pag. 2393.

1. trinervata W. America merid. ☉.

(*Brotera Contrayerva* Sprengel.)

1576. NOCCAEA. Noccaea. T. III. p. 2393.

1. rigida W. Nova-Hispania. 5.

(*Nocca rigida* Cavanil.)

1577. SPHAERANTHUS. Kugelblume. T. III.
pag. 2394.

1. indicus L. India orient. 4.

2. microcephalus W. Java.

3. hirtus W.

4. africanus L. Cap. b. sp. ☉.

5. chinensis L. India orient.

1578. NASSAUVIA. Nassauvie. T. III. p. 2396.

88. *aspera* L. Europa austr. ☉.

β. *Carduus pumilus lupinus* Barrelier.

***** *Calcitrapae: calycinis spinis compositis.*

89. *benedicta* L. In Chio, Lemno, Hispania. ☉.

90. *apula* La Marck. Apulia, Barbaria. ☉.

91. *eriophora* L. Lusitania. ☉.

92. *aegyptiaca* L. Aegyptus. ☉.

93. *Calcitrapa* L. Europa. ☉.

β. Flore albo.

94. *calcitrapoides* L. Monspehi, Palaestina

***** *Calcitrapoidea: calycinis squamis ciliatis
spina terminatis.*

95. *nicaeensis* Allion. In agro Nicaeensi. ♂.

96. *fuscata* Desfont. Barbaria.

97. *hybrida* Allion. Circa Augustam Taurinor. ♂.

98. *squarrosa* W. Oriens.

99. *parviflora* Desfont. Oriens, Barbaria.

(*C. diffusa* La Marck.)

100. *coerulescens* W. Hispania.

101. *jacobaeaeifolia* La Marck.

102. *reflexa* La Marck. Iberia, Armenia.

103. *ornata* W. Hispania.

104. *eryngioides* La Marck. Oriens. 2.

105. *centauroides* L. Europa austr, Oriens.

106. *collina* L. Europa austr. 2.

107. *rupestris* L. Italia. 2.

108. *pubescens* W. . . . 2.

109. *sordida* W. . . . 2. .

110. *acaulis* L. Barbaria. 2.

***** *Crocodiloidea: spinis simplicibus.*

111. *Verutum* L. Oriens. ☉.

112. *salmantica* L. Europa austr., Barbaria. ☉.

113. *aurea* Aiton. Europa australis. 2.

114. *cichoracea* L. Italia.

115. *muricata* L. Hispania. ☉.

116. *peregrina* L. Europa australis. ♂.

117. *radiata* L. Ad Tanam.

(*Xeranthemum crucifolium* Pallas.)

- 118. *Crocodylium* L. Syria. ☉.
- 119. *pumila* L. Aegyptus. 24.
- 120. *tingitana* L. In agro Tingitano. 24.
- 121. *galactites* L. Europa austr., Barbaria. ☉.
- β. *Carduus creticus non maculatus*, caule alato
Tournefort.

NECESSARIA.

1549. ACICARPHA. Fächerkopf. T. III. p. 2327.

- 1. *tribuloides* Jussieu. In Bonaria.

1550. MILLERIA. Millerie. T. III. p. 2328.

- 1. *quinqueflora* L. In Panama, Vera-Cruce,
Mexico. ☉.

(*M. dichotoma* Cavanil.)

- β. *M. maculata* Miller.

- 2. *biflora* L. In Campechia. ☉.

- 3. *Contrayerba* Cavanil. Peru. ☉.

(*Flaveria Contrayerba* Enum. p. 941. — *Vermifuga corymbosa* Ruiz et Pavon.)

- 4. *angustifolia* Cavanil. Nova Hispania. ☉.

1551. BALTIMORA. Baltimore. T. III. p. 2329.

- 1. *recta* L. Marylandia. ☉.

1552. SILPHIUM. Silphie. T. III. p. 2330.

- 1. *laciniatum* L. America bor. 24.

- 2. *compositum* Michaux. Carolina, Florida. 24.

(*S. laciniatum* Walter.)

- 3. *therobinthinaceum* L. America bor. 24.

- 3a. *conjunctum* W. Ibid. 24. Enum. p. 933.

- 4. *perfoliatum* L. Ibid. 24.

- 5. *connatum* L. Ibid. 24.

- 6. *Asteriscus* L. Virginia, Carolina. 24.

- 7. *pumilum* Michaux. Florida. 24.

- 8. *integrifolium* Michaux. America bor. 24.

- 9. *trifoliatum* L. Virginia, Carolina. 24.

(*S. ternifolium* Michaux.)

10. *ternatum* Retz. America bor. 4.
 11. *atropurpureum* Retz. Ibid. 4.
 1553. WEDELIA. Wedellie. T. III. p. 2334.
 1. *frutescens* Jacquin, Carthagenae. 5.
 (*Polymnia Wedelia* L.)
 2. *perfoliata* W. Mexico. ☉.
 (*Alcinea perfoliata* Cavanil.)
 1554. POLYMNIA. Polymnie. T. III. p. 2335.
 1. *canadensis* L. Canada, Pensylvania. 4.
 2. *Uvedalia* L. Virginia, Carolina. 4.
 3. *maculata* Cavanil Mexico. 4. Enum. p. 934.
 3. *abyssinica* L. Abyssinia. ♂.
 1555. TRIXIS Trixis. T. III. p. 2337.
 1. *therebinthinacea* Swartz. Jamaica. 5.
 2. *aspera* Swartz, India occid., Gujana. 5.
 3. *prosa* Swartz, Ins. St. Dominica et St. Christophori. 5.
 1556. CHRYSOGONUM. Goldspitze. T. III. p. 2337.
 1. *virginianum* L. Virginia, Carolina.
 1557. MELAMPODIUM. Geisfuss. T. III. p. 2338.
 1. *americanum* L. In Vera Cruce.
 2. *humile* Swartz. Jamaica, Domingo. ☉.
 3. *australe* L. Cumana. 4.
 3. *longifolium* Broussonet. Mexico. ☉. Enum. p. 934.
 1558. UNXIA. Riechkraut. T. III. p. 2339.
 1. *camphorata* L. Surinam.
 2. *hirsuta* Richard. Cajenne. ☉.
 1559. CALENDULA. Ringelblume. T. III. p. 2340.
 1. *arvensis* L. Europa. ☉.
 1. *ficula* W. Sicilia. ☉. Enum. p. 934.
 2. *stellata* Cavanil. Barbaria. ☉.
 3. *sancta* L. In Palaestina. ☉.
 4. *officinalis* L. Europa. ☉.
 β. *Caltha polyanthos major* Bauhin.
 γ. *Caltha floribus reflexis* Bauhin.
 δ. *Caltha prolifera, majoribus floribus* Bauhin.

4^a. denticulata Schousboe. Barbar. 5. Enum. p. 935.

4^b. marginata W. Ad Giberaltariam. 5. Enum. p. 935.

5. suffruticosa Vahl. Tuneti. 5.

6. incana W. Marocco, Lusitania. ☉.
(*C. tomentosa* Desfont.)

7. pluvialis L. Cap. b. sp. ☉.

8. hybrida L. Ibid. ☉.

9. amplexicaulis Thunberg. Ibid.

10. pinnata Thunb. Ibid.

11. scabra Thunb. Ibid.

12. parviflora Thunb. Ibid.

13. decurrens Thunb. Ibid.

14. nudicaulis L. Ibid.

15. tomentosa L. Ibid.

16. pumila Forster. Nova-Zeelandia. 4.

17. magellanica W. Ad fretum Magellanic. 4.

(*C. pumila* β. Forster. — *Aster nudicaulis* Lamarck.)

18. graminifolia L. Cap. b. sp.

19. Tragus Aiton. Cap. b. sp. 5.

20. oppositifolia Aiton. Ibid. 5.

21. glabrata Thunb. Ibid. 5.

22. fruticosa L. Ibid. 5.

23. arborescens Jacquin. Ibid. 5.

(*C. rigida* Aiton. — *C. aspera* Thunb.)

24. muricata Thunb. Ibid. 5.

25. cuneata Thunb. Ibid. 5.

1560. ARCTOTIS. Bährenohr. T. III. p. 2347.

* *Receptaculo villosa*.

1. calendulacea L. Cap. b. sp. ☉.

2. hypochondriaca L. Ibid. ☉.

(*A. tristis* Miller.)

β. tristis L.

γ. *A. coruscans* L.

δ. superba L.

24. bicolor W. Ibid. 5. Enum. p. 936.

3. *acaulis* L. Cap. b. sp. 4.
4. *tricolor* Jacquin. Ibid. 4.
5. *undulata* Jacquin. Ibid. 4.
(*A. lanata* Thunberg.)
6. *speciosa* Jacquin. Ibid. 4.
(*A. breviscapa* Thunberg.)
7. *glaucophylla* Jacquin. Ibid. 4.
8. *plantaginea* L. Ibid. 4.
9. *argentea* Aiton. Ibid. 4.
10. *rosea* Jacquin. Ibid. 5.
11. *decumbens* Thunb. Ibid. 4.
12. *angustifolia* L. Ibid. 5.
β. *Foliis oblongis dentatis.*
13. *flaccida* Jacquin. Ibid. ☉.
14. *virgata* Jacquin. Ibid. ☉.
15. *paniculata* Jacquin. Ibid. 5.
16. *decurrens* Jacquin. Ibid. 5.
17. *reptans* Jacquin. Ibid. 4.
18. *auriculata* Jacquin. Ibid. 4.
19. *fastuosa* Jacquin. Ibid. ☉.
20. *spinulosa* Jacquin. Ibid. ☉.
21. *maculata* Jacquin. Ibid. 5.
(*A. caulescens* Thunberg.)
22. *grandiflora* Jacquin. Ibid. 5.
23. *aspera* L. Ibid. 5.
β. *Anemonospermum afra* Boerhaave.
γ. *Radio albo* W.
24. *lyrata* W. Ibid. 5.
- 24^a. *melanocicla* W. Ibid. 5. Enum. p. 937.
25. *elatior* Jacquin. Ibid. 5.
26. *arborescens* Jacquin. Ibid. 5.
(*A. undulata* Thunberg.)
27. *revoluta* Jacquin. Ibid. ☉.
28. *cuprea* Jacquin. Ibid. 5.
(*A. denudata* Thunberg.)
29. *sqarrosa* Jacquin. Ibid. 5.
30. *Cineraria* Jacquin. Ibid. 4.

(*A. candida* Thunberg.)

31. *glabrata* Jacq. Cap. b. sp. 5.

(*A. laevis* Thunb.)

** *Receptaculo paleaceo.*

32. *paradoxa* L. Cap. b. sp. 5.

33. *paleacea* L. Ibid. 5.

34. *dentata* L. Ibid. 5.

35. *pilifera* Bergius. Ibid.

36. *scariosa* Aiton. Ibid. 5.

(*A. punctata* Thunb.)

37. *crithmoides* Bergius. Ibid. 5.

38. *anthemoides* L. Ibid. ☉.

39. *foeniculacea* Jacq. Ibid. ☉.

40. *ferrata* L. Ibid. 4.

41. *tenuifolia* L. Ibid.

42. *leucanthemoides* Jacq. Ibid. ☉.

*** *Dubiae.*

43. *linearis* Thunb. Cap. b. sp.

44. *pinnatifida* Thunb. Ibid.

45. *glandulosa* Thunb. Ibid.

46. *grandis* Thunb. Ibid.

47. *elongata* Thunb. Ibid.

48. *diffusa* Thunb. Ibid.

49. *scabra* Thunb. Ibid. 5.

50. *incisa* Thunb. Ibid.

51. *muricata* Thunb. Ibid.

52. *petiolata* Thunb. Ibid.

53. *formosa* Thunb. Ibid.

54. *pectinata* Thunb. Ibid. 5.

55. *elegans* Thunb. Ibid. 5.

56. *trifida* Thunb. Ibid.

57. *nodosa* Thunb. Ibid. 5.

58. *nudicaulis* Thunb. Ibid.

59. *cernua* Thunb. Ibid. 5.

60. *sericea* Thunb. Ibid.

1561. ARCTOTHECA. Bärenbüchse. T. III. p. 2355.

1. *repens* Wendland, Cap. b. sp. 4, 5.

(*Arctotis repens* Jacquin. — *Arctotis scapigera* Thunberg.)

1562. OSTEOSPERMUM. Beinsame. T. III. p. 2365.

1. spinosum L. Cap. b. sp. h.

2. spinescens W. Ibid. h.

(*O. spinosum* Thunb.)

3. pisiferum L. Ibid. h.

4. moniliferum L. Ibid. h.

5. ilicifolium L. Ibid. h.

6. rigidum Aiton. Ibid. h.

7. coeruleum Aiton. Ibid. h.

(*O. pinnatifidum* Thunb., l'Héritier.)

8. bipinnatum Thunb. Ibid.

9. arctotoides L. Ibid.

10. perfoliatum L. Ibid.

11. niveum L. Ibid.

12. herbaceum L. Ibid.

13. hirsutum Thunb. Ibid.

14. Bidens Thunb. Ibid.

(*O. calendulaceum* L.)

15. ciliatum L. Ibid. h.

16. junceum L. Ibid.

17. corymbosum L. Ibid. h.

18. scabrum Thunb. Ibid.

19. incanum Thunb. Ibid.

20. triquetrum L. Ibid. h.

21. teretifolium Thunb. Ibid. h.

22. imbricatum L. Ibid. h.

23. polygaloides L. Ibid. h.

1563. OTHONNA. Othonne. T. III. p. 237.

* *Foliis incisis pinnatisve.*

1. capillaris L. Cap. b. sp. O.

2. trifurcata L. Ibid. h.

3. trifida L. Ibid. h.

4. multifida Thunb. Ibid.

5. ciliata L. Ibid.

6. pinnatifida Thunb. Ibid.

7. munita L. Cap. b. sp. 5.
8. pinnata L. Ibid. 4.
9. Tagetes L. Ibid. ①.
10. pectinata L. Ibid. 5.
- β. Jacobaea absynthites Plukenet.
11. Athanasiae Thunb. Ibid. 5.
12. abrotanifolia L. Ibid. 5.
- (Cineraria abrotanifolia Bergius.)
13. digitata L. Ibid. 4.
- ** Foliis indivisis dentatis integerrimisve.
14. retrofracta Jacq. Cap. b. sp. 5.
15. coronopifolia L. Ibid. 5.
16. cheirifolia L. Africa. 5.
17. crassifolia L. Ibid. 5.
18. sulcata Thunb. Cap. b. sp.
19. denticulata Thunb. Ibid. 5.
20. quinquedentata Thunb. Ibid. 5.
21. heterophylla L. Ibid. 4.
22. Lingua L. Ibid. 4.
23. filicaulis Jacq. Ibid. 4.
24. bulbosa L. Ibid. 4.
- (O. tuberosa Thunb.)
25. parviflora L. Ibid. 5.
26. amplexicaulis Thunb. Ibid. 5.
27. lateriflora L. Ibid. 5.
28. imbricata Thunb. Ibid.
29. virginea L. Ibid. 5.
30. ericoides L. Ibid. 5.
31. linifolia L. Ibid. 4.
32. tenuissima L. Ibid. 5.
- (Crassula fruticosa Miller.)
33. frutescens L. Ibid. 5.
- (Cineraria othonnites Miller.)
34. arborescens L. Ibid. 5.
35. cacalioides L. Ibid. 5.
1564. HIPPIA. Hippie. T. III. p. 2382.

1. frutescens L. Cap. b. sp. 5.

(*Tanacetum frutescens* Miller.)

2. minuta L. America merid.

3. stolonifera Brotero. Lusitania. ☉.

4. integrifolia L. India orient. ☉.

(*Sphaeranthus africanus* Burmann, — *Ethulia paniculata* Houttuyn.)

1565. PSIADIA. Tropfenpflanze. T. III. p. 2384.

1. glutinosa Jacq. Ins. Mauritii. 5.

(*Solidago viscosa* Schrader et Wendland. — *Conyza glutinosa* La Marck.)

1566. ERIOCEPHALUS. Wallenkopf. T. III. p. 2384.

1. africanus L. Cap. b. sp. 5.

2. glaber Thunb. Ibid. 5.

3. racemosus L. Ibid. 5.

1567. PARTHENIUM. Parthenie. T. III. p. 2385.

1. Hysterophorus L. Jamaica, Martinica, Mexico. ☉.

(*Argyrochaeta bipinnatifida* Cavanil. — *Villanova bipinnatifida* Ortega.)

2. integrifolium L. Virginia, Carolina. 4.

1568. JVA. Jva. T. III. p. 2386.

1. annua L. America merid. ☉.

2. ciliata W. America bor. ☉.

(*J. annua* Michaux.)

3. imbricata Walther. Carolina, Georgia. 5.

4. frutescens L. Nova-Anglia, Virginia, Carolina, Florida, Peru. 5.

1569. FILAGO. Filzkraut. T. III. p. 2388.

1. pygmaea L. Europa austr., Oriens. ☉.

(*Evax umbellata* Gaertner.)

1570. MICROPUS. Falzblume. T. III. p. 2388.

1. supinus L. Lusitania, Hispania, Italia, Oriens. ☉.

2. erectus L. Ibid. ☉.

- 1570a. GYMNSTYLES. Enum. p. 940.

1. anthemifolia Jussieu. Nova-Hollandia. ☉

S E G R E G A T A.

1571. ELEPHANTOPUS. Elephantenfuss. T. III.
pag. 2389.

1. scaber L. India orient. 4.
2. carolinianus W. Carolina, Florida, Jamaica. 4.

(*E. scaber* Swartz.)

3. tomentosus L. India orient.
4. nudiflorus W. St. Domingo. 5.
5. spicatus Swartz. Jamaica, Hispaniola. 5.
6. angustifolius Swartz. Jamaica. 5.

1572. JUNGIA. Jungie. T. III. p. 2391.

1. ferruginea L. America merid. 5.

1573. OEDERA. Oedere. T. III. p. 2392.

1. prolifera L. Cap. b. sp. 5.

(*Bupthalmum capense* Bergius.)

2. aliena L. Ibid. 5.
3. hirta Thunb. Ibid. 5.

1574. CRASPEDIA. Craspedie. T. III. p. 2393.

1. uniflora Forster. Nova-Zeelandia.

1575. NAUENBURGIA. Nauenburgie. T. III.
pag. 2393.

1. trinervata W. America merid. 6.

(*Brotera Contrayerva* Sprengel.)

1576. NOCCA EA. Noccaea. T. III. p. 2393.

1. rigida W. Nova-Hispania. 5.

(*Nocca rigida* Cavanil.)

1577. SPHAERANTHUS. Kugelblume. T. III.
pag. 2394.

1. indicus L. India orient. 4.
2. microcephalus W. Java.
3. hirtus W.
4. africanus L. Cap. b. sp. 6.
5. chinensis L. India orient.

1578. NASSAUVIA. Nassauvie. T. III. p. 2396.

628 CLASSIS XIX. SYNGENESIA.

1. *suaveolens* *W.* Ad fretum Magellanic. 4.
 1579. ECHINOPS. Biesenknopf. T. III. p. 2396.
 1. *sphaerocephalus* *L.* Austria, Germania, Gallia. Italia. 4.
 2. *spinosus* *L.* Barbaria, Aegyptus, Creta. 4.
 3. *Ritro* *L.* Europa austr., Sibiria. 4. ☉.
 β. *E. minor* *Bauhin.*
 4. *strigosus* *L.* Hispania. ☉.
 5. *lanuginosus* *La Marck.* Graecia, Oriens. 5.
 6. *virgatus* *La Marck.* Europa austr.
 1580. BROTERA. Brotere. T. III. p. 2399.
 1. *corymbosa* *W.* In Apulia, Hellesponto, Lemno, Thracia. 4.
 (*Carthamus corymbosus* *L.*)
 1581. ROLANDRA. Rolandra. T. III. p. 2400.
 1. *argentea* *Swartz.* India occident. 5.
 (*Echinops fruticosus* *L.* — *Echinops nudiflorus* *La Marck.*)
 1582. BOOPIS. Ochsenauge. T. III. p. 2400.
 1. *balsamitaefolia* *Jussieu.* Chili. 4.
 (*Scabiosa sympaganthera* *Ruiz et Pavon.*)
 2. *anthemoides* *Jussieu.* In Bonaria. 4.
 1583. CALYCERA. Kelchhorn. T. III. p. 2401.
 1. *herbacea* *Cavanil.* Chili. 4.
 1584. TETRANTHUS. Vierblüthling. T. III. pag. 2402.
 1. *littoralis* *Swartz.* Hispaniola. ☉.
 1585. GUNDELIA. Gundelie. T. III. p. 2402.
 1. *Tournefortii* *L.* Armen., Syria, Aleppo. 4.
 (*G. glabra* *Miller.*)
 β. *Gundelia orientalis* — capite araneosa lanugine obsito *Tournef.*
 (*G. Tournefortii* *Miller.*)
 1586. STOEBE. Stoebe. T. III. p. 2403.
 * *Foliis mucronatis, floribus aggregatis capitatis.*
 1. *incana* *Thunb.* Cap. b. sp. 5.
 2. *aethiopica* *L.* Ibid. 5.

3. *ericoides* L. Cap. b. sp. 5.

4. *prostrata* L. Ibid. 5.

5. *phylicoides* Thunb. Ibid. 5.

6. *gomphrenoides* L. Ibid. 5.

7. *gnaphaloides* L. Ibid. 5.

(*Seriphium corymbiferum* L. — *Gnaphalium niveum* L.)

** *Foliis mucronatis, floribus glomerato-spicatis,*

8. *scabra* L. Cap. b. sp. 5.

9. *cinerea* Thunb. Ibid. 5.

(*Seriphium cinereum* L. — *Breynia cyneroides* Petiv.)

10. *reflexa* L. Ibid. 5.

11. *disticha* L. Ibid. 5.

12. *fasciculata* Thunb. Ibid. 5.

13. *plumosa* Thunb. Ibid. 5.

(*Seriphium plumosum* L. — *Breynia capensis* Petiv.)

*** *Foliis muticis,*

14. *fusca* Thunb. Cap. b. sp. 5.

(*Seriphium fuscum* L.)

15. *virgata* Thunb. Ibid. 5.

16. *aspera* Thunb. Ibid. 5.

17. *passerinoides* W. Ins. Mauritii et Bourbon. 5.

(*Seriphium passerinoides* La Marck.)

18. *Rhinocerotis* L. Cap. b. sp. 5.

19. *cernua* Thunb. Ibid. 5.

20. *nivea* Thunb. Ibid. 5.

1586a. LAGASCEA. Enum. p. 941.

1. *mollis* W. Prope Havanam, Q.

(*Lagasca mollis* Cavanil.)

Classis XX.

G Y N A N D R I A.

M O N A N D R I A.

1587. ORCHIS. Ragwurz. T. IV. p. 8.

* *Radicibus testiculatis.*

1. *Susannae* L. Amboina. 24.
2. *radiata* Thunb. Japonia. 24.
3. *ciliaris* L. A Canada ad Carolinam. 24.
β. *Corollis albis* W.
4. *blephariglottis* W. Pennsylvania. 24.
5. *cristata* Michaux. Carolina, Virginia. 24.
6. *bifolia* L. Europa. 24.
β. *Orchis trifolia major et minor* Bauhin.
γ. *Orchis montana* Schmidt.
7. *clavellata* Michaux. Carolina. 24.
8. *japonica* Thunb. Japonia. 24.
9. *foliosa* Swartz. Cap. b. sp. 24.
10. *platyphyllos* Swartz. India orient. 24.
(*O. plantaginea* Roxburgh.)
11. *pectinata* Thunb. Cap. b. sp. 24.
(*O. burmanniana* L. — *Arethusa ciliaris* L. fil.)
12. *hispida* L. Ibid. 24.
(*O. hispida* Thunberg.)
13. *secunda* Thunb. Ibid. 24.
14. *viridiflora* Swartz. India orient. 24.
15. *eucullata* L. Sibiria. 24.
16. *ornithis* Jacquin. Alpes Austriae. 24.
17. *conica* W. Lusitania. 24.
18. *globosa* L. Helvetia, Austria, Germania. 24.
19. *pyramidalis* L. Europa. 24.
β. *Cynosorchis latifolia*, hiantе cucullo, altera Bauhin.
γ. *Cynosorchis latifolia*, spica compacta Bauhin.
δ. *Flore albo* Mappus.

20. *condensata* Desfont. Algeria. 4.
 21. *coriophora* L. Europa, Oriens, Barbaria. 4.
 β . *O. odore hirci minor*, *spica purpurascens*
 Bauhin.
 22. *acuminata* Desfont. Algeria. 4.
 23. *cubitalis* L. Zeylon. 4.
 24. *Morio* L. Europa. 4.
 25. *mascula* L. Europa. 4.
 (*Satyrium mas* Blackwell.)
 26. *longicornu* Poiret. Algeria. 4.
 27. *patens* Desfont. Atlas. 4.
 28. *ustulata* L. Europa. 4.
 29. *intacta* Link. Lusitania. 4.
 30. *tephrosanthos* Villars. Gallia, Italia, Al-
 geria. 4.
 (*O. militaris* ϵ . L.)
 31. *variegata* Jacquin. Europa. 4.
 (*O. militaris* γ . L. — *O. simia* Villars.)
 32. *longicruris* Link. Lusitania. 4.
 33. *militaris* L. Europa. 4.
 (*O. Rivini* Gouan.)
 34. *fusca* Jacquin. Europa. 4.
 (*O. militaris* β , δ . L. — *O. purpurea* Hudson.)
 β . *O. moravica* Jacquin.
 35. *lactea* La Marck. Barbaria. 4.
 (*O. militaris* *varietas* Poiret.)
 36. *papilionacea* L. Hispania, Carniolia. 4.
 37. *rubra* Jacquin. In agro Romano. 4.
 38. *iberica* Bieberstein. Iberia. 4.
 39. *ensifolia* Villars. Gallia. 4.
 (*O. laxiflora* La Marck.)
 40. *elata* Poiret. Barbaria. 4.
 41. *palustris* Jacquin. Germania, Austria. 4.
 42. *pallens* L. Germania, Helvetia, Italia. 4.
 43. *parviflora* W. In alpibus Pedemontanis 4.
 44. *cordata* W. Lusitania. 4.
 (*Satyrium diphyllum* Link.)

45. *hircina* Swartz. Europa. 24.

(*Satyrium hircinum* L.)

** *Radicibus palmatis.*

46. *latifolia* L. Europa. 24.

(*Satyrium femina* Blackwell.)

β. *O. palmata palustris latifolia* Bauhin.

γ. *O. palmata montana altera* Bauhin.

δ. *O. palmata palustris maculata* Bauhin.

47. *cruenta* Retz. Dania. 24.

48. *lesquipedalis* W. Lusitania. 24.

49. *incarnata* L. Europa. 24.

50. *sambucina* L. Europa. 24.

β. *Flore incarnato.*

γ. *Flore flavescente.*

51. *maculata* L. Europa. 24.

β. *Flore albo.*

52. *odoratissima* L. Europa. 24.

53. *conopsea* L. Europa. 24.

β. *O. palmata angustifolia minor* Bauhin.

γ. *O. palmata pratensis maxima* Bauhin.

54. *flava* L. Virginia. 24.

55. *viridis* Swartz. Europa. 24.

(*Satyrium viride* L.)

β. *O. palmata batrachites* Bauhin.

56. *bracteata* Mühlenberg. Pennsylvania. 24.

57. *obsoleta* Mühlenberg. Ibid. 24.

58. *nigra* Swartz. Europa. 24.

(*Satyrium nigrum* L. — *Orchis miniata* Crantz.)

β. *Flore roseo.*

*** *Radicibus fasciculatis.*

59. *fuscescens* L. Sibiria. 24.

60. *spectabilis* L. Virginia, Pennsylvania. 24.

61. *plantaginea* Swartz. Jamaica, Martinica. 24.

(*Satyrium plantagineum* L.)

62. *virescens* Mühlenberg. Pennsylvania. 24.

63. *hyperborea* L. Islandia. 24.

64. *stratemonatica* L. Zeylon. 24.

65. *hirtella* Swartz. Jamaica. 24.
(*Satyrium hirtellum* Swartz.)
66. *albida* Swartz. Europa. 24.
(*Satyrium albidum* L.)
67. *Koenigii* Retz. Islandia. 24.
68. *fimbriata* Aiton. Canada, Terra nova. 24.
**** *Radicibus etiamnum ignotis.*
69. *psycodes* L. Canada, Pennsylvania. 24.
70. *incisa* Mühlenberg. Pennsylvania. 24.
71. *fissa* Mühlenberg. Ibid. 24.
72. *tridentata* Mühlenberg. Ibid. 24.
73. *sancta* L. Palaestina. 24.
74. *tripuloides* L. Kamtschatka. 24.
75. *dentata* Swartz. China. 24.
76. *atlantica* W. Atlas. 24.
(*Satyrium maculatum* Desfont.)
77. *mauritiana* La Marck. Ins. Mauritii. 24.
78. *squamosa* La Marck. Ins. Bourbon. 24.
1588. BONATEA. Bonatea T. IV. p. 43.
1. *speciosa* W. Cap. b. sp. 24.
(*Orchis speciosa* Thunberg.)
1589. HABENARIA. Zügelblume. T. IV. p. 44.
1. *macroceratitis* W. Jamaica. 24.
(*Orchis Habenaria* L.)
2. *brachyceratitis* W. Jamaica, Hispaniola. 24.
(*Orchis monorrhiza* Swartz.)
1590. DISA. Disa. T. IV. p. 45.
- * *Calcare longiore.*
1. *grandiflora* L. Cap. b. sp. 24.
(*D. uniflora* Bergius. — *Satyrium grandiflorum* Thunberg.)
2. *cornuta* Swartz. Cap. b. sp. 24.
(*Orchis cornuta* L. — *Satyrium cornutum* Thunberg.)
3. *macrantha* Swartz. Ibid. 24.
4. *longicornis* L. Ibid. 24.
5. *draconis* Swartz. Ibid. 24.

- (*Orchis draconis* L. — *Satyrium draconis* Thunb.)
6. *rufescens* Swartz. Ibid. 2.
(*Satyrium rufescens* Thunberg.)
7. *ferruginea* Swartz. Ibid. 2.
(*Satyrium ferrugineum* Thunberg.)
8. *porrecta* Swartz. Ibid. 2.
9. *cernua* Swartz. Ibid. 2.
(*Satyrium cernuum* β , γ . Thunberg.)
10. *physodes* Swartz. Ibid. 2.
(*Satyrium cernuum* Thunberg.)
11. *chrysostachya* Swartz. Ibid. 2.
12. *bracteata* Swartz. Ibid. 2.
13. *torta* Swartz. Ibid. 2.
(*Orchis biflora* L. — *O. flexuosa* L. fil. — *Satyrium tortum* Thunberg.)
14. *flexuosa* Swartz. Ibid. 2.
(*Orchis flexuosa* L. — *Satyrium flexuosum* Thunb.)
15. *bifida* Swartz. Ibid. 2.
(*Satyrium bifidum* Thunberg.)
16. *tenella* Swartz. Ibid. 2.
(*Orchis tenella* L. — *Satyrium tenellum* Thunb.)
17. *sagittalis* Swartz. Ibid. 2.
(*Orchis sagittalis* L. — *Satyrium sagittale* Thunb.)
18. *barbata* Swartz. Ibid. 2.
(*Orchis barbata* L. — *Satyrium barbatum* Thunb.)
19. *lacera* Swartz. Ibid. 2.
** *Calcære conico abbreviato porrecto obtuso.*
20. *maculata* Thunb. Cap. h. sp. 2.
21. *secunda* Swartz. Ibid. 2.
(*D. racemosa* L. — *Satyrium secundum* Thunb.)
22. *excelsa* Swartz. Ibid. 2.
(*Orchis tripetaloides* L. — *Satyrium excelsum* Thunb.)
23. *venosa* Swartz. Ibid. 2.
24. *spathulata* Swartz. Ibid. 2.
(*Orchis spathulata* L. *Satyrium spathulatum* Thunb.)
25. *cylindrica* Swartz. Ibid. 2.
(*Satyrium cylindricum* Thunberg.)

26. *melaleuca* Swartz. Ibid. 24.

(*Ophrys bivalvata* L. — *Serapias melaleuca* Thunb.)

27. *tenuifolia* Swartz. Ibid. 24.

(*Ophrys patens* L.)

28. *patens* Swartz. Ibid. 24.

(*Orchis filicornis* L. — *Serapias patens* Thunb.)

1591. SATYRIUM. Bocksgeilen. T. IV. p. 54.

1. *cucullatum* Swartz. Cap. b. sp. 24.

(*S. bicornis* Thunberg. — *Orchis bicornis* L.)

2. *membranaceum* Swartz. Ibid. 24.

3. *coriifolium* Swartz. Ibid. 24.

4. *erectum* Swartz. Ibid. 24.

5. *parviflorum* Swartz. Ibid. 24.

(*Orchis bicornis* Aiton, Jacquin.)

6. *foliosum* Swartz. Ibid. 24.

(*Orchis carnea* Aiton.)

7. *pumilum* Thunberg. Ibid. 24.

8. *striatum* Thunb. Ibid. 24.

9. *bicallosum* Thunb. Ibid. 24.

10. *bracteatum* Thunb. Ibid. 24.

(*Ophrys bracteata* L.)

1592. PTERYGODIUM. Flügelblume. T. IV. p. 56.

1. *alatum* Swartz. Cap. b. sp. 24.

(*Ophrys alata* L.)

2. *catholicum* Swartz. Ibid. 24.

(*Ophrys catholica* L. — *O. alaris* L. fil.)

3. *volucris* Swartz. Ibid. 24.

(*Ophrys volucris* L. — *O. triphylla* Thunberg.)

4. *caffrum* Swartz. Ibid. 24.

(*Ophrys caffra* L.)

5. *inversum* Swartz. Ibid. 24.

(*Ophrys inversa* Thunberg.)

6. *atratum* Swartz. Ibid. 24.

(*Ophrys atrata* L.)

1593. DISPERIS. Doppelsack. T. IV. p. 59.

1. *capensis* Swartz. Cap. b. sp. 24.

(*Arethusa capensis* L.)

2. villosa Swartz. Ibid. 2.

(*Arethusa villosa* Thunberg.)

3. cucullata Swartz. Ibid. 2.

4. secunda Swartz. Ibid. 2.

(*Arethusa secunda* Thunberg. — *Ophrys circumflexa* L.)

5. cordata Swartz. Ins. Mauritii. 2.

1594. CORYCIUM. Helmling. T. IV. p. 60.

1. orobanchoides Swartz. Cap. b. sp. 2.

(*Satyrium orobanchoides* Thunb.)

2. crispum Swartz. Ibid. 2.

(*Arethusa crispa* Thunb.)

3. vestitum Swartz. Ibid. 2.

(*Ophrys volucris* Thunb.)

4. bicolorum Swartz. Ibid. 2.

(*Ophrys bicolor* Thunb.)

1595. OPHRYS. Knabenkraut. T. IV. p. 61.

1. Monorchis L. Europa. 2.

β. Orchis lutea, hirsuto folio Bauhin.

γ. Triorchis lutea, folio glabro Bauhin.

δ. Triorchis lutea altera Bauhin.

ε. Monorchis bifolia, flore pallide virente, prusica Mentzel.

2. alpina L. Alpes Europae. 2.

3. anthropophora L. Italia, Gall., Helvet. 2.

4. anthropomorpha W. Lusitania. 2.

5. lancea Swartz. Java. 2.

6. crucigera Jacq. In agro Romano. 2.

7. myodes Jacq. Europa. 2.

(*O. insectifera* α. *myodes* L. — *A. muscifera* Smith.)

8. sphegifera W. Barbaria. 2.

(*O. insectifera* C. *apiformis* Desfont.)

9. vespifera W. Barbaria. 2.

(*O. insectifera* D. *glaberrima* Desfont.)

10. apifera Hudson. Anglia, Gallia. 2.

11. aranifera Hudson. Anglia, Gallia, Lusitan. 2.

(*O. arachnites* Link. — *O. fuciflora* Curtis.)

12. *arachnites* Scopoli. Europa. 4.

(*O. insectifera* η. *arachnites* L.)

13. *tenthredinifera* W. Barbaria. 4.

(*O. insectifera* A. *rosea* Desfont.)

14. *tabanifera* W. Barbaria. 4.

(*O. insectifera* B. *biflora* Desfont.)

15. *bombyliifera* W. Lusitania. 4.

(*O. bombyliflora* Link.)

16. *picta* Link. Lusitania. 4.

17. *fusca* Link. Lusitania. 4.

(*O. insectifera* ξ. L.)

18. *Scolopax* Cavanil. Lusitania, Hispania, Gallia. 4.

(*O. Speculum* Link. — *O. insectifera* δ. L.)

19. *lutea* Cavanil. Hispania, Lusitania. 4.

(*O. insectifera* ε. L.)

1596. *SERAPIAS*. Stendelwurz. T. IV. p. 70.

1. *Lingua* L. Europa austr., Barbaria. 4.

β. *Orchis macrophylla* Col.

2. *cordigera* L. Hispania, Italia, Oriens, Barbaria. 4.

3. *oxyglottis* W. Italia. 4.

β. *Polyorchis etruriae lingua albida* Petiver.

1597. *NEOTTIA*. Neottie. T. IV. p. 72.

1. *speciosa* Jacq. America torrida. 4.

2. *elata* Swartz. Jamaica. 4.

(*N. minor* Jacquin. — *Satyrium elatum* Swartz prodr.)

3. *lanceolata* W. Gujana, India. 4.

(*Limodorum lanceolatum* Aublet.)

4. *diuretica* W. Chili. 4.

(*Nuil* Feuillée.)

5. *quadridentata* W. India occid., Gujana. 4.

(*Ophrys peruviana* Aublet.)

6. *spiralis* Swartz. Europa, Sibiria. 4.

(*Ophrys spiralis* L.)

β. *Triorchis* s. *Tetrorchis* alba odorata major
Bauhin.

γ. *Orchiastrum* aestivum album odoratum *Micheli.*

δ. *Epitpactis* foliis plerisque ex lineari-lanceolatis
Gmelin.

7. *tortilis* Swartz. Jamaica, Pennsylvania, China. 4.

(*Satyrium spirale* Swartz. Prodrum.)

8. *cernua* W. Virginia, Pennsylvania, Canad. 4.
(*Ophrys cernua* L.)

9. *adnata* Swartz. Jamaica, Hispaniola. 4.
(*Satyrium adnatum* Swartz. Prodrum.)

10. *orchioides* Swartz. Jamaica. 4.
(*Satyrium orchioides* Swartz. Prodrum.)

11. *repens* Swartz. Europa, Sibiria. 4.
(*Satyrium repens* L.)

β. *Orchis* radice repente, foliis maculis nigris et
albis adpersis *Mentzel.*

12. *pubescens* W. A Canada ad Floridam. 4.
(*Satyrium repens* Michaux.)

13. *calcarata* Swartz. San-Domingo. 4.

14. *polystachya* Swartz. Jamaica. 4.
(*Serapias polystachya* Swartz. Prodrum.)

15. *flava* Swartz. Jamaica. 4.
(*Serapias flava* Swartz. Prodrum.)

1598. CRANICHIS. Helmlippe. T. IV. p. 77.

1. *aphylla* Swartz. Jamaica. 4.

2. *diphylla* Swartz. Ibid. 4.

3. *oligantha* Swartz. Ibid. 4.

4. *stachyodes* Swartz. Ibid. 4.

5. *muscosa* Swartz. Ibid. 4.

6. *pauciflora* Swartz. Ibid. 4.

1599. THELYMITRA. Weibermütze. T. IV. p. 79.

1. *Forsteri* Swartz. Nova-Zeelandia. 4.

(*T. longifolia* Forster gen. — *Serapias regularis*
Forster. Prodrum.)

2. *ixioides* Swartz. Nova-Hollandia. 4.
 1600. DIURIS. Zweyschwanz. T. IV. p. 79.
 1. *maculata* Smith. Nova-Hollandia. 4.
 1601. ARETHUSA. Runzelbart. T. IV. p. 80.
 1. *bulbosa* L. A Canada ad Carolinam. 4.
 2. *ophioglossoides* L. Ibid. 4.
 3. *verticillata* Mühlenb. Pensylvan. Maryl. 4.
 4. *divaricata* L. A Carolina ad Floridam. 4.
 5. *biplumata* L. Ad fretum Magellanicum. 4.
 6. *gentianoides* Swartz. Jamaica. 4.
 7. *pendula* Mühlenberg. In Kentucky. 4.
 (*A. trianthophoros* Swartz. — *A. parviflora* Michaux.)
 1602. EPIPACTIS. Sumpfwurtz. T. IV. p. 83.
 * *Labello lamina integra.*
 1. *latifolia* Swartz. Europa. 4.
 (*Serapias latifolia* L. — *Epipactis Helleborine* Crantz.)
 2. *palustris* Crantz. Europa. 4.
 (*Serapias longifolia* L.)
 3. *microphylla* Swartz. Germania, Hungar. 4.
 (*Serapias microphylla* Ehrhart.)
 4. *pallen's W.* Europa. 4.
 (*E. pallida* Swartz. — *Serapias grandiflora* L. — *S. Lonchophyllum* Roth.)
 5. *ensifolia* Swartz. Europa. 4.
 (*Serapias Xiphophyllum* Roth, Hoffmann. — *S. grandiflora* β L.)
 6. *rubra* Swartz. Europa. 4.
 (*Serapias rubra* L. — *S. purpurea* Crantz.)
 7. *erecta* Swartz. Japonia. 4.
 (*Serapias erecta* Thunberg.)
 8. *falcata* Swartz. Japonia. 4.
 (*Serapias falcata* Thunb.)
 ** *Labello lamina fissa.*
 9. *Nidus avis* Swartz. Europa. 4.
 (*Ophrys Nidus avis* L.)

10. *ovata* Crantz. Europa. 4.
(*Ophrys ovata* L.)
β. *Ophrys trifolia* Bauhin.
11. *cordata* Swartz. Europa. 4.
(*Ophrys cordata* L.)
β. *Ophrys minima*, floribus purpureo-croceis
Mentzel.
12. *convallarioides* Swartz. Nova-Anglia, Terra-
Nova. 4.
(*Ophrys cordata* Michaux.)
13. *camtschatea* Swartz. Sibiria. 4.
(*Ophrys camtschatea* L.)
14. *porrifolia* Swartz. Nova-Zeelandia. 4.
(*Ophrys unifolia* Forster.)
1603. MALAXIS. Weichkraut. T. IV. p. 89.
 1. *spicata* Swartz. Jamaica. 4.
 2. *umbellulata* Swartz. Ibid. 4.
 3. *ophioglossoides* Mühlenberg. Pensylvania,
Carolina, Florida. 4.
(*M. unifolia* Michaux.)
 4. *monophyllos* Swartz. Borussia, Germania,
Helvetia, Imper. Austriacum. 4.
(*Ophrys monophyllos* L.)
 5. *Rhedii* Swartz. India orient., Ins. Societatis. 4.
(*Epidendrum resupinatum* Forster.)
 6. *odorata* W. India orient. 4.
 7. *paludosa* Swartz. Europa. 4.
(*Ophrys paludosa* L.)
 8. *liliifolia* Swartz. Canada, Pensylvania, Vir-
ginia. 4.
(*Ophrys liliifolia* L.)
 9. *Loeselii* Swartz. Europa bor. 4.
(*Ophrys Loeselii* L. — *Ophrys paludosa* Fl. dan.
— *Ophrys liliifolia* Hudson.)
 10. *nervosa* Swartz. Japonia. 4.
(*Ophrys nervosa* Thunberg.)
 11. *cernua* W. India orient. 4.

12. *nutans* *W.* India. orient. 24.
(*Limodorum nutans* Roxburgh.)
13. *caudata* *W.* America calid. 24.
(*Epidendrum caudatum* L.)
1604. CYMBIDIUM. Kahlippe. T. IV. p. 94.
* *Parasitica, petalis erectiusculis.*
1. *coccineum* Swartz. Martinica. 24.
(*Epidendrum coccineum* L.)
2. *tripterum* Swartz. Jamaica. 24.
(*Epidendrum tripterum* Smith.)
3. *hirsutum* *W.* Gujana. 24.
(*Serapias Caravata* Aublet.)
4. *vestitum* Swartz. Jamaica. 24.
(*Epidendrum vestitum* Swartz. Prodrum.)
5. *proliferum* Swartz. Jamaica. 24.
(*Epidendrum proliferum* Swartz. Prodrum.)
6. *echinocarpon* Swartz. Gujana, Jamaica. 24.
(*Limodorum pendulum* Aublet.)
7. *muricatum* Swartz. Jamaica. 24.
8. *trichocarpon* Swartz. Ibid. 24.
(*Epidendrum trichocarpon* Swartz. Prodrum.)
9. *glaucum* Swartz. Ibid. 24.
(*Epidendrum glaucum* Swartz. Prodrum.)
10. *graminoides* Swartz. Ibid. 24.
(*Epidendrum graminoides* Swartz. Prodrum.)
11. *testaeifolium* Swartz. Ibid. 24.
(*Epidendrum testaeifolium* Swartz. Prodrum.)
12. *Calceolaria* *W.* India orient. 24.
(*Epidendrum Calceolaria* Retrz.)
13. *lineare* Swartz. Martinica. 24.
(*Epidendrum lineare* L.)
14. *equitans* Swartz. India orient., Ins. Societatis. 24.
(*Epidendrum equitans* Forster.)
15. *teretifolium* Swartz. Jamaica. 24.
(*Epidendrum teretifolium* Swartz. Prodrum.)

16. *ferrulatum* Swartz. Jamaica. 4.
(*Epidendrum ferrulatum* Swartz. Prodrum.)
17. *globosum* Swartz. Jamaica, Martinica. 4.
(*Epidendrum globosum* Jacquin.)
- ** *Parasitica, petalis patentibus.*
18. *autumnale* Swartz. Nova-Zeelandia. 4.
(*Epidendrum autumnale* Forster.)
19. *lycopodioides* W. India orient. 4.
(*Epidendrum lycopodioides* Retz.)
20. *moschatum* W. In regno Birmanensi. 5.
(*Epidendrum moschatum* Symes.)
21. *montanum* Swartz. Jamaica. 4.
(*Epidendrum montanum* Swartz. Prodrum.)
22. *Clypeolum* W. In insulis Societatis. 4.
23. *triste* W. Nova-Caledonia. 4.
24. *nodosum* Swartz. India occident. 4.
(*Epidendrum nodosum* L.)
25. *scriptum* Swartz. India orient. 4.
(*Angraecum scriptum* Rumph.)
26. *cucullatum* Swartz. India occident. 4.
(*Epidendrum cucullatum* L.)
27. *aphyllum* Swartz. India orient. 4.
(*Limodorum aphyllum* Roxburgh.)
28. *plantaginifolium* W. India orient. 4.
(*Epidendrum plantaginifolium* Retz.)
29. *aloifolium* Swartz. Malabar. 4.
(*Epidendrum aloifolium* L.)
30. *pendulum* Swartz. India orient. 4.
(*Epidendrum pendulum* Roxburgh.)
31. *ovatum* W. India orient. 4.
(*Epidendrum ovatum* L.)
32. *guttatum* W. Jamaica. 4.
(*Epidendrum guttatum* L.)
33. *juncifolium* W. India occident. 4.
(*Epidendrum juncifolium* L.)
34. *tessellatum* Swartz. India orient. 4.
(*Epidendrum tessellatum* Roxburgh.)

35. *furvum* W. Amboina. 2.
(*Epidendrum furvum* L.)
36. *praemorsum* Swartz. India orient. 2.
(*Epidendrum praemorsum* Roxburgh.)
37. *flabelliforme* Swartz. Jamaica. 2.
(*Epidendrum flabelliforme* Swartz. Prodrom.)
38. *subulatum* Swartz. Jamaica. 2.
(*Epidendrum subulatum* Swartz. Prodrom.)
39. *tenuifolium* W. India orient. 2.
(*Epidendrum tenuifolium* L.)
40. *triquetrum* Swartz. Jamaica. 2.
(*Epidendrum triquetrum* Swartz. Prodrom.)
41. *pusillum* Swartz. Surinam. 2.
(*Epidendrum pusillum* L.)
- *** *Terrestria.*
42. *pulchellum* Swartz. A Canada ad Florid. 2.
(*Limodorum tuberosum* L. — *L. pulchellum* Salisbury.)
43. *verecundum* Swartz. In insulis Bahamensibus. 2.
(*Limodorum verecundum* Salisbury. — *L. altum* Jacquin. — *L. trifidum* Michaux.)
44. *altum* W. India occident. 2.
(*Limodorum altum* L. — *Limodorum floridum* Salisbury.)
45. *luteum* W. Chili. 2.
(*Epipactis* *Gavilu* Feuillée.)
46. *virescens* W. Chili. 2.
(*Epipactis* *Piquichen* Feuillée.)
47. *diurnum* Swartz. Carracas. 2.
(*Limodorum diurnum* Jacquin.)
48. *rigidum* W. India occident. 2.
49. *hyemale* Mühlenberg. Pensylvania. 2.
50. *utriculatum* Swartz. Jamaica, Domingo. 2.
(*Limodorum utriculatum* Jacquin.)
51. *giganteum* Swartz. Cap. b. sp. 2.

(*Satyrium giganteum* L. — *Limodorum giganteum* Thunberg.)

52. *tabulare* Swartz. Cap. b. sp. 24.

(*Satyrium tabulare* L. — *Serapias tabularis* Thunb.)

53. *pedicellatum* Swartz. Cap. b. sp. 24.

(*Satyrium pedicellatum* L. — *Serapias pedicellata* Thunb.)

54. *aculeatum* Swartz. Ibid. 24.

(*Satyrium aculeatum* L. — *Serapias aculeata* Thunberg.)

55. *squamatum* Swartz. Nova Caledonia. 24.

(*Ophrys squamata* Forster.)

56. *Corallorhizon* Swartz. Europa. 24.

(*Ophrys Corollarhiza* L.)

57. *Odontorhizon* W. Canada, Nova - Anglia, Pennsylvania, Virginia. 24.

(*Ophrys corallorhiza* Michaux.)

58. *grandiflorum* Swartz. Gujana. 24.

(*Limodorum grandiflorum* Aublet.)

59. *ensifolium* Swartz. China, Japonia. 24.

(*Epidendrum ensifolium* L. — *Limodorum ensatum* Thunb.)

60. *striatum* Swartz. Japonia. 24.

(*Limodorum striatum* Thunb.)

61. *sinense* W. China. 24.

(*Epidendrum sinense* Andrews.)

1605. **ONCIDIUM.** Koorpellippe. T. IV. p. 112.

1. *carthagenense* Swartz. Carthagera. 24.

(*Epidendrum carthagenense* Jacq.)

2. *altissimum* Swartz. Martinica, Jamaica. 24.

(*Epidendrum altissimum* Jacq.)

3. *tetrapetalum* W. Jamaica. 24.

(*O. quadripetalum* Swartz. — *Epidendrum tetrapetalum* Jacq.)

4. *variegatum* Swartz. Jamaica. 24.

5. *Cebolleta* Swartz. Carthagera. 24.

(*Epidendrum Cebolleta* Jacq.)

1606. EPIDENDRUM. Baumwurzeler. T. IV. p. 114.

1. cochleatum L. Ins. Bahamens., Jamaica, Martinica, Gujana. 4.
 2. fragrans Swartz. Jamaica. 4.
 3. bifidum Swartz. India occident. 4.
(*E. papilionaceum* West.)
 4. liliifolium Retz. India orient. 4.
 5. polybulbon Swartz. Jamaica. 4.
 6. sessile Retz. India orient. 4.
 7. labiatum Swartz. Hispaniola. 4.
 8. atropurpureum W. India occid. 4.
 9. amabile L. India orient. 4.
 10. patens Swartz. India occident. 4.
 11. verrucosum Swartz. Ibid. 4.
 12. punctatum L. Ibid. 4.
 13. nutans Swartz. Jamaica. 4.
 14. umbellatum Swartz. Ibid. 4.
(*E. difforme* Jacq.)
 15. diffusum Swartz. Ibid. 4.
 16. ramosum Jacq. Martinica, Jamaica. 4.
 17. rigidum Jacq. Ibid. 4.
 18. obtusifolium W. India occident. 4.
 19. bifarium Swartz. Jamaica. 4.
(*E. anceps* Swartz. Prodr.)
 20. nocturnum L. Jamaica, Martinica, Ins. Bahamenses. 4.
 21. ciliare L. Martinica. 4.
 22. secundum L. Ibid. 4.
 23. fuscatum Smith. Jamaica, Martinica. 4.
(*E. anseps* Jacq.)
 24. elongatum Jacq. Carracas. 4.
 25. vomiforme Swartz. Jamaica. 4.
 26. angustifolium Swartz. Ibid. 4.
1607. VANILLA. Vanille. T. IV. p. 121.
1. aromatica Swartz. America calid. 5.
(*Epidendrum Vanilla* L.)
 2. angustifolia W. Japonia. 5.

(*Epidendrum Vanilla* β. L.)

3. *claviculata* Swartz. Jamaica, Hispaniola. 5.

(*Epidendrum claviculatum* Swartz. Prodrum.)

1608. LIMODORUM. Dingel. T. IV. p. 122.

1. *Tankervilliae* Aiton. China. 4.

(*Phajus grandifolius* Loureiro.)

2. *veratrifolium* W. India orient. 4.

(*Orchis triplicata* Willemet.)

3. *boreale* Swartz. Lapponia, Russia, Sibiria,
Terre nova Americes. 4.

(*Cypripedium bulbosum* L.)

4. *striatum* Banks. China, Japonia. 4.

5. *virens* Roxburgh. India orient. 4.

6. *carinatum* W. Ibid. 4.

7. *bidentatum* W. Ibid. 4.

(*Epidendrum bidentatum* Retz.)

8. *epidendroides* W. Madras, Tranquebar. 4.

(*Serapias epidendra* Retz.)

9. *recurvum* Roxburgh. India orient. 4.

10. *triste* Thunb. Cap. b. sp. 4.

(*L. capense* Bergius. — *Satyrium triste* L.)

11. *falcatum* Thunb. Japonia. 4.

12. *longicornu* Thunb. Cap. b. sp. 4.

(*Epidendrum capense* L.)

13. *eburneum* W. Ins. Bourbon. 4.

(*Angraecum eburneum* Bory.)

14. *spathulatum* W. India orient. 5.

(*Epidendrum spathulatum* L.)

15. *orchideum* W. Ibid. 4.

(*Epidendrum orchideum* Retz.)

16. *complanatum* W. Ibid. 4.

(*Epidendrum complanatum* Retz.)

17. *clavatum* W. Ibid. 4.

(*Epidendrum clavatum* Retz.)

18. *subulatum* W. Ibid. 4.

(*Epidendrum subulatum* Retz.)

19. *pusillum* W. Ibid. 4.

(*Epidendrum pusillum* Retz.)

20. *funale* Swartz. Jamaica. 4.

21. *filiforme* Swartz. Hispaniola. 4.

22. *Fasciola* Swartz. Ins. Societatis. 4.

(*Epidendrum Fasciola* Forster.)

23. *barbatum* Thunb. Cap. b. sp. 4.

(*Serapias capensis* L.)

24. *hians* Thunb. Ibid. 4.

(*Satyrium hians* L.)

25. *flexuosum* W. India occid. 4.

26. *abortivum* Swartz. Europa. 4.

(*Orchis abortiva* L.)

27. *Epipogium* Swartz. Europa. 4.

(*Satyrium Epipogium* L.)

1609. AÉRIDES. Luftblume. T. IV. p. 130.

1. *retusum* Swartz. India orient. 4.

(*Epidendrum retusum* L.)

2. *praemorsum* W. Ibid. 4.

3. *lasiopetalum* W. Ibid. 4.

4. *matutinum* W. Ibid. 4.

5. *odoratum* Loureiro. China, Cochinchina. 5.

6. *arachnites* Swartz. Japonia. 5.

(*Epidendrum Flos aëris* L.)

7. *coriaceum* Swartz. Madagascar. 5.

1610. DENDROBIUM. Baumwucher, Tom. IV.
pag. 132.

* *Floribus erectis.*

1. *palmifolium* Swartz. Jamaica. 4.

2. *Barringtoniae* Swartz. Ibid. 4.

(*Epidendrum Barringtoniae* Smith.)

3. *languineum* Swartz. Ibid. 4.

4. *Myosurus* Swartz. Ins. Societatis. 4.

(*Epidendrum Myosurus* Forster.)

5. *utricularioides* Swartz. Jamaica, Hispaniola. 4.

5. *testiculatum* Swartz. Hispaniola. 4.

7. *carinatum* W. In insulis Luzonum. 4.

(*Epidendrum carinatum* L. — *Bontia luzonica* Petiver.)

8. *tribuloides* Swartz. Jamaica. 4.
9. *corniculatum* Swartz. Ibid. 4.
10. *Lanceola* Swartz. Ibid. 4.
11. *fertularioides* Swartz. Ibid. 4.
12. *racemiflorum* Swartz. Ibid. 4.
13. *alpestre* Swartz. Hispaniola. 4.
14. *laxum* Swartz. Jamaica. 4.
15. *graminifolium* W. India occident. 4.

(*Epidendrum graminifolium* L.)

16. *ruscifolium* Swartz. Jamaica. 4.

(*Epidendrum ruscifolium* L.)

** *Floribus resupinatis.*

17. *biflorum* Swartz. In insulis Societatis. 4.

(*Epidendrum biflorum* Forster.)

18. *anceps* Swartz. India orient. 4.

19. *moniliforme* Swartz. Japonia. 4.

(*Epidendrum moniliforme* L.)

20. *crumenatum* Swartz. Java. 4.

(*Angraecum crumenatum* Rumph.)

21. *polystachyon* Swartz. Inter tropicos Americae, Africae, Asiae. 4.

(*Epidendrum minutum* Aublet.)

22. *crispatum* Swartz. In insulis Societatis. 4.

(*Epidendrum crispatum* Forster.)

23. *javanicum* Swartz. Java. 4.

24. *linguaeforme* Swartz. In insulis Maris pacifici. 4.

25. *reptans* Swartz. Ins. Mauriti. 4.

1611. STELIS. Stelis. T. IV. p. 158.

1. *ophioglossoides* Swartz. Jamaica, Martinitica. 4.

(*Epidendrum ophioglossoides* L.)

2. *micrantha* Swartz. Jamaica. 4.

3. *acutiflora* W. Peru. 4.

(*Humboldtia acutiflora* Ruiz et Pavon.)

4. *lanceolata* W. Peru. 4.
(*Humboldtia lanceolata* Ruiz et Pavon.)
5. *polystachya* W. Peru. 4.
(*Humboldtia parviflora* Ruiz et Pavon.)
6. *oblonga* W. Peru. 4.
(*Humboldtia oblonga* Ruiz et Pavon.)
7. *purpurea* W. Peru. 4.
(*Humboldtia purpurea* Ruiz et Pavon.)
8. *revoluta* W. Peru.
(*Humboldtia revoluta* Ruiz et Pavon.)
9. *cordata* W. Peru. 4.
(*Humboldtia cordata* Ruiz et Pavon.)

1612. LEPANTHES. Rindenblume. T. IV. p. 140.

1. *concinna* Swartz. Jamaica. 4.
2. *pulchella* Swartz. Ibid. 4.
3. *tridentata* Swartz. Ibid. 4.
4. *cochleariaefolia* Swartz. Ibid. 4.

D I A N D R I A.

1613. CYPRIPEDIUM. Frauenschuh. T. IV. p. 142.

1. *Calceolus* L. Europa. 4.
(*Calceolus marianus* Dodoens.)
2. *candidum* Mühlenberg. Pennsylvania. 4.
3. *parviflorum* Salisbury. Virginia. 4.
4. *pubescens* W. America bor. 4.
(*C. flavescens* Redouté. — *C. Calceolus* Michaux.
— *C. Calceolus* β . L.)
5. *spectabile* Salisbury. Canada. 4.
(*C. album* Aiton. — *C. canadense* Michaux. —
C. Calceolus γ . L.)
6. *humile* Salisbury. A Canada ad Carolinam. 4.
(*C. acaule* Aiton, Michaux.)
7. *ventricosum* Swartz. Sibiria. 4.
8. *macranthos* Swartz. Ibid. 4.
9. *guttatum* Swartz. Ibid. 4.
(*C. Calceolus* δ . L.)
10. *japonicum* Thunberg. Japonia. 4.

1614. STYLIDIUM. Säulenblume. T. IV. p. 146.

1. graminifolium Swartz. Nova-Holland. 2.
2. lineare Swartz. Ibid. 2.
3. tenellum Swartz. India orient.
4. uliginosum Swartz. Zeylon.

1615. FORSTERA. Forstere. T. IV. p. 147.

1. sedifolia L. Nova-Zeelandia. 2.
2. muscifolia W. Terra del Fuego. 2.
(*Phyllachne uliginosa* L.)

1616. GUNNERA. Gunnere. T. IV. p. 148.

1. perpensa L. Cap. b. sp. 2.
(*Perpensum blitispermum* Burmann.)
2. plicata Vahl. Ad fretum Magellan. 2.
(*G. magellanica* La Marck. — *Misandra* Iussieu.)
3. scabra Ruiz et Pavon. Peru, Chili. 2.
(*G. chilensis* La Marck. — *Panke acaulis* Molina.)

T R I A N D R I A.

1617. SALACIA. Salacie. T. IV. p. 150.

1. chinensis L. China. 5.

1618. RHOPIMUM. Keulengriffel. T. IV. p. 150.

1. citrifolium W. Gujana. 5.
(*Meborea gujanensis* Aublet.)

H E X A N D R I A.

1619. ARISTOLOCHIA. Osterluzey. T. IV. p. 151.

*. *Caule volubili frutescente.*

1. bilobata L. Dominica. 5.
2. trilobata L. Jamaica. 5.
(*A. trifida* La Marck.)
3. surinamensis W. Surinam. 5.
(*A. trilobata* Jacquin, La Marck.)
4. Kaempferi W. Japonia. 5.

- 5. *pentandra* L. Havana. 5.
- 6. *panduriformis* Jacquin. Ad Carracas. 4.
- 7. *peltata* L. In St. Domingo. 5.
- 8. *reniformis* W. Ibid. 4.

(*A. peltata* Swartz.)

- 9. *maxima* L. Nova-Hispania. 5.
- 10. *bilabiata* L. Hispaniola. 5.
- 11. *caudata* L. St. Domingo. 5.
- 12. *punctata* La Marck. Ibid. 5.
- 13. *obtusata* Swartz. In insulis Caribaeis. 5.

(*A. rugosa* La Marck.)

- 14. *grandiflora* Swartz. Jamaica. 5.
- 15. *ringens* Vahl. Jamaica, Gujana, Brasilia. 5.
- 16. *Sipho* Aiton. A Pensylvania ad Carolinam. 5.

(*A. macrophylla* La Marck.)

- 17. *odoratissima* L. Jamaica, Mexico. 5.
- 18. *barbata* Jacquin. Ad Carracas. 5.
- 19. *anguicida* L. Carthagera, Mexico. 5.
- 20. *indica* L. India orient. 4.

β. L.

- 21. *acuminata* La Marck. Ins. Mauriti. 5.
- 22. *baetica* L. Hispania, Creta. 5.
- 23. *glauca* Desfont. Lusitania, Barbaria. 5.

(*A. subglauca* La Marck.)

- 24. *altissima* Desfont. Creta, Barbaria. 5.

** *Caule debili prostrato.*

- 25. *sempervirens* L. Creta. 5.
- 26. *longa* L. Europa austr. 4.

β. *hispanica* Bauhin.

- 27. *Serpentaria* L. Virginia. 4.

β. *A. polyrhizos* Plukenet.

γ. *A. violae fruticosae foliis* Plukenet.

- 28. *pontica* La Marck. In Ponto. 4.
- 29. *cretica* La Marck. In Creta. 4.
- 30. *bracteata* Retz. Madras. 4.
- 31. *bracteolata* La Marck. Insula Mauriti. 4.
- 32. *Pistolochia* L. Europa merid. 4.

33. *maurorum* Bauhin. Circa Halepum, 4.

*** *Caule erecto.*

34. *rotunda* L. Europa austr. 4.

35. *pallida* W. Italia, Croatia. 4.

β. *rotunda* β. L.

36. *hirta* L. In Chio. 4.

37 *Clematitis* L. Austria, Gallia, Tataria. 4.

(*A. multiflora* Rivin. — *A. rotunda* Fuchs.)

38. *erecta* L. In Vera-Cruce.

39. *arborescens* L. America. 5.

Classis XXI.

M O N O E C I A.

M O N A N D R I A.

1620. CYNOMORIUM. Hundsruhe. T. IV. p. 177.

1. *coccineum* L. Mauritania, Melita, Sicilia, Gades. 4.

2. *jamaicense* Swartz. Jamaica. 4.

3. *Balanophora* W. In insula Tanna. 4.

(*Balanophora fungosa* Forster.)

4. *cajennense* Swartz. Cajenna. 4.

1621. AMBROSINIA. Ambrosinie. T. IV. p. 178.

1. *Bassii* L. Sicilia, Barbaria. 4.

2. *maculata* Ucria. Sicilia. 4.

1622. ZOSTERA. Wasserriemen. T. IV. p. 179.

1. *marina* L. In mari Balthico, Atlantico, Mediterraneo et Adriatico. 4.

(*Phucagrostis minor* Caulini.)

2. *uninervis* Forsk. In Mari rubro.

3. *ciliata* Forsk. In Mari rubro.

4. *stipulacea* Forsk. In Mari rubro.

1623. ZANNICHELLIA. Zannichellie. T. IV. p. 181.

1. *palustris* L. Europa, Virginia. ☉.

(*Algoides vulgaris* Vaillant. — *Graminifolia* Dillen.)

2. *dentata* W. Italia.

1624. CAULINIA. Caulinie. T. IV. p. 182.

1. *fragilis* W. Germania, Gallia, Italia. ☉.

(*Najas minor* Allioni, Schkuhr, Hoffmann. —
Fluvialis minor Micheli.)

2. *indica* W. Tranquebar.

3. *flexilis* W. Pensylvania.

1625. CHARA. Armleuchter. T. IV. p. 183.

1. *vulgaris* L. Europa. 4.

(*Hippuris foetida* Dillen.)

2. *fetosa* Klein. India orient.

3. *foliolosa* Mühlenberg. Pensylvania.

4. *zeylanica* Klein. Malabar, Zeylon. ☿.

5. *hispida* L. Europa.

6. *tomentosa* L. Europa.

7. *squamosa* Desfont. Barbaria.

8. *corallina* Klein. Malabar.

9. *flexilis* L. Europa.

1626. CERATOCARPUS. Hornsame. T. IV. p. 187.

1. *arenarius* L. Tataria. ☉.

1627. ARTOCARPUS. Brodbaum. T. IV. p. 188.

1. *incisa* L. In Moluccis insulisque Maris pa-
cifici. ☿.

(*Rademachia incisa* Thunb. — *Soccus granosus*
Rumph.)

β. *Soccus lanosus* Rumph.

2. *integrifolia* L. India orient. ☿.

(*A. Jaca* La Marck. — *Jaca indica* Bauhin. —
Rademachia integra Thunb.)

β. *Soccus arboreus minor* Rumph.

γ. *A. heterophylla* La Marck.

(*Soccus arboreus major* Rumph.)

3. *philippensis* La March. In Philippinis. ☿.

4. *pubescens* W. Malabar. ☿.

(*A. hirsuta* La Marck.)

654 CLASSIS XXI. MONOECIA.

1628. CASUARINA. Streitkolbenbaum. T. IV.
p. 190.

1. *equisetifolia* L. India orient., Ins. Maris
pacifici. H.

(*C. littorea* Rumph.)

2. *nodiflora* Forster. Nova-Caledonia. H.

3. *stricta* Aiton. Nova-Hollandia. H.

4. *distyla* Ventenat. Ibid. H.

5. *torulosa* Aiton, Ibid. H.

54. *quadrivalvis* Billardièrre. Ibid. H. Enum.
p. 949.

1629. AEGOPRICON. Aegopricon. T. IV. p. 191.

1. *betulinum* L. Gujana. H.

(*Maprounia gujanensis* Aublet.)

1630. ELATERIUM. Springsame. T. IV. p. 192.

1. *carthaginense* L. Carthageria. O.

2. *trifoliatum* L. Virginia.

(*Sicyos foliis ternatis* Grönov.)

24. *tamnoides* W. . . O. Enum. p. 950.

(*Elaterium hastatum* Broussonet.)

D I A N D R I A.

1631. ANGURIA. Angurie. T. IV. p. 192.

1. *trilobata* L. Carthageria. 4.

2. *pedata* L. Domingo. 4.

3. *trifoliata* L. Domingo.

1632. LEMNA. Entengrün. T. IV. p. 193.

1. *trisulca* L. Europa. 4.

2. *minor* L. Europa, America bor. 4.

(*Lenticula palustris* Vaillant. — *Lens palustris*
Blackwell, Raj, Vallisneri.)

3. *gibba* L. Europa. 4.

(*Hydrophace monorrhiza* Haller.)

4. *polyrhiza* L. Europa, America bor. 4.

(*Hydrophace polyrrhiza* Haller.)

5. *obcordata* Vahl. India orient.
 6. *arrhiza* L. Italia, Gallia.
 1633. **PODOSTEMUM**. Fadenstiel. T. IV. p. 196.
 1. *Ceratophyllum* Michaux. In fl. Ohio. 4.

T R I A N D R I A.

1634. **TYPHA**. Kolben. T. IV. p. 197.
 1. *latifolia* L. Europa, Asia, America. 4.
 2. *minor* Smith. Anglia, Helvetia. 4.
 (*T. angustifolia* β. L.)
 3. *angustifolia* L. Europa. 4.
 4. *minima* Funk. Gallia, Germania, ad mare
 Caspium. 4.
 1635. **SPARGANIUM**. Igelskopf. T. IV. p. 199.
 1. *ramosum* Bauhin. Europa, Asia, et America
 bor. 4.
 (*S. erectum* L.)
 2. *simplex* Smith. Europa, America bor. 4.
 (*Sparganium erectum* β. L.)
 3. *natans* L. Europa. 4.
 β. *S. angustifolium* Michaux. America bor.
 1636. **ZE'A**. Mays. T. IV. p. 200.
 1. *Mays* L. America. ☉.
 2. *Caragua* Molina. Chili. ☉.
 1637. **TRIPSACUM**. Löchergras. T. IV. p. 201.
 1. *dactyloides* L. Virginia, Carolina. 4.
 2. *monostachyon* W. Carolina. 4.
 3. *cylindricum* Michaux. Florida.
 4. *hermaphroditum* L. Jamaica. ☉.
 1638. **COIX**. Thränengras. T. IV. p. 203.
 1. *Lachryma* L. India orient. 4.
 (*Lacryma Jobi* Clusius.)
 2. *agrestis* Loureiro. Amboina, Cochinchina. 4.
 (*Lithospermum amboinicum* Rumph.)
 3. *arundinacea* Koenig. Prope Tanschaur. 4.

1639. ZEUGITES, Jochgras. T. IV. p. 204.
americanus Brown. Jamaica. 24.

(*Apluda Zeugites* L.)

1640. OLYRA. Blicken. T. IV. p. 204.

1. paniculata Swartz. Jamaica. 24.

(*O. latifolia* L.)

2. pauciflora Swartz. Jamaica. ☉.

3. orientalis Loureiro. Cochinchina.

1641. KOBRESIA. Kobresie. T. IV. p. 205.

1. scirpina W. Alpes Europae austr. 24.

(*Carex Bellardi* Allion. — *C. myosuroides* Villars.

— *Froelichia caricoides* Wulfen.)

2. caricina W. In monte Cenisio. 24.

(*Carex hybrida* Schkuhr. — *C. lacustris* Balbis.)

3. cyperina W. Ad Carracas. 24.

(*Carex hermaphrodita* Jacquin.)

1642. CAREX. Segge. T. IV. p. 207.

1. *Spicis dioicis*.

1. dioica L. Europa. 24.

(*C. laevis* Hoppe.)

2. Davalliana Smith. Europa. 24.

(*C. scabra* Hoppe. — *C. dioica* Host, Villars.

— *C. dioica* β. Wahlenberg.)

3. sterilis W. Pennsylvania. 24.

2. *Spica androgyna simplicis uncinato - aristata*.

4. uncinata Forster. Nova - Zeelandia. 24.

5. hamata Swartz. Jamaica, Chili, Ins. Maurit. 24.

(*C. phleoides* Cavanil.)

6. erinacea Cavanil. America merid. 24.

3. *Spica androgyna simplicis mutica*.

7. capitata L. Lapponia, Norvegia. 24.

8. Willdenowii Schkuhr. America bor. 24.

9. pauciflora Lightfoot. Europa. 24.

(*C. patula* Hudson. — *C. Leucoglochin* L.)

10. microglochin Wahlenberg Lapponia. 24.

11. obtusa Liljeblad. Oelandia. 24.

12. polytrichoides Mühlenberg. Pennsylvania. 24.

- (*C. leptales* Wahtenberg.)
13. *pulicaris* L. Europa. 4.
(*C. Phyllophora* Wahlenberg.?)
14. *pyrenaica* Wahlenberg. In Pyrenaeis. 4.
15. *petraea* Wahlenberg. Lapponia. 4.
16. *rupestris* Allion. Sabaudia. 4.
17. *squarrosa* L. Canada. 4.
4. *Spicis androgynis apice culmi agregato-capitatis.*
18. *cyperoides* L. Europa, Sibiria. 4.
(*C. bohémica* Schreber.)
19. *baldensis* L. In Baldo. 4.
20. *foetida* Allion. Alpes Sabaudiae, Helvetiae, Delphinatus. 4.
21. *incurva* Lightfoot. Europa. 4.
(*C. juncifolia* Allion.)
22. *stenophylla* Wahlenberg. Imper. Austriac. 4.
(*C. glomerata* Host. — *C. juncifolia* Schkuhr.)
23. *curvula* Allion. Alpes Helvetiae, Sabaudiae, Delphinatus. 4.
24. *simpliciuscula* Wahlenberg. Anglia. 4.
25. *Chordorrhiza* L. Suecia, Borussia, Helvetia, Gallia. 4.
26. *cephalophora* Mühlenberg. Pennsylvania. 4.
5. *Spicis androgynis subternis sessilibus terminalibus.*
27. *Villarsii* Schkuhr. Delphinatus. 4.
(*C. baldensis* Villars.)
28. *distachya* W. Alpes Salisburgens. 4.
(*C. bina* Schkuhr.)
6. *Spicis androgynis pedunculatis.*
29. *atrata* L. Alpes Europae. 4.
30. *magellanica* La Marck. Fretum Magellan. 4.
(*C. atrata* β. *magellanica* Wahlenberg.)
31. *bicolor* Allion. In monte Cenisio. 4.
(*C. androgyna* Balbis.)
32. *pedunculata* Mühlenberg. Pennsylvania. 4.
33. *Linkii* Schkuhr. Lusitania. 4.

33^a. *typhoides* Bory. Ins. Bourbon. 24. Enum.
p. 954.

7. *Spicis androgynis sessilibus alternis.*

34. *arenaria* L. Europa. 24.

35. *intermedia* Goodenough. Europa. 24.

(*C. disticha* Schreber. — *C. spicata* Pollich. —
C. arenaria Leers.)

36. *repens* Bellardi. In agro Pedemontano. 24.

(*C. arenaria* β. *repens* Wahlenberg.)

37. *Schreberi* W. Germania, Austr., Helvet. 24.

(*C. praecox* Schreber.)

38. *ammophila* W. Hispania. 24.

39. *schoenoides* Host. Imp. Austriacum. 24.

40. *rivularis* W. Hungaria. 24.

41. *capensis* Thunb. Cap. b. sp. 24.

42. *norvegica* W. Norvegia. 24.

43. *Helenostes* L. Suecia. 24.

44. *tenuiflora* Wahlenberg. Lapponia. 24.

45. *lobata* Schkuhr. Alpes Helvet. et Pedemont. 24.

(*C. tripartita* Allion.)

46. *leporina* L. Alpes Europae. 24.

(*C. Lachenalii* Schkuhr. — *C. lagopina* Wahlen-
berg. — *C. approximata* Hoppe.)

47. *ovalis* W. Europa. 24.

(*C. leporina* Leers, Pollich, Wahlenberg.)

48. *lagopodioides* Schkuhr. America bor. 24.

49. *leoparia* Schkuhr. America bor. 24.

50. *Mühlenbergii* Schkuhr. America bor. 24.

51. *vulpina* L. Europa. 24.

52. *glomerata* Thunberg. Cap. b. sp. 24.

(*C. vulpina* β. *glomerata* Wahlenberg.)

53. *nemorosa* Lumnitz. Germania, Pannonia. 24.

54. *stipata* Mühlenberg. Pennsylvania. 24.

55. *divisa* Hudson. Anglia. 24.

56. *brizoides* L. Europa. 24.

57. *muricata* L. Europa. 24.

(*C. canescens* Leers. — *C. spicata* Hudson.)

- β. *C. loliacea* Schkuhr.
58. *divulsa* Goodenough. Europa. 4.
(*C. canescens* Hudson.)
59. *retroflexa* Mühlenberg. Pennsylvania. 4.
60. *stellulata* Goodenough. Europa. 4.
(*C. echinata* Roth, Hoffmann. — *C. muricata* Leers, Hudson, Fl. dan.)
61. *rosea* Schkuhr. America bor. 4.
(*C. echinata* β. *radiata* Wahlenberg.)
62. *sparganioides* Mühlenberg. Pennsylvania. 4.
53. *scirpoides* Schkuhr. America bor. 4.
64. *loliacea* L. Europa. 4.
(*C. tenella* Schkuhr.)
65. *remotiuscula* Wahlenberg. Sibiria. 4.
66. *gibba* Wahlenberg. Japonia. 4.
(*C. remota* Thunberg.)
67. *axillaris* Goodenough. Anglia. 4.
68. *remota* L. Europa. 4.
β. *C. axillaris* L.
69. *Gebhardii* Schkuhr. In montibus Salzburg. 4.
70. *elongata* L. Europa. 4.
(*C. canescens* Pollich. — *C. multiculmis* Ehrhart.)
71. *curta* W. Europa. 4.
(*C. canescens* L. — *C. cinerea* Pollich. — *C. bri-*
zoides Hudson. — *C. tenella* Ehrhart.)
- 71a. *foenea* W. America bor. 4. Enum. p. 957.
72. *festucacea* Schkuhr. America bor. 4.
73. *straminea* W. America bor. 4.
8. *Spicis androgynis sessilibus paniculatis.*
74. *multiflora* Mühlenberg. Pennsylvania. 4.
75. *paradoxa* W. Germania, Austria. 4.
(*C. canescens* Host.)
76. *teretiuscula* Goodenough. German., Angl. 4.
(*C. paniculata* β. *teretiuscula* Wahlenberg. — *C. diandra* Schrank.)
77. *paniculata* L. Europa. 4.

β. *Cyperoides palustre*, spica laxa, minus Scheuchzer.

78. *Iusitanica* Schkuhr. Lusitania. 24.

9. *Spicis androgynis in corymbos alternantes subpedunculatos digestis.*

79. *brunnea* Thunb. Japonia. 24.

80. *spartea* Wahlenberg. Cap. b. Ip. 24.
(*C. indica* Schkuhr.)

81. *indica* L. Ins. Bourbon. 24.
(*C. Persoonii* Schkuhr.)

82. *ramosa* Schkuhr. Ins. Mauriti. 24.

83. *polystachya* Swartz. Jamaica. 24.

84. *cladostachya* Wahlenberg. Jamaica. 24.
(*C. flaccida* Swartz.)

85. *scabrella* Wahlenberg. Jamaica. 24.
(*C. laxa* Swartz.)

86. *cruciata* Wahlenberg. China. 24.

10. *Spicis terminalibus masculis reliquis androgynis.*

87. *fasciculata* Linck. Lusitania. 24.

88. *Forsteri* Wahlenberg. Nova-Zeelandia. 24.
(*C. recurva* Schkuhr.)

89. *geminata* Schkuhr. Nova-Zeelandia. 24.
(*C. ternaria* Forster.)

90. *ambigua* Linck. Lusitania. 24.
(*C. vallesiaca* Wahlenberg.)

91. *depressa* Link. Lusitania. 24.

92. *thuringiaca* W. Thuringia. 24.

11. *Spica androgyna solitaria reliquis femineis.*

93. *microstachya* Ehrhart. Suecia. 24.

94. *virescens* Mühlenberg. Pensylvania. 24.

95. *glareosa* Wahlenberg. Europa sept. 24.

96. *hirsuta* W. America bor. 24.
(*C. capillata* Schkuhr.)

97. *Buxbaumii* Wahlenberg. Europa, Pensylvania. 24.

(*C. polygama* Schkuhr.)

98. *VahlIIi* Schkuhr. Lapponia. 24.

(*C. alpina* Wahlenberg; Fl. dan.)

99. *parviflora* Host. Styria. 4.

12. *Spicis sexu distinctis, mascula solitaria; femineis subsessilibus, scapo nudo bracteisque membranaceis vaginatis.*

100. *alba* Haenke. Imp. Austriacum, Helvetia, Germania. 4.

(*C. nemorosa* Schrank.)

101. *clandestina* Goodenough. Europa. 4.

(*C. prostrata* Allion. — *C. humilis* Leysser, Villars.)

102. *pedata* L. . . . 4.

103. *ornithopoda* W. Europa. 4.

(*C. pedata* Allion. — *C. digitata* β. Wahlenb.)

104. *digitata* L. Europa. 4.

105. *plantaginea* La Marck, Virgin., Carolina. 4.

(*C. latifolia* Schkuhr.)

13. *Spicis sexu distinctis, mascula solitaria, femineis sessilibus s. incluse pedunculatis.*

106. *tristachya* Thunb. Japonia. 4.

107. *bromoides* Schkuhr. Pennsylvania. 4.

108. *varia* Mühlenberg. Pennsylvania. 4.

109. *pilulifera* L. Europa. 4.

(*C. decumbens* Ehrhart. — *C. filiformis* Fl. dan.)

110. *collina* W. Europa. 4.

(*C. montana* L. — *C. globularis* Willdenow in Act. Berolin.)

111. *marginata* Mühlenberg. Pennsylvania. 4.

112. *ciliata* W. Germania, Suecia. 4.

(*C. ericetorum* Pollich. — *C. montana* Leers.)

113. *praecox* Jacq. Europa. 4.

(*C. filiformis* Leers. — *C. saxatilis* Hudson. — *C. stolonifera* Ehrhart. — *C. montana* Lightfoot.)

114. *emarginata* W. Hungaria. 4.

115. *tomentosa* L. Europa. 4.

(*C. sphaerocarpa* Ehrhart.)

116. *vestita* *W.* America bor. 4.
 117. *mucronata* *Allion.* Alpes Europae austr. 4.
 118. *Schkuhrii* *W.* Ad mare Caspium. 4.
 119. *lupina* *W.* Germania, Austria, Tyrol. 4.
 (*C. glomerata* Schkuhr. — *C. globularis* Roth.)
 120. *sphaerocarpa* *W.* Ad mare Caspium. 4.
 121. *globularis* *L.* Suecia. 4.
 122. *nigra* *Allion.* Alpes Sabaudiae, Pedemont. 4.
 123. *tentaculata* *Mühlenberg.* Pennsylvania. 4.
 124. *lupulina* *Mühlenberg.* Pennsylvania. 4.
 125. *clavata* *Wahlenberg.* Cap. b. sp. 4.
 β. *cylindracea* *Wahlenberg.*
 γ. *triticea* *Wahlenberg.*
 (*C. clavata* Thunberg.)
 126. *borbonica* *La Marck.* Ins. Bourbon. 4.
 127. *extensa* *Goodenough.* Europa. 4.
 128. *flava* *L.* Europa. 4.
 β. *C. patula* *Host.*
 γ. *C. Oederi* *Willdenow, Schkuhr, Host.*
 δ. *C. Oederi* *Roth.*
 14. *Spicis sexu distinctis, mascula solitaria, foemineis*
 superioribus sessilibus v. incluse pedunculatis,
 inferioribus pedunculatis.
 129. *japonica* *Thunb.* Japonia. 4.
 130. *fulva* *Goodenough.* Europa. 4.
 (*C. distans* *Host.*)
 131. *distans* *L.* Europa. 4.
 132. *binervis* *Smith.* Anglia, Suecia. 4.
 (*C. distans* *Lightfoot.*)
 133. *rotundata* *Wahlenberg.* Lapponia. 4.
 (*C. globularis* *Vahl, Schkuhr.*)
 134. *saxatilis* *L.* Groenland., Norvegia, Lapponia,
 Silesia. 4.
 135. *rigida* *Goodenough.* Scotia. 4.
 136. *pulla* *Goodenough.* Lapponia, Scotia. 4.
 (*C. fusca* *Schkuhr.*)
 137. *ferruginea* *Schkuhr.* Alpes Europae austr. 4.

(*C. varia* Host. — *C. alpina* Schrank. — *C. sempervirens* Villars.)

138. *frigida* Allion. Alpes Europae austr.

(*C. spadicea* Schkuhr.)

β. *C. fuliginosa* Schkuhr.

(*C. frigida* Wahlenberg.)

139. *Mielichhoferi* Schkuhr. Alpes Helvetiae, Salisburgi. 4.

(*C. alpina* Hoppe.)

140. *brachystachys* Schrank. Germania, Helvet. Italia. 4.

(*C. strigosa* Allion.)

141. *compressa* Kitaib. Croatia. 4.

142. *umbrosa* Host. Austria. 4.

143. *Michelii* Host. Imp. Austriacum, Italia. 4.

144. *depauperata* Goodenough. Anglia. 4.

(*C. triflora* Willdenow, Schkuhr. — *C. ventricosa* Curtis.)

145. *anceps* Mühlenberg. Pennsylvania. 4.

146. *pilosa* Allion. Europa. 4.

147. *oligocarpa* Schkuhr. America bor. 4.

148. *granularis* Mühlenberg. Pennsylvania. 4.

149. *conoidea* Schkuhr. America bor. 4.

150. *panicea* L. Europa. 4.

151. *conglobata* Kitaib. Hungaria. 4.

152. *pubescens* Mühlenberg. Pennsylvania. 4.

153. *laxiflora* La Marck. Pennsylvania, Virgin. 5.

154. *folliculata* L. America bor. 4.

155. *rostrata* Mühlenberg. Pennsylvania. 4.

156. *hystericina* Mühlenberg. Pennsylvania. 4.

157. *chinensis* Retz. China. 4.

158. *approximata* Allion. In monte Cenisio. 4.

159. *alpestris* Allion. In subalpinis Europae austr.

(*C. gynobasis* Villars, Schkuhr. — *C. diversiflora* Host. — *C. Halleriana* Asso.)

160. *nitida* Host. Austria. 4.

161. *verna* Schkuhr. Germania, Helvetia, Hungar. 2.
 162. *livida* W. Lapponia. 2.
 (*C. limosa* & *livida* Wahlenberg.)
 163. *cuspidata* Wahlenberg. Norvegia. 2.
 164. *firma* Host. Alpes Austriae, Salisburgi, Ba-
 variae. 2.
 (*C. rigida* Schrank.)
 165. *Schraderi* Schkuhr. Germania. 2.
 166. *caespitosa* L. Europa. 2.
 167. *stricta* Goodenough. Europa. 2.
 168. *pendula* Goodenough. Europa. 2.
 (*C. Agastachys* L. Wahlenberg. — *C. maxima*
 Scopoli.)
 169. *psilostachya* Kitaib. Croatia. 2.
 170. *strigosa* Goodenough. Anglia, Germania. 2.
 (*C. Leptostachys* L.)
 171. *miliacea* Mühlenberg. Pennsylvania. 2.
 15. *Spicis sexu distinctis, spica mascula solitaria,*
 foemineis omnibus pedunculatis.
 172. *umbellata* Schkuhr. Pennsylvania. 2.
 173. *capillaris* L. Europa. 2.
 174. *pallescens* L. Europa. 2.
 175. *laevis* Kitaib. Croatia. 2.
 176. *Scopoliana* W. Carniolia. 2.
 (*C. ferruginea* Host, Scopoli.)
 177. *ustulata* Wahlenberg. Lapponia, Islandia. 2.
 (*C. atro-fusca* Schkuhr. — *C. limosa* Scopoli.)
 178. *limosa* L. Europa. 2.
 (*C. elegans* Willdenow.)
 β. *limosa irrigua* Wahlenberg. Lapponia.
 γ. *C. limosa rariflora* Wahlenberg. Lapponia.
 179. *laxa* Wahlenberg. Lapponia. 2.
 180. *laevigata* Smith. Anglia, Lusitania. 2.
 C. patula Schkuhr. — *C. aethiopica* Schkuhr. —
 (*C. helodes* Link.)
 β. *Spicis masculis binis* W.
 181. *Pseudo-Cyperus* L. Europa. 2.

182. *Drymeja* L. Europa. 4.
(*C. vesicaria* β. L. — *C. sylvatica* Goodenough,
Schkuhr, Fl. dan. — *C. patula* Scopoli,
Pellick, Allioni. — *C. capillaris* Leers.)
183. *flexuosa* Mühlenberg. Pennsylvania. 4.
184. *refracta* W. In monte Cenisio. 4.
185. *digitalis* W. Pennsylvania. 4.
186. *Spicis sexu distinctis, masculis pluribus.*
186. *recurva* Goodenough. Europa, Amer. bor. 4.
(*C. flacca* Schkuhr. — *C. glauca* Scopoli. — *C.*
limosa β. Leers.)
β. *C. aspera* W.
187. *melanostachya* Bieberstein. Ad mare Caspi-
um. 4.
188. *nutans* Host. Austria. 4.
189. *acuminata* W. Istria. 4.
(*C. cuspitata* Host.)
190. *crinita* La Marck. Pennsylvania, Virginia. 4.
(*C. paleacea* Wahlenberg.)
191. *maritima* Retz. Norvegia. 4.
192. *salina* Wahlenberg. Norvegia. 4.
193. *trifida* Cavanil. Ins. Falkland. 4.
194. *trichocarpa* Mühlenberg. Pennsylvania. 4.
195. *pellita* Mühlenberg. Pennsylvania. 4.
196. *hispida* W. Barbaria. 4.
(*C. echinata* Desfont.)
197. *filiformis* L. Europa. 4.
(*C. splendida* W. — *C. tomentosa* Lightfoot, Hud-
son, — *C. lasiocarpa* Ehrhart. — *C. hirta*
Fl. dan.)
198. *aquatis* Wahlenberg. Lapponia. 4.
β. *C. aquatilis* β. *nardiflora* Wahlenberg.
199. *acuta* L. Europa, America bor. 4.
200. *paludosa* Goodenough. Europa. 4.
(*C. acuta* Curtis. — *C. acutiformis* Ehrhart.)
201. *riparia* Goodenough. Europa. 4.

(*C. crassa* Ehrhart, Roth, Host. — *C. vesicaria* Leers.)

202. *lacustris* W. Pennsylvania. 2.

203. *ambleocarpa* W. Anglia, Italia. 2.

(*C. Micheliana* Smith.)

204. *vesicaria* L. Europa. 2.

(*C. inflata* Hudson, Roth.)

205. *plumbea* W. Ad Caucasum. 2.

(*C. vesicaria* β. *plumbea* Wahlenberg.)

206. *ampullacea* Goodenough. Europa. 2.

(*C. vesicaria* Lightfoot, Leers. — *C. obtusangula* Ehrhart.)

207. *bullata* Schkuhr. America bor. 2.

208. *fecalina* Schkuhr. Austria, Hungaria. 2.

(*C. hordeiformis* Host.)

β. *Spicis foemineis ternatis* Schkuhr.

209. *hordeiformis* Wahlenberg. Gallia. 2.

(*C. hordeistichos* Villars, Schkuhr.)

210. *pumila* Thunb. Japonia. 2.

211. *hirta* L. Europa. 2.

1643. **SCLERIA**. Geisselgras. T. IV. p. 312.

1. *Flagellum* Swartz. Jamaica, Gujana. 2.

(*S. Flagellum Nigrorum* Bergius. — *S. margaritifera* Gaertner. — *Carex lithosperma* L. — *Schoenus secans* L.)

2. *margaritifera* W. Ins. Tanna. 2.

(*Carex lithosperma* Forster.)

3. *verrucosa* W. Guinea. 2.

4. *mitis* Bergius. Jamaica, Surinam. 2.

5. *bracteata* Cavanil. Panama. 2.

6. *latifolia* Swartz. Jamaica. 2.

7. *reticularis* Michaux. Carolina. 2.

8. *laevis* Retz. India orient. 2.

9. *sumatrensis* Retz. Sumatra. 2.

10. *scabra* W. Cumana. 2.

11. *tessellata* W. India orient. 2.

(*Carex indica* Koenig.)

12. lithosperma *W.* Malabar. 2.
(*Scirpus lithospermus* L.)
13. tenuis *Retz.* Zeylon. 2.
14. poaeformis *Retz.* India orient. 2.
15. filiformis *Swartz.* Ins. St. Crucis, Jamaica,
Hispaniola, Gujana. 2.
(*S. gracilis* Richard.)
16. verticillata *Mühlenberg.* Virginia, Carolina. 2.
17. interrupta *Richard.* Gujana. 2.
18. hirtella *Swartz.* Jamaica. 2.
19. caroliniana *W.* Carolina. 2.
(*S. hirtella* Michaux.)
20. ciliata *Michaux.* Carolina. 2.
21. pauciflora *Mühlenberg.* Carolina. 2.
(*S. oligantha* Michaux.)
22. triglomerata *Michaux.* Carolina. 2.
23. capitata *W.* Cumana. 2.
1644. COMPTONIA. Comptonie. T. IV. p. 320.
1. asplenifolia *Aiton.* America bor. 5.
(*Liquidambar asplenifolium* L. et *L. peregrinum* L.)
1645. AXYRIS. Axyris. T. IV. p. 320.
1. amaranthoides L. Dauria. ☉.
2. hybrida L. Sibiria. ☉.
3. prostrata L. Ibid. ☉.
1646. TRAGIA. Tragie. T. IV. p. 322.
* *Caule scandente.*
1. volubilis L. India occid. 5.
2. cordata *Vahl.* Arabia fel. 5.
(*Jatropha pungens* Forsk.)
3. hispida *W.* India orient. 5.
4. macrocarpa *Michaux.* Kentucky.
5. villosa *Thunb.* Cap. b. sp.
6. capensis *Thunb.* Ibid.
7. involucrata L. India orient. ☉.
** *Caule erecto.*
8. nepetaefolia *Cavanil.* Nova-Hispania. ☉.

9. *urticaefolia* Michaux. Georgia, Virginia.
 10. *Mercurialis* L. India orient.
 11. *corniculata* Vahl. Ins. Trinitatis, Gujana. ☉.
 12. *urens* L. Virginia, Carolina. ☉.
 α . *subovalis* Michaux.
 β . *lanceolata* Michaux.
 (*T. innocua* Walter.)
 γ . *linearis* Michaux.
 13. *Chamaelea* L. India orient.
 14. *cannabina* L. Malabar.
 (*Croton hastatum* L.)
 β . *Croton urens* L.
 1647. ACHARIA. Acharie. T. IV. p. 327.
 1. *tragodes* Thunb. Cap. b. sp. 4.
 1648. HERNANDIA. Hernandie. T. IV. p. 327.
 1. *sonora* L. In Indiis. ♀.
 2. *ovigera* L. India orient. ♀.
 3. *gujanensis* Aublet. Gujana. ♀.

T E T R A N D R I A.

1649. AUCUBA. Aucuba. T. IV. p. 328.
 1. *japonica* Thunb. Japonia. ♀.
 1650. SERPICULA. Schleichling. T. IV. p. 329.
 1. *repens* L. Cap. b. sp. 4.
 (*S. serpillifolia* Burmann.)
 2. *verticillata* L. India orient. 4.
 (*Hottonia serrata* W. Spec. plant. l. p. 814.)
 3. *veronicaefolia* Bory. Ins. Bourbon.
 1651. LITTORELLA. Strandling. T. IV. p. 330.
 1. *lacustris* L. Europa. 4.
 1652. NAJAS. Najade. T. IV. p. 331.
 1. *monosperma* W. Europa. ☉.
 (*N. marina* L.)
 2. *tetrasperma* W. Italia. ☉.
 1653. CICCICA. Cicca. T. IV. p. 332.
 1. *disticha* L. India orient. ♀.

(*Phyllanthus longifolius* Jacquin. — *Averrhoa acida* L.)

2. *nudiflora* La Marck. Java. H.

1654. EMPLEURUM. *Empleurum*. T. IV. p. 333.

1. *ferrulatum* Aiton. Cap. b. sp. H.

(*Diosma uncapsularis* L. — *D. ensata* Thunb.)

1655. ARGYTHAMNIA. Silberstrauch. T. IV. p. 333.

1. *candicans* Swartz. Jamaica. H.

1656. ALNUS. Else. T. IV. p. 334.

1. *glutinosa* W. Europa, Asia, America bor. H.
(*Betula Alnus* L.)

α. *Betula emarginata* Ehrhart.

β. *A. incisa* W.

γ. *A. laciniata* W.

δ. *A. quercifolia* W.

2. *oblongata* Miller. Europa. H.

(*Betula oblongata* Aiton.)

α. *foliis oblongis* Aiton.

β. *foliis ellipticis* Aiton.

3. *incana* W. Europa, America bor. H.

(*Betula incana* L. — *Betula Alnus* β. L.)

α. *glauca* Aiton.

β. *angulata* Aiton.

γ. *pinnata* Lundmarck. Waermundia.

4. *undulata* W. Canada. H.

(*Betula crispa* Aiton. — *Betula Alnus crispa* Michaux.)

5. *ferrulata* W. A Pennsylvania ad Carolinam. H.

(*Betula ferrulata* Aiton. — *B. Alnus ferrulata* Michaux. — *B. rugosa* Ehrhart, du Roi, Wangenheim.)

1657. BUXUS. Buchsbaum. T. IV. p. 337.

1. *sempervirens* L. Europa. H.

α. *B. arborescens* Miller.

β. *B. angustifolia* Miller.

γ. *B. suffruticosa* La Marck.

δ. *B. myrtifolia* *La Marck*.

ε. *balearica* *La Marck*. *Ins. Balearicae*. 5.

1658. TRICERA. *Dreykorn*. T. IV. p. 338.

1. *laevigata* *Swartz*. *Jamaica*, *Ins. St. Crucis*. 5.
(*Crantzia laevigata* *Vahl*.)

2. *citrifolia* *W*. *Ad Carracas*. 5.

3. *cordifolia* *W*. *India occid.* 5.

1659. PACHYSANDRA. *Dickfaden*. T. IV. p. 339.

1. *procumbens* *Michaux*. *America bor.* 4.

1660. BOEHMERIA. *Boehmerie*. T. IV. p. 340.

* *Foliis oppositis*.

1. *caudata* *Swartz*. *Jamaica*. 5.

2. *littoralis* *Swartz*. *Hispaniola*. ☉.

3. *cylindrica* *W*. *America bor.*, *Jamaica*. 4.
(*Urtica cylindrica* *L*.)

4. *spicata* *Thunb*. *Japonia*. 4.

(*Urtica japonica* *L*. — *Acalypha japonica* *Houttuyn*.)

5. *alienata* *W*. *Zeylon*. 5.

(*Urtica alienata* *L*. — *Parietaria Zeylanica* *L*.)

** *Foliis alternis*.

6. *ramiflora* *Swartz*. *Jamaica*, *Martinica*. 5.

(*Procris ramiflora* *La Marck*. — *Caturus ramiflorus* *L*.)

7. *laterflora* *Mühlenberg*. *America bor.* 4.

8. *hirta* *Swartz*. *Jamaica*. 5.

9. *interrupta* *W*. *India orient.* ☉.

(*Urtica interrupta* *L*. — *Urtica montana* *Rumph*.)

β. *Urtica sativa spicata* *Burmans*.

10. *frutescens* *Thunb*. *Japonia*. 5.

11. *nudiflora* *W*. *Ad Carracas*. 5.

12. *rubescens* *Jacquin*. *Teneriffa*. 5.

(*Urtica arborea* *L*. — *Parietaria arborea* *Aiton*.)

1661. PROCRIS. *Procris*. T. IV. p. 344.

1. *urticaefolia* *La Marck*. *St. Domingo*. 5.

2. *rugosa* *La Marck*. *Peru*. 5.

3. *trinervata* *La Marck*. *St. Domingo*. 4.

- 4. *maculata* La Marck. Java. 4.
- 5. *acuminata* La Marck. Ibid. 5.
- 6. *fagifolia* La Marck. Ins. Bourbon. 5.
- 7. *cephalida* La Marck. Ins. Bourbon. 4.
- 1662. *URTICA*, Nessel. T. IV. p. 347.

* *Oppositifoliae*.

- 1. *pilulifera* L. Europa. ☉.
- 2. *balearica* L. India orient. ☉.
- 3. *Dodartii* L. ☉.
- 4. *pumila* L. Canada, Pennsylvania. ☉.
- 5. *longifolia* W. Ins. Mauritii. 5.
(*U. verbascifolia* La Marck.)

β. *Foliis sessilibus*.

- 6. *cuspidata* W. Ins. Mauritii. 5.
- 7. *crassifolia* Hortulan. 5.
- 8. *grandifolia* L. Jamaica. 5.
- 9. *macrophylla* Thunb. Japonia.
- 10. *verticillata* Vahl. Arabia fel. 4.
(*U. iners* Forsk.)
- 11. *reticulata* Swartz. Jamaica. 5.
- 12. *laxa* Swartz. Hispaniola. 4.
- 13. *diffusa* Swartz. Jamaica. 5.
- 14. *betulaefolia* Swartz. St. Domingo. 4.
- 15. *rufa* Swartz. Jamaica. 5.
- 16. *urens* L. Europa. ☉.
- 17. *dioica* L. Europa, Asia et America bor. 4.

β. *Urtica rubra* Tabern.

- 18. *procera* Mühlenberg. America bor. 4.
- 19. *membranacea* Desfont. Hispania, Lusitania,
Barbaria, Aegyptus. 4.
(*U. caudata* Vahl. — *U. dioica* β. L. — *Urtica*
dubia Forsk.)

- 20. *ferox* Forster. Nova-Zeelandia. 5.
- 21. *ficifolia* La Marck. Ins. Bourbon. 5.
(*U. sycophylla* Bory.)
- 22. *cannabina* L. Sibiria. 4.
- 23. *virgata* Forster. In insulis Societatis.

24. *rugosa* Swartz. Hispaniola. ☉.
 25. *repens* Swartz. Hispaniola. ☉.
 26. *stolonifera* Swartz. Hispaniola. 4.
 27. *nudicaulis* Swartz. Jamaica. 5.
 28. *lanceolata* La Marck. St. Domingo.
 29. *gracilis* Aiton. Ad linum Hudsonis. 4.
 30. *corymbosa* La Marck. Guadeloupe.
 31. *Parietaria* L. Jamaica. 5.
 32. *ciliaris* L. India occident.
 33. *rhombea* L. Mexico.
 34. *ciliata* Swartz. Jamaica.
 35. *radicans* Swartz. Jamaica. 4.
 36. *pendula* W. Ins. Bourbon: 4.
 (*U. rupipendia* La Marck. — *U. umbellata* Bory.)
 37. *fessilifolia* La Marck. Ins. Mauritii.
 38. *nummulariaefolia* Swartz. Jamaica. ☉.
 39. *depressa* Swartz. Jamaica 4.
 40. *herniariaefolia* Swartz. St. Domingo. ☉.
 41. *microphylla* Swartz. India occident.
 (*Parietaria microphylla* L.)
 42. *trianthemoides* Swartz. Hispaniola. 4.
 43. *ferrulata* Swartz. Jamaica. 5.
 44. *lucida* Swartz. Jamaica. 5.
 45. *trilobata* La Marck. Ins. Mauritii.
 46. *cuneifolia* Swartz. Jamaica. 5.
 47. *cuneiformis* La Marck. Ins. Mauritii. 4.
 ** *Alternifoliae*
 48. *lappulacea* Swartz. St. Domingo, Jamaica. 4.
 49. *glomerata* Klein. India orient. 5.
 50. *rotundifolia* La Marck. Ins. Mauritii. 5.
 51. *heterophylla* Vahl. Arabia fel., India ori-
 ent. 4.
 (*U. palmata* Forskål.)
 52. *aestivans* L. Surinam. ☉.
 53. *capitata* L. Canada.
 54. *japonica* Thunb. Japonia.
 55. *villosa* Thunberg. Japonia.

56. *fessiliflora* Swartz. Jamaica. H.
 57. *muralis* Vahl. Arabia fel. 4.
 (*U. parasitica* Forskål.)
 58. *caffra* Thunb. Cap. b. sp.
 59. *ruderalis* Forster. In insulis Societatis. 4.
 60. *divaricata* L. Virginia, Canada. 4.
 61. *canadensis* L. Canada, Sibiria. 4.
 62. *hirsuta* Vahl. Arabia fel.
 (*U. divaricata* Forsk.)
 63. *capensis* Thunb. Cap. b. sp.
 64. *argentea* Forster. Ins. Societatis.
 65. *nivea* L. China. 4.
 66. *elata* Swartz. Jamaica. H.
 67. *caracasana* Jacquin. Ad Carracas. H.
 68. *baccifera* L. America calid. H.
 69. *stimulans* L. Java.
 1663. DIOTIS. Doppelohr. T. IV. p. 368.
 1. *Ceratoides* W. Moravia, Tataria, Armenia,
 Arabia fel. H.
 (*Axyris Ceratoides* L. — *Achyranthes papposa*
 Forsk. — *Krascheninnikovia* Gûldenstaedt.)
 1664. MORUS. Maulbeere. T. IV. p. 368.
 1. *alba* L. China, Persia. H.
 2. *tatarica* L. Russia. H.
 3. *nigra* L. Italia, Persia. H.
 3a. *scabra* W. America bor. H. Enum. p. 967.
 4. *rubra* L. A Canada ad Floridam. H.
 5. *indica* Rumph. India orient. H.
 6. *latifolia* La Marck. Ins. Bourbon. H.
 7. *australis* La Marck. Ibid. H.
 8. *mauritiana* Jacquin. Ins. Mauritiî. H.
 (*M. Ampalis* La Marck.)
 9. *tinctoria* L. Jamaica, Brasilia. H.

P E N T A N D R I A.

1665. NEPHELIUM. Nephelium. T. IV. p. 372.

1. lappaceum L. India orient. ʒ.

1666. SCHISANDRA. Spaltbeutel. T. IV. p. 372.

1. coccinea Michaux. Carolina, Georgia. ʒ.

1667. XANTHIUM. Spitzklette. T. IV. p. 373.

1. Strumarium L. Europa. ☉.

2. orientale L. China, Japonia, Zeylon, Sibiria. ☉.

(*X. canadense* Miller.)

3. echinatum Murray. . . . ☉.

4. spinosum L. Europa austr. ☉.

1668. AMBROSIA. Ambrosie. T. IV. p. 375.

1. integrifolia Mühlenb. America bor. ☉.

2. bidentata Michaux. Ibid.

3. trifida L. Virginia, Canada. ☉.

β. *A. gigantea* Raj.

4. elatior L. Ibid. ☉.

5. artemisiaefolia L. Virginia, Pensylvan. ☉.

6. paniculata Michaux. A Canada ad Floridam. ☉.

(*Jva monophylla* Walter.)

7. maritima Bauhin. Hetruria, Cappadocia. ☉.

8. peruviana Hortulan. . . . 4.

9. heterophylla Mühlenberg. America bor.

1669. FRANSERIA. Franserie. T. IV. p. 378.

1. artemisioides W. Peru. ʒ.

(*Xanthium fruticosum* L. — *Ambrosia arborescens* La Marck.)

2. ambrosioides Cavanil. Mexico. ʒ.

1670. CLIBADIUM. Schleimer. T. IV. p. 379.

1. surinamense L. Surinam.

(*C. foetidum* Allemand.)

1671. LUFFA. Luffa. T. IV. p. 380.

1. foetida Cavanil. India orient. ☉.

1672. CROTONOPSIS. Schilderblatt. T. IV. p. 380.

1. linearis Michaux. Carolina, in regione Illinoensi. ☉.

2. elliptica W. Carolina. ☉.

1673. AMARANTHUS. Amaranthus. T. IV. p. 381.

* Triandri.

1. tenuifolius W. India orient. ☉.

(A. angustifolius Roxburgh.)

2. angustifolius Bieberstein. Ad mare Caspi-um. ☉.

3. albus L. Pennsylvania. ☉.

4. graecizans L. Virginia. ☉.

5. campestris W. India orient. ☉.

6. melancholicus L. Ibid. ☉.

7. tricolor Lobel. India orient., China. ☉.

8. bicolor Nocca. . . . ☉.

9. polygamus L. India orient. ☉.

10. gangeticus L. Ibid. ☉.

11. mangostanus L. Ibid. ☉.

12. polystachyus W. Ibid. ☉.

13. tristis L. China, India orient. ☉.

14. inamoenus W. . . . ☉.

(A. japonicus Houttuyn.)

15. lividus L. Virginia. ☉.

16. oleraceus L. India orient. ☉.

17. Blitum L. Europa. ☉.

18. prostratus Balbis. Gallia, Italia. ☉.

(A. viridis Villars.)

19. viridis L. Jamaica, Brasilia. ☉.

20. scandens L. America.

21. deflexus L. . . . ☉.

22. polygonoides L. Jamaica, Zeylon. ☉.

** Pentandri.

23. hybridus L. Virginia. ☉.

β. A. hecticus W.

24. strictus W. . . . ☉.

- 25. *paniculatus* L. America bor. ☉.
- 26. *sanguineus* L. Bahama. ☉.
- 27. *retroflexus* L. Pennsylvania. ☉.
- 28. *laetus* W. . . . ☉.
- 29. *flavus* L. . . . ☉.
- 30. *chlorostachys* W. . . . ☉.
- 31. *hypochondriacus* L. Virginia. ☉.
- 32. *cruentus* L. China. ☉.
- 33. *caudatus* L. Peru, Persia, Russia, Zeylon. ☉.
- 34. *spinosus* L. In Indiis. ☉.
- 1674. POLYCHROA. Scheckblatt. T. IV. p. 393.
 - 1. *repens* Loureiro. China, Cochinchina. 4.

H E X A N D R I A.

- 1675. ZIZANIA. Kappengras. T. IV. p. 394.
 - 1. *aquatica* L. Jamaica. 4.
 - 2. *miliacea* Michaux. America bor.
 - 3. *clavulosa* Michaux. Ibid.
 - 4. *palustris* L. Ibid. ☉.
 - 5. *fluitans* Michaux. Ibid.
 - 6. *terrestris* L. Malabar.
- 1676. PHARUS. Nervengras. T. IV. p. 396.
 - 1. *latifolius* L. Jamaica, Gujana. 4.
 - 2. *ciliatus* Retz. India orient.
 - 3. *aristatus* Retz. Ibid.
- 1677. EPIBATERIUM. Steiger. T. IV. p. 397.
 - 1. *pendulum* Forster. Ins. St. Jacobi. 5.
- 1678. POMETIA. Pometie. T. IV. p. 398.
 - 1. *pinnata* Forster. Ins. Tanna, Namoka. 5.
 - 2. *ternata* Forster. In Nova-Caledonia. 5.
 - (*Aporetica ternata* Forster.)
- 1679. GUETTARDA. Guettardo. T. IV. p. 398.
 - 1. *speciosa* L. Java. 5.
 - 2. *argentea* W. Jamaica. 5.
 - (*Hallesia arborescens* Brown.)

3. *rugosa* Swartz. Ins. St. Crucis, Antigua, Dominica. H.
 4. *elliptica* Swartz. Jamaica. H.
 5. *membranacea* Swartz. Hispaniola. H.
 6. *parviflora* Vahl. Ins. St. Crucis, Montserrat. H.
1680. COCOS. Kokospalme. T. IV. p. 400.
1. *nucifera* L. Asia, Austral., Amer., Afric. H.
 2. *chilensis* Molina. Chili. H.
 3. *butyracea* L. America merid. H.
 4. *aculeata* Jacq. Martinica. H.
 5. *fusiformis* Swartz. Jamaica, Hispaniola. H.
 6. *maldivica* Sonnerat. In ins. Maldivicis. H.
1681. BACTRIS. Stachelpalme. T. IV. p. 402.
1. *minor* Jacq. Carthagera. H.
(*Cocos guineensis* L.)
 2. *major* Jacq. Carthagera. H.
1682. ELATE. Tannenpalme. T. IV. p. 403.
1. *sylvestris* L. India orient. H.
1683. SAGUS. Zapfenpalme. T. IV. p. 403.
1. *Ruffia* Jacq. Madagascar. H.
β. *Sagus Palma-pinus* Gaertner.
 2. *Rumphii* W. In Moluccis. H.

P O L Y A N D R I A.

(*Stamina ultra VII.*)

1684. MABEA. Mabea. T. IV. p. 404.
1. *Piriri* Aublet. Gujana, Cajenna. H.
 2. *Taquari* Aublet. Gujana. H.
1685. CERATOPHYLLUM. Zinken. T. IV. p. 405.
1. *demersum* L. Europa. 4.
(*Dichotophyllum* Dillen.)
 2. *submersum* L. Europa, India orient. 4.
1686. MYRIOPHYLLUM. Federkraut. T. IV. p. 406.
1. *spicatum* L. Europa, America bor. 4.

β. Foliis summis lanceolatis indivisis *W.*

2. verticillatum *J.* Europa, America bor. 2.

3. indicum *W.* Zeylon, Coromandel. 2.

4. heterophyllum *Michaux.* Carolina, Georg.

5. scabratum *Michaux.* Ibid.

(*Potamogeton pinnatum* Walter.)

1687. SAGITTARIA. Pfeilkraut. T. IV. p. 408.

1. sagittifolia *L.* Europa. 2.

β. Sagitta aquatica minor angustifolia *Bauhin.*

γ. Sagitta aquatica major *Bauhin.*

δ. Sagitta aquatica foliis variis *Loesel.*

2. latifolia *W.* A Canada ad Carolinam. 2.

(*Sagittaria sagittifolia* Michaux.)

3. obtusa *Mühlenberg.* America bor. 2.

4. obtusifolia *L.* India orient. 2.

5. natans *Michaux.* Carolina. 2.

6. alpina *W.* Davuria. 2.

(*S. natans* Pallas.)

7. lancifolia *L.* Jamaica, Carolina. 2.

8. graminea *Michaux.* Canada. 2.

9. acutifolia *L.* Surinam. 2.

10. trifolia *L.* China. 2.

1688. BEGONIA. Begonie. T. IV. p. 412.

* *Caulescentes foliis cordatis.*

1. nitida *Aiton.* Jamaica. 5.

(*B. obliqua* l'Héritier. — *B. minor* Jacq.)

2. dichotoma *Jacq.* Ad Carracas. 5.

3. reniformis *Dryander.* Brasilia. 5.

4. stipulacea *W.* 5.

5. cucullata *W.* Brasilia. 5.

6. erminea l'Héritier. Madagascar. 2.

7. crenata *Dryander.* India orient.

8. tenuifolia *Dryander.* In ins. Principis prope Javam.

9. ferruginea *L.* Nova Granada. 5.

10. grandis *Dryander.* Japonia. 5.

(*B. obliqua* Thunb.)

11. *macrophylla* Dryander. Jamaica. 5.
(*B. obliqua* Jacq. — *B. grandifolia* Jacq.)

12. *tuberosa* Dryander. Amboina, Celebes. 4.
(*Empetrum acetosum* Rumph.)

13. *rotundifolia* Dryander. India occid. 4.
(*B. obliqua* δ. L.)

** *Caulescentes, foliis semicordatis.*

14. *isopteris* Dryander. Java. 5.

15. *acutifolia* Jacq. Jamaica. 5.
(*B. purpurea* Swartz.)

16. *acuminata* Dryander. Jamaica. 5.

17. *humilis* Dryander. Ins. Trinidad. ☉. 4.

18. *hirsuta* Barrel. Gujana. ☉.

*** *Caulescentes foliis ovatis v. oblongis.*

19. *Urticae* L. Nova-Granada.

20. *ulmifolia* W. America merid. 5.

21. *scandens* Swartz. Gujana. 5.
(*B. glabra* Aublet.)

**** *Acaules.*

22. *nana* l'Héritier. Madagascar. 4.

23. *tenera* Dryander. Zeylon. ☉.

24. *diptera* Dryander. Ins. Joanna. 4.
(*B. capensis* L.)

25. *octopetala* l'Héritier. Lima. 4.

1688. AMIROLA. Enum. p. 973.

1. *nitida* Persoon. Peru. 5.

(*Llagunoa nitida* Ruiz et Pavon.)

1689. ACIDOTON. Spitzling. T. IV. p. 420.

1. *urens* Swartz. Jamaica. 5.

1690. THELYGONUM. Hundskohl. T. IV. p. 420.

1. *Cynocrambe* L. Europa austr., India orient. ☉.

(*Cynocrambe Dioscoridis* Bauhin.)

1691. POTERIUM. Becherblume. T. IV. p. 421.

1. *Sanguisorba* L. Europa. 4.

(*Sanguisorba officinalis* Regnault. — *Pimpinella polystemon* Haller.)

β. *Pimpinella Sanguisorba minor laevis Pollich.*

γ. *Pimpinella Sanguisorba inodora Bauhin.*

2. *polygamum Waldst. et Kit. Hungaria, Banatus. 4.*

3. *hybridum L. Monspelii, Sicilia. 4.*

(*Pimpinella agrimonoides Morison.*)

34. *agrimonifolium Cavanil. Hispania. 4. En. pag. 973.*

4. *ancistroides Desfont. Africa bor. 5.*

5. *caudatum Aiton. In Canariis. 5.*

6. *spinosum L. In Creta, Libano. 5.*

(*Pimpinella spinosa Morison.*)

1692 QUERCUS. Eiche. T. IV. p. 423.

* *Foliis integerrimis.*

1. *Phellos L. America sept. 5.*

(*Q. Phellos sylvatica Michaux.*)

β. *Q. humilis Catesby.*

2. *maritima W. Carolina. 5.*

(*Q. Phellos maritima Michaux.*)

3. *sericea W. Carolina, Georgia. 5.*

(*Q. Phellos sericea Aiton. — Q. Phellos pumila Michaux. — Q. pumila Walter.*)

4. *myrtifolia W. Carolina. 5.*

5. *virens Aiton. A Virginia ad Floridam. 5.*

(*Q. Phellos β. L. — Q. sempervirens Walter. — Q. virginiana Miller.*)

6. *cinerea Michaux. Carolina, Georgia. 5.*

(*Q. humilis Walter.*)

7. *microphylla Née. Nova Hispania. 5.*

8. *salicifolia Née. Mexico. 5.*

9. *glabra Thunb. Japonia. 5.*

10. *concentrica Loureiro. Cochinchina. 5.*

11. *molucca Rumph. In ins. Celebes, Formosa. 5.*

12. *laurifolia Michaux. Carolina, Georgia. 5.*

α. *acuta Michaux.*

β. *obtusa Michaux.*

13. *imbricaria Michaux. America bor. 5.*

- 14. *elliptica* Nee. Mexico. ʒ.
- 15. *acuta* Thunb. Japonia. ʒ.
- 16. *magnoliaefolia* Nee. Mexico. ʒ.
- 17. *lutea* Nee. Mexico. ʒ.

** *Foliis dentatis.*

- 18. *glauca* Thunb. Japonia. ʒ.
- 19. *cuspidata* Thunb. Japonia. ʒ.
- 20. *ferrata* Thunb. Japonia. ʒ.
- 21. *diversifolia* Nee. Nova-Hispania. ʒ.
- 22. *agrifolia* Nee. America bor. ʒ.
- 23. *gramuntia* L. . . . ʒ.
- 24. *Ballota* Desfont. Barbaria. ʒ.
- 25. *Ilex* L. Europa austr., Africa bor. ʒ.
(*Ilex arborea* Bauhin. — *Ilex coccigera* Blackw.)

β. *Q. Smilax* Royen.

(*Q. Ilex* Miller. — *Smilax dalech* Bauhin.)

- 26. *Suber* L. Europa austr., Africa bor. ʒ.
- 27. *coccifera* L. Europa austr., Oriens, Judaea. ʒ.
- 28. *Pseudo-coccifera* Desfont. Africa bor. ʒ.
- 29. *rigida* W. Caramania. ʒ.
- 30. *rotundifolia* La Marck. Hispania. ʒ.
- 31. *humilis* La Marck. Lusitania. ʒ.
- 32. *lusitanica* La Marck. Lusitania. ʒ.
- 33. *infectoria* Olivier. Oriens. ʒ.
- 33^a. *Turneri* Hortulan. In regno Tibetano. ʒ.

Enum. p. 975.

- 33^b. *canariensis* W. Teneriffa. ʒ. Enum. p. 975.
- 34. *mucronata* W. Nova-Hispania. ʒ.

(*Q. Castanea* Nee.)

- 35. *tomentosa* W. Nova-Hispania. ʒ.

(*Q. peduncularis* Nee.)

- 36. *circinnata* Nee. Nova-Hispania. ʒ.
- 37. *splendens* Nee. Nova-Hispania. ʒ.
- 38. *rugosa* Nee. Mexico. ʒ.
- 39. *macrophylla* Nee. Nova-Hispania. ʒ.
- 40. *Prinus* L. America bor. ʒ.
(*Q. Prinus palustris* Michaux.)

41. *Prinoides* *W.* Pennsylvania, Virginia, Carolina. \bar{h} .
 (*Q. Prinus pumila* Michaux.)
42. *montana* *W.* Virginia, Carolina. \bar{h} .
 (*Q. Prinus monticola* Michaux. — *Q. Prinus* Abbot.)
43. *bicolor* *W.* Pennsylvan. Virgin. Carolina. \bar{h} .
 (*Q. Prinus tomentosa* Michaux.)
44. *Castanea* *Mühlenberg.* In montibus Allegha-
 nis. \bar{h} .
 (*Q. Prinus acuminata* Michaux.)
- *** *Foliis apice lobatis.*
45. *aquatica* *Walter.* A. Maryland ad Florid. \bar{h} .
 (*Q. uliginosa* Wangenheim.)
46. *nigra* *L.* America bor. \bar{h} .
47. *triloba* *Michaux.* A Nova Anglia ad Geor-
 giam. \bar{h} .
 β . *Q. cuneata* Wangenheim.
48. *nana* *W.* Carolina. \bar{h} .
 (*Q. aquatica* γ . *elongata* Aiton.)
- **** *Foliis sinuatis, lobis mucronatis.*
49. *hemisphaerica* *Bartram.* Georgia, Florida. \bar{h} .
 (*Q. aquatica* *varietas* Michaux.)
50. *elongata* *W.* Virginia, Carolina, Florida. \bar{h} .
 (*Q. falcata* Michaux.)
51. *tinctoria* *W.* Pennsylvania, Carolina, -Geor-
 gia. \bar{h} .
 (*Q. tinctoria angulosa* Michaux. — *Q. discolor* *W.* — *Q. velutina* La Marck.)
52. *discolor* *Aiton.* Virginia. Carolina. \bar{h} .
 (*Q. tinctoria sinuosa* Michaux.)
53. *rubra* *L.* A Canada ad Carolinam. \bar{h} .
54. *coccinea* *Wangenheim.* Virginia, Carolina. \bar{h} .
55. *Catesbaei* *Michaux.* Maryland, Virginia
 Carolina. \bar{h} .
56. *palustris* *Wangenheim.* Nova-Anglia, Pen-
 sylvania, Virginia. \bar{h} .

57. *acutifolia* *W.* Nova-Hispania. *H.*
 58. *candicans* *Nee.* Nova-Hispania. *H.*
 59. *ilicifolia* *Wangenheim.* America sept. *H.*
 (*Q. Banisteri* Michaux.)
 60. *Pseudo-suber* *Santi.* Hetruria, Hispania, Bar-
 baria. *H.*
 61. *Aegilops* *L.* Hispania, Oriens. *H.*
 ***** *Foliis sinuatis, lobis muticis.*
 62. *alba* *L.* A Canada ad Floridam. *H.*
 β. repanda Michaux. Carolina.
 γ. pubescens *W.*
 63. *Esculus* *L.* Europa austr. *H.*
 64. *Robur* *W.* Europa. *H.*
 (*Q. sessiliflora* Smith.)
 65. *pedunculata* *W.* Europa. *H.*
 (*Q. Robur* *L.* — *Q. femina* Miller.)
 66. *pubescens* *W.* Europa. *H.*
 (*Q. sessiliflora* *β.* Smith. — *Q. Robur lanugino-*
 sa La Marck. — *Chêne noir* Secondat.)
 67. *pyrenaica* *W.* In Pyrenaeis. *H.*
 68. *faginea* *La Marck.* Hispania, Gallia. *H.*
 69. *dentata* *Thunb.* Japonia. *H.*
 70. *lobata* *Nee.* Nova-Hispania. *H.*
 71. *stellata* *Wangenheim.* America bor. *H.*
 (*Q. obtusiloba* Michaux.)
 72. *lyrata* *Walter.* Carolina, Georgia. *H.*
 73. *macrocarpa* *Michaux.* America bor. *H.*
 74. *Tournefortii* *W.* Armenia. *H.*
 75. *Cerris* *L.* Hispania, Gallia, Hungaria. *H.*
 76. *austriaca* *W.* Austria, Pannonia, Carnio-
 lia. *H.*
 (*Q. Cerris* Hort.)
 1695. JUGLANS. Wallnuss. T. IV. p. 455.
 * *Amentis masculis simplicibus polyandris.*
 1. *regia* *L.* Persia. *H.*
 β. Nux juglans fructu maximo Bauhin.

γ. *Nux juglans fructu tenero et fragili putamine*
Bauhin.

δ. *Nux juglans bifera Bauhin.*

ε. *Nux juglans fructu serotino Bauhin.*

2. *pterocarpa Michaux.* Ad mare Caspium. ḡ.

3. *nigra L.* A Pennsylvania ad Floridam ḡ.

4. *cinerea L.* America bor. ḡ.

(*I. oblonga* Miller.)

4a. *fraxinifolia La Marck.* America bor. ḡ.

Enum. p. 979.

** *Amentis masculis compositis tetrandris.*

5. *olivaeformis Michaux.* America bor. ḡ.

(*I. angustifolia* Aiton. — *I. Pecan* Mühlenberg.

— *I. rubra* Gaertner.)

6. *fulcata W.* Pennsylvania. Virgin. Carolina. ḡ.

(*I. mucronata* Michaux.)

7. *alba L.* Ibid. ḡ.

(*I. tomentosa* Michaux.)

8. *compressa Gaertner.* Ibid. ḡ.

(*I. alba* Michaux.)

9. *glabra Mühlenberg.* Pennsylvania. ḡ.

10. *obcordata Mühlenberg.* Ibid. ḡ.

11. *baccata L.* Jamaica. ḡ.

1694. FAGUS. Buche. T. IV. p. 459.

1. *sylvatica L.* Europa. ḡ.

β. *Foliis atro-rubentibus du Roi.*

γ. *Foliis incisis W.*

2. *ferruginea Aiton.* America bor. ḡ.

3. *antarctica Forster.* Terra del Fuego. ḡ.

1695. CASTANEA. Castanie. T. IV. p. 460.

1. *vesca Gaertner.* Europa austr., America bor. ḡ.

(*Fagus Castanea* L.)

β. *C. sativa Bauhin.*

2. *pumila Michaux.* A Maryland ad Floridam. ḡ.

(*Fagus pumila* L.)

1696. BETULA. Birke. T. IV. p. 462.

1. *alba L.* Europa, Asia bor. ḡ.

- β. *B. pendula* Roth.
 γ. *B. hybrida* Blom.
 2. *pubescens* Ehrhart. Germania. H.
 3. *populifolia* Aiton. America bor. H.
 (*B. acuminata* Ehrhart. — *B. lenta* du Roi.)
 4. *excelsa* Aiton. America bor. H.
 5. *davurica* Pallas. Sibiria, Canada. H.
 (*B. excelsa Canadensis* Wangenheim.)
 β. *B. foliis duplo-minoribus subtus glaberrimis* W.
 6. *nigra* L. Canada, Virginia. H.
 7. *papyracea* Aiton. America bor. H.
 8. *carpatica* Waldst. et Kit. In Carpathicis. H.
 9. *lenta* L. Canada, Pennsylvania, Virginia. H.
 (*B. nigra* du Roi.)
 9^a. *carpinifolia* Ehrhart. Amer. bor. H. Enum.
 pag. 981.
 10. *ovata* Schrank. Germania, Hungaria. H.
 (*B. Alnobetula* Ehrhart.)
 11. *japonica* Thunb. Japonia. H.
 12. *nana* L. Europa. H.
 13. *antarctica* Forster. Terra del Fuego. H.
 14. *glandulosa* Michaux. Canada. H.
 15. *fruticosa* Pallas. Sibiria, Germania. H.
 (*B. humilis* Schrank.)
 16. *pumila* L. America bor. H.
 (*B. nana* Kalm.)
 1697. CARPIMUS. Haynbuche. T. IV. p. 467.
 1. *Betulus* L. Europa. H.
 (*C. vulgaris* Miller.)
 β. *incisa* Aiton.
 2. *americana* Michaux. A Canada ad Florid. H.
 3. *orientalis* La Marck. Imperium Austrica.,
 Armenia. H.
 (*C. duinensis* Scopoli.)
 1695. OSTRYA. Hopfenbuche. T. IV. p. 469.
 1. *vulgaris* W. Europa austr. H.
 (*Carpinus Ostrya* L. — *Ostrya carpinifolia* Scopoli.)

2. *virginica* *W.* Pennsylvania, Virginia, Carolina. *h.*

(*Carpinus virginiana* La Marck.)

1699. CORYLUS. Haselnufs. T. IV. p. 470.

1. *Avellana* *L.* Europa, Asia bor. *h.*

α. C. sylvestris Bauhin.

β. ovata La Marck.

γ. maxima *W.*

δ. striata *W.*

2. *tuberosa* *W.* Europa austr. *h.*

(*C. maxima* Miller.)

3. *americana* Michaux. A Canada ad Florid. *h.*

- 3a. *humilis* *W.* In Noveboraco. *h.* En. p. 983.

(*C. americana humilis* Wangenheim.)

4. *rostrata* Aiton. A Canada ad Floridam. *h.*

(*C. cornuta* Hortulan.)

5. *Columna* *L.* Byzantii. *h.*

1700. SALISBURYA. Salisburys. T. IV. p. 472.

1. *adiantifolia* Smith. Japonia. *h.*

(*Ginkgo biloba* *L.*)

1701. PLATANUS. Platanus. T. IV. p. 473.

1. *orientalis* *L.* Oriens. *h.*

(*P. orientalis elongata* Aiton.)

2. *cuneata* *W.* Oriens. *h.*

(*P. orientalis undulata* Aiton.)

3. *acerifolia* *W.* Oriens. *h.*

(*P. orientalis acerifolia* Aiton.)

4. *occidentalis* Castesby. America sept. *h.*

1702. LIQUIDAMBAR. Amberbaum. T. IV. p. 475.

1. *Styraciflua* *L.* America. *h.*

2. *imberbe* Aiton. Oriens. *h.*

(*Liquidambar orientale* Miller. — *Platanus orientalis* Pockocke.)

1703. HEDYOSMUM. Hedyosmum. T. IV. p. 476.

1. *nutans* Swartz. Jamaica. *h.*

2. *arborescens* Swartz. Ibid. *h.*

1704. THOA. Thoa. T. IV. p. 476.

1. *urens Aublet.* Gujana. 5.
 2. *edulis W.* India orient. 5.
1705. ARUM. Aron. T. IV. p. 477.
- * *Acaulia, foliis compositis.*
1. *crinitum Aiton.* Minorca. 4.
(*A. muscivorum L.*)
 2. *Dracunculus L.* Europa austr. 4.
(*Dracunculus polyphyllus Bauhin.*)
 3. *Dracontium L.* America bor. 4.
β. *Arum s. Arisarum virginianum Plukenet.*
 4. *venosum Aiton.* 4.
 5. *ferratum Thunb.* Japonia. 4.
 6. *pentaphyllum L.* India orient. 4.
 7. *triphyllum L.* Virginia, Brasilia. 4.
β. *Pene viridi Plukenet.*
γ. *Pene atrorubente Plukenet.*
 8. *ringens Thunb.* Japonia. 4.
 9. *atro-rubens Aiton.* Virginia. 4.
 10. *ternatum Thunb.* Japonia. 4.
** *Acaulia, foliis simplicibus.*
 11. *Colocasia L.* Creta, Syria, Aegyptus. 4.
 12. *macrorrhizon L.* Zeylon. 4.
 13. *pictum L.* Minorca. 4.
 14. *peregrinum L.* America calid. 4.
 15. *divaricatum L.* India orient. 4.
 16. *trilobatum L.* Zeylon. 4.
 17. *maculatum L.* Europa. 4.
β. *A. maculatum Bauhin.*
 18. *italicum Miller.* Italia, Hispania, Lusitan. 4.
 19. *minutum W.* India orient. 4.
 20. *virginicum L.* Virginia. 4.
 21. *proboscideum L.* In Apenninis. 4.
β. *Arisarum rotundifolium s. potamogeiti folio Boeckne.*
 22. *Arisarum L.* Europa austr. 4.
(*Arisarum latifolium Clusius. — Arisarum serpentinum Barrelier.*)

- 23. cannaefolium L. Surinam. 4.
- 24. spirale Retz. Tranquebar. 4.
- 25. tenuifolium L. Dalmatia, Italia, Gallia, Oriens. 4.

*** *Caulescentia.*

- 26. hederaceum L. Carthageria. 5.
- 27. lingulatum L. Jamaica. 5.
- 1706. CALADIUM. Caladium. T. IV. p. 487.

* *Acaulia, foliis compositis.*

- 1. helleborifolium Ventenat. Martinica, Carracas. 4.

(*Arum helleborifolium* Jacq.)

** *Acaulia, foliis simplicibus.*

- 2. pinnatifidum W. Ad Carracas. 4.

(*Arum pinnatifidum* Jacq.)

- 3. ovatum Ventenat. India orient. 4.

(*Arum ovatum* L.)

- 4. bicolor Ventenat. Brasilia. 4.

(*Arum bicolor* Aiton.)

- 5. nymphaeae-folium Ventenat. India orient. 4.

- 6. esculentum Ventenat. America calid. 4.

(*Arum esculentum* L. — *Caladium aquatile* Rumph.)

- 7. sagittifolium Ventenat. Brasilia, Jamaica, Barbados. 4.

(*Arum sagittifolium* L.)

- 7a. belophyllum W. . . . 5. Enum. p. 987.

*** *Caulescentia.*

- 8. scandens W. In regno Benin. 5.

(*Culcasia scandens* Beauvois.)

- 9. seguinum Ventenat. In Caribaeis. 5.

(*Arum seguinum* L.)

- 10. Xanthorrhizon W. 5.

(*Arum Xanthorrhizon* Jacq.)

- 11. grandifolium W. Ad Carracas. 5.

(*Arum grandifolium* Jacq.)

- 12. arborescens Ventenat. India occid. 5.

(*Arum arborescens* L.)

13. *lacerum* W. Ad Carracas. ̄.
(*Arum lacerum* Jacq.)
14. *tripartitum* W. Ad Carracas. ̄.
(*Arum tripartitum* Jacq.)
15. *auritum* Ventenat. Jamaica, Hispaniola, Carracas. ̄.
(*Arum auritum* Jacq.)
1707. PARIANA. Pariana. T. IV. p. 492.
1. *campestris* Aublet. Cajenna, Gujana. 4.
1708. GARCIA. Garcia. T. IV. p. 492.
1. *nutans* Vahl. Ins. St. Marthae Americæ. ̄.
1709. MANICARIA. Sackpalme. T. IV. p. 493.
1. *saccifera* Gaertner. India orient. ̄.
(*Palma saccifera* Clusius.)
1710. CARYOTA. Brennpalme. T. IV. p. 493.
1. *urens* L. India orient. ̄.
2. *horrida* Jacq. Carracas. ̄.

MONADELPHIA.

1711. PINUS. Fichte. T. IV. p. 494.
* *Foliis geminatis.*
1. *sylvestris* L. Europa. ̄.
β. *P. rubra* Miller.
γ. *P. tatarica* Miller. Sibiria.
δ. *Pinaster latifolius* Bauhin.
2. *Mughus* Jacq. Austria. ̄.
(*P. montana* Miller.)
3. *Pumilio* Clusius. Alpes Europæ. ̄.
(*P. Mughus* Scopoli.)
4. *Pinaster* Aiton. Europa austr. ̄.
(*Pinus sylvestris* γ. L.)
5. *inops* Aiton. America bor. ̄.
(*P. virginiana* Miller, Wangenheim, du Roi.)
6. *resinosa* Aiton. America bor. ̄.
7. *halensis* Aiton, Oriens, Tauria, Barbar. ̄.

- 8. *maritima* Miller. Europa. ♀.
- 9. *Massoniana* Lambert. China. ♀.
- 10. *Banksiana* Lambert. Ad sinum Hudson. ♀.
(*P. sylvestris* ♂. *divaricata* Aiton.)
- 11. *Pinea* L. Europa austr. ♀.
(*P. fativa* Bauhin.)

** *Foliis ternis.*

- 12. *variabilis* Lambert. America bor. ♀.
(*P. echinata* Miller, Wangenheim.)
- 13. *rigida* Miller. America bor. ♀.
- 14. *Taeda* L. Virginia, Carolina. ♀.
- 15. *palustris* Aiton. A Carolina ad Florid. ♀.
- 16. *serotina* Michaux. Carolina, Pennsylvania. ♀.
- 17. *longifolia* Lambert. India orient. ♀.

*** *Foliis quinis.*

- 18. *Cembra* L. Alpes Europae. ♀.
- 19. *occidentalis* Swartz. Hispaniola. ♀.
- 20. *Strobus* L. Virginia, Canada. ♀.

**** *Foliis fasciculatis.*

- 21. *Cedrus* L. Syria. ♀.
(*Larix Cedrus* Miller. *Cedrus Libani* Barrelier.)

- 22. *pendula* Aiton. America bor. ♀.
- 23. *microcarpa* Lambert. A sinu Hudsonis ad
Pennsylvaniam. ♀.
(*P. pendula* W. — *P. laricina* Wangenheim, du
Roi. — *Larix americana* Michaux.)

- 24. *Larix* L. Alpes Europae, Sibiriae. ♀.
(*Larix decidua* Miller.)

***** *Foliis solitariis et basi distinctis.*

- 25. *Dammara* Lambert. Amboina, China. ♀.
(*Dammara alba* Rumph. — *Pinus Abies* Loureiro.)
- 26. *Picea* L. Alpes Europae. ♀.
(*P. Abies* du Roi. — *P. alba* Miller.)
- 27. *Balsamea* L. Virginia, Canada. ♀.
(*Abies Balsamea* Miller.)

28. *lanceolata* Lambert. China. \bar{h} .
 29. *taxifolia* Lambert. America bor. \bar{h} .
 30. *canadensis* L. America bor. \bar{h} .
 (*P. americana* du Roi.)
 31. *nigra* Aiton. America bor. \bar{h} .
 (*P. mariana* Ehrhart, du Roi.)
 32. *Abies* L. Europa, Asia. \bar{h} .
 (*P. Picea* du Roi. — *Abies picea* Miller.)
 β . *Picea major prima* s. *Abies rubra* Bauhin.
 γ . *Abies alba* s. *femina* Bauhin.
 δ . *Pinus viminalis* Alstroem.
 33. *rubra* Lambert. Ad sinum Hudson. \bar{h} .
 34. *alba* Aiton. America bor. \bar{h} .
 (*P. laxa* Ehrhart. — *P. canadensis* du Roi,
 Wageningen.)
 35. *orientalis* L. Oriens. \bar{h} .
 712. THUJA. Lebensbaum. T. IV. p. 508.
 1. *occidentalis* L. Canada, Sibiria. \bar{h} .
 (*T. Theophrasti* Bauhin.)
 2. *orientalis* L. China, Japonia. \bar{h} .
 3. *articulata* Desfont. Barbaria. \bar{h} .
 4. *dolabrata* Thunb. Japonia. \bar{h} .
 5. *cupressoides* L. Cap. b. sp. \bar{h} .
 (*T. aphylla* Burmann.)
 713. CUPRESSUS. Cypresse. T. IV. p. 511.
 1. *sempervirens* L. Creta, Italia, Hispania. \bar{h} .
 β . *C. horizontalis* Miller.
 2. *lusitanica* Miller. Goae nunc in Lusitania. \bar{h} .
 (*C. pendula* l'Héritier.)
 3. *disticha* L. Virginia, Carolina. \bar{h} .
 (*C. americana* Castesby.)
 4. *pendula* Thunb. Japonia. \bar{h} .
 5. *thyoides* L. Canada. \bar{h} .
 6. *japonica* Thunb. Japonia. \bar{h} .
 7. *juniperoides* L. Cap. b. sp. \bar{h} .
 714. HECATEA. Hecatea. T. IV. p. 513.

1. oppositifolia *W.* Madagascar. \mathfrak{H} .
(*Hecatea* Aubert.)

2. alternifolia *W.* Madagascar. \mathfrak{H} .

1715. PLUKENETIA. Plukenetie. T.IV. p. 514.

1. volubilis *L.* India occid.

2. verrucosa *Smith.* Surinam.
(*P. volubilis* *L.* fil.)

3. corniculata *Smith.* Amboina.

1716. DALECHAMPIA. Dalechampie. T.IV. p. 515.

* *Foliis indivisis.*

1. convolvuloides *La Marck.* Brasilia.

2. tamnifolia *La Marck.* India orient.

3. tiliaefolia *La Marck.* . . .

** *Foliis lobatis.*

4. peruviana *La Marck.* Peru.

5. colorata *L.* Nova Granada.

6. scandens *L.* America merid. 4. \mathfrak{H} .
(*D. villosa* *La Marck.*)

β . *D. latifolia* *La Marck.*

7. parvifolia *La Marck.* China.

8. brasiliensis *La Marck.* Brasilia.

9. ficifolia *La Marck.* Brasilia.

*** *Foliis compositis.*

10. tryphylla *La Marck.* Brasilia.

11. pentaphylla *La Marck.* Brasilia.

1717. ACALYPHA. Brennkraut. T.IV. p. 520.

* *Monoicae, floribus foemineis axillaribus.*

1. monostachya *Cavanil.* Mexico.

2. diversifolia *Jacquin.* Ad Carracas. \mathfrak{H} .

3. corensis *Swartz.* India occid. \mathfrak{H} .

** *Monoicae, spicis masculis basi foemineis.*

4. virginica *L.* A Canada ad Virginiam. \odot .

5. caroliniana *Walter.* A Virginia ad Florid. \odot

54. pauciflora *Hornemann.* China. \odot . Enum.

pag. 992.

56. brachystachya *Hornemann.* China. Enum.

p. 992.

5. *rubra* *W.* . . . 2. Enum. p. 992.
6. *ciliata* *Forskål.* Guinea, Arabia fel., India orient. ☉.
7. *betulina* *Retz.* India orient., Arabia fel. ☿.
(*A. fruticosa* *Forskål.*)
8. *phleoides* *Cavanil.* Nova-Hispania.
β. *A. hirta* *Cavanil.*
9. *reptans* *Swartz.* Hispaniola, Jamaica. ☿.
10. *indica* *L.* India orient. ☉.
11. *hispida* *W.* . . . ☉.
(*A. indica* *Hortulan.*)
12. *cuspidata* *Jacquin.* Ad Carracas ☿.
*** *Monocæ, floribus foemineis spicatis.*
13. *lanceolata* *W.* India orient. ☉.
(*Ricinocarpos indica* *Burmamn.*)
14. *corchorifolia* *W.* Martinica. ☿.
15. *pilosa* *Cavanil.* America. ☉.
16. *capitata* *W.* India orient. ☿.
17. *alnifolia* *Klein.* India orient. ☿.
18. *alopécuroidea* *Jacquin.* Ins. Venezuela. ☉.
19. *glandulosa* *Cavanil.* Nova-Hispania.
20. *hernandiaefolia* *Swartz.* Jamaica. ☿.
21. *Mappa* *W.* In Moluccis. ☿.
(*Ricinus Mappa* *L.*)
22. *laevigata* *Swartz.* Jamaica. ☿.
23. *elliptica* *Swartz.* Jamaica. ☿.
24. *virgata* *L.* Jamaica. ☿.
25. *vagans* *Cavanil.* Acapulco.
26. *carthagenensis* *Jacquin.* Carthagena. ☿.
27. *villosa* *L.* Ibid. ☿.
28. *hirsutissima* *W.* Ad Carracas. ☿.
29. *macrostachya* *Jacquin.* Ad Carracas. ☿.
30. *polystachya* *Jacquin.* . . . ☉.
31. *tomentosa* *Swartz.* Hispaniola. ☿.
32. *angustifolia* *Swartz.* Hispaniola. ☿.
**** *Dioicæ.*
33. *scabrosa* *Swartz.* Jamaica. ☿.

34. *betulaefolia* Swartz. Jamaica. H.

35. *integrifolia* W. Ins. Mauritii. H.

***** *Dubiae*.

36. *australis* L. America merid.

37. *glabrata* Thunb. Cap. b. sp. H.

38. *decumbens* Thunb. Ibid.

39. *cordata* Thunb. Ibid.

1718. CROTON. Croton. T. IV. p. 531.

1. *variegatum* L. India orient. H.

2. *Cascarilla* L. India occid. H.

β. *C. lineare* Jacquin.

3. *discolor* Richard. Ins. St. Crucis. H.

4. *maritimum* Walther. Carolina. 4.

5. *Benzoe* L. India orient. H.

6. *lanceolatum* Cavanil. Chili.

(*C. tricuspidatum* La Marck.)

7. *djoicum* Cavanil. Mexico. H.

8. *ovalifolium* West. Ins. S. Crucis et St. Thomas. H.

(*C. diffusum* Richard.)

9. *castaneifolium* L. America merid.

10. *morifolium* W. America merid.

11. *palustre* L. Vera Crux. ☉.

12. *argyranthemum* Michaux. Georgia, Florida. H.

(*C. punctatum* Jacquin.)

13. *alnifolium* La Marck. Peru. H.

14. *Inophyllum* Forster. Nova-Caledonia. H.

15. *citrifolium* La Marck. St. Domingo. H.

16. *glabellum* L. Jamaica. L.

17. *microphyllum* La Marck. Peru. 4.

18. *betulinum* Vahl. Ins. St. Thomae et St. Domingo. H.

19. *dichotomum* W. St. Domingo. H.

20. *tinctorium* L. Europa austr., Barbaria. ☉

21. *plicatum* Vahl. Arabia fel., India orient. ☉

(*C. tinctorium* Burmann.)

22. *obliquum* Vahl. Aegyptus.
23. *verbascifolium* W. Graecia, Oriens. ☉.
24. *triquetrum* La Marck. Brasilia.
25. *subluteum* La Marck. Gujana, Cajenna. ☿.
(*C. gujanense* Aublet.)
26. *glandulosum* L. Jamaica, -Florida, Carolina. ☉.
(*C. scordioides* La Marck.)
27. *hirtum* l'Héritier. Gujana, Carracas. ☉.
28. *divaricatum* Swartz. India occid. ☿.
29. *paniculatum* La Marck. Java.
30. *capitatum* Michaux. America bor.
31. *argenteum* L. America merid. ☉.
32. *mucronatum* W. America calid. ☿.
33. *bracteatum* La Marck. Madagascar. ☿.
34. *nutans* Forster. Ins. Societatis, Amicorum,
Novorum-Hebridum. ☿.
35. *populifolium* Swartz. Jamaica, Granada. ☿.
36. *Tiglium* L. India orient. ☿.
37. *laurinum* Swartz. Jamaica. ☿.
38. *coccineum* Vahl. Zeylon. ☿.
39. *laevigatum* Vahl. Hainam. ☿.
40. *acutum* Thunb. Japonia. ☉.
41. *reticulatum* W. India orient. ☿,
(*C. nervosum* Klein.)
42. *umbellatum* W. India orient. ☿.
43. *Eluteria*. Swartz. Jamaica. ☿.
(*Clusia Eluteria* L.)
44. *lucidum* L. Jamaica. ☿.
(*C. pallens* Swartz. — *C. spicatum* Bergius.)
45. *punctatum* Retz. Zeylon. ☿.
46. *montanum* W. India orient. ☿.
47. *nitens* Swartz. Jamaica. ☿.
48. *sericeum* La Marck. Gujana, Cajenna. ☿.
(*C. matourense* Aublet.)
49. *urticaefolium* La Marck. Brasilia.

50. *balsamiferum* L. Martinica, Curaçao, Jamaica. \bar{h} .
51. *micans* Swartz, Jamaica. \bar{h} .
52. *pungens* Jacq. Carracas. \bar{h} .
53. *penicillatum* Ventenat. Cuba. \bar{h} .
(*C. ciliato-glandulosum* Ortega.)
54. *macrophyllum* Swartz. Jamaica. \bar{h} .
55. *aromaticum* L. Zeylon. \bar{h} .
(*Halecus littorea* Rumph.)
56. *scabrum* W. Ad Carracas. \bar{h} .
57. *humile* Swartz, Jamaica. \bar{h} .
58. *Ricinocarpos* L. Surinam. \odot .
(*Mercurialis androgyna* Royen. — *Ricinocarpos americana* Boerhaav.)
59. *moluccanum* L. Zeylon, in Moluccis. \bar{h} .
60. *lanatum* La Marck. In Monte Video. \bar{h} .
61. *farinosum* La Marck. Madagascar. \bar{h} .
62. *compressum* La Marck. Brasilia. \bar{h} .
63. *flavens* L. Jamaica, St. Thomae. \bar{h} .
64. *Richardi* W. Martinica. \bar{h} .
65. *leprosum* W. St. Domingo. \bar{h} .
66. *Astroites* Aiton. India occid. \bar{h} .
67. *senegalense* La Marck. Ad Senegal. \bar{h} .
68. *capense* Thunb. Cap. b. sp.
69. *japonicum* Thunb. Japodia. \odot .
70. *rhombifolium* W. Zeylon. \bar{h} .
71. *lobatum* L. In Vera-Cruce, \odot .
72. *trilobatum* W. Guinea. \bar{h} .
(*Schradera scandens* W.)
73. *gossypifolium* Vahl. Ins. Trinitatis. \bar{h} .
74. *spinosum* L. India orient.
1719. JATROPHA, Brechnus. T. IV, p. 557.
* *Calyculatae*.
1. *gossypifolia* L. America merid. \bar{h} .
(*J. staphisagrifolia* Miller.)
- β . *J. gossypifolia* Jacq.
2. *glauca* Vahl. Arabia fel., India orient. \bar{h} .

(*Croton lobatum* Forsk.)

3. *spinosa* Vahl. Arabia fel. ʒ.

(*Croton spinosum* Forsk.)

4. *variegata* Vahl. Arabia fel. ʒ.

(*Croton variegatum* Forsk.)

5. *divaricata* Swartz. Jamaica. ʒ.

6. *integerrima* Jacq. Havanae. ʒ.

7. *panduraefolia* Andrews. Cuba. ʒ.

(*J. acuminata* La Marck. — *J. hastata* Jacq.)

8. *glandulosa* Vahl. Arabia fel. ʒ.

(*Croton villosus* Forsk.)

9. *Curcas* L. America calid. ʒ.

(*Mundubignacu* Marcgrav.)

10. *multifida* L. America merid. ʒ.

(*Avellana purgatrix* Bauhin.)

** *Acalyculatae*.

11. *napaeifolia* La Marck. In Antillis. ʒ.

12. *palmata* W. ʒ.

13. *Manihot* L. America austr. ʒ.

(*Manihot indorum* Bauhin.)

14. *Janipha* L. America calid. ʒ.

(*J. carthaginensis* Jacq. — *Janipha frutescens* Löffling.)

15. *urens* L. Brasilia. ʒ.

(*J. vitifolia* Miller.)

16. *herbacea* Royen. In Vera-Cruce. ʒ.

(*Jussieuia herbacea* Houston.)

17. *montana* W. India orient. ʒ.

1720. **RICINUS**, Wunderbaum, T. IV. p. 564.

* *Foliis palmatis*.

1. *communis* L. India orient. ☉.

(*R. vulgaris* Miller. — *R. albus* Rumph. — *R. gallis Palma christi* Lobel.)

2. *viridis* W. India orient. ☉.

(*R. ruber* Rumph.)

3. *africanus* W. Africa bor. ʒ.

(*R. communis* Desfont.)

4. *lividus* Jacq. Cap. b. sp. ♂.
(*R. communis* Thunb.)
5. *inermis* Jacq. India orient. ♂.
6. *speciosus* Burmann. Java.
** *Foliis indivisis.*
7. *Tanarius* L. India orient. ♂.
(*Tanarius indicus* Rumph.)
8. *dioicus* Forster. Ins. Tanna. ♂.
9. *globosus* W. Jamaica. ♂.
(*Croton globosum* Swartz.)
10. *integrifolius* W. Ins. Mauritii. ♂.
1721. SIPHONIA. Cautchukbaum. T. IV. p. 567.
 1. *Cahuchu* Richard. Brasilia, Gujana. ♂.
(*Jatropha elastica* L. — *Hevea gujanensis* Aublet.)
1722. AGYNEJA. Agyneja. T. IV. p. 568.
 1. *impubes* L. China. ☉.
 2. *obliqua* W. India orient. ♂.
(*A. multilocularis* Rottler. — *Kabella* L.)
 3. *multilocularis* Roxburgh. India orient. ♂.
 4. *pubera* L. China. ♂.
1723. OMPHALEA. Grübling. T. IV. p. 569.
 1. *diandra* L. Jamaica, Gujana. ♂.
(*O. cordata* Swartz. — *Omphalandria frutescens* Brown.)
 2. *triandra* L. Jamaica. ♂.
(*O. nucifera* Swartz.)
1724. EPISTYLIUM. Epistylum. T. IV. p. 570.
 1. *axillare* Swartz. Jamaica. ♂.
(*Omphalea axillaris* Swartz. prodr.)
 2. *cauliflorum* Swartz. Jamaica. ♂.
(*Omphalea cauliflora* Swartz. prodr.)
1725. HIPPOMANE. Mancinellenbaum. Tom. IV, pag. 571.
 1. *Mancinella* L. India occid. ♂.
1726. SAPIUM. Sapium. T. IV. p. 572.
 1. *aucuparium* Jacq. America calid. ♂.
(*Hippomane biglandulosa* L.)

2. *indicum* -W. India orient. H.
(*S. bingerium* Roxburgh.)

3. *ilicifolium* W. America calid. H.
(*Hippomane spinosa* L.)

1727. PHYLLANTHUS. *Phyllanthus*. T. IV. p. 573.

* *Foliis simplicibus.*

1. *simplex* Retz. Tranquebar.

2. *anceps* Vahl. India orient. 4.

3. *obovatus* Mühlenb. Pennsylvania, Carolina. ☉.
(*P. carolinensis* Walter, Michaux.)

4. *andrachnoides* W. India orient. ☉.

5. *maderaspatis* L. India orient. H.

6. *longifolius* La Marck. Ins. Bourbon.

7. *virgatus* Forster. Ins. Societatis. H.

8. *verrucosus* Thunb. Cap. b. sp. H.

9. *incurvus* Thunb. Cap. b. sp.

10. *phillyreaefolius* La Marck. Ins. Bourb. H.

11. *lanceolatus* La Marck. Ins. Mauritiæ et Bourbon. H.

12. *stellatus* Retz. Zeylon. H.

13. *nutans* Swartz. Jamaica. H.

14. *grandifolius* L. In Porto Rico. H.

15. *virosus* Roxburgh. India orient. H.

16. *villosus* La Marck. China. H.

17. *rotundatus* La Marck. India orient. H.

18. *Conami* Swartz. Jamaica, Gujana, Brasil. H.
(*P. brasiliensis* Encyclopédie bot. — *Conami brasiliensis* Aublet.)

19. *lucens* La Marck. China. H.

** *Ramis pinnaeformibus.*

20. *acuminatus* Vahl. Cajenna. H.

21. *rhamnoides* Retz. Tranquebar, Zeylon. H.
(*Rhamnus Vitis Idaea* Burmann.)

22. *obscurus* Roxburgh. India orient. H.

23. *multiflorus* W. India orient. H.

24. *racemosus* L. India orient. H.

25. *bacciformis* L. Tranquebar. ☉.

26. *debilis* Klein. India orient. ☉.

*** *Foliis pinnatis floriferis.*

27. *Niruri* L. India orient., America calid. ☉.
(*Urinaria indica* Burmann.)

28. *Urinaria* L. India orient. ☉.

29. *rotundifolius* Klein. India orient. ☉.

30. *nummulariaefolius* La Marck. Madagascar, Cajenna. ☉.

31. *quadrangularis* Klein. India orient. ☿.

32. *dumetosus* La Marck. Ins. Rodrigo. ☿.

33. *mimosoides* Swartz. In Caribaeis. ☿.

34. *polyphyllus* W. India orient. ☿.

35. *Kirganelia* W. Ins. Bourbon. ☿.

(*Kirganelia* Jussieu.)

36. *Emblica* L. India orient. ☿.

(*Myrobalanus Emblica* Bauhin. — *Nellica Zan-
noni*.)

1728. **STILLINGIA**. *Stillingia*. T. IV. p. 588.

1. *sylvatica* L. Carolina, Florida. 4.

2. *ligustrina* Michaux. Carolina, Georgia. ☿.

3. *sebifera* Michaux. China. ☿.

(*Croton sebiferum* L.)

1729. **CYTINUS**. *Hypocistis*. T. IV. p. 589.

1. *Hypocistis* L. Europa austr. Barbaria. 4.

(*Asarum Hypocistis* Gleditsch.)

1730. **ALEURITES**. *Aleurites*. T. IV. p. 590.

1. *triloba* Forster. In insulis Societatis. ☿.

2. *moluccana* W. In Moluccis, Zeylon. ☿.

(*Jatropha moluccana*. L.)

3. *laccifera* W. India orient. ☿.

(*Croton lacciferum* L. — *Hylecus terrestris* Rumph.)

1731. **GNETUM**. *Gnemonbaum*. T. IV. p. 591.

1. *Gnemon* L. India orient. ☿.

(*Gnemon domestica* Rumph.)

1732. **BRADLEJA**. *Bradleja*. T. IV. p. 591.

1. *sinica* Gaertner. China. ☿.

2. *philippensis* W. In Philippinis. ☿.

(*B. philippica* Cavanil.)

3. *Glochidion Gaertner*. In *Ins. Societatis et novis Hebridibus*. H.

1733. HURA. Sandbüchsenbaum. T. IV. p. 592.

1. *crepitans* L. Mexico, Gujana, Jamaica. H.
(*Achor crepitans* Hernandez.)

1a. *strepens* W. America calid. H. Enum. p. 997.

1b. *brasiliensis* W. Brasília. H. Enum. p. 997.

1734. GEONOMA. Erdpalme. T. IV. p. 593.

1. *pinnatifrons* W. Ad Carracas. H.

2. *simplicifolia* W. Ad Carracas. H.

1735. ARECA. Arecapalme. T. IV. p. 594.

1. *Catechu* L. India orient. H.

2. *lutescens* Bory. Ins. Mauritii. H.

3. *humilis* W. Amboina. H.

(*Pinanga saxatilis oryzaeformis* Rumph.)

4. *spicata* La Marck. In Moluccis. H.

(*Pinanga globosa* Rumph.)

5. *glandiformis* La Marck. In Moluccis. H.

(*Pinanga sylvestris glandiformis* Rumph.)

6. *oleracea* L. In Caribaeis. H.

7. *globulifera* La Marck. In Moluccis. H.

(*Pinanga oryzaeformis* Rumph.)

8. *alba* Bory. Ins. Mauritii et Bourbon. H.

9. *rubra* Bory. Ibid. H.

10. *crinita* Bory. Ins. Mauritii. H.

1736. NIPA. Nipapalme. T. IV. p. 597.

1. *fruticans* Thunb. Ins. Indiae orient. H.

1737. MYRIANTHUS. Zwerghlume. T. IV. p. 598.

1. *arboreus* Beauvois. In regno Benin. H.

1738. TRICHOSANTHES. Haarblume. T. IV.
pag. 598.

1. *Anguina* L. China. O.

(*Anguina sinensis* Miller. — *Cucurbita sinensis*
Sabbati.)

2. *scabra* Loureiro. Cochinchina. H.

3. *foetidissima* Jacquin. Guinea. 4.

4. *nervifolia* L. India orient.
 5. *caudata* W. India orient.
(*T. cuspidata* La Marck.)
 6. *cucumerina* L. India orient.
 7. *amara* L. Domingo. ☉.
 8. *tricuspidata* Loureiro. Cochinchina. 5.
 9. *pilosa* Loureiro. Cochinchina. 4.
 10. *tuberosa* W. India occid. 4.
(*T. corniculata* La Marck.)
 11. *laciniosa* Klein. India orient.
1739. MOMORDICA. Balsamapfel. T. IV. p. 601.
1. *Balsamina* L. India orient. ☉.
(*Charantia* Dodoens.)
 2. *Charantia* L. India orient. ☉.
(*Amara indica* Rumph.)
 3. *muricata* W. India orient. ☉.
 4. *senegalensis* La Marck. Ad Senegal.
 5. *operculata* L. America. ☉.
 6. *Luffa* L. Zeylon. ☉.
(*Luffa* Miller.)
 7. *cylindrica* L. Zeylon, China. ☉.
 8. *trifoliata* L. India orient.
(*Poppya sylvestris* Rumph.)
 9. *pedata* L. Peru.
 10. *lanata* Thunb. Cap. b. sp.
 11. *echinata* Mühlenberg. Pennsylvania. ☉.
(*Sicyos lobata* Michaux.)
 12. *dioica* Roxburgh. India orient.
 13. *Elaterium* L. Europa austr. ☉.
(*Cucumis agretis* Blackwell.)
1740. CUCURBITA. Kürbis. T. IV. p. 606.
1. *lagenaria* L. America. ☉.
 2. *idolatrica* W. Guinea. ☉.
 3. *Siceraria* Molina. Chili.
 4. *aurantia* W. . . ☉.
 5. *ovifera* L. Ad Astrachan. ☉.
 - 6? *umbellata* Klein. India orient.

7. *hispida* Thunb. Japonia, India orient.
8. *Pepo* L. Oriens. ☉.
 β . *Pepo oblongus* Bauhin.
9. *verrucosa* Bauhin. . . ☉.
10. *subverrucosa* W. . . ☉.
11. *Melopepo* L. . . . ☉.
(Melopepo clypeiformis Bauhin.)
12. *Citrullus* L. Apulia, Calabria, Sicilia, India. ☉.
(Anguria indica Rumph.)
13. *mammeata* Molina. Chili.
1741. CUCUMIS. Gurke. T. IV. p. 611.
 1. *Colocynthis* L. Cap. b. sp. ☉.
 2. *prophetarum* L. Arabia, Africa. ☉.
 3. *africanus* L. Cap. b. sp. ☉.
 4. *Anguria* L. Jamaica. ☉.
(Anguria americana Miller.)
 5. *acutangulus* L. Tataria, China. ☉.
(Petola Rumph.)
 6. *Conomon* Thunb. Japonia. ☉.
 7. *muricatus* W. Tranquebar.
 8. *Melo* L. In Calmuchia. ☉.
(Melo vulgaris Bauhin.)
 9. *Dudaim* L. Oriens. ☉.
(Melo variegatus Dillen.)
 10. *Chate* L. Aegyptus, Arabia. ☉.
(Chate Alpin.)
 11. *pubescens* W. ☉.
 12. *maculatus* W. ☉.
 13. *sativus* L. Tataria, India orient. ☉.
(C. vulgaris Dodoens.)
 14. *anguinus* L. India orient. ☉.
(Petola anguina Rumph.)
 15. *flexuosus* Bauhin. India orient. ☉.
 16. *maderaspatanus* L. India orient. ☉.
(Bryonia maderaspata Bergius.)
1742. BRYONIA. Zaunrübe. T. IV. p. 616.

* *Foliis indivisis angulatis.*

1. *rostrata* Rottler. Tranquebar. ☉.
2. *scabra* Thunb. Cap. b. sp. 4.
3. *verrucosa* Aiton. In Canariis. 4.
4. *punctata* Thunb. Cap. b. sp. 4.
5. *angulata* Thunb. Ibid. 4.
6. *acutangula* Thunb. Ibid. 4.
7. *grandis* L. India orient. 4.
8. *cochinchinensis* Loureiro. Cochinchina.
9. *abyssinica* La Marck. Africa, 4.
10. *japonica* Thunb. Japonia. 4.
11. *umbellata* Klein. India orient. 4.
(*B. Teedonda* Roxburgh.)

** *Foliis lobatis.*

12. *epigaea* Rottler. India orient. 4.
13. *scabrella* L. India orient. ☉.
14. *latebrosa* Aiton. In Canariis. 4.
15. *triloba* Thunb. Cap. b. sp.
16. *stipulacea* W. Cochinchina. 4.
(*B. triloba* Loureiro.)
17. *americana* La Marck. In Antillis. 4.
18. *cordifolia* L. Zeylon.
19. *alba* L. Europa 4.
20. *dioica* Miller. Europa. 4.
(*B. alba* Desfont.)
21. *cretica* L. Creta. 4.
22. *quinqueloba* Thunberg. Cap. b. sp. 4.
23. *ficifolia* La Marck. In Bonaria. 4.
24. *acuta* Desfont. In regno Tunetano. 4.

*** *Foliis palmatis.*

25. *racemosa* Swartz. Jamaica, Hispaniola. 4.
26. *laevis* Thunb. Cap. b. sp. 4.
27. *palmata* L. Zeylon. 4.
28. *Garcini* W. Zeylon. 4.
(*Sicyos Garcini* L.)
29. *alceaefolia* W. India orient. 4.
30. *laciniosa* L. Zeylon. 4.

31. *africana* Thunb. Cap. b. sp. 4.
 32. *dissecta* Thunb. Cap. b. sp. 4.
 (*B. africana* L.)
 33. *digitata* Thunb. Cap. b. sp. 4.
 1743. SICYOS. Haargurke. T. IV. p. 625.
 1. *angulata* L. Canada, Pennsylvania. ☉.
 2. *parviflora* W. Mexico. ☉.
 3. *vitifolia* W. . . . ☉.
 4. *laciniata* L. America calid.
 1744. SECHIUM. Stachelgurke. T. IV. p. 627.
 1. *edule* Swartz. India occident. ☉.
 (*Sicyos edulis* Swartz, Jacquin.)

G Y N A N D R I A.

1745. ANDRACHNE. Andrachne. T. IV. p. 628.
 1. *telephioides* Italia, Graecia, Media. ☉.
 (*Limeum humile* Forskål. — *Eraclissa hexagyna* Forskål.)
 2. *fruticosa* L. India orient. ☿.
 β. *Clusia androgyna* L.
 1746. HYPHYDRA. Wasserfeder. T. IV. p. 629.
 1. *amplexicaulis* Vahl. Gujana, Cajenna. ♀.
 (*Eriocaulon amplexicaule* Rottboell. — *Tonina fluviatilis* Aublet.)

Classis XXII.

D I O E C I A.

M O N A N D R I A.

1747. PANDANUS. Pandanus. T. IV. p. 645.
 1. *odoratissimus* L. India orient., Arabia fel.,
 China, Ins. maris pacifici. ☿.

(*P. verus* Rumph. — *Athrodactylis spinosa* Forster.
— *Keura odorifera* Forsk.)

β. *P. spurius* Rumph.

1. *utilis* Bory. Ins. Bourbon, Madagascar. H.
Enum. p. 1001.

(*P. odoratissimus* Jacquin.)

2. *humilis* Jacquin. In Ins. Mauritii inque Moluccis. H.

(*P. polycephalus* La Marck. — *P. montanus* Bory.)

3. *fascicularis* La Marck. India orient. H.

4. *laevis* Loureiro. Cochinchina. H.

1748. ASCARINA. Fadenkätzchen. T. IV. p. 647.

1. *polystachya* Forster. Ins. Societatis. H.

1749. MONIMIA. Monimie. T. IV. p. 647.

1. *rotundifolia* Aubert. Ins. Bourbon. H.

(*Ambora tomentosa* Bory.)

2. *ovalifolia* Aubert. Ins. Mauritii. H.

1750. DIDYMELES. Zwillingsblume. T. IV. p. 648.

1. *madagascarensis* W. Madagascar. H.

1751. DAHLIA. Dahlie. T. IV. p. 648.

1. *crinita* Thunberg. Cap. b. sp. H.

1752. PHELYPAEA. Phelypaea. T. IV. p. 649.

1. *sanguinea* Thunb. Cap. b. sp. 4.

1753. PHUCAGROSTIS. Meergras. T. IV. p. 649.

1. *major* Caulini. In Mari mediterraneo. 4.

D I A N D R I A.

1754. VALLISNERIA. Vallisnerie. T. IV. p. 650.

1. *spiralis* L. Italia, Gallia. 4.

♀. *V. palustris* Micheli.

♂. *Vallisnerioides palustra* Micheli.

2. *americana* Michaux. America bor.

3. *octandra* Roxburgh. India orient. ©.

1755. CECROPIA. Trompetenbaum. T. IV. p. 651.

1. *peltata* L. Iamaica, Surinam. H.

(*Yaruma Oviedi* Sloan.)

2. *palmata* W. Brasilia. H.

(*Ambayba* Marcgrave.)

3. *concolor* W. Brasilia. H.

1756. SALIX, Weide. T. IV. p. 653.

* *Foliis glabris ferratis.*

1. *hermaphroditica* L. Upsaliae. H.

2. *Hoppeana* W. Prope Salisburgum. H.

(*S. androgyna* Hoppe.)

3. *triandra* L. Europa. H.

4. *undulata* Ehrhart. Germania. H.

5. *Villarsiana* Flügge. Gallia. H.

(*S. triandra* Villars.)

6. *amygdalina* L. Europa. H.

7. *Russelliana* Smith. Anglia. H.

8. *Humboldtiana* W. Peru. H.

9. *tetrasperma* Roxburgh. India orient. H.

10. *nigra* Marshall. Pennsylvania, Carolina, Georgia. H.

(*S. caroliniana* Michaux. — *S. pentandra* Walter.)

11. *pentandra* L. Europa. H.

12. *nigricans* Smith. Anglia, Lapponia. H.

(*S. phylicifolia* β. L.)

13. *phylicifolia* L. Europa. H.

(*S. appendiculata* Villars.)

14. *Wulfeniana* W. Carinthia. H.

(*S. phylicifolia* Wulfen.)

15. *silesiaca* W. Silezia. H.

16. *Pontederana* W. Italia, Gallia. H.

(*S. Pontederæ* Villars, Bellardi.)

17. *laurina* Smith. Anglia. H.

18. *tenuifolia* L. Lapponia, Anglia. H.

19. *Amaniana* W. Germania. H.

(*S. hastata* Hoppe. — *S. myrsinites* Hoffmann.)

20. *hastata* L. Lapponia. H.

21. *ferrulata* W. Lapponia. H.

(*S. hastata* Fl. dan.)

- 22. *discolor* Mühlenberg. Pennsylvania. H.
- 23. *petiolaris* Smith. Anglia. H.
- 24. *myricoides* Mühlenberg. Pennsylvania. H.
- 25. *cordata* Mühlenberg. Pennsylvania. H.
- 26. *rigida* Mühlenberg. Pennsylvania. H.
- 27. *lucida* Mühlenberg. Pennsylvania. H.
- 28. *acutifolia* W. Ad mare Caspium. H.

(*S. caspica* Hortulan.)

- 29. *japonica* Thunb. Japonia. H.
- 30. *vitellina* L. Europa. H.
- 31. *fragilis* L. Europa. H.

(*S. decipiens* Hoffmann.)

β. *S. androgyna* Roth.

- 32. *praecox* Hoppe. Europa. H.

(*S. fragilis* Host., Villars. — *S. bigemmis* Hoffmann.)

- 33. *longifolia* Mühlenberg. America bor. H.
- 34. *babylonica* L. Oriens, Barbaria. H.
- 35. *subserata* W. Aegyptus. H.

(*S. Safsaf baelledi* Forsk.)

- 36. *purpurea* L. Europa. H.

(*S. monandra* Arduino.)

- 37. *Helix* L. Europa. H.

(*S. monandra* Hoffmann.)

- 38. *Lambertiana* Smith. Anglia. H.

- 39. *Forbyana* Smith. Anglia. H.

- 40. *rubra* Hudson. Germania, Gallia, Anglia. H.

(*S. fissa* Hoffmann. — *S. virescens* Villars.)

- 41. *Croweana* Smith. Anglia. H.

- 42. *divaricata* Pallas. Davuria. H.

- 43. *radicans* Smith. Anglia. H.

- 44. *malifolia* Smith. Anglia. H.

- 45. *ramnifolia* Pallas. Sibiria. H.

- 46. *Starkeana* W. Silesia. H.

(*S. uliginosa* Starke.)

- 47. *prunifolia* Smith. In alpibus Scoticis. H.

(*S. myrsinites* Lightfoot.)

48. *Weigelianana* W. Silesia. H.

49. *myrsinites* L. Europa. H.

(*S. retusa* Dickson.)

50. *Waldsteiniana* W. Croatia. H.

51. *formosa* W. Helvetia, Carinthia. H.

(*S. foetida* Schleicher. — *S. alpestris* Wulfen.)

52. *carinata* Smith. Scotia. H.

53. *coruscans* W. Styria, Carinth., Salzburg. H.

(*S. Arbuscula* Jacq.)

54. *Arbuscula* L. Lapponia, Helvetia. H.

55. *herbacea* L. Alpes Europae. H.

56. *arbutifolia* Afzelius. Helvetia, Sabaudia. H.

(*S. dubia* Suter.)

57. *berberifolia* Pallas. Davuria. H.

** *Foliis glabris integerrimis.*

58. *Kitaibeliana* W. In alpinis Carpathicis. H.

59. *retusa* L. Alpes Europae. H.

60. *serpyllifolia* Scopoli. Alpes Europae. H.

61. *foliolosa* L. Lapponia. H.

62. *mucronata* Thunb. Cap. b. sp. H.

63. *reticulata* L. Alpes Europae. H.

64. *myrtilloides* L. Lapponia, Delphinat. H.

(*S. caesia* Villars.)

65. *integra* Thunb. Japonia. H.

*** *Foliis villosis.*

66. *aegyptiaca* L. Aegyptus, Syria, Persis,
Astrachan. H.

(*S. serotina* Pallas. — *S. nitida* Gmelin. — *Calaf* s. *Ban Alpin*.)

67. *glauca* L. Lapponia. H.

68. *canescens* W. H.

69. *salviaefolia* Link. Lusitania. H.

70. *sericea* Villars. Helvetia, Gallia. H.

71. *lanata* L. Lapponia. H.

β. *S. depressa* L.

72. *lapponum* L. Lapponia. H.

73. *arenaria* L. Europa. \bar{h} .
 (S. *helvetica* Villars. — S. *lapponum* Lightfoot.)
74. *appendiculata* Fl. dan. Finnmarkia. \bar{h} .
75. *cinerea* L. Europa. \bar{h} .
 (S. *daphnoides* Villars.)
76. *bicolor* Ehrhart. Hercynia. \bar{h} .
77. *Jacquiniana* W. Austria. \bar{h} .
 (S. *fusca* Jacq. — S. *Jacquini* Host.)
78. *Mühlenbergiana* W. Pennsylvania, Canada. \bar{h} .
 (S. *tristis* Mühlenb. — S. *incana* Michaux.)
79. *tristis* Aiton. Pennsylvania. \bar{h} .
80. *argentea* Smith. Germania, Anglia. \bar{h} .
 (S. *lanata* Roth. — S. *repens* γ. Hudson. — S. *arenaria* Lightfoot.)
81. *repens* L. Europa. \bar{h} .
 (S. *depressa* Hoffmann. — S. *polymorpha* Ehrhart.)
82. *fusca* L. Europa. \bar{h} .
83. *Schraderiana* W. Germania. \bar{h} .
 (S. *discolor* Schrader.)
84. *prostrata* Smith. Anglia, Silesia. \bar{h} .
85. *hirsuta* Thunb. Cap. b. sp. \bar{h} .
86. *pyrenaica* Gouan. In Pyrenaeis. \bar{h} .
87. *hirta* Smith. Anglia. \bar{h} .
88. *Dicksoniana* Smith. In alpibus Scoticis. \bar{h} .
89. *incubacea* L. Europa. \bar{h} .
 (S. *angustifolia* Wulfen.)
90. *rosmarinifolia* L. Europa. \bar{h} .
91. *riparia* W. Europa. \bar{h} .
 (S. *incana* Schrank. — S. *lavandulaefolia* La Peyrouse. — S. *rosmarinifolia* Host. — S. *viminialis* Villars.)
92. *angustifolia* W. Ad mare Caspium. \bar{h} .
93. *grisea* W. Pennsylvania. \bar{h} .
 (S. *sericea* Mühlenberg.)
94. *ambigua* Ehrhart. Germania. \bar{h} .

95. *spathulata* *W.* Germania. *H.*
 96. *aurita* *L.* Europa. *H.*
 96a. *uliginosa* *W.* Europa. *H.* Enum. p. 1007.
 97. *aquatica* *Smith.* Europa. *H.*
 (*S. caprea* *a.* Hudson. — *S. cinerea* *Rehman.* —
 S. aurita *Hoffmann.*)
 98. *oleifolia* *Smith.* Anglia. *H.*
 99. *cotinifolia* *Smith.* Anglia. *H.*
 100. *sphacelata* *Smith.* Scotia, Carinthia. *H.*
 (*S. lanata* *Lightfoot.* — *S. capreae* *varietas* *Hoff-*
 mann.)
 101. *caprea* *L.* Europa. *H.*
 102. *chrysanthos* *Fl. dan.* Norvegia. *H.*
 103. *fagifolia* *Waldst. et Kit.* Croatia. *H.*
 104. *acuminata* *du Roi.* Anglia, Germania. *H.*
 105. *conifera* *Wangenheim.* A Nova-Anglia ad
 Carolinam. *H.*
 (*S. longirostris* *Michaux.*)
 106. *obtusifolia* *W.* Lapponia. *H.*
 107. *cinerascens* *Link.* Lusitania. *H.*
 108. *pedicellata* *Desfont.* In regno Tunetano. *H.*
 109. *viminalis* *L.* Europa. *H.*
 110. *mollissima* *Ehrhart.* Germania. *H.*
 111. *stipularis* *Smith.* Anglia. *H.*
 112. *holosericea* *W.* Germania. *H.*
 112a. *Smithiana* *W.* Anglia. *H.* Enum. p. 1008.
 (*S. mollissima* *Smith.*)
 113. *candida* *Flügge.* *H.*
 114. *Flüggeana* *W.* Gallia. *H.*
 (*S. oleaeifolia* *Villars.*)
 115. *Gmeliniana* *Pallas.* Sibiria, Davuria. *H.*
 116. *alba* *L.* Europa. *H.*
 1757. BORYA. Borya. T. IV. p. 711.
 1. *cassinoides* *W.* Antillae. *H.*
 (*Adelia* *Brown.* t. 36. f. 3.)
 2. *porulosa* *W.* Florida. *H.*
 (*Adelia* *porulosa* *Michaux.*)

3. *ligustrina* *W.* America bor. \bar{h} .

(*Adelia ligustrina* Michaux.)

4. *acuminata* *W.* Carolina, Georgia. \bar{h} .

(*Adelia acuminata* Michaux.)

1758. CERATIOLOA. Hornbosch. T. IV. p. 712.

1. *ericoides* Michaux, Georgia, Florida. \bar{h} .

TRIANDRIA.

1759. EMPETRUM. Rauschbeere. T. IV. p. 712.

1. *album* L. Lusitania. \bar{h} .

2. *rubrum* Vahl. Fretum Magellan, \bar{h} .

3. *nigrum* L. Europa. \bar{h} .

(*Erica baccifera* Clusius.)

1760. STILAGO. Salamanderbaum. T. IV. p. 714.

1. *Bunius* L. India orient. \bar{h} .

(*Bunius fativus* Rumph.)

2. *diandra* Roxburgh. India orient. \bar{h} .

1761. CATURUS. Katzenschwanz. T. IV. p. 714.

1. *spiciflorus* L. India orient. \bar{h} .

(*Acalypha hispida* Burmann.)

1762. MABA. Maba. T. IV. p. 715.

1. *elliptica* Forster. Ins. Tonga; Tabu et Namoka. \bar{h} .

1763. OSYRIS. Osyris. T. IV. p. 715.

1. *alba* L. Europa austr. \bar{h} .

(*Casia latinorum* Alpin.)

1764. HELWINGIA. Helwingie. T. IV. p. 716.

1. *rusciflora* *W.* Japonia. \bar{h} .

(*Osyris japonica* Thunberg.)

1765. WILLDENOWIA. Willdenowie. T. IV.

p. 717.

1. *stricta* Thunb. Cap. b. sp. 2.

2. *teres* Thunberg. Ibid. 2.

(*Restio dichotomus* Gaertner.)

3. *compressa* Thunb. Ibid. 2.

1766. RESTIO. Strickgras. T. IV. p. 718.

* *Culmo simplici aphylo.*

1. articulatus Retz. Tranquebar. 4.
2. imbricatus Thunb. Cap. b. sp. 4.
3. distachyos Rottboel. Cap. b. sp. 4.
4. vaginatus Thunb. Cap. b. sp. 4.
5. aristatus Thunb. Cap. b. sp. 4.
6. cernuus Thunb. Cap. b. sp. 4.
7. umbellatus Thunb. Cap. b. sp. 4.
8. spicigerus Thunb. Cap. b. sp. 5.
9. tectorum Thunb. Cap. b. sp. 4.

(*Chondropetalum deustum* Rottboel.)

10. acuminatus Thunb. Cap. b. sp. 4.

(*Chondropetalum nudum* Rottboel.)

11. parviflorus Thunb. Cap. b. sp. 4.
12. erectus Thunb. Cap. b. sp. 4.
13. argenteus Thunb. Cap. b. sp. 4.

** *Culmo simplici folioso.*

14. Thamnochortus Thunb. Cap. b. sp. 4.
(*R. vimineus* L. — *R. dichotomus* Rottboel.)
15. scariosus Thunb. Cap. b. sp. 5.
(*Thamnochortus fruticosus* Bergius.)
16. fruticosus Thunb. Cap. b. sp. 5.
17. simplex Forster. Nova-Zeelandia. 4.
18. triflorus L. Cap. b. sp. 4.

*** *Culmo ramoso aphylo.*

19. compressus Rottboel. Cap. b. sp. 4.
20. distichus Rottboell. Cap. b. sp. 4.
(*R. simplex* L.)
21. tetragonus Thunb. Cap. b. sp. 5.
22. triticeus Thunb. Cap. b. sp. 4.
23. glomeratus Thunb. Cap. b. sp. 4.
24. incurvatus Thunb. Cap. b. sp. 5.
25. digitatus Thunb. Cap. b. sp. 4.
26. verticillaris Thunb. Cap. b. sp. 5.

**** *Culmo ramoso folioso.*

27. scopa Thunb. Cap. b. sp. 5.

28. *virgatus* Thunb. Cap. b. sp. 5.

29. *paniculatus* L. Cap. b. sp. 5.

30. *dichotomus* L. Cap. b. sp. 5.

(*R. vimineus* Rottboel.)

1767. **ELEGIA.** Straussgras. T. IV. p. 729.

1. *junceae* Thunb. Cap. b. sp. 4.

(*Restia Elegia* L. — *R. thyrsifer* Rottboel.)

1768. **PHOENIX.** Dattelpalme. T. IV. p. 730.

1. *dactylifera* L. Barbaria, Syria, Persia, Aegyptus, India orient. ☉.

(*Dactylis palma* Blackwell, — *Palma dactylifera* Sloan.)

2. *reclinata* Jacquin. Cap. b. sp. 5.

3. *farinifera* Roxburgh. India orient; Cochinchina. 5.

(*P. pusilla* Loureiro.)

T E T R A N D R I A.

1769. **ANTHOSPERMUM.** Amberstrauch. T. IV. p. 731.

1. *lanceolatum* Thunb. Cap. b. sp.

(*A. herbaceum* L.)

2. *aethiopicum* L. Cap. b. sp. 5.

(*Ambraria Heisteri* Fabricius.)

3. *ciliare* L. Cap. b. sp. 5.

4. *scabrum* Thunb. Cap. b. sp.

1770. **TROPHIS.** Trophis. T. IV. p. 733.

1. *americana* L. India occident. 5.

β. *Bucephalon racemosum* L.

2. *laurifolia* Humboldt et Bonpl. Quito. 5.

3. *aspera* Retz. India orient. 5.

4. *spinosa* Roxburgh. India orient. 5.

(*Cudranus javensis* Rumph.)

1771. **BATIS.** Batis. T. IV. p. 735.

1. *maritima* L. Jamaica. 5.

1772. CAVANILLA. Cavanille. T. IV. p. 735.

1. scandens Thunb. Cap. b. sp. H.

1773. MONTINIA. Montinie. T. IV. p. 736.

1. acris L. Cap. b. sp. H.

(*M. caryophyllacea* Thunberg.)

1774. VISCUM. Mistel. T. IV. p. 737.

1. album L. Europa. H.

2. macrostachyon Jacquin. Martinica. H.

3. orientale W. India orient. H.

4. pauciflorum Thunb. Cap. b. sp. H.

5. rubrum L. Carolina. H.

6. purpureum L. Carolina. H.

7. buxifolium W. India occident. H.

8. myrtilloides W. Martinica. H.

9. rotundifolium Thunb. Cap. b. sp. H.

10. antarcticum Forster. Nova-Zeelandia. H.

11. capense Thunb. Cap. b. sp. H.

12. vaginatum Humboldt. et Bonpl. Mexico. H.

13. opuntioides Sloan, Jamaica. H.

14. obscurum Thunb. Cap. b. sp. H.

15. flavescens Swartz, Jamaica, H.

(*V. racemosum* Aublet.)

16. latifolium Swartz, Jamaica. H.

17. verticillatum L. Jamaica. H.

1775. SCHAEFFERIA. Schafferie. T. IV. p. 741.

1. completa Swartz. Jamaica, Hispaniola. H.

(*S. frutescens* Jacquin.)

2. lateriflora Swartz. Hispaniola. H.

1776. BRUCEA. Brucea. T. IV. p. 742.

1. ferruginea l'Héritier. Abyssinia. H.

(*B. antidysenterica* Miller.)

1777. BROUSSONETIA. Broussonetie. T. IV.
p. 743.

1. papyrifera Ventenat. Japonia, Ins. Maris
pacifici. H.

(*Morus papyrifera* L. — *Papyrius japonica* La-
Marck.)

1778. HIPPOPHAE. Sanddorn. T. IV. p. 744.

1. *Rhamnoïdes* L. Europa. ̄.2. *canadensis* L. Canada. ̄.

1779. MYRICA. Gagel. T. IV. p. 745.

1. *Gale* L. Europa, America sept. ̄.2. *cerifera* L. America bor. ̄.γ. *pumila* Michaux.3. *carolinensis* *Wangenheim*. A Pennsylvania ad Floridam. ̄.(*M. cerifera* β. Michaux.)4. *pubescens* *Humboldt et Bonpl.* Nova-Granada. ̄.5. *Faya* *Aiton*. Lusitania, Madera, in Azoreis. ̄.6. *segregata* *Jacquin*. America calid. ̄.6a. *mexicana* *Humboldt et Bonpl.* Mexico. ̄.
Enum. p. 1011.7. *aethiopica* L. Cap. b. sp. ̄.(*M. conifera* *Burmann*.)8. *ferrata* *La Marck*. Cap. b. sp. ̄.(*M. banksiaefolia* *Wendland*. — *Coriotragemato-*
dendros *Plukenet*.)8a. *laciniata* *W.* Cap. b. sp. ̄. Enum. p. 1012.(*M. quercifolia* *Jacquin*.)9. *quercifolia* L. Cap. b. sp. ̄.(*M. hirsuta* *Miller*.)10. *cordifolia* L. Cap. b. sp. ̄.β. *M. foliis subcordatis integris sessilibus* *Bur-*
mann.

1780. NAGEIA. Nageia. T. IV. p. 749.

1. *japonica* *W.* Japonia. ̄.(*Myrica Nagi* *Thunberg*. — *Na vulgo Nagi*
Kaempfer.)2. *arabica* *W.* Arabia fel. ̄.(*M. arabica* *Vahl*. — *Buxus dioica* *Forsk.*)

1781. KOELERA. Koelere. T. IV. p. 750.

1. *laurifolia* *W.* St. Domingo. ̄.

P E N T A N D R I A.

1782. PISTACIA. Pistacie. T. IV. p. 750.

1. trifolia L. Sicilia. H.

2. reticulata W. Persia, Mesopotania, Armenia. H.

(P. karbonensis L.)

β. Terebinthus major, pistaciae folio Lobel.

3. vera L. Persia, Arabia, Syria, India. H.

(P. Terebinthus Miller.)

4. Terebinthus L. Europa, Africa bor., India. H.

(P. vera Miller. — Terebinthus vulgaris Bauhin.)

5. atlantica Desfont. Barbaria. H.

6. Lentiscus L. Europa austr., Palaestina, Persia. H.

(Lentiscus vulgaris Bauhin.)

1783. ZANTHOXYLUM. Zahnwehholz. T. IV. pag. 753.

* Inermia.

1. ternatum Swartz. Ins. Dominica. H.

(Fagara trifoliata Swartz. prodr.)

2. emarginatum Swartz. Jamaica. H.

3. acuminatum Swartz. Jamaica. H.

3a. mite W. America bbr. H. Enum. p. 1013.

** Aculeata.

4. punctatum West. Ins. St. Crucis. H.

5. spinosum Swartz. Jamaica. H.

6. Clava Herculis L. India occid., Carolina. H.

(Z. caribaeum et Z. carolinianum La Marck.)

7. aromaticum W. H.

8. rhoifolium La Marck. India orient. H.

9. juglandifolium W. Domingo. H.

10. rigidum Humboldt et Bonpl. Amer. merid. H.

11. hermaphroditum W. Gojana. H.

(Fagara pentandra Aublet.)

12. *fraxineum* *W.* Canada, Pennsylvania, Virginia. *H.*
 (*Z. ramiflorum* Michaux. — *Z. clava herculis* *β.* L. — *Z. americanum* Miller.)
128. *tricarpum* Michaux. America bor. *H.*
1784. FLUGGEA. Flügge. T. IV. p. 757.
1. *Leucopyrus* *W.* India orient. *H.*
 (*Phyllanthus Leucopyrus* Koenig.)
1785. MELICYTUS. Honigtute. T. IV. p. 758.
1. *ramiflorus* Forster. Nova-Zeelandia. *H.*
1786. ASTRONIUM. Sternbaum. T. IV. p. 759.
1. *graveolens* L. Carthageria. *H.*
1787. CANARIUM. Canarienbaum. T. IV. p. 759.
1. *commune* L. In Moluccis. *H.*
 (*C. vulgare* Rumph.)
- β.* *C. Zephyricum* Rumph.
2. *sylvestre* *W.* Amboina. *H.*
3. *balsamiferum* *W.* Amboina. *H.*
4. *hirsutum* *W.* In Moluccis. *H.*
5. *microcarpum* *W.* In Moluccis. *H.*
 (*C. minimum* Rumph.)
6. *decumanum* Rumph. In Moluccis. *H.*
1788. SECURINEGA. Axtspott. T. IV. p. 761.
1. *nitida* *W.* Ins. Mauriti. *H.*
1789. PICKAMNIA. Bitterstrauch. T. IV. p. 761.
1. *Antidesma* Swartz. Jamaica, Hispaniola. *H.*
 (*Antidesma ramulis teretibus* Brown.)
2. *pentandra* Swartz. India occident. *H.*
1790. ANTIDESMA. Giftstiller. T. IV. p. 762.
1. *alexiteria* L. India orient. *H.*
♂. *Baccifera maderaspatana* Petiver.
2. *madagascariensis* La March. Madagasc. *H.*
3. *zeylanica* La March. Zeylon. *H.*
4. *sylvestris* La March. India orient. *H.*
5. *acida* Retz. India orient. *H.*
6. *pubescens* Roxburgh. India orient. *H.*
β. *Arbor indica ovali folio* Plukenet.

7. *paniculata* Roxburgh. India orient. 5.
1791. **IBESINE.** Strausfeder. T. IV. p. 764.
1. *celosioides* L. Virginia, Florida. ☉. 4.
 2. *diffusa* Humboldt et Bonpl. America merid.
 3. *elongata* Humboldt et Bonpl. Ibid.
 4. *canescens* Humboldt et Bonpl. Ibid. 5.
 5. *flavescens* Humboldt et Bonpl. Ibid.
 6. *elatio* Richard. Jamaica, Guadeloupe, St. Crucis, Antigua, America merid. ☉.
- (*I. celosioides* Swartz.)
1792. **SPINACIA.** Spinat. T. IV. p. 766.
1. *oleracea* L. . . . ☉.
 - β. *S. glabra* Miller.
 2. *fera* L. Sibiria. ☉.
1793. **ACNIDA.** Acnide. T. IV. p. 767.
1. *cannabina* L. Virginia. ☉.
 - (*Cannabis virginiana* Bauhin.)
 2. *ruscocarpa* Michaux. Virginia. ☉.
1794. **CANNABIS.** Hanf. T. IV. p. 768.
1. *fativa* L. Persia, China nunc Europa. ☉.
 - β. *altissima*.
 - γ. *Ammann ruth.* 174. No. 250.
 14. *indica* La Marck. India. ☉.
1795. **HUMULUS.** Hopfen. T. IV. p. 769.
1. *Lupulus* L. Europa, America bor. 4.
 - (*Lupulus* Haller.)
1796. **ZANONIA.** Zanonie. T. IV. p. 769.
1. *indica* L. Malabar, Zeylon. 4.
1797. **FEUILLEA.** Feuillie. T. IV. p. 770.
1. *trilobata* L. India orient. 5.
 - (*Trichosanthes punctata* L.)
 2. *cordifolia* L. India occident.
 - β. *Foliis trilobis*.
1798. **SAVIA.** Savie. T. IV. p. 771.
1. *fessiliflora* W. Hispaniola. 5.
 - (*Croton fessiliflorum* Swartz.)

H E X A N D R I A.

1799. TAMUS. Schmeerwurz. T. IV. p. 772.

1. communis L. Europa, Oriens. 4.
2. Elephantipes l'Héritier. Cap. b. sp. 4.
3. cretica Tournef. Cræta. 4.

1800. SMILAX. Smilax. T. IV. p. 773.

* *Caule aculeato, angulato.*

1. aspera L. Europa, Palaestina. 5.
β. S. viticulis aspera Plukenet.
2. nigra W. Hispania, Lusitania. 5.
3. mauritanica Poiret. Barbaria. 5.
- 3a. rubra W. Ad Giberaltariam. 5. Enumer.
pag. 1015.

4. dentata Humboldt et Bonpl. Amer. merid. 5.
5. excelsa L. In Ponto. 5.
6. zeylanica L. Zeylon. 5.

(*China amboinensis* Rumph.)

7. quadrangularis Mühlenberg. America bor. 5.
8. longifolia Richard. Cajenna. 5.
9. Sarsaparilla L. Virginia. 5.

(*S. glauca* Michaux.)

10. maypurensis Humboldt et Bonpl. Ad ripas
Orinoci. 5.

11. oblongata Swartz. Ins. Caribæar. 5.
12. lappacea Humboldt et Bonpl. Carracas. 5.
13. perfoliata Loureiro. Cochinchina. 5.
14. cordifolia Humboldt et Bonpl. Mexico. 5.

** *Caule acule. to, tereti.*

15. China L. China, Japonia. 5.

(*China radix* Bauhin.)

16. cordato-ovata Richard. Cajenna. 5.
17. acuminata W. India occid. 5.

(*China michuacanensis* Plumier.)

18. rotundifolia L. Canada, Pennsylvania. 5.
19. laurifolia L. Virginia, Carolina. 5.
20. siphilitica Humboldt et Bonpl. America me
rid. 5.

21. *tamnoides* L. Carolina, Virginia, Pensyl-
vania. 4.

22. *caduca* L. Canada. 5.

23. *havanensis* Jacq. Havana. 5.

β. *caule angulato inermi* W.

*** *Caule inermi angulato.*

24. *Bona nox* L. Carolina. 5.

25. *hastata* W. Carolina, Florida. 5.

(*S. Bona nox* β. L. — *S. Bona nox* Michaux.)

26. *anceps* W. Ins. Mauritii. 5.

27. *herbacea* L. Virginia, Maryland. 4.

28. *scabriuscula* Humb. et Bonpl. Carracas. 5.

29. *cumanensis* Humb. et Bonpl. Cumana. 5.

30. *domingensis* W. St. Domingo, Porto-rico. 5.

**** *Caule inermi, tereti.*

31. *lanceolata* L. Virginia. 5.

32. *triplinerxia* Humboldt et Bonpl. Ad fluvium
Atabapo. 5.

33. *Ripogonum* Forster. Nova-Zeelandia. 5.

34. *purpurata* Forster. Nova-Caledonia. 5.

35. *canariensis* Broussonet. Teneriffa. 5.

36. *pubera* Michaux. Carolina, Georgia. 5.

37. *mollis* Humboldt et Bonpl. Mexico. 5.

38. *Pseudo-China* L. Virginia, Jamaica. 5.

39. *macrophylla* W. India occid. 5.

40. *peduncularis* Mühlenberg. Canada, Pensyl-
vania. 4.

(*S. pulverulenta* Michaux.)

41. *aristolochiaefolia* W. Domingo. 5.

(*S. hastata* Jacq.)

1801. RAJANIA. Rajane. T. IV. p. 787.

1. *angustifolia* Swartz. Hispaniola. ①.

2. *mucronata* W. Domingo. 4.

3. *hastata* L. Domingo. 4.

4. *ovata* Swartz. Domingo. 5.

5. *cordata* L. America merid. 4.

6. *quinquefolia* L. India occident. 24.
 7. *quinata* Thunb. Japonia. 24.
 8. *hexaphylla* Thunb. Japonia. 24.
 1802. DIOSCOREA. Yamswurzel. T. IV. p. 789.
 * *Foliis compositis.*
 1. *pentaphylla* L. India orient. 24.
 (*D. digitata* Miller. — *Ricophora pentaphyllos* Plukenet. — *Ubiun quinquefolium* Rumph.)
 2. *triphylla* L. Malabar. 24.
 (*Ubiun sylvestre* Rumph.)
 ** *Foliis simplicibus lobatis.*
 3. *septemloba* Thunb. Japonia. 24.
 4. *quinqueloba* Thunb. Japonia. 24.
 (*Tamni cretici varietas* Houttuyn.)
 5. *triloba* La Marck. America merid. 24.
 (*D. trifida* L.)
 6. *brasiliensis* W. Brasilia. 24.
 *** *Foliis simplicibus cordatis.*
 7. *cajennensis* La Marck. Cajenna. 24.
 8. *aculeata* L. Malabar. 24.
 9. *Nummularia* La Marck. In Moluccis. 24.
 (*Ubiun nummularium* Rumph.)
 10. *verticillata* La Marck. Java. 24.
 11. *alata* L. India orient. 24.
 (*Volubilis rubra* Sload. — *Ubiun digitatum* Rumph.)
 β. *Ubiun anguinum* Rumph.
 12. *bulbifera* L. India orient. 24.
 (*Ubiun pomiferum* Rumph. — *Ricophora zeylanica* Hermann.)
 13. *japonica* Thunb. Japonia. 24.
 14. *scabra* Humb. et Bonpl. In Orinoci ins. Pararuma. 24.
 15. *aspera* Humb. et Bonpl. Ibid. 24.
 16. *cuspidata* Humb. et Bonpl. Ad ripas Orinoci. 24.
 17. *coriacea* Humb. et Bonpl. America merid. 24.

18. *polygonoides* Humb. et Bonpl. Ad ripas Orinoci. 4.
19. *fativa* L. India orient. 4.
(*Volubilis nigra* Sloan. — *Olus sanguinis* Rumph.)
20. *piperifolia* Humb. et Bonpl. India occid. et America merid. 4.
21. *eburnea* Loureiro. Cochinchina. 4.
22. *villosa* L. Virginia, Florida, Canada. 4.
(*D. paniculata* Michaux.)
23. *altissima* La Marck. Martinica. 4.
*** *Foliis simplicibus ovatis lanceolatisque.*
24. *oppositifolia* L. India orient. 4.
(*Inhame maderaspatana* Petiver.)
25. *cirrhusa* Loureiro. Cochinchina. 4.
26. *angustifolia* La Marck. Peru. 4.
1803. BRAUNEA. Braunie. T. IV. p. 797.
 1. *menispermoides* W. India orient. 5.
(*Menispermum glabrum* Koenig.)
1804. FERREOLA. Eisenstrauch. T. IV. p. 798.
 1. *buxifolia* Roxburgh. India orient. 5.
(*Ehretia ferrea* W. — *Pisonia buxifolia* Rottboel.)
1805. ELAIS. Oelpalme. T. IV. p. 799.
 1. *guineensis* L. Guinea. 5.
 2. *occidentalis* Swartz. Jamaica. 5.
1806. CHAMAEDOREA. Bergpalme. T. IV. p. 800.
 1. *gracilis* W. Carracas. 5.
(*Borassus pinnatifrons* Jacquin.)
1807. BORASSUS. Weinpalme. T. IV. p. 800.
 1. *flabelliformis* L. India orient. 5.
(*Lontarus domestica* Rumph.)
1808. MAURITIA. Mauritipalme. T. IV. p. 801.
 1. *flexuosa* L. Surinam, Angustura. 5.

OCTANDRIA.

1809. POPULUS. Pappel. T. IV. p. 802.
 1. *alba* Dodoens. Europa. 5.

(*P. nivea* W.)

2. *canescens* Smith. Europa. 5.

(*P. alba*, W.)

3. *trepida* Mühlenberg. America bor. 5.

4. *tremula* Bauhin. Europa. 5.

5. *laevigata* Aiton. America bor. 5.

6. *graeca* Aiton. Ins. Archipelagi, Graecia. 5.

7. *nigra* Bauhin. Europa. 5.

8. *dilatata* Aiton. Italia. 5.

(*P. nigra italica* du Roi. — *P. italica* Moench.)

9. *monilifera* Aiton. Canada, Pensylvania. 5.

(*P. carolinensis* Moench. — *P. grandidentata* Michaux.)

10. *angulata* Aiton. America bor. 5.

(*P. balsamifera* Miller. — *P. heterophylla* Wengenheim, Moench, du Roi. — *P. angulosa* Michaux.)

11. *balsamifera* L. America bor., Sibiria. 5.

(*P. Tacamahaca* Miller. — *P. nigra* Catesby, du Hamel.)

12. *candicans* Aiton. Canada. 5.

13. *heterophylla* L. Virginia, Carolina. 5.

1810. COMMIPHORA. Gummistrauch. T. IV. p. 807.

1. *madagascarensis* Jacquin. Madagascar. 5.

1811. RHODIOLA. Rosenwurz. T. IV. p. 807.

1. *rosea* L. Alpes Europae. 4.

(*Rhodia Radix* Bauhin. — *Sedum roseum* Scopel. — *Sedum Rhodiola* Enam. p. 485.)

1812. MARGARITARIA. Perlenstrauch. T. IV. p. 808.

1. *nobilis* L. In Antillis, Gujana. 5.

(*Evonymus margaritifera* Plukenet.)

1813. HERMESIA. Hermesie. T. IV. p. 809.

1. *castaneaefolia* Humboldt et Bonpl. In littoribus Orinoci. 5.

E N N E A N D R I A.

1814. MERCURIALIS. Bingelkraut. T. IV. p. 809.

1. perennis L. Europa. 4.

♀. Cynocrambe mas Camer.

♂ Cynocrambe femina Camer.

2. ambigua L. Hispania, Lusitania. ☉.

3. annua L. Europa. ☉.

4. elliptica La Marck. Lusitania, Madera. 5.

5. longifolia La Marck. . . .

6. tomentosa L. Gallia, Hispania. 5.

1815. HYDROCHARIS. Froschbiss. T. IV. p. 812.

1. Morsus ranae L. Europa. 4.

(Ranae morsus Dodoens.)

β. Morsus ranae flore pleno odoratissimo Rai.

γ. Nymphaea alba minor Bauhin.

1816. TRIPLARIS. Dreyling. T. IV. p. 812.

1. americana L. Carthageria, Gujana. 5.

(T. pyramidalis Jacquin.)

2. ramiflora Jacquin. Carthageria. 5.

D E C A N D R I A.

1817. CARICA. Melonenbaum. T. IV. p. 814.

1. Papaya L. India orient. 5.

♀. Papaya maram Rheed.

♂. Ambapaya Rheed.

2. pyriformis W. Peru. 5.

3. caudiflora Jacquin. Carracas. 5.

4. microcarpa Jacquin. Carracas, Chili. 5.

5. spinosa Aublet Gujana. 5.

(Juracatia Marcgraf.)

1818. GYMNOCLADUS. Chicot. T. IV. p. 816.

1. canadensis La Marck. Canada. 5.

(Guilandina dioica L. — Bondu canadense du Hamel.)

1819. KIGGELARIA. Kiggelarie. T. IV. p. 816.

1. *africana* L. Cap. b. sp. 5.
2. *integrifolia* Jacquin. Ibid. 5.
1820. SCHINUS. Molle. T. IV. p. 817.
 1. Molle L. Brasilia, Peru.
(*Lentiscus peruviana* Bauhin. — *L. africana* Seba.)
 - β. S. Areira L.
(*Piperodendron Heisteri* Fabricius. — *Molle foliis non ferratis* Feiullée.)
1821. CORIARIA. Gerberstrauch. T. IV. p. 818.
 1. *myrtifolia* L. Gallia, Hispania, Barbaria. 5.
 2. *sarmentosa* Forster. Nova-Zeelandia. 5.
 3. *ruscifolia* L. Peru 5.
 4. *phylicaeifolia* Humboldt et Bonpl. Peru. 5.
 5. *thymifolia* Humboldt et Bonpl. Peru. 5.

D O D E C A N D R I A,

1822. STRATIOTES. Siggel. T. IV. p. 820.
 1. *Aloides* L. Europa. 4.
(*Aloides* Boerhaave. — *Aloë palustris* Bauhin.)
 2. *Acoroides* L. Inter insulas Zeylanicas.
(*Acorus marinus* Rumph.)
 3. *nymphoides* Humboldt et Bonpl. Carracas. 4.
1823. TOXICODENDRUM. Giftbaum. T. IV. p. 821.
 1. *capense* Thunberg. Cap. b. sp. 5.
(*Hyaenanche glabosa* Lambert.)
1824. EUCLEA. Euclea. T. IV. p. 822.
 1. *lancea* Thunb. Cap. b. sp. 5.
 2. *racemosa* L. Ibid. 5.
 3. *undulata* Thunb. Ibid. 5.
1825. DATISCA. Strickkraut. T. IV. p. 823.
 1. *cannabina* L. Creta. 4.
 2. *hirta* L. Pennsylvania.
1826. MENISPERMUM. Mondsame. T. IV. p. 824.
 1. *canadense* L. Virginia, Sibiria. 5.

(*Cissampelos* Rupp.)

2. *virginicum* L. Virginia, Carolina. 5.
3. *trilobum* Thunberg. Japonia. 5.
4. *palmatum* La Marck. Ins. Mauriti. 5.
5. *carolinum* Michaux. Carolina, Georgia, Florida. 5.
6. *hastatum* La Marck. India orient. 5.
7. *Cocculus* L. Java. 5.
(*M. glaucum* La Marck. — *Cocculus officinarum* Bauhin.)
8. *cordifolium* W. India orient. 5.
(*M. glabrum* Klein.)
9. *malabaricum* La Marck. Malabar. 5.
10. *amarum* W. Gujana. 5.
(*Abuta amara* Aublet.)
11. *acutum* Thunb. Japonia. 4.
12. *crispum* L. Bengala. 5.
(*Funis quadrangularis* Rumph.)
13. *peltatum* La Marck. India orient. 5.
14. *japonicum* Thunb. Japonia. 4.
15. *Abuta* La Marck. Gujana. 5.
(*Abuta rufescens* Aublet.)
16. *orbiculatum* L. Ins. Crocodilorum Asiae. 5.
17. *edule* Vahl. Arabia fel. 5.
(*Cebatba* Forskål.)
18. *hirsutum* L. India orient. 5.
19. *myosotoides* L. India orient. 5.

ICOSANDRIA.

1827. FLACOURTIA. Flacourtie. T. IV. p. 829.

1. *Ramontchi* l'Héritier. Madagascar. 5.
2. *flavescens* W. Guinea. 5.
3. *cataphracta* Roxburgh. India orient. 5.
4. *lapida* Roxburgh. India orient. 5.
5. *sepiaria* Roxburgh. India orient. 5.

(*Sideroxylon spinosum* Burmann.)

1828. GELONIUM. Gelonium.. T. IV. p. 831.

1. bifarium Roxburgh. India orient. H.

2. lanceolatum W. India orient H.

1829. ROTTLEA, Rottlera. T. IV. p. 832.

1. tinctoria Roxburgh. India orient. H.

1830. HEDYCARYA. Zuckernuss. T. IV. p. 833.

1. dentata Forster. Nova-Zeelandia. H.

POLYANDRIA.

1831. HAMADRYAS. Hamadryade. T. IV. p. 833.

1. magellanica La Marck: Ad fretum Magellan. 4.

1832. XYLOSMA. Holzbalsam. T. IV. p. 834.

1. suaveolens Forster. Ins. Societatis. H.

(*Myroxylon suaveolens* Forster.)

2. orbiculatum Forster. Ins. Sauvage island. H.

(*Myroxylon orbiculatum* Forster.)

1833. TREWIA. Trewie. T. IV. p. 834.

1. nudiflora L. India orient. H.

(*Rottlera indica* W. — *Tetragastris ossea* Gaertner.)

2. tricuspidata W. Cochinchina, China. H.

(*Mallotus cochinchinensis* Loureiro.)

1834. HISINGERA. Hisingere. T. IV. p. 835.

1. nitida Hellenius. Domingo, Jamaica. H.

1835. PERULA. Taschenblume. T. IV. p. 836.

1. arborea Mutis. America calid. H.

1836. EMBRYOPTERIS. Schleimapfel T. IV. p. 836.

1. glutinifera Roxburgh. India orient. H.

(*E. peregrina* Gaertner.)

1837. CLIFFORTIA. Cliffortie. T. IV. p. 837.

* *Foliis alternis.*

1. odorata L. Cap. b. sp. H.

POLYANDRIA.

789

2. *ferrata* Thunb. Cap. b. sp. H.

3. *ferruginea* L. Ibid. H.

4. *cuneata* Aiton. Ibid. H.

5. *ilicifolia* L. Ibid. H.

6. *tridentata* W. Ibid. H.

7. *ruscifolia* L. Ibid. H.

8. *strobilifera* L. Ibid. H.

9. *graminea* L. Ibid. H.

**** Foliis oppositis.**

10. *cinerea* Thunb. Cap. b. sp. H.

11. *pulchella* L. Ibid. H.

12. *crenata* L. Ibid. H.

***** Foliis fasciculatis.**

13. *ericaefolia* L. Cap. b. sp. H.

14. *teretifolia* L. Ibid. H.

15. *filifolia* L. Ibid. H.

16. *juniperina* L. Ibid. H.

****** Foliis ternatis sessilibus.**

17. *obcordata* L. Cap. b. sp. H.

18. *dentata* W. Ibid. H.

19. *trifoliata* L. Ibid. H.

20. *ternata* L. Ibid. H.

(*C. polygonifolia* L.)

21. *sarmentosa* L. Ibid. H.

22. *falcata* L. Ibid. H.

1838. CYCAS. Sagopalme. T. IV. p. 844.

1. *circinalis* L. India orient. H.

(*Olus calappoides* Rumph.)

2. *revoluta* Thunb. Japonia, China. H.

1839. ZAMIA. Keulpalme. T. IV. p. 845.

1. *cycadifolia* Jacq. Cap. b. sp. H.

2. *pungens* Aiton. Ibid. H.

3. *tridentata* W. H.

4. *angustifolia* Jacq. Ins. Bahamens. H.

5. *tenuis* W. Ibid. H.

6. *media* Jacq. India occid. H.

7. *debilis* Aiton. India occid. H.

8. *integrifolia* Aiton. Domingo, Florida. ̄.
- (*Z. pumila* L.)
9. *muricata* Humb. et Bonpl. America merid. ̄.
10. *furfuracea* Aiton. India occid. ̄.
11. *spiralis* Salisbury. Nova-Hollandia. ̄.
12. *longifolia* Jacq. Cap. b. sp. ̄.
13. *lanuginosa* Jacq. Ibid. ̄.
14. *horrida* Jacq. Ibid. ̄.

MONADELPHIA.

1840. ARAUCARIA. Andentanne. T. IV. p. 85a.

1. *imbricata* Pavon. Chili. ̄.

(*Dombeya chilensis* La Marck. — *Pinus Araucaria* Molina.)

1841. JUNIPERUS. Wachholder. T. IV. p. 85i.

1. *thurifera* L. Hispania, Mexico. ̄.

2. *barbadensis* L. America. ̄.

3. *bermudiana* Hermann. In Bermudis. ̄.

4. *chinensis* L. China. ̄.

5. *excelsa* Bieberst. Versus mare Caspium, Tauria. ̄.

(*J. Sabina* varietas Pallas.)

6. *Sabina* L. Lusitania, Italia, Sibiria. ̄.

(*J. lusitanica* Miller.)

- β. *Sabina folio tamarisci dioscoridis* Bauhin.

(*J. Sabina* Miller.)

7. *foetidissima* W. Armenia. ̄.

8. *virginiana* L. Virginia, Carolina. ̄.

(*J. caroliniana* Miller.)

9. *communis* L. Europa. ̄.

- β. *J. vulgaris arbor* Bauhin.

10. *nana* W. Alpes Salisb., Styriac., Sibiria. ̄.

(*J. sibirica* Burgsdorff. — *J. communis saxatilis* Pallas. — *J. communis γ. montana* Aiton.)

11. *Oxycedrus* L. Hispania, Gallia, Graecia. ̄.

12. *phoenicea* L. Europa austr., Oriens. H.
 13. *lycia* L. Gallia, Sibiria. H.
 1842. TAXUS. *Taxus*. T. IV. p. 856.
 1. *baccata* L. Europa, Sibiria. H.
 2. *canadensis* W. Canada. H.
 (*T. baccata* β . *minor* Michaux.)
 3. *elongata* Thunb. Cap. b. sp. H.
 (*Podocarpus elongata* Enum. p. 991.)
 4. *montana* Humb. et Bonpl. Peru. H.
 β . *Foliis longioribus* W. Mexico.
 5. *nucifera* L. Japonia. H.
 (*Fi vulgo Kira* Kaempfer.)
 6. *macrophylla* Thunb. Japonia. H.
 (*Sin vulgo Maki* Kaempfer.)
 7. *latifolia* Thunb. Cap. b. sp. H.
 8. *falcata* Thunb. Ibid. H.
 9. *tomentosa* Thunb. Ibid. H.
 10. *verticillata* Thunb. Japonia. H.
 (*Ken Sin* Kaempfer.)
 1843. EPHEDRA. Meerträubel. T. IV. p. 858.
 1. *distachya* L. Europa austr., Barbaria. H.
 (*Tragum* Camerar.)
 2. *monostachya* L. Sibiria, Hungaria. H.
 β . *E. monospermos* Ammann.
 3. *altissima* Desfont. Barbaria. H.
 4. *fragilis* Desfont. Barbaria, Creta. H.
 5. *americana* Humb. et Bonpl. Peru. H.
 1844. CISSAMPELOS. Grieswurz. T. IV. p. 861.
 1. *hernandiaefolia* W. India orient. H.
 2. *Pareira* L. America merid. H.
 (*Abulon* Barrelier. — *Caapeba* Marcgrave.)
 β . *C. scandens* Brown.
 3. *C. foliis rotundioribus subemarginatis* W. India orient.
 3. *capensis* L. Cap. b. sp. H.
 4. *fruticosa* L. Ibid. 4.

5. *laurifolia* La Marck. Ins. St. Thomae Americae. \bar{h} .
6. *convolvulacea* W. India orient. \bar{h} .
(*Menispermum bracteatum* Klein.)
7. *Caapeba* L. America merid. 4.
8. *Smilacina* L. Carolina. \bar{h} .
(*Smilax laevis* Catesby.)
1845. BATSCHIA. Batschie. T. IV. p. 863.
1. *racemosa* Thunb. America calid. \bar{h} .
2. *Spicata* Thunb. Ibid. \bar{h} .
1846. EXCOECARIA. Blindenbaum. T. IV. p. 864.
1. *Agallocha* L. India orient., Amboina, Zeylon. \bar{h} .
(*Arbor excoecans* Rumph.)
2. *Camettia* W. India orient. \bar{h} .
(*Camettia* Rheed.)
3. *tinifolia* Swartz. Jamaica. \bar{h} .
(*Gymnanthes elliptica* Swartz.)
4. *lucida* Swartz. Jamaica. \bar{h} .
(*Gymnanthes lucida* Swartz.)
5. *glandulosa* Swartz. Jamaica. \bar{h} .
1847. DRYANDRA. Dryandre. T. IV. p. 865.
1. *cordata* Thunb. Japonia. \bar{h} .
(*D. oleifera* La Marck. — *Abtasin* Kaempfer.)
1848. LOUREIRA. Loureire. T. IV. p. 866.
1. *cuneifolia* Cavanil. Mexico. \bar{h} .
(*Mocinna spathulata* Ortega.)
2. *glandulosa* Cavanil. Mexico. \bar{h} .
(*Mocinna cordata* Ortega.)
1849. ALCHORNEA. Alchornie. T. IV. p. 867.
1. *latifolia* Swartz. Jamaica. \bar{h} .
1850. ADELIA. Adelle. T. IV. p. 867.
1. *Bernardia* L. America. \bar{h} .
(*Bernardia fruticosa* Brown.)
2. *Ricinella* L. Jamaica. \bar{h} .
3. *Acidoton* L. Jamaica. \bar{h} .
(*Acidoton frutescens* Brown.)

1851. MYRISTICA. Muscatennuse. T. IV. p. 869.

1. moschata Thunb. In Moluccis. 5.

(M. officinalis L. — M. fragrans Houttuyn. —
M. aromatica La Marck. — Nux Myristica
s. Pala Rumph.)

2. Otoba Humb. et Bonpl. Marquita. 5.

3. philippensis La Marck. In Philippinis. 5.

4. fatua Swartz. Surinam, Ins. Tabago. 5.

(M. surinamensis Roland.)

5. tomentosa Thunb. In Moluccis. 5.

(M. malabarica La Marck. — M. dactyloides Gärt-
ner. — M. fatua Houttuyn.)

6. microcarpa W. Amboina. 5.

(M. uviformis La Marck.)

β. Palala dentaria Rumph.

γ. M. globularia La Marck.

(Palala globularia Rumph.)

7. falicifolia W. In Moluccis. 5.

(M. sylvestris Houttuyn. — Palala secunda Rumph.)

8. acuminata La Marck. Madagascar. 5.

9. madagascariensis La Marck. Madagasc. 5.

10. sebifera La Marck. Gujana, Cajenna, Brasi-
lia. 5.

(Virola sebifera Aublet.)

1852. HORSFIELDIA. Horsfieldia. T. IV. p. 874.

1. odorata W. Zeylon. 5.

1853. NEPENTHES. Kaunenstrauch. T. IV. p. 873.

1. destillatoria L. Zeylon. 4.

(Bandura zeylanica Burmann. — Utricularia vege-
tabilis Plukenet.)

2. madagascariensis La Marck. Madagasc. 4.

(Amramatico Flacourt.)

3. Phyllamphora W. In Moluccis, Cochinchina. 4.

(Phyllamphora mirabilis Loureiro. — Cantharifera
Rumph.)

1854. RUSCUS. Masedorn. T. IV. p. 874.

1. *aculeatus* L. Europa austr. 5.
 β. *R. laxus* Act. Soc. Lin. Lond. Anglia et prope
 Tessin. 5.

2. *Hypophyllum* L. Italia. 4.
 (*Laurus alexandrina*, *Chamaedaphne* Col.)
 β. *R. latifolius* Dillen.)

3. *Hypoglossum* L. Hungaria, Italia. 4.
 (*Hypoglossum dioscoridis* Col.)

4. *androgynus* L. In Canariis. 5.

5. *racemosus* L. In insulis Archipelagi. 5.

6. *reticulatus* Thunb. Cap. b. sp. 5.

7. *volubilis* Thunb. Ibid. 5.

1855. XANTHE. Gelbmilcher. T. IV. p. 877.

1. *scandens* W. Gujana. 5.

(*Quapoya scandens* Aublet.)

2. *parviflora* W. Gujana. 5.

(*Quapoya Paná* — *panari* Aublet.)

1856. LATANIA. Sammetpalme. T. IV. p. 878.

1. *rubra* Jacquin. Ins. Mauritii. 5.

2. *borbonica* La Marck. Ins. Bourbon. 5.

(*L. chinensis* Jacquin.)

GYNANDRIA.

1857. CLUYTIA. Cluytie. T. IV. p. 879.

1. *Alaternoides* L. Cap. b. sp. 5.

2. *polygonoides* L. Ibid. 5.

3. *daphnoides* W. Ibid. 5.

(*C. polygonoides* Thunb.)

4. *ericoides* Thunb. Ibid. 5.

5. *tennifolia* W. Ibid. 5.

6. *polifolia* Jacquin. Ibid. 5.

7. *pubescens* Thunb. Ibid. 5.

8. *tomentosa* L. Ibid. 5.

9. *heterophylla* Thunberg. Ibid. 5.

10. *pulchella* L. Ibid. 5.

11. *lanceolata* Forsk. Arabia fel. 5.

12. *acuminata* L. Cap. h. Sp. 5.
13. *hirta* L. Ibid. 5.
14. *retusa* L. India orient. 5.
15. *stipularis* L. India. 5.
16. *collina* Roxburgh. India orient. 5.
17. *patula* Roxburgh. India orient. 5.

Classis XXIII.

P O L Y G A M I A.

MONOEZIA.

1858. MUSA. Pisang. T. IV. p. 893.
 1. *paradisica* L. India orient. 24.
(*M. ciliifortiana* Trew. — Bata Rheed.)
 2. *maculata* Jacquin. Ins. Mauritii. 24.
 3. *rosacea* Jacquin. Ins. Mauritii. 24.
 4. *sapientum* L. India orient. 24.
 5. *Troglodytarum* L. in Moluccis. 24.
(*M. uranocopus* Rumph.)
 - β. M. XI. Pissang Batu Rumph.
 6. *coccinea* Andrews. China. 24.
1859. VERATRUM. Germer. T. IV. p. 896.
 1. *album* L. Europa. 24.
 2. *viride* Aiton. Carolina, Canada. 24.
(*V. album* Michaux.)
 3. *nigrum* L. Imp. Austriacum; Sibiria. 24.
 4. *parviflorum* Michaux. 24.
 5. *Sabadilla* Retz. China. 24.
 6. *luteum* L. Virginia, Canada. 24.
1860. TETRAPOGON. Vierbart. T. IV. p. 898.
 1. *villosus* Desfont. Barbaria.
1861. AEGOPOGON. Ziegenbart. T. IV. p. 899.
 1. *cenchroides* Humboldt. et Bonpl. Cumana. 24.
1862. ANTHISTIRIA. Anthistirie. T. IV. p. 899.
 1. *ciliata* L. India orient. ☉.

(*Andropogon nutans* L. — *Andropogon quadrivalve* L.)

2. imberbis Retz. Cap b. sp.
3. glauca Desfont. Barbaria, Aegyptus, Guinea. 2.
(*Stipa palustris* W. Sp. pl. l. ed. W. l. p. 441. Cf. Nomenclatoris nostri, pag. 62.)
4. arguens W. India orient. 2.
(*Stipa arguens* L. — *Gramen arguens* Rumph.)
5. japonica W. Japonia. 2.
(*Andropogon ciliatum* Thunberg. — *Stipa arguens japonica* Houttuyn.)
6. prostrata W. India orient. 2.
(*Andropogon prostratum* L.)

7. gigantea Cavanil. Ins. Luzon. 2.

1863. ANDROPOGON. Bartgras. T. IV. p. 902.

* *Spica simplici terminali.*

1. caricosus L. India orient.
(*Gramen caricosum* Rumph.)
2. ferratus Retz. Bengalia. 2.
3. crinitus Thunb. Japonia. 2.
4. ltriatum Klein. Malabar. 2.
5. Allionii de Cand. Italia, Barbaria. 2.
(*A. contortum* Allioni.)
6. contortus L. India orient. 2.
(*Aegilops maderaspatana* Scheuchzer.)
7. divaricatus L. Virginia.
(*Lagurus humilior* Gronev.)

** *Panícula terminali s. Culma paniculato.*

8. Gryllus L. Europa austr., India orient. 2.
9. acicularis Retz. India orient. 2.
10. nutans L. Virginia, Jamaica. 2.
11. arundinaceus W. Guinea. 2.
12. avenaceus Michaux. America bor. 2.
13. ambiguus Michaux. Carolina. 2.
14. latus W. Japonia.
(*A. ferratum* Thunb.)
15. cotulifer Thunb. Japonia.

16. *isquarrosus* L. Malabar, Zeylon. 24.

(*A. muricatum* Retz.)

17. *hispidus* Humboldt et Bonpl. Cumana. 24.

18. *Nardus* L. India orient. 24.

19. *cymbarius* L. India orient.

20. *glaucus* Retz. India orient. 24.

21. *eriophorus* W. Barbaria. 24.

(*A. lanigerum* Desfont.)

22. *strictus* Host. Hungaria. 24.

23. *alopecuroides* L. America sept. 24.

24. *saccharoides* Swartz. Jamaica. 24.

25. *undatus* Jacquin. Ins. Mauritii. 24.

26. *brevifolius* Swartz. Jamaica. ☉.

27. *fastigiatus* Swartz. Jamaica, Cumana. 24.

28. *purpurascens* Mühlenberg. America bor. 24.

*** *Spicis conjugatis paniculatis.*

29. *macrochrous* Michaux. Carolina, Florida. 24.

(*Cinna glomerata* Walter.)

30. *dissitiflora* Michaux. Carolina, Florida. 24.

(*Cinna lateralis* Walter.)

31. *ternarius* Michaux. Carolina. 24.

32. *bracteatus* Humboldt et Bonpl. Cumana. 24.

33. *Schoenanthus* L. Arabia, India orient. 24.

(*A. bicornis* Forskål.)

34. *virginicus* L. America bor. 24.

35. *bicornis* L. Brasilia, Gujana, Jamaica. 24.

36. *hirtus* L. Europa austr., Barbaria, Smyrnae. 24.

**** *Spica geminata terminali.*

37. *distachyos* L. Europa austr., Barbaria. 24.

38. *plumosus* Humboldt et Bonpl. Cumana. 24.

39. *binatus* Retz. India orient.

40. *annulatus* Forsk. Aegyptus, India orient. 24.

***** *Spicis fasciculatis.*

41. *muticus* L. Cap. b. sp.

42. *furcatus* Mühlenberg. America bor. 24.

43. *villosus* Thunb. Cap. b. sp.

A a a

44. *pilosus* Klein. India orient. 2.
 45. *Bladhii* Retz. China.
 46. *incurvatus* Retz. Tranquebar.
 47. *aureus* Bory. Ins. Bourbon. 2.
 48. *Ischaemum* L. Germania, Gallia, Italia. 2.
 (*Ischaemum panicula digitata* Guettard.)
 49. *pertusus* W. India orient. 2.
 (*Holcus pertusus* L.)
 1864. CHLORIS. Chloris. T. IV. p. 923.
 * *Spiculis bifloris*.
 1. *cruciata* Swartz. Jamaica. ☉.
 (*Agrostis cruciata* L.)
 2. *panicea* W. India orient. 2.
 3. *foliosa* W. Ins. St. Thomae Americes.
 4. *petraea* Thunb., Cap. b. sp. Georgia, Florida,
 Jamaica. 2.
 (*Cynosurus paspaloides* S. pl. ed. W. I. p. 416.
 Cf. p. 59. hujus Nomenclatoris.)
 5. *ciliata* Swartz. Jamaica, Antillae. ☉.
 6. *radiata* Swartz. India occid. ☉.
 (*Andropogon fasciculatum* L. — *Agrostis radiata*
 L.)
 7. *pallida* W. Gallia? ☉.
 (*Andropogon provinciale* Retz.)
 8. *barbata* Swartz. India orient. ☉.
 (*Andropogon barbatus* L.)
 9. *polydactyla* Swartz. Jamaica, Cumana. ☉.
 (*Andropogon polydactylon* L.)
 10. *virgata* Swartz. Antigua.
 ** *Spiculis multifloris*.
 11. *curtipendula* Michaux. America bor. 2.
 12. *monostachya* Michaux. Carolina.
 1864. DACTYLOCTENIUM. Enum. p. 1029.
 1. *aegyptiacum* W. Aegyptus, Ins. Mauriti. ☉.
 (*Cynosurus aegyptius* Sp. pl. et. W. I. p. 416.
 Cf. p. 59. hujus Nomenclatoris.)
 2. *mucronatum* W. Carolina, Antillae. ☉

(*Chloris mucronata* Michaux.)

3. prostratum *W.* Malabar. . . . Enum. p. 1029.

4. falcatum *W.* Cap. b. sp. 4. Enum p. 1030.

(*Chloris falcata* Swartz. — *Cynosurus falcatus*

Sp. pl. ed W. I. p. 411. — *Melica Falx* L.

— Cf p. 58. hujus Nomenclatoris.)

1865. *HOLCUS*. Pferdegras. T. IV. p. 928.

1. spicatus L. India orient. ☉.

(*Panicum americanum* Clusius. — *Penicillaria spicata* Enum. p. 1036.

2. bicolor L. Persia. ☉.

(*H. Sorghum* Mieg. — *Sorghum bicolor* Enum. p. 1036.)

3. *Sorghum* L. India orient. ☉.

(*H. Durra* Forsk. — *H. Dora* Mieg. — *Sorghum vulgare* Enum. p. 1036.)

4. cernuus *W.* . . . ☉.

(*Sorghum cernuum* Enum. p. 1036.)

5. caffrorum Thunb. Cap. b. sp. ☉.

6. saccharatus L. India orient. ☉.

(*Sorghum saccharatum* Enum. p. 1036.)

7. decolorans Humboldt et Bonpl. America merid.

8. avenaceus Thunb. Cap. b. sp.

9. ferratus Thunb. Cap. b. sp.

10. asper Thunb. Cap. b. sp.

11. halepensis L. Italia, Syria, Mauritania. 4.

(*H. exiguus* Forsk. — *Andropogon halepensis* Enum. p. 1027. — *A. arundinaceus* Schrader.)

12. nitidus Vahl. India orient.

13. capillaris Thunb. Cap. b. sp.

14. mollis L. Europa. 4.

15. lanatus L. Europa. 4.

16. laxus L. Virginia, Canada.

17. striatus L. Virginia.

18. redolens Forster. Nova-Zeelandia.

19. *odoratus* L. Europa, Asia. 4.
(*Hierocloe* Gmelin. — *Holcus borealis* Schrader.)
20. *fragrans* W. A sinu Hudsonis ad Can-
dam. 4.
(*H. odoratus* Michaux.)
21. *repens* Host. Hungaria. 4.
22. *alpinus* Swartz. Lapponia. 4.
23. *latifolius* L. India orient.
- 1865^a. SORGHUM. Enum. p. 1036.
1. *rubens* W. . . . ☉.
- 1865^b. LUDOLFIA. Enum. p. 1035.
1. *glaucescens* W. . . . ♀.
(*Panicum arborescens* Hortulan.)
2. *macrosperma* W. Carolina, Florida. ♀.
(*Arundinaria macrosperma* Michaux. — *Miegia macrospemia* Persoon.)
1866. ATHEROPOGON. Borstenbart. T. IV.
pag. 937.
1. *apludoides* Mühlenberg. Pennsylvania, Caroli-
na, Mexico. 4.
(*Bouteloua melicæformis* Hornemann.)
1867. APLUDA. Stumpfgras. T. IV. p. 938.
1. *mutica* L. India orient.
2. *aristata* L. India orient. 4.
3. *digitata* L. India orient.
1868. ISCHAEMUM. Schuppengras. T. IV. p. 939.
* *Spicis geminatis.*
1. *muticum* L. India orient. 4.
2. *aristatum* L. China, India orient. 4.
3. *filiforme* Thunb. Cap. b. sp.
4. *barbatum* Retz. Java.
(*I. aristatum* Houttuyn.)
5. *ciliare* Retz. China.
6. *rugosum* Salisbury. India orient.
7. *murinum* Forster. Ins. Tanna.
** *Spicis simplicibus.*
8. *involutum* Forster. Ins. Societatis.

9. *melicoides* Koenig. India orient.
1869. ELYONURUS. Rattenschwanz. T. IV. p. 741.
1. *tripsacoides* Humb. et Bonpl. Carracas.
1870. AEGILOPS. Walch. T. IV. p. 942.
1. *ovata* L. Europa. ☉.
(*A. geniculata* Roth.)
2. *triaristata* W. Europa austr. ☉.
(*A. ovata* Roth. — *A. triuncialis* Host.)
3. *triuncialis* L. Gallia, Smyrnae. ♂.
4. *cylindrica* Host. Hungaria. ☉. ♂.
5. *squarrosa* L. Oriens. ☉.
6. *caudata* L. Creta. ☉.
1871. MANISURUS. Fadengras. T. IV. p. 945.
1. *Myurus* L. India orient.
2. *granularis* Swartz. Gujana, Jamaica, Guinea, India orient., China. ☉.
(*M. polystachya* Beauvois. — *Cenchrus granularis* L.)
1872. COLLADOA. Colladogras. T. IV. p. 946.
1. *distachya* Cavanil. In Philippinis. ♀.
1873. KERNERA. Kernere. T. IV. p. 947.
1. *oceanica* W. In mari Mediterraneo. ♀.
(*Zostera oceanica* L. — *Alga marina* Lobel.)
1874. VALANTIA. Vaillantie. T. IV. p. 947.
1. *muralis* L. Gallia, Italia. ☉.
2. *hispida* L. Europa austr. ☉.
3. *filiformis* Aiton. Teneriffa. ☉.
4. *pedemontana* Bellardi. Pedemont, Hungaria, Tauria. ☉.
(*V. granulata* Roth. — *Galium pedemontanum* Allion.)
5. *Cucullaria* L. Cappadocia, Arabia. ☉.
(*Cucullaria* Buxbaum.)
6. *humifusa* W. Cappadocia. ♀.
7. *Aparine* L. Europa, Teneriffa. ☉.
8. *articulata* L. Aegyptus, Syria, Mauritan. ☉.
9. *taurica* Pallas. Tauria. ♀.

10. *chersonensis* *W.* Tauria. 4.

11. *Cruciata* *L.* Europa. 4.

(*Cruciata hirsuta* *Bauhin.*)

12. *glabra* *L.* Austria, Italia. 4.

(*Cruciata glabra* *Bauhin.*)

1875 *PARIETARIA*. Glaskraut. T. IV. p. 952.

1. *indica* *L.* India orient. 4.

2. *officinalis* *L.* Europa. 4.

(*P. Helxine* *Blackwell*, — *Helxine* *Camerar.*)

3. *punctata* *W.* In monte Athos. 4.

4. *judaica* *L.* Germania, Helvetia, Palaest. 4.

5. *debilis* *Forster.* Nova-Zeelandia.

6. *pilosa* *W.* Cap. b. sp.

7. *capensis* *Thunb.* Cap. b. sp.

8. *urticaefolia* *L.* Ins. Bourbon,

9. *cochinchinensis* *Loureiro.* Cochinchina, China. 4.

10. *pensylvanica* *Mühlenberg.* Pennsylvania. ☉.

11. *lusitanica* *L.* Lusitania, Hispania, Sicilia. ☉.

12. *cretica* *L.* Creta, ad mare Caspium. ☉.

13. *polygonoides* *W.* Armenia.

1876. *ATRIPLEX*. Melde. T. IV. p. 957.

* *Fruticosae.*

1. *Halimus* *L.* Hispania, Lusitania, Virginia, Sibiria. 5.

(*Halimus* *Clusius.*)

2. *portulacoides* *L.* Europa. 5.

(*Portulaca marina* *Dodoens.*)

3. *mollis* *Desfont.* Barbaria. 5.

4. *glauca* *L.* Gallia, Hispania. 5.

5. *microphylla* *W.* Cap. b. sp. 5.

(*Chenopodium microphyllum* *Thunb.*)

6. *albicans* *Aiton.* Cap. b. sp. 5.

7. *graeca* *W.* Ins. Paros. 5.

8. *linifolia* *Humb. et Bonpl.* America merid. 5.

9. *cristata* *Humb. et Bonpl.* Camana. 5.

10. *muricata* *Humb. et Bonpl.* . . . 5.

** *Herbaceae.*

11. *rosea* L. Europa. ☉.
12. *sibirica* L. Sibiria. ☉.
13. *tatarica* L. Tataria. ☉.
14. *hortensis* Dodoens. Tataria. ☉.
 β . *A. hortensis rubra* Bauhin.
15. *nitens* Schkahr. Germania, Hungaria, Tataria. ☉.
16. *acuminata* Waldst. et Kit. Hungaria. ☉.
17. *veneta* W. Venetiis. ☉.
18. *albicans* W. Hispania.
19. *laciniata* L. Europa, Virginia. ☉.
(A. marina Dodoens.)
20. *hastata* L. Europa. ☉.
21. *triangularis* W. Venetiis. ☉.
22. *obtusata* W. Sibiria. ☉.
23. *microsperma* Waldst. et Kit. Hungaria. ☉.
24. *patula* L. Europa. ☉.
25. *angustifolia* Smith. Europa. ☉.
26. *erecta* Smith. Anglia. ☉.
27. *littoralis* L. Europa. ☉.
 β . *A. marina* L.
28. *pedunculata* L. Europa. ☉.
 β . *A. marina* Raf.
1877. **PLANERA**, Planere. T. IV. p. 967.
 1. *aquatica* Gmelin. Carolina. \mathfrak{h} .
(Planera Gmelini Michaux. — Anonymus aquaticus Walther.)
1878. **TERMINALIA**, Cattappenbaum. T. IV. p. 967.
 1. *Catappa* L. India orient. \mathfrak{h} .
(Adamaram Rheed.)
 2. *moluccana* La Marck. In Moluccis, Ins. Societatis. \mathfrak{h} .
(T. glabrata Forster. — T. eglandulosa Roxburgh. — Catappa Rumph.)
 3. *subcordata* Humb. et Bonpl. America merid. \mathfrak{h} .

4. *latifolia* Swartz. Jamaica. \bar{h} .
 5. *Chebula* Retz. India orient. \bar{h} .
 6. *elliptica* W. India orient. \bar{h} .
 7. *mauritiana* La Marck. Ins. Mauritii et Bourbon. \bar{h} .
(*Pamea gujanensis* Aublet.)
 8. *angustifolia* Aiton. India orient. \bar{h} .
(*T. Benzoin* L. — *Croton Benzoë* Sp. pl. ed. W. IV. pag. 533. Cf. pag. 694 hujus Nomenclatoris.)
 9. *Vernix* La Marck. In Moluccis. \bar{h} .
(*Arbor Vernicis* Rumph.)
1879. DIDYMANDRA. Zwillingsbeutel. T. IV. pag. 971.
1. *purpurea* W. Peru. \bar{h} .
(*Synzyganthera purpurea* Ruiz et Pavon.)
1880. HERITIERA. Heritiere. T. IV. p. 971.
1. *littoralis* Aiton. Zeylon. \bar{h} .
(*Samandura* L.)
 2. *fomes* Symes. India orient. \bar{h} .
1881. BRABEJUM. Zepterbaum. T. IV. p. 972.
1. *stellulifolium* L. Cap. b. sp. \bar{h} .
(*Brabyia capensis* L.)
1882. FERONIA. Elephantenapfel. T. IV. p. 973.
1. *elephantum* Roxburgh. India orient. \bar{h} .
1883. AILANTHUS. Götterbaum. T. IV. p. 974.
1. *glandulosa* Desfont. China. \bar{h} .
(*Rhus Cacodendrum* Ehrhart.)
 2. *excelsa* Roxburgh. India orient. \bar{h} .
1884. TRATTINNICKIA. Trattinnickie. T. IV. pag. 975.
1. *rhoifolia* W. Brasilia. \bar{h} .
1885. CLUSIA. Clusia. T. IV. p. 976.
1. *rosea* L. Carolina. \bar{h} .
 2. *alba* L. America calid. \bar{h} .
 3. *parviflora* Humboldt et Bonpl. Ins. Margarittha. \bar{h} .

4. *flava* L. Jamaica. H.
 5. *longifolia* Richard. Gujana. H.
 6. *venosa* L. Martinica. H.
 7. *pedicellata* Forster. Nova-Caledonia. H.
 8. *fessilis* Forster. Tongatabu. H.
 9. *tetrandra* Humboldt et Bonpl. America merid. H.
1886. BRIDELIA. Bridelie. T. IV. p. 978.
1. *montana* W. India orient. H.
(*Cluytia montana* Roxburgh.)
 2. *scandens* W. Malabar, Java. H.
(*Cluytia scandens* Roxburgh.)
 3. *spinosa* W. India orient. H.
(*Cluytia spinosa* Roxburgh.)
1887. OPHIOXYLUM. Schlangenbusch. Tom. IV. pag. 979.
1. *serpentinum* L. Malabar, Java, Zeyl. 4.
(*Radix mustelae* Rumph.)
1888. STALAGMITIS. Guttabaum. T. IV. p. 980.
1. *cambogioides* Murray. Cambodia, Zeyl. H.
1889. HYPELATE. Hypelate. T. IV. p. 981.
1. *trifoliata* Swartz. Jamaica. H.
1890. GIMBERNATIA. Gimbernatie. T. IV. p. 981.
1. *obovata* Ruiz et Pavon. Peru. H.
 2. *oblonga* Ruiz et Pavon. Peru. H.
1891. GYROCARPUS. Kreiselfrucht. T. IV. p. 982.
1. *americanus* Jacq. Carthagena. H.
 2. *asiatica* W. India orient. H.
(*G. Jacquini* Roxburgh.)
1892. ACER. Ahorn. T. IV. p. 983.
1. *heterophyllum* W. Oriens. H.
(*A. sempervirens* L.)
 2. *tataricum* L. Tataria. H.
 3. *Pseudo-Platanus* L. Europa. H.
 4. *obtusatum* Waldst. et Kit. Hungaria, Croatia. 4.
 5. *rubrum* L. A Pennsylvania ad Carolinam. H.

746 CLASSIS XXIII. POLYGAMIA.

6. *dasycarpum* Ehrhart. A Pennsylvania ad Carolinam. \bar{h} .
(*A. eriocarpum* Michaux. — *A. rahrum* Wangenheim.)
7. *saccharinum* L. A sinu Hudsonis ad Carolinam. \bar{h} .
8. *platanoides* L. Europa. \bar{h} .
 β . *laciniatum* Aiton.
(*A. crispum* Lauth.)
9. *pictum* Thunb. Japonia. \bar{h} .
10. *septemlobum* Thunb. Japonia. \bar{h} .
11. *palmatum* Thunb. Japonia. \bar{h} .
12. *japonicum* Thunb. Japonia. \bar{h} .
13. *dissectum* Thunberg. Japonia. \bar{h} .
14. *montanum* Aiton. America bor. \bar{h} .
(*A. pennsylvanicum* du Roi. — *A. parviflorum* Ehrhart. — *A. spicatum* La Marck.)
15. *pennsylvanicum* L. America bor. \bar{h} .
(*A. striatum* du Roi, Wangenheim. — *A. canadense* Marschall.)
16. *barbatum* Michx. Carolina. \bar{h} .
17. *campestre* L. Europa. \bar{h} .
 β . *sterile* Vaillant.
18. *Opalus* Aiton. Helvetia, Italia, Gallia. \bar{h} .
(*A. italicum* Lauth. — *A. rotundifolium* La Marck, — *A. opulifolium* Villars.)
19. *ibericum* Bieberstein. Iberia. \bar{h} .
20. *monspessulanum* L. Gallia, Italia, Carniolia. \bar{h} .
(*A. trifolium* Bauhin.)
21. *creticum* L. Oriens. \bar{h} .
(*A. cretica* Alpin.)
22. *trifidum* Thunb. Japonia. \bar{h} .
23. *Negundo* L. A Pennsylvania ad Carolin. \bar{h} .
24. *pinnatum* Loureiro. Cochinchina. \bar{h} .
1893. CASTELA. Castele. T. IV. p. 993.
1. *depressa* Turpin. St. Domingo. \bar{h} .

2. *erecta* Turpin. Ins. Antigua. H.

1894. CELTIS. Zürgelbaum. T. IV. p. 994.

1. *australis* L. Europa, Africa. H.

2. *caucasica* W. In Caucaso. H.

3. *Tournefortii* La Marck. Armenia. H.

4. *occidentalis* L. Virginia, Pennsylvania. H.

β. *scabriuscula* W.

5. *crassifolia* La Marck. America bor. H.

6. *orientalis* L. India orient. H.

7. *micrantha* Swartz. Jamaica. H.

(*Rhamnus micranthus* L.)

8. *rugosa* W. In Portorico. H.

9. *mollis* Humb. et Bonpl. America merid. H.

10. *trinervia* La Marck. Domingo. H.

11. *Lima* Swartz. India orient. H.

12. *amboinensis* W. Amboina.

13. *aculeata* Swartz. Jamaica, Hispaniola. H.

(*Rhamnus iguaneus* L.)

14. *rhamnoides* W. Nova-Hollandia. H.

(*Rhamnus iguaneus* Cavanil. — *Jujube americana* Commelin.)

15. *integrifolia* La Marck. Senegal. H.

1895. GOUANIA. Gouanie. T. IV. p. 999.

1. *domingensis* L. Barbados, Domingo, Jamaica. H.

(*G. glabra* Jacq.)

2. *tomentosa* Jacquin. Cuba, Domingo, Portorico. H.

3. *crenata* La Marck. H.

4. *striata* Richard. Gujana. H.

5. *integrifolia* La Marck. H.

6. *incisa* La Marck. Ins. Mauriti et Bourbon. H.

7. *tiliaefolia* La Marck. Ins. Bourbon., India orient. H.

1896. COPROSMA. Kothduftern. T. IV. p. 1001.

1. *lucida* Forster. Nova-Zeelandia. H.

2. *foetidissima* Forster. Nova-Zeelandia. H.

1897. HERMAS. *Hermas*. T. IV. p. 1002.

1. *depauperata* L. Cap. b. sp. 2.

(*H. villosa* Thunb. — *Bupleurum villosum* L.)

2. *gigantea* L. Cap. b. sp. 2.

(*Bupleurum giganteum* Thunb.)

3. *capitata* L. Cap. b. sp. 2.

(*Bupleurum capitatum* Thunb.)

4. *ciliata* L. Cap. b. sp. 2.

(*Bupleurum ciliatum* Thunb.)

5. *quinquedentata* L. Cap. b. sp. 2.

(*Bupleurum quinquedentatum* Thunb.)

1898. INGA. *Inga*. T. IV. p. 1004.

* *Foliis bigeminis*

1. *microphylla* Humb. et Bonpl. Cumana. H.

2. *pungens* Humboldt et Bonpl. America merid. H.

3. *dulcis* W. Coromandel, in Phillippinis. H.

(*Mimosa dulcis* Roxburgh.)

4. *lanceolata* Humb. et Bonpl. Nova & Barcelona. H.

5. *Unguis cati* W. Jamaica, in Caribaeis. H.

(*Mimosa Unguis Cati* L.)

6. *mellifera* W. Arabia fel. H.

(*Mimosa mellifera* Vahl. — *M. Unguis Cati* Forsk.)

7. *bigemina* W. India orient. H.

(*Mimosa bigemina* Jacq.)

8. *ligustrina* W. Carracas. H.

(*Mimosa ligustrina* Jacq.)

9. *hymenaeaeifolia* Humb. et Bonpl. Nova-Andalusia. H.

10. *foetida* W. India occident. H.

(*Mimosa foetida* Jacq.)

11. *Saponaria* W. Cochinchina, in Moluccis. H.

(*Mimosa Saponaria* Loureiro. — *Cortex saponarius* Rumph.)

** *Foliis tergeminis*.

12. *tergemina* W. Martinica. H.

(*Mimosa tergemina* L.)

13. *caripensis* Humb. et Bonpl. Nova-Andalusia. H.

14. *emarginata* Humb. et Bonpl. America merid. H.

15. *coriacea* Humb. et Bonpl. America merid. H.

16. *longifolia* Humb. et Bonpl. Amer. merid. H.

*** *Foliis pinnatis, petiolo communi alato.*

17. *vera* W. America merid. H.

(*Mimosa Inga* L.)

18. *spuria* Humb. et Bonpl. Nova-Andalusia, Brasilia. H.

19. *Ingoides* W. Cajenna. H.

(*Mimosa Ingoides* Richard.)

20. *sapindoides* W. Carracas. H.

21. *angustifolia* W. Carracas. H.

22. *alba* W. Cajenna. H.

(*Mimosa alba* Swartz.)

23. *quassiaefolia* W. Brasilia. H.

24. *nitida* W. Brasilia. H.

25. *fastuosa* W. Carracas. H.

(*Mimosa fastuosa* Jacquin.)

26. *velutina* W. Brasilia. H.

26a. *rhoifolia* W. Brasilia. H. Enum. p. 1046.

27. *macrophylla* Humboldt et Bonpl. America merid. H.

28. *marginata* W. Carracas, Barbados. H.

(*Mimosa fagifolia* L. — *M. Bourgoni* Aublet.)

**** *Foliis pinnatis, petiolo nudo.*

29. *nodosa* W. Zeylon. H.

(*Mimosa nodosa* L.)

30. *punctata* W. Martinica, Carracas. H.

(*Mimosa fagifolia* Jacquin.)

31. *splendens* W. Brasilia. H.

32. *coruscans* Humboldt et Bonpl. America merid. H.

33. *spectabilis* W. America calid. H.

(*Mimosa spectabilis* Vahl.)

34. *laurina* W. Ins. St. Christophori. H.

(*M. laurina* Swartz.)

34a. *nobilis* W. Brasilia. H. Enum. p. 1047.

35. *juglandifolia* W. Carracas. H.

36. *fraxinea* W. Brasilia. H.

37. *inaequalis* Humboldt et Bonpl. Ad Orinocum. H.

38. *heterophylla* W. Brasilia. H.

***** *Foliis conjugato — pinnatis.*

39. *cochleata* W. Brasilia. H.

40. *latifolia* W. India occident. H.

(*Mimosa latifolia* L.)

41. *cauliflora* W. Brasilia. H.

42. *purpurea* W. Martinica. H.

(*Mimosa purpurea* L.)

43. *obtusifolia* Humboldt et Bonpl. Cumana. H.

44. *fasciculata* W. Brasilia. H.

45. *discolor* Humboldt et Bonpl. America merid. H.

46. *mollissima* Humboldt et Bonpl. America merid. H.

47. *circinalis* W. India occident. H.

(*Mimosa circinalis* L.)

***** *Foliis duplicato — pinnatis.*

48. *cinerea* Humboldt et Bonpl. Carracas. H.

49. *Saman* W. Carracas. H.

(*Mimosa Saman* Jacquin.)

50. *filicina* W. Brasilia. H.

51. *pendula* W. Brasilia. H.

52. *biglobosa* W. Martinica. H.

(*Mimosa biglobosa* Jacquin.)

53. *pectinata* Humboldt et Bonpl. America merid. H.

54. *cyclocarpa* W. Carracas. H.

(*Mimosa cyclocarpa* Jacquin.)

55. *comosa* W. Jamaica. H.

(*Mimosa comosa* Swartz.)

56. *Niopo* Humboldt et Bonpl. America merid. H.
 57. *Sassa* W. Abyssinia. H.
 (*Sassa* Bruce.)
 58. *umbellata* W. Zeylon. H.
 (*Mimosa umbellata* Vahl.)
 1899. MIMOSA. Sinnpflanze. T. IV. p. 1028.
 * *Foliis conjugato - pinnatis.*
 1. *pistaciaefolia* W. Carracas. H.
 2. *viva* L. Jamaica. 4.
 3. *casta* L. . . . H.
 4. *debilis* Humboldt et Bonpl. America merid. O.
 5. *albida* Humboldt et Bonpl. America merid. H.
 6. *sensitiva* L. Brasilia. H.
 6a. *obtusifolia* W. Brasilia. H. Enum. p. 1047.
 7. *strigosa* W. America merid. H.
 8. *floribunda* W. Carracas. H.
 ** *Foliis subdigitato - pinnatis.*
 9. *pudica* L. Brasilia. H.
 (*Aeschynomene spinosa* Commelin.)
 10. *pudibunda* W. Brasilia. H.
 11. *tetrandra* Humboldt et Bonpl. America merid. H.
 12. *polydactyla* Humboldt et Bonpl. America merid. H.
 13. *tomentosa* Humboldt et Bonpl. America merid. H.
 *** *Foliis duplicato - pinnatis.*
 14. *hamata* W. India orient. H.
 15. *latispinosa* La Marck. Madagascar. H.
 16. *polyacantha* W. Abyssinia. H.
 (*Ergett el Krone* Bruce.)
 17. *femispinosa* L. America. H.
 18. *asperata* L. Jamaica, Vera-Cruz. 4.
 (*Aeschynomene spinosa* VI. Breyn.)
 β. *M. pigra* L.
 18a. *ciliata* W. Brasilia. H. Enum. p. 1048.
 18b. *viscida* W. Brasilia. H. Enum. p. 1048.

19. *dormiens* Humb. et Bonpl. Amer. merid. 4.
20. *somnians* Humb. et Bonpl. America calid. 4.
21. *palpitans* Humb. et Bonpl. Amer. merid. 4.
22. *humilis* Humb. et Bonpl. America merid. 4.
23. *hispida* W. Carracas. 5.
24. *pellita* Humb. et Bonpl. Cumana. 5.
25. *canescens* W. Guinea. 5.
26. *rubicaulis* La Marck. India orient. 5.
(*M. octandra* Roxburgh. — *M. spinisiliqua* Klein.)
27. *concinna* W. India orient. 5.
(*M. Saponaria* Roxburgh.)
28. *sinuata* Loureiro. Cochinchina. 5.
29. *microcephala* Humboldt et Bonpl. America merid. 5.
30. *distachya* Cavanil. Nova-Hispania. 5.
31. *polystachya* L. Martinica, Carracas. 5.
32. *Entada* L. India orient. 5.
(*Entada* Rheed.)
1900. **SCHRANKIA**. Schrankie. T. IV. p. 1041.
 1. *aculeata* W. Vera Crux. 4.
(*Mimosa quadrivalvis* L.)
 2. *hamata* Humboldt et Bonpl. America merid. 5.
 3. *uncinata* W. A Virginia ad Floridam. 4.
(*Mimosa horridula* Ventenat. — *M. latis* Walther.)
1901. **DESMANTHUS**. Büschelzopf. T. IV. p. 1048.

* *Inermes*.

 1. *lacustris* W. America merid. 4.
(*Mimosa lacustris* Humboldt et Bonpl.)
 2. *natans* W. India orient., Cochinchina. ☉.
(*Mimosa natans* Vahl. — *Neptunia oleracea* Loureiro.)
 3. *triquetrus* W. India orient. 4.
(*Mimosa triquetra* Vahl. — *Mimosa natans* L.)
 4. *plenus* W. Vera Crux. ☉.
(*Mimosa plena* L.)
 5. *depressus* Humb. et Bonpl. Amer. merid. 4.

6. *diffusus* W. Nova-Andalusia. \bar{h} .
(*Mimosa pernambucana* L.)

7. *virgatus* W. India orient. \bar{h} .
(*Mimosa virgata* L.)

8. *punctatus* W. Jamaica. \bar{h} .
(*Mimosa punctata* L.)

** *Spinosi*.

9. *cinereus* W. India orient. \bar{h} .
(*Mimosa cinerea* L.)

10. *divergens* W. . . . \bar{h} .
(*Mimosa divaricata* Hortulan. — *Ergett Dimma*
Bruce.)

1902. ACACIA. Acacie. T. IV. p. 1049.

** *Foliis simplicibus*.

1. *verticillata* W. Nova-Hollandia. \bar{h} .
(*Mimosa verticillata* Aiton.)

2. *juniperina* W. Nova-Hollandia. \bar{h} .
(*Mimosa ulicifolia* Wendland.)

3. *taxifolia* W. Coehinchina. \bar{h} .
(*Mimosa stellata* Loureiro.)

4. *suaveolens* W. Nova-Hollandia. \bar{h} .
(*Mimosa suaveolens* Smith.)

5. *floribunda* W. Nova-Hollandia. \bar{h} .
(*Mimosa floribunda* Ventenat.)

6. *linifolia* W. Nova-Hollandia. \bar{h} .
(*Mimosa linifolia* Ventenat. — *M. pinifolia* Hor-
tulan.)

7. *abietina* W. Nova-Hollandia. \bar{h} .
(*Mimosa liacaris* Hortulan.)

8. *stricta* W. Nova-Hollandia. \bar{h} .
(*Mimosa stricta* Andrews.)

9. *longifolia* W. Nova-Hollandia. \bar{h} .
(*Mimosa longifolia* Andrews.)

10. *glaucescens* W. Nova-Hollandia. \bar{h} .
(*Mimosa biacervia* Wendland.)

11. *falcata* W. Nova-Hollandia. \bar{h} .

(*Mimosa obliqua* Wendland.)

12. *laurifolia* W. In insulis Amicorum, Novis
Hebridibus et Nova Caledonia. B.

(*Mimosa simplicifolia* L. — *M. Mangium* Forster)

13. *Mangium* W. In Moluccis. B.

(*Mangium montanum* Rumph.)

14. *myrtifolia* W. Nova-Hollandia. B.

(*Mimosa myrtifolia* Smith.)

15. *hispidula* W. Nova-Hollandia. B.

(*Mimosa hispidula* Smith.)

16. *heterophylla* W. Ins. Bourbon. B.

(*Mimosa heterophylla* La Marck.)

** *Foliis conjugato-pinnatis.*

17. *xylocarpa* W. India orient. B.

(*Mimosa xylocarpa* Roxburgh.)

18. *strombulifera* W. Peru. B.

(*Mimosa strombulifera* La Marck.)

19. *gummifera* W. Africa bor. B.

(*Mimosa gummifera* Broussonet.)

20. *reticulata* W. . . . B.

(*Mimosa reticulata* L.)

- 20a. *diptera* Humboldt et Bonpl. America merid.
B. Enum. p. 1051.

- 20b. *cassioides* W. . . . B. Enum. p. 1051.

21. *cineraria* W. India orient. B.

(*Mimosa cineraria* L.)

22. *scandens* W. Jamaica, India orient. B.

(*Mimosa scandens* L. — *Lens phaseoloides* Burmann. — *Faba mariae* Rumph. — *Gigalobium scandens* Brown.)

23. *cumanensis* Humboldt et Bonpl. Cumana. B.

*** *Foliis duplicato-pinnatis, caule inermi, spicis filiformibus.*

24. *nudiflora* W. In insulis danico-americanis. B.

(*Mimosa nudiflora* Richard.)

25. *muricata* W. India occident. B.

(*Mimosa muricata* L.)

26. *pallida* Humboldt et Bonpl. America merid. H.
27. *laevigata* Humboldt et Bonpl. America merid. H.
28. *rostrata* Humboldt et Bonpl. America merid. H.
29. *arenosa* W. Carracas. H.
30. *macroloba* W. Brasilia. H.
31. *pulcherrima* W. Brasilia. H.
32. *gujanensis* W. Cajenna Gujana. H.
(*Mimosa gujanensis* Aublet.)
33. *tamariscina* W. Ins. Mauritii. H.
(*Mimosa tamariscina* La Marck.)
34. *Houstoni* W. Vera Crux. H.
(*Mimosa Houstoni* l'Héritier. — *Gleditschia inermis* L.)
- *** *Folius duplicato-pinnatis, caule inermi, spiciis globosis.*
35. *trichodes* W. Carracas. H.
(*Mimosa trichodes* Jacquin.)
36. *procera* W. India orient. H.
(*Mimosa procera* Roxburgh.)
37. *odoratissima* W. India orient. H.
(*Mimosa odoratissima* L.)
38. *arborea* W. Jamaica, in Caribaeis. H.
(*Mimosa arborea* L. — *M. filicifolia* La Marck.)
39. *Julibrissin* W. Oriens. H.
(*Mimosa Julibrissin* Scopoli. — *M. arborea* Forsk.)
40. *Nemu* W. Japonia. H.
(*Mimosa arborea* Thunb. — *M. speciosa* Thunb.)
41. *Speciosa* Jacquin. India orient. H.
42. *Lebbeck* W. Aegyptus. H.
(*Mimosa Lebbeck* L.)
43. *vaga* W. Brasilia. H.
(*Mimosa vaga* L.)
- 43^a. *venusta* W. America calid. H. Enum. p. 1052.
44. *latisiliqua* W. America calid. H.
(*Mimosa latisiliqua* L.)

45. *Jupunba* W. Brasilia. B.

46. *villosa* W. Jamaica. B.

(*Mimosa villosa* Swartz.)

47. *discolor* W. Nova-Hollandia. B.

(*Mimosa discolor* Andrews. — *M. botrycephala* Ventenat.)

48. *caracasana* W. Carracons. B.

(*Mimosa caracasana* Jacquin.)

49. *portoricensis* W. Ins. Portorico.

(*Mimosa portoricensis* Jacquin.)

50. *tetragona* W. Carracons. B.

51. *laxa* W. Carracons. B.

52. *divaricata* W. India occident. B.

(*Mimosa divaricata* Jacquin.)

53. *lophanta* W. Nova-Hollandia. B.

(*Mimosa distachya* Ventenat.)

54. *brachyloba* Mühlenberg. America bor. 4.

(*Mimosa illinoensis* Michaux.)

55. *glandulosa* W. America bor. 4.

(*Mimosa glandulosa* Michaux. — *M. contortuplicata* Hortulan.)

55a. *mollissima* Hortulan. Nova-Hollandia. Enum. p. 1053.

56. *decurrens* W. Nova-Hollandia. B.

(*Mimosa decurrens* Donn.)

57. *filicina* W. Mexico. B.

(*Mimosa filicioides* Cavend.)

58. *microphylla* W. Carracons. B.

59. *peregrina* W. America merid. B.

(*Mimosa peregrina* L.)

60. *paniculata* W. Brasilia. B.

61. *grandiflora* W. India orient. B.

(*Mimosa grandiflora* l'Héritier.)

62. *amara* W. India orient. B.

(*Mimosa amara* Roxburgh.)

63. *glauca* W. America calid. B.

(*Mimosa glauca* L.)

64. *biceps* W. Brasilia. H.

(*A. glauca* β. Enum. p. 1054.)

65. *frondosa* W. India orient. H.

(*Mimosa frondosa* Klein.)

**** *Foliis dupliato - pinnatis, spinis s. aculeis stipularibus, spinis elongatis.*

66. *juliflora* W. Jamaica. H.

(*Mimosa juliflora* Swartz.)

67. *latronum* W. India orient. H.

(*Mimosa latronum* L.)

68. *Senegal* W. Arabia, Africa calid. H.

(*Mimosa Senegal* L.)

69. *Asak* Forsk. Arabia fel. H.

70. *caffra* W. Cap. b. sp. H.

(*Mimosa caffra* Thunb.)

71. *stellata* W. Arabia fel. H.

(*Mimosa stellata* Forsk.)

72. *Chundra* W. India orient. H.

(*Mimosa Chundra* Roxburgh.)

73. *Catechu* W. India orient. H.

(*Mimosa Catechu* E. — *Catechu* Kerr.)

74. *polyacantha* W. India orient. H.

75. *cornigera* W. Mexico, Cuba. H.

(*Mimosa cornigera* L.)

***** *Foliis dupliato - pinnatis spinis s. aculeis stipularibus, spicis globosis.*

76. *macracantha* Humb. et Bonpl. America merid. H.

77. *cochliacantha* Humboldt et Bonpl. America merid. H.

78. *eburnea* W. India orient. H.

(*Mimosa eburnea* L.)

78a. *Giraffae* W. Cap. b. sp. H. Enum. p. 1054.

79. *horrida* W. Africa. H.

(*Mimosa horrida* L. — *M. leucantha* Jacquin. — *M. Oryfora* Forsk.)

80. *flexuosa* Humb. et Bonpl. Cantana. H.

758 CLASSIS XXIII. POLYGAMIA.

81. *leucophloea* W. India orient. \bar{h} .
(*Mimosa leucophloea* Roxburgh.)
82. *tortuosa* W. Jamaica. \bar{h} .
(*Mimosa tortuosa* Brown et L.)
- 82a. *patula* Humb. et Bonpl. America merid. \bar{h} .
Enum. p. 1055.
- 82b. *brachyacantha* Humb. et Bonpl. America merid. \bar{h} . Enum. p. 1055.
- 82c. *ciliata* Humb. et Bonpl. America merid. \bar{h} .
Enum. p. 1055.
- 82d. *acicularis* Humb. et Bonpl. America merid.
Enum. p. 1056.
83. *farnesiana* W. Domingo. \bar{h} .
(*Mimosa farnesiana* L.)
84. *pedunculata* W. Java. \bar{h} .
85. *punctata* Humb. et Bonpl. Amer. merid. \bar{h} .
86. *arabica* La Marck. Arabia, India orient. \bar{h} .
87. *vera* Bauhin. Aegyptus. \bar{h} .
(*Mimosa nilotica* L. — *Acacia aegyptiaca* Hernandez.)
88. *nitida* W. India orient. \bar{h} .
(*Mimosa nitida* Vahl.)
- 88a. *peruviana* Humb. et Bonpl. Amer. merid. \bar{h} .
Enum. p. 1056.
- 88b. *edulis* Humb. et Bonpl. America merid. \bar{h} .
Enum. p. 1056.
- 88c. *Haematoxylon* W. Cap. b. sp. \bar{h} . Enum.
pag. 1056.
89. *parvifolia* W. In Antillis. \bar{h} .
(*Mimosa parvifolia* Swartz. — *Mimosa mangensis* Jacquin.)
90. *obtusa* Humb. et Bonpl. America merid. \bar{h} .
91. *tomentosa* W. India orient. \bar{h} .
- 91a. *monacantha* W. Brasilia. \bar{h} . Enum. p. 1056.
- 91b. *grata* W. Brasilia. \bar{h} Enum. p. 1056.
- 91c. *scandens* W. Brasilia. \bar{h} . Enum. p. 1057.
- ***** *Foliis duplicato - pinnatis, aculeis sparsis.*

92. *tenuiflora* W. Carracas. H.
93. *Stephaniana* W. Persia. H.
(*Mimosa Stephaniana* Bieberst.)
94. *caduca* Humb. et Bonpl. Amer. merid. H.
95. *acantholoba* Humb. et Bonpl. America merid. H.
96. *striata* Humb. et Bonpl. America merid. H.
97. *caesia* W. India orient. H.
(*Mimosa caesia* L.)
98. *pennata* W. Zeylon. H.
(*Mimosa pennata* L.)
- 98a. *acanthocarpa* W. . . . H. Enum. p. 1057.
(*Mimosa aculeathocarpa* Hortulan.)
99. *Intsia* W. India orient. H.
(*Mimosa Intsia* L.)
100. *tenuifolia* W. India orient. H.
(*Mimosa tenuifolia* L.)
101. *Ceratonia* W. America merid. H.
(*Mimosa Ceratonia* L.)
102. *tamarindifolia* W. Martinica, Camana, Carracas. H.
(*Mimosa tamarindifolia* L.)
1903. RHAPIS. Rhaps. T. IV. p. 1093.
 1. *flabelliformis* Aiton. China, Japonia. H.
(*Chamaerops excelsa* Thunb.)
 - β. *Soq Tsiku* Kaempfer.
 2. *acaulis* W. Carolina, Georgia. 4.
(*Gorypha minor* Jacq. — *C. pumila* Walter. —
Chamaerops acaulis Michaux. — *Sabal Adansonii* Desfont.)
 3. *arundinacea* Aiton. Carolina. H.
1904. CERONYLON. Wachspalme. T. IV. p. 1094.
 1. *Andicola* Humb. et Bonpl. America austr. H.
1905. MARTINEZIA. Martinspalme. T. IV. p. 1094.
 1. *ciliata* Ruiz et Pavon. Peru. H.
 2. *interrupta* Ruiz et Pavon. Peru. H.
 3. *ensiformis* Ruiz et Pavon. Peru. H.

4. *linearis* Ruiz et Pavon. Peru. H.
5. *lanceolata* Ruiz et Pavon. Peru. H.

DIOECIA.

1906. SCHLEICHERA. Schleicher. T. IV, p. 1096,
1. *trijuga* W. Zeylon, H.

1907. GLEDITSCHIA. Gleditschie. T. IV. p. 1097.

1. *triacanthos* L. America bor. H.

(*Gl. meliloba* Walter. — *G. spinosa* Du Hamel.
— *Melilobus* Michaux.)

2. *monosperma* Walter. Carolina, Georgia,
Florida. H.

(*G. aquatica* Marschall. — *G. carolinensis* La
Marck.)

3. *horrida* Hortulan. China. H.

(*G. sinensis* La Marck.)

1908. FRAXINUS. Esche. T. IV. p. 1098.

1. *simplicifolia* W. H.

(*F. heterophylla* Vahl. — *F. excelsior* β. *diver-*
sifolia Aiton. — *F. excelsior* ε. La Marck.)

2. *excelsior* Bauhin. Europa. H.

β. *F. pendula* Aiton.

γ. *F. erosa* W.

δ. *F. crispa* W.

- 2a. *aurea* W. H. Enum. p. 1059.

- 2b. *nana* W. H. Enum. p. 1059.

3. *sambucifolia* La Marck. Canada, Pennsylva-
nia. H.

4. *angustifolia* Vahl. Hispania, Lusitania. H.

5. *oxycarpa* Bieberst. Caucasus. H.

6. *parvifolia* W. H.

7. *lentiscifolia* Desfont. Aleppo. H.

(*F. parvifolia* La Marck. — *F. tamariscifolia*
Vahl. — *F. halepensis* Hermann.)

8. *quadrangulata* Michx. America bor. H.

9. *epiptera* Michaux. Virginia, Carolina. H.

10. *americana* L. Carolina, Virginia. \bar{h} .
(*F. acuminata* La Marck.)
11. *caroliniana* Catesby, Carolina. \bar{h} ,
 β . *latifolia* W.
12. *platycarpa* Michaux. Carolina. \bar{h} .
13. *pubescens* La Marck, Pennsylvania. \bar{h} .
(*F. nigra* du Roi.)
 β . *F. longifolia*,
 γ . *F. latifolia*.
14. *juglandifolia* La Marck, America bor. \bar{h} .
 β . *F. subserrata*,
(*F. caroliniana* Wangenheim.)
15. *Ornus* L. Europa austr. \bar{h} .
 β . *Foliolis ovato-oblongis*.
16. *rotundifolia* La Marck. Italia, Hungaria,
Oriens. \bar{h} .
1909. HYDNOCARPUS, Stachelfrucht. Tom. IV,
pag. 1105.
1. *inebrians* Vahl. Zeylon. \bar{h} .
(*H. venetata* Gaertner.)
1910. BROSIMUM. Brosimum. T. IV. p. 1106.
1. *Alicastrum* Swartz. Jamaica. \bar{h} .
(*Alicastrum arboreum* Brown.)
2. *Spurium* Swartz. Jamaica. \bar{h} .
1911. DIOSPYROS, Dattelpflaume. T. IV. p. 1107.
1. *Lotus* L. Gallia, Italia, Mauritania. \bar{h} .
 β . *Lotus africanus*, altera Cammerar.
2. *virginiana* L. America sept. \bar{h} .
(*Guajacana* Catesby.)
3. *digyna* Jacq. Ins. Celebes. \bar{h} .
4. *sylvatica* Roxburgh. India orient. \bar{h} .
5. *discolor* W. In Philippinis. \bar{h} .
(*Cavanillea philippensis* La Marck.)
6. *reticulata* W. Ins. Mauritii. \bar{h} .
7. *Ebenaster* Retz. Circa Calcuttam. \bar{h} .
(*D. Ebenum* L. — *Hebenaster* Rumph.)
8. *melanoxylon* Roxburgh. India orient. \bar{h} .

9. *Ebenum* Retz. Zeylon. 5.
(*D. glaberrima* Rottboell.)
10. *montana* Roxburgh. India orient. 5.
11. *orixensis* Klein. India orient. 5.
12. *Kaki* L. Japonia. 5.
13. *hirsuta* L. Zeylon. 5.
14. *chloroxylon* Roxburgh. India orient. 5.
15. *cordifolia* Roxburgh. India orient. 5.
16. *obovata* Jacquin. St. Domingo, Jamaica. 5.
(*D. tetrasperma* Swartz.)
17. *obtusifolia* Humboldt et Bonpl. America merid. 5.
18. *salicifolia* Humboldt et Bonpl. America merid. 5.
1912. NYSSA. Tulpelobaum. T. IV. p. 1112.
1. *villosa* Michaux. A Nova Anglia ad Carolinam. 5.
(*N. multiflora* Wangenheim.)
2. *biflora* Michaux. Virginia, Carolina. 5.
(*N. aquatica* L. — *N. integrifolia* Aiton. — *Cynoxylon americanum* Plukenet.)
3. *candicans* Michaux. America bor. 5.
4. *tomentosa* Michaux. America bor. 5.
5. *denticulata* Aiton. Carolina. 5.
(*N. angulisans* Michaux. — *N. uniflora* Wangenheim.)
1913. HAMILTONIA. Hamiltonie. T. IV. p. 1114.
1. *oleifera* Mühltenberg. Virginia, Carolina. 5.
(*Pyrularia pubera* Michaux.)
1914. ISQUIERDA. Isquierda T. IV. p. 1115.
1. *aggregata* Ruiz et Pavon. Peru. 5.
1915. LAUROPHYLLUS. Lorbeerling. T. IV. p. 1115.
1. *capensis* Thunb. Cap. b. sp. 5.
1916. STILBE. Stäbe. T. IV. p. 1116.
1. *pinastra* L. Cap. b. sp. 5.
(*S. vestita* Bergius. — *Sclago pinastra* L.)

2. *cernua* L. Cap. b. sp. 5.
 3. *ericoides* Thunb. Cap. b. sp. 5.
 (*Selago ericoides* L.)
1917. ARCTOPUS. Barenfuss. T. IV. p. 1117.
 1. *echinatus* L. Cap. b. sp. 4.
1918. CABALLERIA. Caballeria. T. IV. p. 1118.
 1. *latifolia* Ruiz et Pavon. Peru. 5.
 2. *pellucida* Ruiz et Pavon. Peru. 5.
 3. *ferruginea* Ruiz et Pavon. Peru. 5.
 4. *oblonga* Ruiz et Pavon. Lima.
 5. *dependens* Ruiz et Pavon. Peru. 5.
 6. *dentata* Ruiz et Pavon. Peru. 5.
 7. *venosissima* Ruiz et Pavon. Peru. 5.
1919. BURSERA. Bursera. T. IV. p. 1119.
 1. *gummifera* L. India occident. 5.
 β. *Terebinthus americana polyphylla* Commelin.
 2. *acuminata* W. Carracas. 5.
 3. *paniculata* La Marck. Ins. Mauritii. 5.
 4. *obtusifolia* La Marck. Ins. Mauritii. 5.
1920. LARDIZABALA. Lardizabala. T. IV. p. 1121.
 1. *biternata* Ruiz et Pavon. Chili. 5.
 2. *triternata* Ruiz et Pavon. Chili. 5.
1921. PENNANTIA. Pennantia. T. IV. p. 1122.
 1. *corymbosa* Forster. Nova-Zeelandia. 5.
1922. RICHERIA. Richeria. T. IV. p. 1122.
 1. *grandis* Vahl. Montserrat. 5.
1923. SMEGMARIA. Wäschnerbaum. T. IV. p. 1123.
 1. *emarginata* W. Chili. 5.
 (*Smegmadermos emarginatus* Ruiz et Pavon. —
 Quillaja Saponaria Molina.)
1924. KAGENECKIA. Kageneckie. T. IV. p. 1124.
 1. *oblonga* Ruiz et Pavon. Chili. 5.
 2. *lanceolata* Ruiz et Pavon. Peru. 5.
1925. PANAX. Kraftwurz. T. IV. p. 1124.
 * *Herbacea*.
 1. *quinquefolium* L. Canada, Pennsylvania,
 Virginia. 4.

(*Aureliana canadensis* Lafiteau.)

2. trifolium L. In Noveboraco, Pennsylvania. 4.

3. simplex Forster. Nova-Zeelandia.

** *Fruticosa*.

4. aculeatum Jacquin. China. 5.

(*Xantoxylum trifoliatum* L.)

5. attenuatum Swartz. Guadeloupe, Ins. St. Christophori. 5.

6. arboresum Forster. Nova-Zeelandia. 5.

7. chrysophyllum Vahl. Domingo, Trinidad, Cajenna, Gujana. 5.

(*P. Morototoni* Aublet. — *Jacaranda arbor* Barrelier.)

8. speciosum W. Carraacas. 5.

9. fruticosum L. In Ternateis. 5.

(*Scutellaria tertia* Rumph.)

1926. BREYNIA. Breynia. T. IV. p. 1127.

1. disticha Forster. Nova-Caledonia, Ins. Tanna. 5.

1927. GRISELINIA. Griselmie. T. IV. p. 1128.

1. lucida Forster. Nova-Zeelandia. 5.

(*Scopelia lucida* Forster.)

1928. CHRYSITHRIX. Goldborsten. T. IV. p. 1128.

1. capensis L. Cap. b. sp. 4.

1929. SPINIFEX. Spießgras. T. IV. p. 1129.

1. squarrosus L. India orient. 4.

(*Stipa spiniflex* L. — *Cyperus littoralis* Rumph.)

1930. CERATONIA. Iohannisbrodbaum. T. IV. p. 1130.

1. Siliqua L. Europa austr. Oriens. 5.

(*Siliqua edulis* Bauhin.)

1a. chilensis Molina. Chilr. 5.

1931. FICUS. Feige. T. IV. p. 1131.

* *Foliis lobatis*.

1. Carica L. Europa austr., Asia. 5.

(*F. communis* Bauhin.)

β. *Caprificus* Bauhin.

γ. *F. humilis* Bauhin.

2. *palmata* Forsk. Arabia fel. H.

3. *serrata* Forsk. Arabia fel. H.

4. *simplicissima* Loureiro. Cochinchina. H.

5. *denticulata* Vahl. India orient. H.

6. *truncata* Vahl. India orient. H.

7. *aquatica* Koenig. India orient. H.

(*F. heterophylla* L.)

** *Foliis indivisis integerrimis basi cordatis v. rotundatis.*

8. *Sycomorus* L. Aegyptus. H.

(*F. cypria* Rauwolf. — *Sycoc Morus* Bauhin.)

9. *nymphaeaeifolia* L. Carracas. H.

10. *sagittata* Vahl. India orient. H.

11. *populifolia* Vahl. Arabia fel. H.

(*F. religiosa* Forsk.)

12. *religiosa* L. India orient. H.

(*Arbon concitorum* Rumph. — *Arealu* Rheed.)

13. *auriculata* Loureiro. Cochinchina. H.

14. *benghalensis* L. India orient. H.

15. *tomentosa* Roxburgh. India orient. H.

(*F. mollis* Vahl.)

16. *venosa* W. . . . H.

17. *coriacea* Aiton. India orient. H.

18. *costata* Aiton. India orient. H.

19. *lucida* Aiton. India orient. H.

20. *citrifolia* W. India orient. H.

21. *martinicensis* W. India occident. H.

(*F. virens* Aiton.)

22. *infectoria* W. India orient. H.

(*F. venosa* Aiton.)

23. *pedunculata* Aiton. America merid. H.

24. *cordata* Thunberg. Cap. b. sp. H.

25. *crassinervia* Desfont. America merid. H.

26. *australis* W. Nova-Hollandia. H.

(*F. rubiginosa* Desfont.)

27. stipulata Thunberg. China, Japonia. H.
(*F. scandens* La Marck.)
28. punctata Thunberg. India orient. H.
29. trigona L. Surinam. H.
30. Granatum Forster. Ins. Tanna. H.
31. pumila L. China, Japonia. H.
32. erecta Thunb. Japonia. H.
33. populnea W. America merid. H.
(*F. populifolia* Desfont.)
34. velutina Humboldt et Bonpl. America merid. H.
35. turbinata W. Tanna, Namoka. H.
(*F. scabra* Forster.)
36. tinctoria Forster. Ins. Societatis. H.
37. leptica Forster. Ins. Tanna. H.
38. falcata Thunb. India orient. H.
*** *Foliis indivisis integerrimis basi angustatis.*
39. clethraefolia W. Carracas. H.
40. insipida W. Carracas. H.
41. callosa W. India orient. H.
42. benjamina L. India orient. H.
(*F. microcarpa* L. — *Varinga parvifolia* Rumph.)
43. Radula Humb. et Bonpl. America merid. H.
44. politoria Loureiro. Cochinchina. H.
(*Folium politarium* Rumph.)
45. pertusa L. Surinam. H.
46. terebrata W. Ins. Mauritiï, India orient. H.
(*F. pertusa* Bory.)
47. americana Aublet. Jamaica. H.
48. nitida Thunb. India orient. H.
49. indica L. India orient. H.
(*Varinga latifolia* Rumph.)
50. racemosa L. India orient. H.
(*Grossularia domestica* Rumph.)
51. parasitica W. India orient. H.
52. retusa L. India orient. H.
53. drupacea Thunb. India orient. H.

54. *reflexa* Thunb. India orient. ♀.
 55. *comosa* Roxburgh. India orient. ♀.
 56. *glomerata* Roxburgh. India orient. ♀.
 57. *prolixa* Forster. Ins. Societatis. ♀.
 58. *obliqua* Forster. Ins. Nemoka, Tanna. ♀.
 59. *prinoides* Humboldt et Bonpl. America merid. ♀.
 60. *salicifolia* Vahl. Arabia fel. ♀.
 (*F. indica* Forster.)
 *** *Foliis indivisis angulatis ferratisque.*
 61. *repens* Roxburgh. India orient. ♀.
 62. *cannabina* Loureiro. Cochinchina. ♀.
 63. *aspera* Forster. Ins. Tanna. ♀.
 64. *morifolia* La Marck. Ins. Bourbon. ♀.
 65. *mauritiana* La Marck. Ins. Mauritii et Bourbon. ♀.
 (*F. terragena* Rory.)
 66. *toxicaria* L. Sumatra. ♀.
 (*F. Padana* Burmann.)
 67. *oppositifolia* Roxburgh. India orient. ♀.
 (*F. scabra* Jacq. — *F. hispida* L. — '*F. mollis*.
 Willd.)
 68. *scabra* W. Guinea. ♀.
 69. *maculata* L. St. Domingo. ♀.
 70. *ulmitolia* La Marck. In Philippinis. ♀.
 71. *capensis* Thunb. Cap. b. sp. ♀.
 72. *reticulata* Thunb. India orient. ♀.
 73. *sinuata* Thunb. India orient. ♀.
 1932. NUNNEZIA. Nunnezpalm. T. IV. p. 1154.
 1. *fragrans* W. Peru. ♀.
 (*Nunnezharia fragrans* Ruiz et Pavon.)
 1933. CHAMAEROPS. Zwergpalm. T. IV. p. 1154.
 1. *humilis* L. Europa austr., Barbaria. ♀.
 (*Phoenix humilis* Cavanil. — *Palma minor* Bauhin.)
 2. *ferrulata* Michaux. Georgia, Florida. ♀.

768 CLASSIS XXIII. POLYGAMIA. DIOECIA.

**3. Palmetto *Mitchux.* Carolina, Florida. H.
(*Corypha Palmetto* Walter.)**

4. cochinchinensis *Loureiro.* Cochinchina. H.

**1934. ELEPHANTUSIA, Elfenbeinpalme. T. IV.
pag. 1156.**

1. macrocarpa *W.* Peru. H.

(*Phytelephas macrocarpa* Ruiz et Pavon.)

2. microcarpa *W.* Peru. H.

(*Phytelephas microcarpa* Ruiz et Pavon.)

INDEX GENERUM

	Pag.		Pag.
A broma	519	Agapanthus	207
A brus	467	Agathophyllum	304
A cacia	743	Agathosma	148
A caena	22. 93	Agave	226
A ealypsa	692	Ageratum	555
A canthus	410	Agrimonia	308
A carua	547	Agrostemma	301
A cer	745	Agrostis	51
A chania	469	Agyneja	698
A charia	668	Ailanthus	744
A phillea	693	Aira	53
A chimenes	405	Aitonia	444
A chras	230	Ajuga	368
A chyranthes	155	Aizoon	333
A chyronia	469	Alangium	348
A cia	447	Albica	213
A cicarpa	619	Alchemilla	93
A cidoton	679	Alchornea	732
A enida	719	Aldrovanda	198
A conitum	355	Alectra	410
A corus	227	Aletris	224
A ctaea	343	Aleurites	790
A ctinea	606	Alisma	237
A dansonias	448	Allamanda	160
A delia	732	Allionia	76
A denandra	149	Allium	209
A denanthera	269	Allophylus	243
A donis	364	Alnus	669
A doxa	259	Aloë	224
A egiceras	154	Alopecurus	51
A egilops	741	Alpinia	2
A eginetia	404	Al-sine	193
A egiphila	82	Alstroemeria	227
A egopodium	188	Althaea	454
A egopogon	735	Alyssum	416
A egopricon	654	Amaranthus	675
A eridea	647	Amaryllis	207
A eschynomene	494	Amasonia	409
A esculus	238	Ambrosia	674
A ethusa	185	Ambrosinia	652

	pag.		pag.
Amellus	606	Arachis	480
Amerimnum	467	Aralia	194
Amethystea	17	Arancaria	730
Amirola	679	Arbutus	278
Ammania	901	Arctium	539
Ammi	1791	Arctopus	763
Amomum	2	Arctotheca	633
Amorpha	474	Arctotis	601
Amygdalus	322	Ardisia	138
Amyris	244	Arduina	145
Anabasis	170	Arca	701
Anacardium	261	Arenaria	281
Anacychus	601	Arethusa	639
Anagallis	107	Aretia	109
Anagyris	263	Argemone	344
Anarrhinum	394	Argophyllum	194
Anastatica	413	Argythamnia	609
Anchusa	99	Asisteia	32
Ancistrum	22	Aristida	64
Andrachne	703	Aristolechia	695
Andromeda	277	Aristotelia	306
Andropogon	716	Armeria	195
Androsace	104	Arnica	598
Andryala	536	Antropogon	524
Anemone	360	Artedia	179
Anethum	188	Artemisia	560
Angelica	183	Artocarpus	693
Anguria	654	Asium	637
Annona	359	Aruna	22
Anthemis	603	Arundo	64
Anthericum	218	Asarum	304
Antherylium	322	Ascarina	706
Anthistria	735	Ascium	347
Antholyza	32	Asclepias	164
Anthospermum	714	Ascyrum	523
Anthoxanthum	22	Aspalathus	472
Anthyllis	479	Asparagus	220
Antichorus	243	Asperugo	103
Antidesma	718	Asperula	77
Antirrhinum	351	Aspiodelus	227
Apactis	305	Assonia	447
Apargia	530	Aster	525
Aphyllanthus	209	Astragalus	503
Aphyteja	430	Astranthus	220
Apium	188	Astrantia	177
Apluda	740	Astronium	712
Apocynum	164	Athamantia	180
Aponogeton	314	Athanasia	555
Aquartia	83	Atheropogon	740
Aquilaria	280	Attractylis	546
Aquilegia	357	Atragene	308
Arabis	425	Atrophaxis	28

INDEX GENERAL.

771

	pag.		pag.
Atriplex	742	Beta	169
Atropa	132	Betonica	377
Aubletia	345	Betula	684
Ancuba	668	Biflora	549
Augea	280	Bignonia	398
Avena	62	Billardiera	150
Averrhoa	295	Bitcutella	418
Avicennia	410	Bisterrula	509
Axyris	667	Bixa	345
Ayenia	146	Blackburnia	90
Azalea	108	Blackwellia	315
Azorella	176	Bladhia	146
Baccharis	571	Blateria	84
Bacopa	106	Blakea	305
Bactris	677	Blitum	5
Baca	16	Bodonia	304
Baeckea	254	Berbera	595
Baeobotrys	129	Berberia	670
Barbisia	606	Berberhaavia	3
Ballota	378	Boltonia	600
Balsamita	559	Bombax	448
Baltimora	619	Bonatea	633
Bambusa	232	Bonnetia	352
Banara	322	Bontia	410
Banisteria	292	Boragin	628
Banksia	70	Borago	101
Barbacenia	231	Borassus	723
Barleria	407	Borbonia	469
Barnadesia	548	Borya	711
Barosma	149	Roscia	94
Barreria	150	Rosea	171
Barringtonia	462	Rossiaea	475
Bartsia	386	Brabejum	744
Basella	194	Brachystemum	382
Bassia	305	Bradleya	700
Bassovia	199	Brassica	426
Batis	714	Braunea	723
Batschia	732	Bredemeyera	466
Bauhinia	262	Breynia	764
Befaria	309	Bridelia	745
Begonia	672	Briza	57
Bellardia	82	Bromelia	202
Bellis	594	Bromus	62
Bellium	594	Brosimum	761
Bellonia	122	Brossaea	130
Berberis	221	Brotera	628
Berckheya	612	Broussonetia	719
Bergera	269	Browallia	403
Bergia	298	Brownia	446
Bertiera	127	Bracea	715
Besleria	323	Brennichia	202
		C c c a	

	Pag.		Pag.
Brunfelsia	390	Campanula	116
Brunia	149	Camphorosma	91
Bryonia	703	Canarina	233
Bubon	184	Canarium	718
Bubroma	519	Canella	306
Bucida	281	Canephora	127
Buddleja	84	Canna	1
Buechnera	403	Cannabis	719
Buettneria	146	Cantua	114
Buffonia	94	Capparia	343
Buginvillaea	246	Capraria	401
Bulbocodium	209	Capsicum	136
Bumalda	175	Gapura	231
Bumelia	141	Cardamine	419
Bunias	411	Cardiospermum	258
Bunium	179	Carduus	541
Buphthalmum	607	Carex	656
Bupleurum	177	Carica	725
Burmanna	202	Carissa	159
Bursera	763	Carlina	546
Butea	468	Carolinea	448
Butomus	262	Carpesium	571
Buxus	669	Carphalea	78
Bystropogon	374	Carpinus	685
Caballeria	763	Carpodetus	145
Cacalia	550	Carthamus	548
Cachrys	181	Carum	183
Cactus	316	Caryocar	356
Cadia	269	Caryota	689
Caesalpinia	267	Casearia	280
Caesulia	558	Cassia	264
Cakile	412	Cassine	191
Caladium	688	Cassyta	261
Calamua	228	Castanea	684
Calceolaria	15	Castela	746
Caldasia	110	Castilleja	409
Calea	598	Castuarina	654
Calendula	620	Catananche	538
Calla	239	Catesbaea	81
Callicarpa	82	Caturus	712
Calligonum	314	Caucalis	178
Callisia	37	Caulinia	653
Callitriche	5	Cavanilla	715
Calodendrum	150	Ceanothus	145
Calophyllum	345	Cecropia	706
Caltha	367	Cedrela	150
Calycanthus	342	Cedrota	244
Calycera	628	Celastrus	146
Calyptranthes	321	Celosia	156
Camax	146	Celsia	397
Camellia	461	Celtis	747
Cameraria	162	Cenchrus	4

INDEX GENERUM

273

	pag		pag
Centaurea	614	Cinna	5
Centunculus	87	Circaea	8
Cephaelis	127	Cissampelos	731
Cephalanthus	73	Cissus	87
Cephalophora	557	Cistus	349
Cerastium	302	Citharexylon	399
Ceratiola	712	Citrus	519
Ceratocarpus	653	Claytonia	155
Ceratonia	764	Clematis	362
Ceratopetalum	273	Cleome	428
Ceratophyllum	677	Cleonia	386
Cerbera	159	Clerodendrum	408
Cercis	263	Clethra	279
Ceresia	47	Clibadium	674
Cerithe	101	Cliffortia	728
Ceropegia	164	Clinopodium	380
Ceroxylon	759	Clitoria	485
Cestrum	137	Clusia	744
Chaerophyllum	186	Cluytia	734
Chamaedorea	723	Clypeola	418
Chamaerops	767	Cneorum	27
Chara	653	Cnestis	295
Cheiranthus	493	Cnicus	543
Chelidonium	343	Cobaea	121
Chelone	390	Coccocypselum	82
Chenolea	157	Coccoloba	257
Chenopodium	168	Gochlearia	455
Cherleria	292	Cocos	677
Chimarris	126	Codia	245
Chiococca	127	Codon	268
Chionanthus	7	Coffea	106
Chironia	139	Coix	645
Chlora	245	Colchicum	436
Echloranthus	92	Coldenia	95
Chloris	738	Colladoa	740
Chomelia	81	Colletia	145
Cnondrilla	528	Collinsonia	22
Chrysanthemum	597	Columellia	606
Chrysithrix	764	Columnea	410
Chrysobalanus	324	Colutea	492
Chrysocoma	557	Comarum	341
Chrysogonum	620	Combretum	242
Chrysophyllum	141	Cometes	92
Chrysosplenium	282	Commelina	36
Cicca	668	Commersonia	201
Cicer	482	Commiphora	724
Cichorium	539	Comocladia	27
Cicuta	185	Gomptosia	667
Cienfuegosia	447	Copchium	72
Cimicifuga	357	Conium	180
Cinchona	124	Connarus	444
Cineraria	588	Conobea	404

	Pag.		Pag.
Brunfelsia	390	Campanula	116
Brunia	149	Camphorosma	91
Bryonia	703	Canarina	233
Bubon	124	Canarium	718
Bubroma	419	Canella	306
Bucida	281	Canephora	127
Buddleja	84	Canna	1
Buechnera	402	Cannabis	719
Buettneria	146	Cantua	114
Buffonia	94	Capparis	343
Buginvillaea	246	Capraria	401
Bulbocodium	209	Capsicum	136
Bumalda	175	Gapura	231
Bumelia	141	Cardamine	419
Bunias	411	Cardiospermum	258
Bunium	179	Carduus	541
Buphthalmum	607	Carex	656
Bupleurum	177	Carica	725
Burmanna	202	Carissa	159
Bursera	762	Carlina	546
Butea	468	Carolinea	443
Butomus	262	Carpesium	571
Buxus	669	Carphalea	78
Bystropogon	374	Carpinus	685
Caballeria	762	Carpodetus	145
Cacalia	550	Carthamus	548
Cachrys	181	Carum	182
Cactus	316	Caryocar	356
Cadia	269	Caryota	689
Caesalpinia	267	Casearia	280
Caesulia	558	Cassia	264
Cakile	412	Cassine	191
Galadium	688	Cassyta	261
Calamua	228	Castanea	684
Calceolaria	14	Castela	746
Caldasia	110	Castilleja	409
Catea	598	Casuarina	654
Calendula	620	Catananche	538
Calla	239	Catesbaea	81
Callicarpa	82	Caturus	713
Calligonum	314	Caucalis	178
Callisia	37	Caulinia	653
Callitriche	5	Cavanilla	715
Calodendrum	150	Ceanothus	145
Calophyllum	345	Cecropia	706
Caltha	367	Cedrela	150
Calycanthus	342	Cedrota	244
Calycera	628	Celastrus	146
Calyptranthes	321	Celosia	156
Camax	146	Celsia	397
Camellia	461	Celtis	747
Cameraria	162	Cenchrus	41

INDEX GENERUM

773

	pag		pag
Centaurea	614	Cinna	5
Centunculus	87	Circaea	8
Cephaelis	127	Cissampelos	731
Cephalanthus	73	Cissus	87
Cephalophora	557	Cistus	349
Cerastium	302	Citharexylon	399
Cetrariola	712	Citrus	519
Ceratocarpus	653	Claytonia	155
Ceratonia	764	Clematis	362
Ceratopetalum	273	Cleome	428
Ceratophyllum	677	Cleonia	386
Cerbera	159	Clerodendrum	408
Cercis	263	Clethra	279
Ceresia	47	Clibadium	674
Cerinth	101	Cliffortia	728
Ceropegia	164	Clinopodium	380
Ceroxylon	759	Clitoria	485
Cestrum	137	Clusia	744
Chaerophyllum	186	Cluytia	734
Chamaedorea	723	Clypeola	418
Chamaerops	767	Cneorum	27
Chara	653	Cnestis	295
Cheiranthus	432	Cnicus	542
Chelidonium	343	Cobaea	128
Chelone	390	Coccocypselum	82
Chenolea	157	Coccoloba	297
Chenopodium	168	Cochlearia	425
Cherleria	292	Cocos	677
Chimarris	126	Codia	245
Chiococca	127	Codon	268
Chionanthus	7	Coffea	126
Chironia	139	Coix	645
Chlora	245	Colchicum	236
Chloranthus	92	Coldenia	95
Chloris	738	Colladoa	748
Chomelia	81	Colletia	145
Cnondrilla	528	Collinsonia	22
Chrysanthemum	597	Columellia	606
Chrysithrix	764	Columnea	410
Chrysobalanus	324	Colutea	492
Chrysocoma	557	Comarum	341
Chrysogonum	620	Combretum	242
Chrysophyllum	141	Cometes	92
Chrysosplenium	282	Commelina	36
Cicca	668	Commersonia	201
Cicer	482	Commiphora	724
Cichorium	539	Comocladia	27
Cicuta	185	Comptonia	662
Cienfuegosia	447	Conchium	72
Cimicifuga	347	Conium	180
Cinchona	124	Connarus	444
Cineraria	488	Conobea	404

	Pag.		Pag.
Gonocarpus	129	Grudia	268
Convallaria	221	Cruzita	94
Convolvulus	110	Crypsis	23
Conyza	571	Cryptostomum	138
Cookia	271	Cubaea	267
Copaifera	281	Cucubalus	27
Coprosma	747	Cucullaria	3
Cerchorus	353	Cucumis	703
Cordia	140	Cucurbita	703
Cordylocarpus	428	Cuminum	115
Coreopsis	610	Cunila	17
Coriandrum	185	Cunninghamia	82
Coriaria	726	Canonia	281
Coris	130	Capania	243
Corispermum	5	Cuphea	308
Cornucopiae	45	Cupressus	691
Cornus	88	Cuscuta	354
Cornutia	401	Cuscuta	214
Coronilla	499	Curcuma	3
Correa	243	Curtisia	92
Corrigiola	193	Cuscuta	94
Cortusa	105	Cussonia	175
Corycinum	636	Cyanella	217
Corydalis	463	Cycas	739
Corylus	686	Cyclamen	105
Corymbium	144	Cylista	485
Corynocarpus	154	Cymbaria	395
Corypha	227	Cymbidium	641
Cosmea	610	Cynanchum	163
Cossignea	230	Cynara	546
Costus	2	Cynoglossum	99
Cotula	601	Cynometra	268
Cosyledon	296	Cynomorium	652
Crambe	412	Cynosurus	58
Cranichis	638	Cyperus	39
Crassedia	627	Cyphia	123
Crassula	199	Cypripedium	649
Crataegus	325	Cyrilla	390
Crataeva	306	Cyrtandra	11
Cranaea	305	Cyrtanthus	207
Crepis	539	Cytinus	700
Crucientia	407	Cytisus	490
Crassa	178	Dactylis	57
Crinodendron	444	Dactyloctenium	738
Crinum	207	Dahlia	706
Crithmum	181	Dais	273
Crocus	28	Dalbergia	467
Crossostylis	261	Dalea	510
Crotalaria	475	Dalechampia	692
Croton	694	Damasonium	257
Crotonopsis	675	Daphne	253
Crucianella	20	Datisca	720

INDEX - GENERAL.

375

	Pag		Pag
Datura	131		383
Daucus	179		438
Decumaria	305		228
Delphinium	394		198
Dendrobium	647		738
Denekia	571		121
Dentaria	428		195
Dentella	326		407
Desmanthus	793		180
Deutzia	292		230
Dialium	8		128
Dianella	221		178
Dianthus	285		628
Diapensia	103		161
Dichondra	175		108
Dictamnus	268		406
Didelta	613		180
Didymandra	744		223
Didymeles	706		269
Digitalis	357		28
Digitaria	90		327
Dilatris	35		150
Dillenia	358		728
Dimocarpus	246		677
Dimorpha	475		654
Diodia	77		290
Dionaea	273		714
Dioscorea	722		627
Diosma	148		768
Diospyros	761		569
Diotis	678		106
Diphysa	491		378
Dipsacus	73		66
Dipterix	467		248
Dirca	253		15
Disa	633		78
Disandra	238		738
Disperis	635		718
Dinria	639		669
Dodartia	405		234
Dodecas	304		108
Dodecatheon	103		791
Dodonaea	245		243
Dolichos	481		626
Dombeya	447		645
Donatia	68		378
Doracena	106		248
Doronicum	593		82
Dorstenia	91		369
Dorycnium	516		698
Draba	413		8
Dracaena	210		23

	Pag.		Pag.
Erica	267	Foetidia	323
Erigeron	575	Fontanesia	3
Eriinus	402	Forskålea	259
Eriocaulon	86	Forstera	690
Eriocephalos	626	Fothergilla	354
Eriophorum	44	Fragaria	33
Eriospermum	215	Frankenia	23
Eriothalia	129	Franeria	674
Ernodea	81	Fraxinus	760
Erodium	434	Freziera	343
Ervum	489	Fritillaria	212
Eryngium	175	Proelichia	20
Erysimum	422	Fuchsia	244
Erythra	468	Freirena	37
Erythronium	213	Enmarta	462
Erythroxylon	224	Gaertnera	269
Escallonia	153	Gahnia	233
Echulia	551	Galanthus	205
Eucalyptus	321	Galardta	609
Euclea	726	Galax	150
Eucomis	252	Galaxia	430
Eugenia	319	Galega	501
Euparea	154	Galenia	254
Eupatorium	553	Galeopsis	377
Euphorbia	309	Galinsoga	607
Euphrasia	387	Galipea	6
Eurya	306	Galium	78
Eustephia	207	Galopina	95
Evolvulus	194	Garcia	689
Evonymus	147	Garcinia	305
Exacum	84	Gardenia	159
Excoecaria	732	Garidella	292
Exoacantha	178	Gaultheria	278
Fabricia	318	Gaura	241
Fagara	89	Gelonium	723
Fagonia	271	Geniostoma	130
Fagraea	108	Genista	470
Fagus	684	Gentiana	172
Falkia	233	Geoffroya	491
Fedia	25	Geonoma	701
Feronia	744	Georgina	594
Ferraria	430	Geranium	445
Perreola	723	Gerardia	389
Fetula	181	Geropogon	524
Festuca	59	Gesneria	390
Feuillea	719	Gethyllis	214
Ficus	764	Geum	346
Filago	626	Ghinia	16
Fissilia	28	Gilibertia	270
Flacourtia	727	Gimbernata	745
Flagellaria	235	Ginoria	308
Fluggez	718	Gidekia	199

INDEX GENERUM

777

	Pag.		Pag.
Glabraria	520	Haemanthus	204
Gladiolus	30	Haematoxylon	269
Glaucium	343	Hagenia	243
Glaux	157	Halesia	305
Glechoma	376	Halleria	400
Gleditschia	760	Hallia	495
Glinus	344	Haloragis	259
Globba	22	Hamadryas	728
Globularia	73	Hamamelis	94
Gloriosa	213	Hamellia	127
Glossoma	89	Hamiltonia	762
Glossopetalum	195	Hartogia	89
Gloxinia	390	Hasselquistia	178
Guta	146	Haynea	557
Glycine	483	Hebenstreitia	402
Glycyrrhiza	493	Hecatea	691
Gmelina	400	Hedera	154
Gnapbaliun	560	Hedwigia	244
Gnetum	700	Hedycarya	728
Gnidia	253	Hedychium	2
Gomphia	272	Hedycra	157
Gomphrena	171	Hedyosmum	686
Gonatocarpus	92	Hedyotis	78
Gonodena	124	Hedypnois	537
Gordonia	461	Hedysarum	499
Gorteria	612	Heisteria	273
Gossypium	457	Helenium	594
Gouania	747	Helianthemum	349
Gouania	305	Helianthus	608
Gouania	15	Heliconia	155
Gouania	346	Helicteres	447
Gouania	345	Heliocarpus	308
Gouania	298	Heliophila	424
Gouania	590	Heliotropium	97
Gouania	764	Helleborus	367
Gouania	242	Hellenia	1
Gouania	153	Helmintia	536
Gouania	252	Helonias	237
Gouania	268	Helwingia	712
Gouania	244	Hemerocallis	227
Gouania	676	Hemimeris	397
Gouania	267	Heracleum	182
Gouania	628	Heritiera	744
Gouania	650	Hermannia	431
Gouania	461	Hermas	748
Gouania	725	Hermesia	724
Gouania	626	Hernandia	668
Gouania	159	Hermaria	168
Gouania	284	Hesperis	424
Gouania	745	Heterospermum	595
Gouania	633	Heuchera	172
		D d d	

	Pag.		Pag.
Hibiscus	457	Hyphydra	705
Hieracium	531	Hypochoeris	537
Hillia	232	Hypoxis	214
Hippia	625	Hyptis	376
Hippocratea	28	Hyssopus	371
Hippocrepis	494	Jaborosa	132
Hippomane	698	Jacquinia	177
Hippophaë	716	Jambolifera	241
Hippuris	4	Jasione	116
Hiraea	294	Jasminum	5
Hirtella	150	Jatropha	696
Hisingera	728	Iberis	415
Hoffmannia	81	Ignatia	137
Hoffmanseggia	268	Ilex	94
Holcus	739	Illicebrum	157
Holmskioldia	405	Illicium	352
Holosteum	68	Impatiens	153
Homalinum	354	Imperatoria	126
Honckeya	243	Jacarvillea	398
Hordeum	66	Indigofera	499
Hornemannia	402	Jnga	748
Hornstedtia	2	Inocarpus	279
Horsfieldia	733	Inula	590
Hostea	165	Jehannia	548
Hottonia	106	Joncuetia	295
Houstonia	78	Jonesia	238
Houttuynia	239	Jpomoea	115
Hovenia	149	Jresine	719
Hudsonia	306	Iris	31
Hugonia	444	Isatis	411
Humboldtia	150	Ischaemum	740
Humea	552	Isertia	232
Humulus	719	Isnardia	91
Hura	701	Isopyrum	367
Hyacianthus	222	Isquierda	762
Hydnocarpus	761	Itea	150
Hydrangea	281	Juglans	683
Hydrastis	367	Juncus	228
Hydrocharis	725	Jungia	627
Hydrocotyle	176	Juniperus	730
Hydrolea	172	Jussieuia	271
Hydrophylax	77	Justicia	11
Hydrophyllum	106	Jva	626
Hymenaea	264	Jxia	28
Hymenopappus	556	Jxora	81
Hyobanche	405	Kaempferia	3
Hyoscyamus	131	Kageneckia	763
Hyoseris	537	Kalmia	276
Hypecoum	94	Kernera	741
Hypelate	745	Kiggelaria	725
Hyperanthera	267	Kitaibelia	457
Hypericum	520	Kleinhofia	30

INDEX GENERUM,

779

	Pag.		Pag.
Kleinia	551	Leontice	219
Knautia	75	Leontodon	632
Knoxia	78	Leonurus	379
Kobresia	656	Lepanthes	642
Koelera	716	Lepechinia	376
Koelreuteria	243	Lepidagathis	410
Koenigia	68	Lepidium	413
Krameria	92	Leptospermum	317
Krigia	537	Lerchea	431
Kuhnia	595	Leucojum	205
Kyllinga	37	Leyssera	595
Labatia	83	Liatris	539
Lachenalia	223	Licuala	227
Lachnaea	244	Lidbeckia	600
Lachnospermum	557	Lightfootia	116
Lacis	354	Lignosticum	183
Lacistema	4	Ligustrum	6
Lactuca	527	Lilium	211
Laëtia	346	Limnium	239
Lagascea	629	Limodorum	646
Lagerstroemia	348	Limonia	273
Lagoecia	155	Limosella	403
Lagunaea	449	Linaria	394
Lagurus	64	Linconia	168
Lamium	376	Lindera	231
Lanaria	224	Lindernia	401
Lantana	400	Linnæa	403
Lapeyrousia	611	Linociera	22
Lappago	68	Linum	197
Lapsana	538	Liparia	489
Lardizabala	763	Lippia	405
Laserpitium	182	Liquidambar	686
Lasiostoma	83	Liriodendron	358
Latania	734	Lisianthus	107
Lathraea	388	Lita	140
Lathyrus	486	Lithophila	22
Laugeria	141	Lithospermum	98
Laurophyllus	762	Littorella	668
Laurus	260	Loasa	348
Lavandula	372	Lobelia	123
Lavatera	456	Loeflingia	27
Lavenia	550	Loeselia	401
Lawsonia	245	Lolium	65
Lebeckia	471	Lonicera	128
Lechea	69	Lopezia	3
Lecythis	347	Loranthus	231
Ledum	276	Lotus	515
Lea	154	Lo-reira	732
Leersia	46	Ludia	341
Legnotis	347	Ludolfia	740
Lemna	654	Ludwigia	90
Lemniscia	347	Lühea	520

D d d a

	Pag.		Pag.
Luffa	670	Melastoma	273
Lunaria	418	Melia	271
Lupinus	480	Melianthus	410
Lychnis	302	Melica	54
Lycium	138	Melicocca	243
Lycopsis	102	Melicope	245
Lycopus	17	Melicytus	718
Lygeum	44	Melilotus	511
Lysimachia	106	Melissa	382
Lythrum	307	Melittis	383
Maba	712	Melochia	432
Mabea	677	Melodinus	165
Macrocnemum	121	Melothria	27
Macrolobium	26	Memecylon	245
Madia	574	Menais	130
Maerna	347	Menispermum	726
Magnolia	358	Mentha	375
Mahernia	201	Mentzelia	348
Malachra	453	Menyanthes	105
Malaxis	640	Menziesia	247
Mallingtonia	408	Mercurialis	725
Malope	457	Meriania	276
Malpighia	292	Mesembrianthemum	329
Malva	454	Mespilus	327
Mammea	345	Messerschmidia	103
Manettia	83	Mesua	461
Mangifera	150	Metrosideros	318
Manicaria	689	Michauxia	245
Manisuris	741	Michelia	359
Manulea	401	Microcos	347
Mapania	37	Micropus	626
Maranta	2	Microtea	169
Marcgravia	341	Miegia	44
Margaritaria	724	Mikania	552
Marica	35	Milium	51
Marila	347	Millea	209
Mariscus	37	Mitleria	619
Marrubium	378	Mimosa	751
Martinezia	759	Mimulus	405
Martynia	395	Mimusops	243
Massonia	205	Minuartia	69
Matthiola	130	Mirabilis	130
Matricaria	600	Mitchella	82
Mattuschkea	80	Mitella	284
Maurandia	409	Mithridatea	4
Mauritia	723	Mnasion	204
Medeola	236	Mniarum	5
Medicago	517	Moehringia	255
Melaleuca	519	Molinaea	241
Melampodium	620	Mollia	155
Melampyrum	388	Mollugo	69
Melanthium	235	Molucella	380

INDEX GENERUM.

781

	Pag.		Pag.
Momordica	207	Nepenthes	733
Monarda	18	Nepeta	372
Monetia	89	Nephelium	674
Monimia	706	Nerium	161
Monnieria	462	Nerteria	94
Monotropa	272	Neurada	303
Monsonia	447	Nicandra	268
Montia	68	Nicotiana	132
Montinia	715	Nigella	357
Moraea	34	Nipa	701
Morina	22	Nissolia	466
Morinda	129	Nitraria	306
Morisonia	461	Noccaea	627
Morus	673	Nolana	103
Asillera	491	Nunnezia	767
Muhlenbergia	45	Nyctanthus	5
Muntingia	344	Nymphaea	344
Murraya	269	Nyssa	762
Musa	735	Obolaria	404
Mussaenda	130	Ochna	345
Mussinia	612	Ochroma	433
Mutisia	587	Ocimum	383
Myagrum	411	Oedera	627
Myginda	96	Oedmannia	469
Mylocaryum	279	Oenanthe	185
Myonima	81	Oenothera	240
Myoporum	408	Olex	26
Myosotis	97	Oldenlandia	90
Myosurus	202	Olea	7
Myrianthus	701	Olyra	656
Myrica	716	Omphalea	698
Myriophyllum	677	Oncidium	644
Myristica	733	Ononis	476
Myrmecia	83	Onopordum	545
Myrodendrum	347	Onoseris	547
Myrodia	461	Onosma	101
Myrosma	2	Opercularia	76
Myroxylon	269	Ophiorrhiza	107
Myrsine	146	Ophioxylon	745
Myrtus	320	Ophira	252
Nageia	716	Opbrys	636
Najas	668	Orchis	630
Nama	172	Origanum	380
Nandina	231	Orixa	90
Narcissus	205	Ornithogalum	215
Nardus	44	Ornithopus	494
Nassauvia	629	Ornithophe	242
Naucllea	120	Orobanche	404
Nauenburgia	627	Orobus	485
Nectris	233	Orontium	227
Nelumbium	359	Ortega	27
Nelottia	637	Oryza	233

	Pag.		Pag.
Oryzopsis	45	Pentzia	560
Osbeckia	240	Peplis	233
Osmites	611	Perdicium	593
Osteospermum	624	Pergularia	162
Ostrya	685	Perilla	376
Osyris	712	Periploca	163
Othera	90	Perotis	46
Othonna	624	Persoonia	243
Ovieda	408	Perula	728
Oxalis	298	Petaloma	268
Oxybaphus	26	Petesia	81
Ozophyllum	431	Petitia	81
Pachysandra	670	Petiveria	238
Paederia	158	Petrea	400
Paederota	11	Petrocarya	238
Paeonia	353	Peucedanum	181
Palavia	453	Phaca	503
Pallasia	64	Phaëthusa	607
Panax	763	Phalaris	46
Pancovia	238	Pharnaceum	193
Pancreatium	206	Pharus	676
Pandanus	705	Phaseolus	481
Panicum	47	Phaulopsis	404
Panke	261	Phellandrium	185
Panzera	268	Phelypaea	706
Papaver	344	Philadelphus	317
Pappophorum	64	Philesia	231
Pariana	689	Phyllyrea	6
Parietaria	742	Phileum	50
Paris	259	Philomis	379
Parkinsonia	264	Phlox	109
Parnassia	194	Phoenix	714
Parthenium	626	Phormium	223
Pascalid	607	Phryma	386
Paspalum	47	Phrynium	3
Passerina	253	Phucagrostis	706
Passiflora	433	Phylica	144
Pastinaca	187	Phylidrum	3
Paullinia	257	Phyllanthus	699
Pavetta	81	Phyllis	175
Pavonia	460	Physalis	132
Pectis	595	Phyteuma	119
Pedaliun	410	Phytolacca	304
Pedicularis	388	Picramnia	718
Peganum	306	Picris	531
Pelargonium	437	Pilocarpus	148
Peltaria	419	Pimelea	8
Penaea	83	Pimpinella	188
Pennantia	763	Pinguicula	16
Pentapetes	448	Pinus	689
Pentastemon	390	Piper	23
Penthorum	298	Piqueria	553

INDEX GENERUM.

783

	Pag.		Pag.
Piscidia	468	Premna	400
Pisonia	238	Prenanthes	528
Pistacia	717	Primula	104
Pistia	445	Prinos	230
Pisum	485	Prockia	352
Pitcairnia	203	Procris	670
Pittosporum	150	Proserpinaca	68
Plagianthus	447	Prosopis	269
Planera	743	Protea	69
Plantago	85	Prunella	385
Platanus	686	Prunus	322
Platylobium	468	Psathura	231
Plectranthus	384	Psadia	626
Plectronia	151	Psidium	318
Plegorhiza	261	Psoralea	510
Plinia	324	Psychotria	125
Plocama	157	Ptelea	90
Pluckenetia	692	Pterocarpus	467
Plumbago	109	Pteronia	556
Plumiera	162	Pterospermum	448
Poa	55	Pterygodium	635
Podaliria	262	Pugionium	412
Podophyllum	343	Pulmonaria	100
Podostemum	655	Pultenaea	263
Polemonium	116	Punica	322
Polianthes	222	Pyrethrum	598
Pollia	220	Pyrola	279
Pollichia	4	Pyrostria	82
Polycardia	146	Pyrus	327
Polycarpon	68	Qualea	3
Polychroa	676	Quassia	272
Polycnemum	27	Quercus	680
Polygala	464	Queria	69
Polygonum	255	Quinchamala	158
Polytnia	620	Quisqualis	273
Polypogon	51	Rafnia	472
Polypremum	83	Rajania	721
Pometia	676	Ranunculus	364
Pommereullia	44	Raphanus	428
Ponaea	259	Rauwolfia	158
Pontederia	204	Reaumuria	357
Populus	723	Reichelia	192
Porana	110	Relhania	596
Portlandia	121	Renalmia	1
Portulaca	307	Reseda	309
Portulacaria	194	Restio	713
Portamogeton	95	Retzia	110
Portentilla	338	Rhagadiolus	538
Porterium	679	Rhamnus	142
Portus	91	Ruenterium	592
Pourretia	461	Rhapis	759
Prasium	386	Rheum	261

	Pag.		Pag.
Rhexia	240	Salacia	650
Rhinanthus	387	Salaxis	247
Rhizophora	305	Salicornia	4
Rhodola	724	Salisburia	626
Rhododendrum	277	Salix	707
Rhodora	277	Salmasia	192
Rhopium	650	Salsola	169
Rhus	189	Salvadora	93
Ribes	151	Salvia	18
Richardia	230	Samara	29
Richeria	763	Sambucus	191
Ricinus	697	Samolus	120
Ricotia	418	Samyda	220
Rivina	93	Sandoricum	271
Robergia	294	Sanguinaria	343
Robinia	491	Sanguisorba	87
Robinsonia	324	Sanicula	177
Rocheportia	172	Sansevieria	221
Roëlla	119	Santalum	98
Roliria	27	Santolina	558
Rolandra	626	Santvitalia	603
Rondeletia	121	Sapindus	258
Roridula	155	Sapium	698
Rosa	334	Saponaria	285
Rosenia	596	Saraca	462
Rosmarinus	18	Sarcophyllum	474
Rotula	27	Sarothra	194
Bothia	536	Sarracenia	344
Rottboellia	65	Sathreja	371
Rottlera	728	Satyrium	635
Rousseaua	80	Saururus	239
Roxburghia	242	Sauvagesia	155
Royena	281	Savia	719
Rubia	80	Saxifraga	282
Rubus	336	Scabiosa	73
Rudbeckia	609	Scaevola	124
Rudolphia	468	Scandix	185
Ruellia	406	Schaefferia	715
Ruizia	457	Schefflera	203
Rumex	234	Scheuchzeria	235
Rumphia	27	Schinus	726
Rupala	73	Schisandra	674
Ruppia	96	Schkuhria	595
Ruscus	733	Schlechtendalia	594
Russelia	404	Schleichera	760
Ruta	268	Schmiedelia	254
Ruyschia	145	Schoenus	37
Ryania	346	Schoepfia	129
Saccharum	45	Schotia	268
Sagina	96	Schousboea	273
Sagittaria	678	Schradera	231
Sagus	677	Schrankia	752

INDEX GENBRUN.

785

	Pag.		Pag.
Schrebera	142	Sideroxylon	142
Schwalbea	388	Siogesbeckia	606
Schwenkfeldia	122	Silene	288
Schwenkia	15	Silphium	619
Scilla	216	Sinapis	427
Schreps	41	Siphonanthus	86
Seturis	22	Siphonia	698
Scleranthus	284	Sison	184
Scleria	666	Sisymbrium	420
Sclerocarpus	671	Sisyrinchium	429
Scolopia	322	Sium	184
Scolosanthus	80	Skimmia	90
Scolymus	539	Sloanea	345
Scoparia	87	Smegmaria	763
Scopolia	145	Smilax	720
Scorpiurus	494	Smithia	494
Scorzonera	525	Smyrnium	187
Scrophularia	395	Solandra	127
Scutellaria	325	Solanum	133
Secale	66	Soldanella	105
Sedum	705	Solena	124
Securidaca	466	Solidago	586
Securinea	718	Sonchus	526
Sedum	296	Sonneratia	315
Seguiera	353	Sophora	262
Selago	386	Sorbus	326
Selinum	180	Sorghum	740
Semecarpus	189	Sparganium	655
Sempervivum	315	Sparmannia	346
Senecio	414	Spartium	469
Senraea	577	Spathelia	191
Septas	445	Spergula	305
Strapias	239	Spermaecoe	76
Steriana	637	Sphaeranthus	76
Steriola	248	Sphaeranthus	627
Sterissa	537	Sphenoclea	120
Sterpicula	138	Spielmannia	401
Sterratula	107	Spigelia	107
Steramum	668	Spilanthus	548
Stereli	540	Spinacia	719
Sterleria	405	Spinifex	764
Sternvium	186	Spiraea	333
Steffieldia	58	Spondias	295
Stenardia	326	Sprengelia	102
Stibaldia	108	Stavia	149
Storopia	77	Stachys	377
Styos	201	Stachytarpheta	16
Styda	403	Stachelina	556
Styritis	705	Stalagmitis	745
Styrodendrum	449	Stapelia	166
	373	Staphylea	192
	381	Starkea	606
		St e	

	Pag.		Pag.
Statice	195	Tectona	142
Stauracanthus	474	Telephium	193
Stelis	648	Teramnus	479
Stellaria	290	Terminalia	743
Stellera	243	Bernstroemia	341
Stemodia	404	Tetracera	356
Stephania	232	Tetragonia	328
Sterbeckia	348	Tetragonotheca	593
Sterculia	308	Tetranthus	628
Stembergia	209	Tetrapogon	735
Stevia	555	Tetratheca	248
Stilago	712	Teucrium	368
Stilbe	762	Thalia	3
Stillingia	700	Thalictrum	363
Stipa	62	Thapsia	127
Stobaea	547	Thea	349
Stokesia	547	Thelygonum	679
Stoebe	628	Thelymitra	638
Stratiotes	726	Theobroma	518
Strelitzia	155	Theophrasta	107
Strigilia	270	Thesium	158
Stroemia	129	Thlaspi	414
Strumaria	205	Thoa	626
Strumphia	151	Thouinia	221
Struthiola	92	Thrinax	228
Strychnos	137	Thrinchia	531
Stuartia	461	Thryallis	272
Stylidium	650	Thuja	691
Stylosanthes	495	Thunbergia	409
Styphelia	109	Thymbra	371
Styrax	279	Thymus	381
Subularia	413	Tiarella	224
Suriana	298	Tilia	346
Swartzia	342	Tillaea	96
Swertia	172	Tillandsia	203
Swietenia	271	Tithonia	609
Syena	37	Tolpis	536
Symphonia	431	Toluifera	269
Symphytum	101	Tomex	304
Symplocos	520	Tonsella	28
Syringa	8	Tordylium	178
Tabernaemontana	162	Terenia	395
Tacca	227	Tormentilla	340
Tagetes	595	Tortula	405
Talinum	307	Tournefortia	103
Tamarindus	429	Tourretia	395
Tamarix	192	Toxicodendrum	726
Tamus	720	Tozzia	308
Tanacetum	560	Trachelium	120
Tanacetium	400	Tradescantia	203
Tarchonanthus	558	Tragia	667
Taxus	734	Tragopogon	524

INDEX GENERUM

781

	Pag		Pag
Trapa	91	Vaccinium	248
Trattinnickia	744	Vahlia	175
Trewia	728	Valantia.	740
Trianthema	281	Valentinia	245
Tribulus	271	Valeriana	25
Tricera	670	Vallea	352
Trichilia	270	Vallisneria	706
Trichocarpus	354	Vandellia	404
Trichosanthes	701	Vangueria	127
Trichostema	385	Vanilla	645
Tricratus	105	Varronia	141
Tridax	506	Vatica	305
Trientalis	237	Velezia	172
Trifolium	511	Vella	412
Triglochin	235	Veltheimia	224
Trigonella	516	Ventilago	144
Trigonia	469	Veratrum	735
Triguera	109	Verbascum	130
Trilix	341	Verbena	16
Trillium	236	Verbesina	607
Triopteria	294	Verea	259
Triosteum	129	Vernonia	539
Triplaris	725	Veronica	9
Tripsacum	655	Vestia	114
Triptilion	538	Viburnum	190
Triticum	67	Vicia	487
Triumfetta	306	Vinca	160
Trixis	620	Viola	151
Trollius	367	Virecta	126
Tropaeolum	239	Viscum	715
Trophis	714	Visnea	314
Tulbaghia	205	Vitex	409
Tulipa	213	Vitis	154
Turnera	192	Vitmannia	242
Turraea	270	Volkameria	408
Turritis	426	Wachendorfia	36
Tussilago	576	Wahlbomia	356
Typha	655	Waldsteinia	326
Ucristana	125	Walkera	150
Ulex	474	Wallenia	82
Ulmus	171	Waltheria	431
Uniola	57	Webera	159
Unona	360	Wedelia	620
Unxia	620	Weigelia	109
Urania	202	Weinmannia	254
Urena	457	Wendlandia	237
Urtica	671	Wiborgia	468
Usteria	3	Willdenowia	712
Utricularia	16	Willichia	27
Uvaria	359	Willughbeja	160
Uvularia	213	Winters	356

Witheringia	83	Xyris	37
Witsenia	36	Yucca	224
Wulfenia	11	Zacintha	538
Wurmbea	335	Zamia	729
Xanthe	734	Zannichellia	653
Xanthium	674	Zanonia	719
Xanthorrhiza	202	Zantoxylum	717
Xeranthemum	569	Zea	659
Xerophyta	203	Zeugites	656
Ximenesia	593	Zinnia	597
Ximonia	244	Zizania	676
Xiphidium	36	Ziziphora	18
Xylocarpus	243	Zizyphus	143
Xylophylla	192	Zoegea	614
Xylopia	360	Zostera	642
Xylosma	728	Zwingera	272
Zygophyllum	271		

NOMINA GERMANICA GENERUM.

	Pag.		Pag.
N			
Nacale	753		736
Nacajon	389		389
Nadlerholz	230		107
Nanderling	341		415
Nestling	81		448
Nestodil	217		492
Niborn	745		647
Nireley	857		645
Nilant	590		547 679
Nilfanna	245		194
Nilek	224		267
Nilpalsam	277		466
Nilpengelstchen	105		624
Nirau	132		198
Nimberbaum	686		231
Nimberstrauch	714		502
Nimberstrauch	83		725
Nimber	234		398
Ninana	202		175
Nindentanne	730		82
Nindorn	378		377
Ningell	183		560
Ninperblume	595		128
Nirelpalme	701		376
Nirmlencher	653		608
Niron	687		131
Nirischke	546		705
Nirpenpflanze	488		41
Ningencroft	387		684
Nirepore	718		387
Nirchholz	126		122
Nirille			259
Nirrenbuche			124
Nirrenkian			84
Nirrenkup			360
Nirrenobu			531
Nirdecan			718
Nirfamaffel			17
Nirfambaum			491
Nirfambust			490
Nirfambolz	569		101 1032
Nirfamine	153		109
Nirfambrauch	544		266
Nirbamb	378		712
Nirsfaden	990		101

	Pag.		Pag.
Blutblume	204	Copatsbaum	281
Blutholz	269	Corallenbaum	468
Blutkraut	343	Coriander	185
Bockbart	534	Cottnur	2
Bockborn	138	Coperngras	39
Bockgellen	635	Cottnur	691
Bogenlilie	207	Dattelpalme	724
Bohne	481	Dattelpflaume	761
Böhenbaum	490	Decksimpe	328
Boretsche	101	Decksplanze	76
Borstenbart	740	Degenkraut	37
Borstenblume	130	Desfontaine	8
Borstengras	44	Dickblatt	199
Borstenlilie	32	Dickaden	678
Braunwurz	395	Dill	182
Brechwur	696	Dingel	646
Brennkraut	692	Diptam	268
Brennpalme	689	Distel	541
Brennpfel	230	Dochtsplanze	272
Brillenschote	418	Doppelblatt	271
Brodbaum	653	Doppelohr	673
Bruchholz	231	Doppelsaame	596
Bruchkraut	168	Doppelsack	635
Brunelle	385	Dornendolde	178
Burckstrand	148	Dornengras	23
Burche	684	Dornkopf	301
Buchsbaum	669	Dosten	380
Büschelkopf	752	Drachenbaum	220
Bundblume	594	Drachentopf	383
Burzel darn	271	Drehblume	492
Capas	518	Drehling	405
Cajaputbaum	519	Drehblatt	236
Calmus	227	Drehblume	231
Canarienbaum	718	Dreoflügel	394
Canellbaum	306	Dreogramme	64
Capille	217	Dreokant	469
Capper	342	Dreokorn	670
Capuzienertresse	239	Dreokling	725
Castanie	684	Dreospalt	606
Catappenbaum	743	Dreosteia	127
Caucusbaum	698	Dreosack	235
Celaster	126	Dreusenblume	269
Chamille	602	Dännling	140
Chicot	725	Därrblatt	72
Christophskraut	343	Därrbusch	203
Christwurz	367	Därrwurz	571
Echorten	439	Duschblume	2
Eisenrose	449	Eberesche	326
Eierone	519	Eberwurz	546
Ektorioblume	485	Echalm	62
Eoff	122	Ehrenpreis	9
Collabogras	741	Eibisch	454

	Pag.		Pag.
Eiche	680		626
Eichhornschwamm	22		626
Eibeere	259		559
Eisenbaum	81		397
Eisenholz	144		338
Eisengut	354		468
Eisenkraut	16		197
Eisenmas	318		223
Eisenrauch	723		94
Elephantenaukel	744		109
Elephantenfuß	627		359
Eisenbeinpalme	768		157
Eise	669		548
Eisenfuß	343		474
Eisengrün	654		8
Eisenkorn	172		273
Eisen	154		614
Eppich	188		592
Erbse	485		639
Erdbeere	938		467
Erdbeerpinat	5		448
Erdichel	480		268
Erdkleefer	130		559
Erdknoten	179		649
Erdrauch	462		705
Erdseide	105		237
Ere	489		52
Ere	760		45
Erfeldsalat	547		298
Erdenschwamm	239		410
Erdbeere	82		526
Erdkleefer	316		168
Erdkraut	741		425
Erdkrautchen	706		716
Erdkraut	655		4
Erdkraut	619		368
Erdkraut	626		347
Erdkraut	481		603
Erdkraut	279		107
Erdkraut	64		405
Erdkraut	153		399
Erdkraut	677		666
Erdkraut	556		620
Erdbohne	480		501
Erd	764		734
Erd	108		202
Erd			593
Erdkraut			726
Erdkraut			735
Erd			66
Erd			188
Erd			726

792 NOMINA GERMANICA GENERUM.

	Pag.		Pag.
Gistille	222	Hasenknopf	314
Gistiller	718	Hasenlilie	207
Gtgen	206	Haser	62
Ginsel	368	Haselbolde	178
Ginster	470	Hasenstamm	156
Glanagras	46	Hasenstopf	495
Glanamorte	231	Hasensporn	384
Glanstrauch	8	Hasenblume	397
Glasfrant	742	Hasenfrant	126
Glaschmalz	4	Hammerstrauch	137
Glattholz	520	Handblume	408
Glets	185	Hanf	719
Gliedfrant	373	Harnald	306
Glockenblume	116	Hartheu	520
Glockenfullhorn	127	Harteriegel	88
Glockenlilie	207	Hartlaame	611
Gnemonbaum	700	Hartfrant	171
Gnaterbaum	744	Haselnuß	686
Gneterblume	105	Haselwurz	304
Gnoldblatt	141	Haseniatrich	528
Gnoldhorsten	764	Hasenöhrteln	177
Gnoldbittel	539	Hasenheckel	476
Gnoldhaar	557	Hasenwurz	315
Gnoldruche	586	Hasenfeder	556
Gnoldbruchenbaum	171	Hasenbuche	685
Gnoldspize	620	Hasenlaame	474
Gnorate	322	Hasenrich	423
Gnradnelke	195	Hasen	247
Gnraubart	524	Hasenbeere	246
Gnriechwurz	731	Hasenpflanze	558
Gnrißelbart	159	Hasenfrant	182
Gnroblappe	26	Hasenfrant	404
Gnroblume	92	Hasenfrant	385
Gnrobnstrauch	278	Hasenling	636
Gnrtelkraut	558	Hasenlippe	638
Gnrtabbaum	318	Hasenblume	401
Gnrmistkraut	724	Hasenblüte	146
Gnndermann	376	Hasenlaame	258
Gnrke	703	Hasenfrant	2
Gnrblatt	304	Hasenbeere	336
Gnrtabbaum	745	Hasenlauf	62
Gnpsfrant	284	Hasenprung	193
Gnatblume	701	Hasenwurz	180
Gnatfaden	985	Hasenagrass	51
Gnatfrucht	354	Hasenstamm	141
Gnatgras	66	Hollunder	91
Gnataurke	705	Holbalsam	728
Gnatstein	92	Holblatt	192
Gnatstrang	181	Holfrucht	243
Gnabermurz	525	Holbahn	377
Gnabichstrant	531	Honigblume	410
Gnadenfrucht	28	Honigfrucht	247

	Pag.		Pag.
Honigtute	718	Kermesbeere	304
Hopfen	719	Keulengriffel	650
Hopfenbuche	685	Keulenkruß	154
Hornblume	273	Keulenpalme	729
Hornbusch	712	Keulenrettig	428
Hornkraut	302	Kicher	489
Hornsaame	653	Klammerstrauch	161
Hülsen	94	Klapperschote	475
Hußlattig	576	Klappertopf	387
Hundstühl	679	Kleber	172
Hundsruthe	268. 652	Klebaras	45
Hundswürger	163	Klebsaame	150
Hundssahn	213	Klee	511
Hundssauge	99	Kleinling	87
Hungerblümchen	413	Kleintraube	129
Hyacinthe	222	Klette	539
Hypocist	700	Klimme	87
Salape	130	Knabenkraut	636
Jambolane	243	Knackbeere	158
Jambusenbaum	319	Knauel	284
Jasmin	5	Knautgras	57
Jacopflaume	324	Knedelbart	444
Jerichorose	413	Knerrig	255
Jakelkopf	655	Knopsbaum	129
Immergrün	333	Knopsgras	37
Indigo	499	Knorpelblume	157
Ingwer	1	Knorpelkraut	27
Jochgras	656	Knorpelippe	644
Johannisbeere	151	Knorpelsalat	528
Johannisbrodbaum	764	Knotenblume	205
Jop	371	Knotenfrucht	92
Judasbaum	263	Knotenkraut	194
Judendorn	143	Königsferze	130
Kälbertropf	186	Kohl	426
Kahnlippe	641	Kokospalme	677
Kallistrauch	170	Kolben	655
Kammgras	58	Kopfbeere	127
Kampferkraut	93	Kopfblume	73
Kannenstrauch	733	Kopsträger	557
Kappenblume	3. 138	Kothduster	747
Kappengras	676	Krähenauge	137
Karten	73	Krauswurz	763
Kasemünze	372	Kragenblume	571
Kasenschwanz	712	Kranichschnabel	437
Keilsfrucht	120	Kranzblume	2
Keichbart	374	Kranzfäule	461
Keichbeutel	485	Krautkraut	542
Keichblume	341	Krebstistel	545
Keichhorn	628	Kreiselfrucht	745
Kerbel	185	Kresse	413
Kerbling	305	Kreuzblatt	80

794 NOMINA GERMANICA GENERUM.

	Pag.		Pag.
Kreuzkraut	577	Korbeerling	762
Kreuzkümmei	185	Kotwurz	101
Kronenbaum.	243	Kustblume	647
Kropfsilie	205	Kungenkraut	100
Krummfaden.	11	Käufedorn	733
Krummhals	102	Kahagonibaum	271
Kümmel	188	Kalve	454
Kümmerting	27	Kammel	345
Kürbis	702	Kancinellenbaum	698
Kürbisbaum.	400	Kandel	322
Kugelblume	73, 627	Mango	140
Kugelstrauch.	255	Mangold	169
Kubblume	367	Mangostane	305
Kuhhornbaum	281	Mannschild	104
Kuhhornflee.	516	Mannstreu	175
Kabkraut	78	Martinspalme	759
Kangfaden	242	Mastkraut	96
Kappenblume.	94	Mabliebe	594
Kaserkraut	182	Maulbeere	673
Kaubenbohne.	475	Mauritipalme	723
Kaubenstrauch	162	Mauseohr	97
Kauch	209	Mausechmänschen	202
Kaugenblume	601	Mayblümchen	221
Kaujekraut	388	Mays	655
Kavendel	373	Meergas	706
Kebensbaum	691	Meertohl	412
Kederbalsam	402	Meersenf	412
Kederblume	90	Meerränbel	731
Kederholz	253	Meerränblein	259
Keindotter	411	Meerzwiebel	216
Keuweerblume	165	Mehlblume	606
Leucoje (Leucol)	422	Meisterwurz	126
Liebstockel.	183	Melde	742
Lieschgras	50	Mclonenbaum	725
Liguster	6	Menderle	8
Lilie	211	Merf	184
Lillenbaum	444	Milchkraut	157
Lillenstrauch	231	Milzkraut	282
Limonelle	272	Mispel.	327
Lindsbilume	376	Mistel	715
Linde	346	Mohn	344
Lochschlund	394	Mohrräbe	179
Locusbaum	264	Molle	726
Löchergras	655	Rombinspflanze	295
Löffelkraut	415	Rondsadme.	726
Löwenblatt	219	Rondviole	418
Löwenfuß	93	Roosmire	5
Löwenmaul	391	Morastille	35
Löwenjahn	529	Morgenstern	120
Lolch	65	Müllen	409
Loosbaum	408	Münze	375
Lorbeer	260	Muschelblume	444

NOMINA GERMANICA GENERUM. 795.

	Pag.		Pag.
Mußkatennuß	733	Pestwurz	550
Mutterkraut	600	Pfaffenröhrlein	530
Myrte	320	Pfannengras	47
Nabelkraut	296	Pfeffer	23
Nachtkraut	395	Pfefferkraut	371
Nachtkerze	240	Pfeifenstrauch	317
Nachtschatten	133	Pfeilkraut	678
Nachtsviole	424	Pferdegas	739
Nagelbeere	272	Pferdehufschote	494
Nagelkraut	68	Pflaume	322
Najade	668	Pfriemen	469
Narzisse	205	Pfriemengras	62
Natterkopf	102	Pfriementresse	413
Nelke	285	Pilzmalve	430
Nelkenlilie	209	Pimpernuß	192
Nelumbo	359	Pippau	535
Nervengras	666	Pisang	735
Nessel	671	Pistache	717
Nesselsalat	537	Platterbse	486
Niccoline	386	Plattschote	468
Nierenbaum	261	Porst	276
Nipapalme	708	Portulac	307
Nunneypalme	767	Portulacbaum	194
Nußdolde	181	Prachtblume	105
Nußgras	44	Prachtkerze	241
Ochsenauge	628	Prachtlilie	213
Ochsenfuß	519	Prachtlose	404
Ochsenzunge	99	Prachtscharte	539
Odermennig	308	Prachtstrauch	72
Oehrling	76	Primel	104
Oelbaum	7	Pungen	120
Oelpalme	723	Purgierkraut	15
Oelstrauch	150	Quinchamali	158
Ohnblatt	272	Rachenlilie	32
Oleander	161	Ragwurz	630
Oleaster	92	Rainfobl	538
Orleanbaum	345	Randblume	268
Osterluzen	650	Ranunkel	364
Peonie	353	Rapwurz	119
Pallisadenholz	146	Rasendolde	176
Pantoffelblume	15	Raspelstrauch	356
Papierlilie	214	Rattenfuß	81
Pappel	723	Rattenschwanz	741
Passionsblume	433	Raute	420
Pastinak	187	Rauschbeere	712
Paternostererbse	467	Raute	268
Peitschenstrauch	235	Reibendolde	185
Peitschen	493	Reiherschnabel	434
Peisame	558	Reiß	233
Perlenstrauch	724	Reutig	428
Perigras	54	Rhabarber	261

796 NOMINA GERMANICA GENERUM.

	Pag.		Pag.
Abade	301	Baumblume	347
Alechtraut	620	Scabiose	73
Alemenblume	231	Schachblume	213
Aindenblume	649	Schafsbart	524
Aindsauge	607	Schafstraum	191
Aingbeere	145	Schamplanze	494
Aingblume	601	Scharftraut	103
Aingelblume	620	Scharre	540
Ainnenblume	106	Schaumtraut	419
Aispengras	55	Schecblatt	676
Aittersporn	354	Scheelforn	81
Aöhrenblume	80. 124	Scheidenkraut	418
Aöhrelnkraut	537	Scheidenstille	36
Aöhe	80	Schellenbaum	159
Aoggen	66	Schiefblume	447
Aohr	64	Schierling	180
Aose	334	Schildblume	390
Aosenwurz	724	Schilderblatt	675
Aoamarin	18	Schildkraut	418
Aokastanie	238	Schilspalme	228
A. tang	228	Schirmpalme	227
Aorholz	294	Schlangenbusch	745
Aucharas	22	Schlangentraut	239
Auffestille	214	Schlangenwurz	107
Aüster	171	Schleichling	668
Auhrkraut	563	Schleimapsel	728
Aunzelbart	639	Schleimer	676
Aaamenkraut	95	Schlinge	163
Aachpalme	689	Schllsblatt	354
Aäbelschote	412	Schleuderfrucht	148
Aägekraut	509	Schlutte	133
Aäulenblume	495. 650	Schmelen	53
Aaffor	548	Schmerwurz	720
Aafran	28	Schmuckstille	207
Aairanbaum	245	Schneckenstee	517
Aagopalme	729	Schneeball	190
Aalamanderbaum	712	Schneebeere	127
Aalat	527	Schneebume	7
Aalatdistel	538	Schneeglöckchen	205
Aalben	18	Schpükraut	343
Aalpeterkraut	306	Schönbaum	150
Aalkraut	169	Schönbeere	82
Aammetgras	64	Schönblatt	345
Aammetpalme	734	Schönkraut	558
Aandbeere	278	Schönmüße	321
Aantbüchsenbaum	701	Schopstille	212
Aanddorn	716	Schotenstee	515
Aandkraut	291	Schraubenbaum	447
Aanikel	177	Schuppengras	388
Aanielbaum	92	Schuppentkraut	410
Aauerstee	298	Schuppenwurz	388
Aauerwurz	26	Schwalbenwurz	164

	Pag.		Pag.
Schwarzschlund	273		284
Schwarzwurz	101		675
Schweinerüssel	429		679
Schweinsalat	537		155. 569
Schwerelille	32		654
Schwimmblatt	233		68
Schwindblume	236		178
Scorpionenkraut	494		761
Scorpionenschwanz	97		68
Seefenchel	181		705
Seehafer	59		131
Seerose	344		677
Seetraube	257		676
Segge	656		282
Seldelbaß	252		416
Seifenbaum	258		6
Seifenkraut	285		218
Senf	427		22
Sesam	405		98
Sesel	186		637
Stichelsalat	538		121
Siebenling	239		358
Siegmunda	30		718
Siigel	726		239
Silberbaum	69		582
Silberblatt	154		290
Silberkraut	669		213
Silge	180		308. 322
Simse	228		431
Sinngrün	160		72
Sinnsflanze	751		26
Sonnenblume	88		279
Sommerwurz	404		445
Sonnenblume	608		606
Sonnenfreund	424		546
Sonnenfrucht	308		668
Sonnentau	198		227
Spaltbeutel	674		719
Spaltblume	28		714
Spaltfrucht	295		654
Spargel	220		713
Spart	303		726
Spathekraut	204		569
Spähenkraut	92		740
Sperrekräut	116		317
Spielerstunde	333		492
Spiessgras	764		189
Spinat	719		94
Spindelbaum	147		639
Spihlblume	138		132
Spihenblume	243		414
Spiessgras	57		227

798 NOMINA GERMANICA GENERUM.

	Pag.		Pag.
Tamarinden.	429	Wachspalme.	759
Tamarisken.	192	Wachtelweizen	328
Tannenpalme	677	Wälscherbaum	763
Tannenwedel	4	Waid	412
Taschenblume	728	Walch	741
Taubentropf.	287	Walderbse	485
Tbaupflanze.	119	Waldmeister.	77
Thee	349	Waldrebe	362
Tbränengras.	655	Wallenopf	626
Tburmtraut.	426	Wallnuß	683
Tbhmian	381	Wanzenkraut.	357
Todenblume.	595	Wanzenfaame	5
Tollkraut	132	Wasserähre	227
Tolubaum	269	Wasserdoß	553
Toncabohne.	467	Wasserfeder	705
Topfbaum	317	Wassersenchel	185
Tormenzill	340	Wasseringwer	3
Traganth	503	Wasserlisch	262
Traubenbaum	359	Wassermiere.	77
Traubennuß.	16	Wassernabel	176
Trauerbaum.	5	Wassernuß	91
Trauerblume	103	Wasserpfeffer.	259
Trespe.	61	Wasserriemen	652
Trichterfeld.	380	Wasserschierling	185
Trichterwinde	115	Wasserschlauch	16
Troßblume	367	Wasserstern	5
Trommelbaum	4	Wau	329
Trompetenbaum	706	Wegebohn	142
Trompetenblume	398	Wegetrit	85
Tropfenpflanze	626	Weibermühe.	638
Tropffraut	155	Weichkraut	640
Tuberosc	222	Weichling	69
Tulpe	213	Weide	707
Tulpelobaum	762	Weiderdölein	241
Tulpenbaum.	358	Weiderich	307
Tutenblume.	80	Weinpalme	723
Tutenmaße	460	Wein	154
Uchblume	209	Weißdorn	325
Unform.	474	Weißast.	306
Vanille	645	Welken.	67
Wellchen	151	Wiese	487
Wielast	83	Wiesenthopf.	87
Wierbare	735	Winde	110
Wierblüthling	628	Windeapfel	165
Wieredöfrucht	328	Windhalme	51
Wogelfuß	494	Windsaame	144
Wogelkopf	253	Winterbeere.	230
Wogelmire	193	Winterblume	171
Wogelmisch	215	Wintergrün	279
Wogelpfeffer	242	Wirbelborste.	380
Wachholder	730	Wirtel	27
Wachblume.	101	Witschen	472

NOMINA GERMANICA GENERUM. 799

	Pag.		Pag.
Wolfsmilch	309	Bedrach	271
Wolfsstrapp	379	Behrmurz	238
Wollbaum	448	Beiland	27
Wollblume	479	Beitlose	236
Wolldistel	536	Bepterbaum	744
Wollenblume	83	Biegenbart	735
Wollenlilie	3	Biegenhorn	154
Wollensaame	215	Biegenstrauch	82
Wollgras	44	Bleß	377
Wollkorn	144	Bleumerkraut	17
Wolverley	592	Binken	677
Wurfselch	593	Birnet	178
Wucherblume	597	Bittergras	57
Wunderbaum	697	Bizkraut	18
Wundwurzel	261	Bottenblume	105
Wurmkraut	560	Buckernuß	728
Wurmsalat	536	Buckerohe	45
Wurzelbaum	305	Buckerpflaume	157
Wamswurzel	722	Bügelblume	633
Wutke	224	Bügelbaum	747
Wackenschote	411	Bungendblume	89. 194
Wäpfchenkraut	213	Bwangkraut	538
Wäreling	37	Bwergblüthe	169
Wahnblume	126	Bwergblume	701
Wahnwehholz	717	Bwergpalme	767
Wahnwurz	76	Bwenform	475
Wahnpalm	418	Bwenforn	175
Wahnpalme	677	Bwenschwanz	639
Wahnerblume	329	Bwenzahn	549
Wahneruß	94	Bwillingabbeutel	744
Wahnblume	218	Bwillingablume	706
Wahnrübe	703	Bwillingapflaume	245

INDEX SYNONYMORUM.

	Pag.		Pag.
A BCdaria	548	<i>Acioa gujanensis</i>	447
<i>Abies Balsamea</i>	690	<i>Aciphylla squarrosa</i>	183
— <i>picea</i>	691	<i>Aconitum monogynum</i>	354
<i>Ablania gujanensis</i>	354	<i>Acorus marinus</i>	726
<i>Abrasin</i>	732	<i>Actaea spicata</i>	343
<i>Abroma fastuosum</i>	519	<i>Adamaram</i>	743
<i>Abylon</i>	731	<i>Adambea hirsuta</i>	348
<i>Abuta amara</i>	727	<i>Adelia acuminata</i>	712
— <i>rufescens</i>	727	— <i>ligustrina</i>	712
<i>Acacia aegyptiaca</i>	758	— <i>porulosa</i>	711
<i>Acalypha fraxicosa</i>	693	<i>Adenandra uniflora</i>	149
— <i>hispida</i>	712	<i>Adenostemma viscosa</i>	550
— <i>japonica</i>	670	<i>Aegilops geniculata</i>	741
— <i>indica</i>	693	— <i>incurvata</i>	65
<i>Acer canadense</i>	746	— <i>maderaspatana</i>	736
— <i>cretica</i>	746	— <i>ovata</i>	741
— <i>crispum</i>	746	— <i>trinnialis</i>	741
— <i>eriocarpum</i>	746	<i>Aeschynomene bispinosa</i>	493
— <i>italum</i>	746	— <i>cannabina</i>	493
— <i>opulifolium</i>	746	— <i>grandiflora</i>	493
— <i>parviflorum</i>	746	— <i>longifolia</i>	468
— <i>pensylvanicum</i>	746	— <i>picta</i>	493
— <i>rubrum</i>	746	— <i>Sesban</i>	493
— <i>sempervirens</i>	745	— <i>spinosa</i>	751
— <i>spicatum</i>	746	— <i>virgata</i>	531
— <i>seriatum</i>	746	<i>Agatorma imbricatum</i>	148
— <i>trifolium</i>	746	— <i>pubescens</i>	148
<i>Achillea abrotanifolia</i>	606	— <i>villosum</i>	148
— <i>argentea</i>	560	<i>Agave tuberosa</i>	227
— <i>bipinnata</i>	560	<i>Ageratum altissimum</i>	554
— <i>cristata</i>	604	— <i>gujanense</i>	554
— <i>cuneifolia</i>	604	— <i>lineare</i>	555
— <i>filipendulina</i>	560	— <i>punctatum</i>	556
— <i>fragilis</i>	604	<i>Agrimonia decumbens</i>	22
— <i>Genipi</i>	605	<i>Agrostis capillaris</i>	53
— <i>grandiflora</i>	599	— <i>Cinna</i>	5
— <i>livia</i>	605	— <i>cruciata</i>	738
— <i>macrophylla</i>	599	— <i>dubia</i>	52
— <i>magna</i>	605	— <i>foliosa</i>	52
— <i>ochroleuca</i>	604	— <i>junceae</i>	53
— <i>Santolina</i>	604	— <i>radiata</i>	738
<i>Achras salicifolia</i>	142	<i>Agyneja multilocularis</i>	698
<i>Achyranthes papposa</i>	673	<i>Ajovea gujanensis</i>	260
<i>Acideton frutescens</i>	732	<i>Aira cristata</i>	57

	Pag.		Pag.
<i>Aira villosa</i>	54	— <i>speciosa</i>	208
<i>Alcea ficifolia</i>	454	— <i>umbellata</i>	207
— <i>pallida</i>	454	<i>Ambayba</i>	706
— <i>rosea</i>	454	<i>Ambelania acida</i>	160
<i>Alchemilla alpina</i>	93	<i>Ambora tomentosa</i>	706
— <i>vulgaris</i>	93	<i>Ambraria Heisteri</i>	714
<i>Alcina perfoliata</i>	620	<i>Ambrosia arborescens</i>	674
<i>Aletris capensis</i>	224	<i>Amellus alternifolius</i>	606
— <i>glauca</i>	224	— <i>pedunculatus</i>	606
— <i>hyacinthoides</i>	221	— <i>umbellatus</i>	606
— <i>pumila</i>	224	<i>Amerimum pinnatum</i>	467
— <i>Uvaria</i>	224	<i>Amomum Alpinia</i>	2
<i>Alga marina</i>	741	— <i>latifolium</i>	1
<i>Algoides vulgaris</i>	653	— <i>madagascariense</i>	2
<i>Allium saxatile</i>	211	<i>Amorpha herbacea</i>	474
<i>Alicastrum arboreum</i>	761	<i>Amramatico</i>	733
<i>Allughas</i>	1	<i>Amsonia latifolia</i>	162
<i>Aloë arachnoides</i>	225	<i>Amygdalus argentea</i>	322
— <i>cymbiformis</i>	226	<i>Anagallis coerulea</i>	107
— <i>elongata</i>	225	<i>Anamenia laserpitifolia</i>	364
— <i>humilis</i>	225	<i>Anastatica syriaca</i>	412
— <i>marginata</i>	221	<i>Anavinga lanceolata</i>	280
— <i>palustris</i>	726	— <i>ovata</i>	280
— <i>perfoliata</i>	225	<i>Auchusa lutea</i>	98
— <i>purpurea</i>	221	<i>Ancistrum diandrum</i>	22
— <i>socotrana</i>	225	<i>Andromeda axillaris</i>	278
— <i>spiralis</i>	226	— <i>Bryantha</i>	249
<i>Aloides</i>	726	— <i>coerulea</i>	250
<i>Alopecurus hordeiformis</i>	45	— <i>laurina</i>	278
— <i>monspeliensis</i>	52	— <i>lucida</i>	278
— <i>panicus</i>	52	— <i>nitida</i>	278
— <i>utriculatus</i>	47	— <i>populifolia</i>	278
<i>Aloysia citrodora</i>	17	— <i>reticulata</i>	278
<i>Alpinia spicata</i>	2	— <i>Stelleriana</i>	250
<i>Alstonia theaeformis</i>	520	<i>Andropogon arundinaceus</i>	739
<i>Althaea corymbosa</i>	460	— <i>barbatum</i>	738
<i>Alyssum dentatum</i>	411	— <i>bicorne</i>	737
— <i>halimifolium</i>	416	— <i>ciliatum</i>	736
— <i>paniculatum</i>	411	— <i>contortum</i>	736
— <i>rupestre</i>	411	— <i>fasciculatum</i>	738
— <i>sativum</i>	411	— <i>halepensis</i>	739
<i>Amajova gujanensis</i>	128	— <i>insulare</i>	51
<i>Amara indica</i>	702	— <i>lanigerum</i>	737
<i>Amaranthus angustifolius</i>	675	— <i>muricatum</i>	737
— <i>japonicus</i>	675	— <i>nutans</i>	736
— <i>viridis</i>	675	— <i>polydactylon</i>	738
<i>Amaryllis Broussoneti</i>	208	— <i>prostratum</i>	736
— <i>elata</i>	208	— <i>quadrivalve</i>	736
— <i>Fothergillia</i>	208	— <i>ferratum</i>	736
— <i>lagus</i>	208	<i>Andryala glandulosa</i>	536
— <i>sarniensis</i>	208	— <i>integrifolia</i>	537

	Pag.		Pag.
— <i>nemausensis</i> . . .	533	<i>Aporetica ternata</i> . . .	676
— <i>pontana</i> . . .	533	<i>Aquilegia bicolor</i> . . .	357
— <i>sinuata</i> . . .	537	— <i>viridiflora</i> . . .	357
<i>Anemone sulphurea</i> . . .	361	<i>Aquilicia sambucina</i> . . .	154
<i>Angelica paniculata</i> . . .	183	<i>Arabis hispida</i> . . .	425
<i>Angraecum crumenatum</i> . . .	648	— <i>nova</i> . . .	426
— <i>eburneum</i> . . .	646	— <i>pumila</i> . . .	425
— <i>scriptum</i> . . .	642	— <i>scabra</i> . . .	425
<i>Anguillaria bahamensis</i> . . .	138	<i>Arachis fruticosa</i> . . .	495
<i>Anguina sinensis</i> . . .	701	<i>Arbor conciliorum</i> . . .	765
<i>Anguria americana</i> . . .	703	— <i>crepitans</i> . . .	701
— <i>indica</i> . . .	703	— <i>excoecans</i> . . .	732
<i>Aniba gujanensis</i> . . .	244	— <i>Vernicis</i> . . .	744
<i>Annona Cherimolia</i> . . .	359	<i>Arbatus serpyllifolia</i> . . .	279
<i>Anoda Dilleniana</i> . . .	453	<i>Arctium carduelis</i> . . .	541
— <i>hastata</i> . . .	453	— <i>Personata</i> . . .	541
— <i>triloba</i> . . .	453	<i>Arctotis breviscapa</i> . . .	623
<i>Anoma cochinchinensis</i> . . .	267	— <i>candida</i> . . .	623
<i>Anonymos aquaticus</i> . . .	743	— <i>canescens</i> . . .	622
— <i>graminifolius</i> . . .	540	— <i>denudata</i> . . .	622
— <i>odoratissimus</i> . . .	540	— <i>laevis</i> . . .	623
— <i>paniculatus</i> . . .	540	— <i>lanata</i> . . .	622
<i>Anthemis altissima</i> . . .	602	— <i>punctata</i> . . .	623
— <i>americana</i> . . .	603	— <i>repeus</i> . . .	624
— <i>ovatifolia</i> . . .	603	— <i>scapigera</i> . . .	624
— <i>tomentosa</i> . . .	602	— <i>tristis</i> . . .	621
<i>Anthericum bipedunculatum</i> . . .	218	— <i>undulata</i> . . .	622
— <i>calyculatum</i> . . .	237	<i>Arealu</i> . . .	765
— <i>caudatum</i> . . .	219	<i>Arenaria filifolia</i> . . .	292
— <i>subtrigynum</i> . . .	236	— <i>geniculata</i> . . .	291
— <i>undulatum</i> . . .	218	<i>Arethusa capensis</i> . . .	635
<i>Antholyza Manra</i> . . .	36	— <i>crispa</i> . . .	636
— <i>Meriana</i> . . .	31	— <i>parviflora</i> . . .	639
— <i>Merianella</i> . . .	31	— <i>secunda</i> . . .	636
<i>Anthospermum herbaceum</i> . . .	714	— <i>trianthophoras</i> . . .	639
<i>Antirrhinum arvense</i> . . .	392	— <i>villosa</i> . . .	636
— <i>bellidifolium</i> . . .	394	<i>Argurochaeta bipinnatifida</i> . . .	626
— <i>bipartitum</i> . . .	394	<i>Arisarum latifolium</i> . . .	687
— <i>crassifolium</i> . . .	395	— <i>serpentinum</i> . . .	687
— <i>littorale</i> . . .	394	<i>Aristida lanata</i> . . .	64
— <i>parviflorum</i> . . .	392	— <i>paniculata</i> . . .	65
— <i>pinifolium</i> . . .	393	<i>Aristolochia macrophylla</i> . . .	651
— <i>scariosum</i> . . .	391	— <i>multiflora</i> . . .	652
— <i>tenellum</i> . . .	395	— <i>peltata</i> . . .	651
<i>Apalaoa spicata</i> . . .	268	— <i>rotunda</i> . . .	652
<i>Apargia hirta</i> . . .	531	— <i>rugosa</i> . . .	651
<i>Apeiba aspera</i> . . .	345	— <i>subglauca</i> . . .	651
— <i>glabra</i> . . .	344	— <i>trifida</i> . . .	650
— <i>laevis</i> . . .	345	— <i>trilobata</i> . . .	650
— <i>Petouma</i> . . .	345	<i>Armeria latifolia</i> . . .	196
— <i>Tibourbou</i> . . .	345	— <i>vulgaris</i> . . .	195
<i>Apluda Zengites</i> . . .	656	<i>Arnica Gerbera</i> . . .	593

	Pag.		Pag.
<i>Arnosotis pusilla</i> . . .	538	— <i>muricatus</i> . . .	582
<i>Artemisia aethiopica</i> . . .	561	— <i>nudicaulis</i> . . .	621
— <i>Boccone</i> . . .	561	— <i>pumilus</i> . . .	583
— <i>capillifolia</i> . . .	561	— <i>salicifolia</i> . . .	584
— <i>filaginoides</i> . . .	563	— <i>spathularis</i> . . .	590
— <i>Genipi</i> . . .	561	— <i>Vaillantii</i> . . .	591
— <i>glacialis</i> . . .	561	— <i>villosus</i> . . .	583
— <i>herba alba</i> . . .	561	<i>Astragalus alopecuroides</i> . . .	503
— <i>hispanica</i> . . .	563	— <i>alopecurus</i> . . .	503
— <i>humilis</i> . . .	562	— <i>anthylloides</i> . . .	503
— <i>Lobelii</i> . . .	563	— <i>arenarius</i> . . .	505
— <i>maderaspatana</i> . . .	601	— <i>cephalotes</i> . . .	504
— <i>maritima</i> . . .	562	— <i>chloranthus</i> . . .	504
— <i>Messerschmidtii</i> . . .	563	— <i>cristatus</i> . . .	505
— <i>minima</i> . . .	601	— <i>danicus</i> . . .	505
— <i>paniculata</i> . . .	561	— <i>dasyglottis</i> . . .	505
— <i>rupestris</i> . . .	561	— <i>dichopterus</i> . . .	505
— <i>umbelliformis</i> . . .	561	— <i>dolichophyllus</i> . . .	508
<i>Artocarpus hirsuta</i> . . .	653	— <i>echinatus</i> . . .	505
— <i>Jaca</i> . . .	653	— <i>Eriocephalus</i> . . .	503
<i>Arum arborescens</i> . . .	688	— <i>falcatus</i> . . .	504
— <i>auritum</i> . . .	689	— <i>Glaux</i> . . .	505
— <i>bicolor</i> . . .	688	— <i>granatensis</i> . . .	508
— <i>esculentum</i> . . .	688	— <i>hians</i> . . .	505
— <i>grandifolium</i> . . .	688	— <i>isetensis</i> . . .	504
— <i>helleborifolium</i> . . .	688	— <i>lagopodioides</i> . . .	508
— <i>lacerum</i> . . .	689	— <i>lanatus</i> . . .	507
— <i>muscivorum</i> . . .	687	— <i>leptophyllus</i> . . .	505
— <i>ovatum</i> . . .	688	— <i>leptostachys</i> . . .	504
— <i>pinatifidum</i> . . .	688	— <i>lotoides</i> . . .	506
— <i>sagittifolium</i> . . .	688	— <i>maculatus</i> . . .	505
— <i>seguinum</i> . . .	688	— <i>massiliensis</i> . . .	509
— <i>tripartitum</i> . . .	689	— <i>microphyllus</i> . . .	506
— <i>Xanthorrhizon</i> . . .	688	— <i>myriophyllus</i> . . .	506
<i>Arundinaria macrosperma</i> . . .	740	— <i>nummularius</i> . . .	508
<i>Arundo Bambos</i> . . .	233	— <i>olympicus</i> . . .	509
— <i>mauritanica</i> . . .	64	— <i>Pseudo-tragacantha</i> . . .	509
— <i>multiplax</i> . . .	233	— <i>Rauwolfii</i> . . .	509
— <i>speciosa</i> . . .	52	— <i>retroflexus</i> . . .	509
— <i>sylvatica</i> . . .	52	— <i>tragacanthoides</i> . . .	509
<i>Asarum Hypocistis</i> . . .	700	— <i>uralensis</i> . . .	508
<i>Aspalathus Ebenus</i> . . .	467	— <i>varius</i> . . .	504
— <i>pedunculata</i> . . .	473	— <i>vesicarius</i> . . .	506
<i>Asparagus officinalis</i> . . .	220	<i>Athanasia cinerea</i> . . .	559
— <i>fativa</i> . . .	220	— <i>genistifolia</i> . . .	596
<i>Asperella Flystrix</i> . . .	66	— <i>laevigata</i> . . .	559
<i>Aster Bubonium</i> . . .	591	— <i>lanuginosa</i> . . .	559
— <i>dentatus</i> . . .	582	— <i>pumila</i> . . .	596
— <i>glutinosus</i> . . .	593	— <i>squarrosa</i> . . .	596
— <i>hyssopifolius</i> . . .	583	— <i>uniflora</i> . . .	596
— <i>magellanicus</i> . . .	593	<i>Athrodactylis spinosa</i> . . .	706

	Pag.		Pag.
<i>Atractylis angustifolia</i>	612	— <i>Alnobetula</i>	685
— <i>caespitosa</i>	547	— <i>Alnus</i>	669
— <i>cancellata</i>	547	— <i>crispa</i>	669
— <i>fruticosa</i>	612	— <i>excelsa</i>	685
— <i>gummifera</i>	547	— <i>humilis</i>	685
— <i>lancea</i>	547	— <i>incana</i>	669
— <i>macrocephala</i>	547	— <i>lenta</i>	685
— <i>macrophylla</i>	547	— <i>nana</i>	685
— <i>mexicana</i>	547	— <i>nigra</i>	685
— <i>ovata</i>	547	— <i>oblongata</i>	669
— <i>purpurata</i>	547	— <i>rugosa</i>	669
— <i>purpurea</i>	547	— <i>serrulata</i>	669
<i>Atriplex marina</i>	743	<i>Bidens Acmelloides</i>	549
<i>Aureliana canadensis</i>	764	— <i>chinensis</i>	549
<i>Avellana purgatrix</i>	697	— <i>macrosperma</i>	549
<i>Avena capensis</i>	63. 65	<i>Bignonia chinensis</i>	399
— <i>distichophylla</i>	63	— <i>Kerrere</i>	398
— <i>dubia</i>	63	— <i>Quercus</i>	398
— <i>Scheuchzeri</i>	63	<i>Boerhaavia diandra</i>	4
<i>Averrhoa acida</i>	669	<i>Bombax pyramidale</i>	433
<i>Axyris Ceratoides</i>	673	— <i>quinatum</i>	448
<i>Azalea viscosa</i>	108	— <i>septenatum</i>	449
<i>Azima tetracantha</i>	89	<i>Bondu canadense</i>	725
<i>Bactrylobium fistula</i>	265	<i>Bonplandia geminiflora</i>	110
<i>Balanophora fungosa</i>	652	<i>Bontia luxonica</i>	648
<i>Balota suaveolens</i>	374	<i>Borassus pinnatifrons</i>	723
<i>Balsamita major</i>	559	<i>Borbonia cordata</i>	473
— <i>flabelliformis</i>	560	— <i>laevigata</i>	489
<i>Banara gujanensis</i>	322	— <i>perforata</i>	469
<i>Bandura zeylanica</i>	733	<i>Bouteloua melicaeformis</i>	740
<i>Banisteria benghalensis</i>	270	<i>Brachyla capensis</i>	744
— <i>fulgens</i>	294	<i>Brachiolobus pyrenaicus</i>	420
<i>Barleria coccinea</i>	407	<i>Brachystemum linifolium</i>	382
<i>Bassia muricata</i>	107	<i>Bradleya philippica</i>	701
<i>Bassia aculeata</i>	612	<i>Brathys juniperina</i>	520
<i>Bata</i>	735	<i>Briza bipinnata</i>	56
<i>Bauhinia divaricata</i>	264	<i>Bromus hordeaceus</i>	61
<i>Beckmannia eruciformis</i>	58	— <i>Plykenetii</i>	62
<i>Begonia capensis</i>	679	<i>Brotera Contrayerva</i>	627
— <i>glabra</i>	679	— <i>ovata</i>	448
— <i>grandiflora</i>	679	— <i>persica</i>	376
— <i>minor</i>	678	<i>Brucea antidysenterica</i>	715
— <i>obliqua</i>	678	<i>Brunia glutinosa</i>	149
— <i>purpurea</i>	679	— <i>radiata</i>	149
<i>Bellis droseraefolia</i>	594	<i>Bryonia africana</i>	704
— <i>ramosa</i>	606	— <i>alba</i>	704
<i>Berardia subacaulis</i>	546	— <i>maderaspata</i>	703
<i>Berckheya fruticosa</i>	612	— <i>Teedouda</i>	704
<i>Bergia capensis</i>	298	— <i>triloba</i>	704
<i>Bernardia fruticosa</i>	732	<i>Bucco acuminata</i>	148
<i>Betonica Monnieri</i>	377	<i>Buddleja capitata</i>	84
<i>Betula acuminata</i>	685	— <i>indica</i>	84

	Pag.		Pag.
<i>Buddleja salicifolia</i> . . .	84	<i>Calinea scandens</i> . . .	356
<i>Büchnera foetida</i> . . .	402	<i>Callicornia gnaphaloides</i> . . .	596
<i>Buillarda Valantii</i> . . .	96	<i>Calluna, vulgaris</i> . . .	248
<i>Bulbine</i> . . .	219	<i>Calomeria amaranthoides</i> . . .	552
<i>Bumelia lycioides</i> . . .	142	<i>Caltha alpina</i> . . .	597
<i>Bunias Cakile</i> . . .	412	<i>Calycanthus ferox</i> . . .	341
— <i>cornuta</i> . . .	412	<i>Calyxhymenia viscosa</i> . . .	26
<i>Bunius sativus</i> . . .	712	<i>Cambogia Gutta</i> . . .	305
<i>Bupleurum capitatum</i> . . .	748	<i>Camettia</i> . . .	732
— <i>ciliatum</i> . . .	748	<i>Campanula alpestris</i> . . .	118
— <i>gramineum</i> . . .	177	— <i>gentianoides</i> . . .	116
— <i>petraeum</i> . . .	177	— <i>rotundifolia</i> . . .	117
— <i>quinquedentatum</i> . . .	748	— <i>virgata</i> . . .	120
— <i>vilosum</i> . . .	748	<i>Cananga Ouregan</i> . . .	359
<i>Buphthalmum capense</i> . . .	627	<i>Canarium minimum</i> . . .	718
— <i>peruvianum</i> . . .	608	— <i>vulgare</i> . . .	718
— <i>scabrum</i> . . .	603	<i>Canna chinensis</i> . . .	1
— <i>speciosum</i> . . .	608	— <i>rubra</i> . . .	1
<i>Butonia speciosa</i> . . .	461	— <i>variabilis</i> . . .	1
<i>Buxus dioica</i> . . .	716	<i>Cannabis virginiana</i> . . .	719
<i>Caapeba</i> . . .	731	<i>Causjera malabarica</i> . . .	252
<i>Cabomba aquatica</i> . . .	233	<i>Cantharifera</i> . . .	732
<i>Cacalia alliariae</i> . . .	551	<i>Canthium parviflorum</i> . . .	159
— <i>angulata</i> . . .	551	<i>Capparis cordifolia</i> . . .	342
— <i>cordifolia</i> . . .	552	— <i>paradoxa</i> . . .	232
— <i>hirsuta</i> . . .	551	— <i>spinosa</i> . . .	342
— <i>laciniata</i> . . .	550	<i>Capraria durantifolia</i> . . .	404
— <i>laurifolia</i> . . .	553	<i>Capsicum bicolor</i> . . .	137
— <i>Linaria</i> . . .	551	<i>Carapa gujanensis</i> . . .	244
— <i>pinnatifida</i> . . .	551	<i>Carapichea gujanensis</i> . . .	127
— <i>Porophyllum</i> . . .	551	<i>Cardamine bellidifolia</i> . . .	419
— <i>ruderalis</i> . . .	551	— <i>chelidonia</i> . . .	419
— <i>runcinata</i> . . .	550	— <i>Plumieri</i> . . .	419
— <i>sempervirens</i> . . .	550	<i>Carduus acanthoides</i> . . .	541
— <i>sonchifolia</i> . . .	551	— <i>acaulis</i> . . .	545
— <i>saffruticosa</i> . . .	551	— <i>asfer</i> . . .	545
— <i>tomentosa</i> . . .	551	— <i>altissimus</i> . . .	543
<i>Cacao gujanensis</i> . . .	518	— <i>antarcticus</i> . . .	544
<i>Cacouchia coccinea</i> . . .	273	— <i>arenarius</i> . . .	542
<i>Cadaba farinosa</i> . . .	129	— <i>canus</i> . . .	542
— <i>glandulosa</i> . . .	129	— <i>carniolicus</i> . . .	544
— <i>rotundifolia</i> . . .	129	— <i>Casabonae</i> . . .	545
<i>Caladium aquasile</i> . . .	688	— <i>centnroides</i> . . .	541
<i>Calceolaria biflora</i> . . .	16	— <i>cerinthefolius</i> . . .	542
— <i>dichotoma</i> . . .	15	— <i>ciliatus</i> . . .	543
— <i>heterophylla</i> . . .	15	— <i>dissectus</i> . . .	543
— <i>ferrata</i> . . .	15	— <i>echinatus</i> . . .	543
— <i>uniflora</i> . . .	16	— <i>eriophorus</i> . . .	543
<i>Calceolus marianus</i> . . .	649	— <i>flavescens</i> . . .	545
<i>Calendula aspera</i> . . .	621	— <i>giganteus</i> . . .	543
— <i>rigida</i> . . .	621	— <i>glaucus</i> . . .	542
— <i>tomentosa</i> . . .	621	— <i>helenioides</i> . . .	544

	Pag.		Pag.
<i>Carduus heterophyllus</i>	544	— <i>glomerata</i>	657
— <i>lanatus</i>	543	— <i>gynobasis</i>	663
— <i>lanceolatus</i>	543	— <i>Halleriana</i>	663
— <i>medius</i>	542	— <i>helodes</i>	664
— <i>monspessulanus</i>	543	— <i>hermaphrodita</i>	656
— <i>palustris</i>	542	— <i>hirta</i>	665
— <i>pinatifidus</i>	545	— <i>hordeiformis</i>	666
— <i>polyclonus</i>	541	— <i>hordeistichos</i>	666
— <i>pratensis</i>	543	— <i>humilis</i>	661
— <i>rigens</i>	544	— <i>hybrida</i>	656
— <i>rivularis</i>	544	— <i>indica</i>	660
— <i>staber</i>	543	— <i>inflata</i>	666
— <i>ferrulatoides</i>	542	— <i>juncifolia</i>	657
— <i>stellatus</i>	545	— <i>Lachenalii</i>	658
— <i>syriacus</i>	545	— <i>lacustris</i>	656
— <i>tataricus</i>	544	— <i>laevis</i>	656
— <i>tuberosus</i>	542	— <i>lagopina</i>	658
<i>Carex aethiopica</i>	664	— <i>lasiocarpa</i>	665
— <i>Agastachys</i>	664	— <i>latifolia</i>	661
— <i>alpina</i>	661. 663	— <i>laxa</i>	660
— <i>androgyna</i>	657	— <i>leporina</i>	658
— <i>approximata</i>	658	— <i>leptalea</i>	657
— <i>arenaria</i>	658	— <i>Leptostachys</i>	664
— <i>atro-fusca</i>	664	— <i>limosa</i>	664
— <i>Bellardi</i>	656	— <i>lithosperma</i>	666
— <i>bina</i>	657	— <i>Leucoglochin</i>	656
— <i>bohemica</i>	657	— <i>maxima</i>	664
— <i>brizoides</i>	659	— <i>Micheliana</i>	666
— <i>canescens</i>	658	— <i>montana</i>	661
— <i>capillaris</i>	665	— <i>multicaulis</i>	659
— <i>capillata</i>	660	— <i>muricata</i>	659
— <i>cinerea</i>	659	— <i>myosnroides</i>	656
— <i>clavata</i>	662	— <i>nemorosa</i>	661
— <i>crassa</i>	666	— <i>obtusangula</i>	666
— <i>cuspidata</i>	665	— <i>paleacea</i>	665
— <i>decumbens</i>	661	— <i>patula</i>	656. 665
— <i>diandra</i>	659	— <i>pedata</i>	661
— <i>dioica</i>	656	— <i>Personii</i>	660
— <i>distanis</i>	662	— <i>phleoides</i>	656
— <i>disticha</i>	658	— <i>polygama</i>	660
— <i>diversiflora</i>	663	— <i>praecox</i>	658
— <i>echinata</i>	659	— <i>prostrata</i>	661
— <i>elegans</i>	664	— <i>recurva</i>	660
— <i>ericetorum</i>	661	— <i>remota</i>	659
— <i>ferruginea</i>	664	— <i>rigida</i>	664
— <i>filiformis</i>	661	— <i>saxatilis</i>	661
— <i>flacca</i>	665	— <i>scabra</i>	656
— <i>flaccida</i>	660	— <i>sempervirens</i>	663
— <i>frigida</i>	663	— <i>spadicea</i>	663
— <i>fusca</i>	662	— <i>sphaerocarpa</i>	661
— <i>glauca</i>	665	— <i>spicata</i>	658
— <i>globularis</i>	661	— <i>splendida</i>	665

INDEX SYNONYMORUM.

807

	Pag.		Pag.
— <i>stolonifera</i>	661	— <i>candidissima</i>	616
— <i>strigosa</i>	663	— <i>candascica</i>	615
— <i>sylvatica</i>	665	— <i>diffusa</i>	618
— <i>tenella</i>	659	— <i>glomerata</i>	617
— <i>ternaria</i>	660	— <i>linarifolia</i>	615
— <i>tomentosa</i>	665	— <i>maxima</i>	614
— <i>triflora</i>	663	— <i>nudicaulis</i>	542
— <i>tripartita</i>	658	— <i>orientalis</i>	616
— <i>uliginosa</i>	42	— <i>phrygia</i>	614
— <i>vallesiaca</i>	660	— <i>Pottii</i>	617
— <i>varia</i>	663	— <i>prolifera</i>	617
— <i>ventricosa</i>	663	— <i>reticulata</i>	615
— <i>vesicaria</i>	666	— <i>schemnitzensis</i>	615
<i>Carlina atractylodes</i>	547	— <i>sensana</i>	615
— <i>caulescens</i>	546	— <i>stricta</i>	615
— <i>Chardousse</i>	546	— <i>variegata</i>	615
<i>Carniolaria annua</i>	395	<i>Cephalanthus chinensis</i>	120
<i>Carpinus duinensis</i>	685	<i>Cervana</i>	608
— <i>Ostrya</i>	685	<i>Chamaedaphne</i>	734
— <i>virginiana</i>	686	<i>Chamaemelum discoideum</i>	603
— <i>vulgaris</i>	685	— <i>Triumfetti</i>	602
<i>Carthamus corymbosus</i>	628	<i>Chamaerops acaulis</i>	759
— <i>laevis</i>	547	— <i>excelsa</i>	759
<i>Caryophyllus aromaticus</i>	320	<i>Chamira cornuta</i>	424
<i>Casearia decandra</i>	280	<i>Chamitis integrifolia</i>	176
<i>Casia latinorum</i>	712	— <i>trifurcata</i>	177
<i>Cassia Apoucouria</i>	265	<i>Charantia</i>	702
— <i>Crista</i>	265	<i>Chate</i>	703
— <i>herpetica</i>	266	<i>Cheiranthus alpinus</i>	422
— <i>sensitiva</i>	265	— <i>Boccione</i>	422
<i>Cassipourea gujanensis</i>	347	— <i>canus</i>	422
<i>Casuarina littorea</i>	654	— <i>cornutus</i>	424
<i>Catananche graeca</i>	526	— <i>juncus</i>	422
<i>Catappa</i>	743	— <i>montanus</i>	424
<i>Castesbaea parviflora</i>	81	<i>Chelidonium rubrum</i>	344
<i>Caturus ramiflorus</i>	670	<i>Chelone campanulata</i>	390
<i>Caucalis helvetica</i>	179	— <i>campanuloides</i>	390
<i>Caulophyllum thalictroides</i>	220	— <i>formosa</i>	390
<i>Cavanilla philippensis</i>	761	— <i>hirsuta</i>	390
<i>Cavanillesia</i>	461	— <i>Penstemon</i>	390
<i>Cebatba</i>	727	— <i>ruellibides</i>	390
<i>Cedrus Libani</i>	690	<i>Chêne noir</i>	683
<i>Celosia procumbens</i>	171	<i>Chenopodium altissimum</i>	170
— <i>pyramidalis</i>	156	— <i>fruticosum</i>	170
<i>Celsia linearis</i>	397	— <i>microphyllum</i>	742
— <i>urticaefolia</i>	397	<i>China amboinensis</i>	720
<i>Cenchrus granularis</i>	741	— <i>michuacanensis</i>	720
— <i>muricatus</i>	49	— <i>radix</i>	720
— <i>racemosus</i>	68	<i>Chiococca paniculata</i>	126
<i>Centaurea acanthis</i>	617	<i>Chionanthus caribaea</i>	8
— <i>Amberbol</i>	614	<i>Chloris falcata</i>	739
— <i>caespitosa</i>	617	— <i>mucronata</i>	739

	Pag.		Pag.
<i>Chloris petraea</i> . . .	59	— <i>pumila</i> . . .	590
<i>Chloristea carnosae</i> . . .	611	<i>Cinpa glomerata</i> . . .	717
— <i>spinosa</i> . . .	611	— <i>lateralis</i> . . .	737
<i>Chondrilla hieracioides</i> . . .	536	<i>Ciponima gujanensis</i> . . .	447
<i>Chondropetalum densum</i> . . .	713	<i>Cipura paludosa</i> . . .	35
— <i>nudum</i> . . .	713	<i>Cirsium carniolicum</i> . . .	544
<i>Chrysanthemum alpinum</i> . . .	599	— <i>heterophyllum</i> . . .	543
— <i>aragonense</i> . . .	600	— <i>medium</i> . . .	544
— <i>Balsanita</i> . . .	599	— <i>ochroleucum</i> . . .	544
— <i>biebersteinianum</i> . . .	603	<i>Cissampelos</i> . . .	727
— <i>bipinnatum</i> . . .	600	<i>Cistus atriplicifolius</i> . . .	349
— <i>Bocconi</i> . . .	600	— <i>brasiliensis</i> . . .	350
— <i>caasicum</i> . . .	599	— <i>ferratus</i> . . .	351
— <i>corymbosum</i> . . .	599	— <i>symphytifolius</i> . . .	349
— <i>discoideum</i> . . .	559	— <i>syriacus</i> . . .	352
— <i>flosculosum</i> . . .	559	<i>Claytonia cubensis</i> . . .	155
— <i>frutescens</i> . . .	598	<i>Clematis balearica</i> . . .	362
— <i>fruticulosum</i> . . .	599	— <i>integrifolia</i> . . .	362
— <i>grandiflorum</i> . . .	599	— <i>mauritiana</i> . . .	362
— <i>Halleri</i> . . .	599	<i>Cleome angustifolia</i> . . .	429
— <i>indicum</i> . . .	603	— <i>fruticosa</i> . . .	129
— <i>inodorum</i> . . .	600	<i>Clethra alnifolia</i> . . .	279
— <i>macrophyllum</i> . . .	599	<i>Clibadium foetidum</i> . . .	674
— <i>maximum</i> . . .	599	<i>Cliffortia polygonifolia</i> . . .	729
— <i>millefoliatum</i> . . .	600	<i>Clinopodium Chamaedrys</i> . . .	376
— <i>multicaule</i> . . .	600	— <i>fruticosum</i> . . .	380
— <i>orientale</i> . . .	600	— <i>rugosum</i> . . .	376
— <i>praealtum</i> . . .	599	<i>Clusia Eluseria</i> . . .	695
— <i>ptarmicaefolium</i> . . .	599	<i>Cluytia montana</i> . . .	745
— <i>serotinum</i> . . .	599	— <i>polygonoides</i> . . .	734
— <i>tricolor</i> . . .	598	— <i>scandens</i> . . .	745
— <i>trifurcatum</i> . . .	600	— <i>spinosae</i> . . .	745
<i>Chrysobalanus purpurea</i> . . .	324	<i>Clypeola maritima</i> . . .	416
<i>Chrysocoma capillacea</i> . . .	553	— <i>tomentosa</i> . . .	417
— <i>coronopifolia</i> . . .	553	<i>Cnicus pygmaeus</i> . . .	540
— <i>dichotoma</i> . . .	573	<i>Cocculus officinarum</i> . . .	727
— <i>dracunculoides</i> . . .	558	<i>Cocos guineensis</i> . . .	677
— <i>mucronata</i> . . .	557	<i>Colobium hirtum</i> . . .	531
— <i>oppositifolia</i> . . .	555	<i>Colonnea pulcherrima</i> . . .	609
— <i>sericea</i> . . .	573	<i>Columnea erecta</i> . . .	396
— <i>spathulata</i> . . .	557	— <i>longifolia</i> . . .	405
— <i>tomentosa</i> . . .	557	<i>Colutea alpina</i> . . .	503
<i>Chrysophyllum Macoucon</i> . . .	141	— <i>annua</i> . . .	492
<i>Chuquiraga</i> . . .	548	— <i>fistulosa</i> . . .	492
<i>Cinchona officinalis</i> . . .	124	— <i>halepica</i> . . .	492
<i>Cineraria abrotanifolia</i> . . .	625	— <i>humilis</i> . . .	492
— <i>alpina</i> . . .	589	— <i>istria</i> . . .	492
— <i>aurita</i> . . .	589	— <i>orientalis</i> . . .	492
— <i>cordifolia</i> . . .	590	— <i>pubescens</i> . . .	492
— <i>integrifolia</i> . . .	589	— <i>sanguinea</i> . . .	492
— <i>orthomites</i> . . .	625	<i>Comarum fragarioides</i> . . .	338
— <i>pratensis</i> . . .	589	<i>Commelina tristata</i> . . .	204

	Pag.		Pag.
<i>Commelina nervosa</i>	809	— <i>pilulifera</i>	601
<i>Commersonia</i>	461	— <i>pumila</i>	601
<i>Conami brasiliensis</i>	699	— <i>quinqueloba</i>	600
<i>Conchium pyriforme</i>	72	— <i>stricta</i>	600
<i>Conepea gajauensis</i>	447	— <i>tripinnata</i>	601
<i>Connarus monocarpus</i>	444	— <i>turbinata</i>	600
<i>Convolvulus crenatus</i>	112	— <i>Verbesina</i>	550
— <i>hastatus</i>	114	<i>Cotyledon aegyptiaca</i>	296
— <i>pseudo-ficus</i>	113	— <i>hispida</i>	296
— <i>stoloniferus</i>	114	— <i>Mucronia</i>	296
— <i>undulatus</i>	113	<i>Conmarouna odorata</i>	467
<i>Conyza anthelmintica</i>	539	<i>Cononopsis gujanensis</i>	348
— <i>asteroides</i>	585	<i>Conoubea spicata</i>	85
— <i>cuneifolia</i>	574	<i>Crambe Corvini</i>	411
— <i>glutinosa</i>	626	<i>Craniolaria fruticosa</i>	391
— <i>linifolia</i>	583	<i>Crantzia laevigata</i>	670
— <i>lobata</i>	558	<i>Crassula Cotyledon</i>	200
— <i>pentedatifolia</i>	578	— <i>decussata</i>	199
— <i>pinifolia</i>	572	— <i>fruticosa</i>	625
<i>Cordia Benrreia</i>	140	— <i>perfoliata</i>	199
<i>Coreopsis artemisifolia</i>	610	— <i>perforata</i>	199
— <i>delphinifolia</i>	610	<i>Crataegus Aria</i>	328
— <i>leucantha</i>	549	— <i>edulis</i>	328
— <i>limensis</i>	611	— <i>Leucophlebos</i>	325
— <i>parviflora</i>	610	— <i>nigra</i>	327
— <i>verticillata</i>	610	— <i>racemosa</i>	327
<i>Coriotragematodendros</i>	716	— <i>sanguinea</i>	325
<i>Cornelia verticillata</i>	91	— <i>spicata</i>	325
<i>Cornuta corymbosa</i>	411	— <i>tomentosa</i>	325
<i>Coronilla montana</i>	493	— <i>terminalis</i>	328
<i>Cortex saponarius</i>	748	<i>Crepis austriaca</i>	534
<i>Corydalis bulbosa</i>	463	— <i>barbata</i>	536
— <i>Capnoides</i>	463	— <i>patula</i>	538
— <i>Cucullaria</i>	463	— <i>pulchra</i>	529
— <i>fabacea</i>	463	— <i>pygmaea</i>	533
— <i>fangosa</i>	463	— <i>sibirica</i>	534
— <i>Halleri</i>	463	— <i>succulenta</i>	536
— <i>lutea</i>	463	— <i>saxacoides</i>	535
— <i>nobilis</i>	463	— <i>vesicaria</i>	535
— <i>sempervirens</i>	463	— <i>virens</i>	536
<i>Corylus cornuta</i>	686	<i>Crescentia pinnata</i>	400
— <i>humilis</i>	686	<i>Crinum africanum</i>	207
— <i>maxima</i>	686	— <i>angustifolium</i>	207
<i>Corypha minor</i>	759	— <i>giganteum</i>	208
— <i>Palmetto</i>	768	— <i>latifolium</i>	208
— <i>pumila</i>	752	— <i>lineare</i>	208
<i>Cosmos bipinnatus</i>	610	— <i>obliquum</i>	207
— <i>sulfureus</i>	610	— <i>speciosum</i>	208
<i>Costus arabicus</i>	3	— <i>tenellum</i>	205
<i>Cotula alba</i>	606	<i>Critonia Kuhnii</i>	555
— <i>grandis</i>	559	<i>Crotalaria alba</i>	463

	Pag.		Pag.
<i>Crotalaria amplexicaulis</i> .	472	— <i>micranthum</i> .	100
— <i>angulosa</i> .	475	<i>Cynosurus aegyptius</i> .	738
— <i>arborescens</i> .	476	— <i>falcatus</i> .	739
— <i>capensis</i> .	476	— <i>paspaloides</i> .	738
— <i>chinensis</i> .	476	<i>Cynoxylon americanum</i> .	762
— <i>coerulea</i> .	475	<i>Cyperus elatus</i> .	41
— <i>guyanensis</i> .	476	— <i>fasticularis</i> .	39
— <i>nana</i> .	475	— <i>hexatachys</i> .	40
— <i>opposita</i> .	472	— <i>littoreus</i> .	764
— <i>perfoliata</i> .	472	— <i>monandrus</i> .	40
— <i>perforata</i> .	469	— <i>niloticus</i> .	39
— <i>pilosa</i> .	476	— <i>procerns</i> .	41
— <i>triflora</i> .	472	— <i>squarrosus</i> .	40
<i>Croton Benzoi</i> .	744	<i>Cypressus americana</i> .	691
— <i>ciliato-glandulosum</i> .	696	— <i>pendula</i> .	691
— <i>diffusum</i> .	694	<i>Cypripedium acaule</i> .	649
— <i>globosum</i> .	698	— <i>album</i> .	649
— <i>guyanense</i> .	695	— <i>bulbosum</i> .	646
— <i>hastatum</i> .	668	— <i>Calceolus</i> .	649
— <i>lacciferum</i> .	700	— <i>canadense</i> .	649
— <i>lobatum</i> .	697	— <i>flavescens</i> .	649
— <i>matourense</i> .	695	<i>Cyrilla racemiflora</i> .	150
— <i>nervosum</i> .	695	<i>Cysticapnos africana</i> .	463
— <i>pallens</i> .	695	<i>Cytisus glaber</i> .	491
— <i>punctatum</i> .	694	— <i>pinnatus</i> .	490
— <i>scordioides</i> .	695	— <i>procerns</i> .	469
— <i>sebiferum</i> .	700	— <i>supinus</i> .	490
— <i>fessiliflorum</i> .	719	— <i>tener</i> .	469
— <i>spicatum</i> .	695	— <i>violaceus</i> .	484
— <i>spinosum</i> .	697	<i>Dactylis capitata</i> .	58
— <i>tinctorium</i> .	694	— <i>palma</i> .	714
— <i>tricuspidatum</i> .	694	— <i>paspaloides</i> .	58
— <i>variegatum</i> .	697	<i>Dahlia coccinea</i> .	594
— <i>villosum</i> .	697	— <i>pinnata</i> .	594
<i>Cruciata glabra</i> .	742	— <i>rosea</i> .	594
— <i>hirsuta</i> .	742	<i>Dais laurifolia</i> .	273
<i>Cucubalus lacciferus</i> .	289	<i>Dalechampia villosa</i> .	692
— <i>pumila</i> .	290	<i>Dammara alba</i> .	690
<i>Cucullaria</i> .	741	<i>Datura aquilegifolia</i> .	183
<i>Cucumis agrestis</i> .	702	<i>Daphne salicifolia</i> .	253
— <i>vulgaris</i> .	703	<i>Delima sarmentosa</i> .	356
<i>Cucurbita sinensis</i> .	701	<i>Dianella nemorosa</i> .	221
<i>Cudranus javanensis</i> .	714	<i>Dianthera americana</i> .	13
<i>Calcasia scandens</i> .	688	— <i>comata</i> .	13
<i>Cunila frutescens</i> .	17	— <i>debilis</i> .	13
<i>Cydonia vulgaris</i> .	328	— <i>japonica</i> .	14
<i>Cymbachne ciliata</i> .	65	— <i>verticillata</i> .	14
<i>Cynocrambe Dioscoridis</i> .	679	<i>Dianthus campestris</i> .	286
<i>Cynodon Dactylon</i> .	48	— <i>incarnus</i> .	286
— <i>linearis</i> .	53	— <i>pomeridianus</i> .	286
— <i>stellatus</i> .	53	— <i>scaber</i> .	285
<i>Cynoglossum hispidum</i> .	100	<i>Dicera dentata</i> .	347

	Pag.		Pag.
— <i>ferrata</i>	347	<i>Dracontium pentaphyllum</i>	92
<i>Dichotophyllum</i>	677	<i>Dracunculus polyphyllus</i>	687
<i>Dictamnus capensis</i>	150	<i>Drosera longifolia</i>	198
<i>Didelta tetragoninaefolia</i>	611	<i>Dryandra oleifera</i>	732
<i>Diervilla canadensis</i>	129	<i>Dryas anemonoides</i>	341
<i>Digitalis epiglottis</i>	397	— <i>pentapetala</i>	341
<i>Digitaria aegyptiaca</i>	48	<i>Drymis granadensis</i>	356
— <i>ciliaris</i>	48	<i>Dyssodia glandulosa</i>	595
— <i>sanguinalis</i>	48	<i>Ebenus cretica</i>	480
<i>Dilatris umbellata</i>	35	— <i>pinnata</i>	479
<i>Dilepyrum minutiflorum</i>	45	<i>Echinops fruticosus</i>	628
<i>Dillenia humilis</i>	358	— <i>nudiflorus</i>	628
— <i>volubilis</i>	358	<i>Echium micranthum</i>	103
<i>Dioscorea digitata</i>	722	<i>Ehretia ferrea</i>	723
— <i>paniculata</i>	723	— <i>halimifolia</i>	138
— <i>trifida</i>	722	<i>Ehrharta erecta</i>	233
<i>Diosma ensata</i>	669	— <i>Mnemeateja</i>	233
— <i>linifolia</i>	148	<i>Elaphrium glabrum</i>	89
— <i>oppositifolia</i>	148	<i>Elaterium hastatum</i>	654
— <i>pulchella</i>	149	<i>Elephantopus scaber</i>	627
— <i>umbellata</i>	149	<i>Elenfue coracana</i>	59
— <i>unicapsularis</i>	669	— <i>domingensis</i>	59
<i>Diospyros Ebenum</i>	761	— <i>indica</i>	59
— <i>glaberrima</i>	762	— <i>virgata</i>	59
— <i>tetrasperma</i>	762	<i>Embryopteris peregrina</i>	728
<i>Diotis candidissima</i>	558	<i>Empetrum acetosum</i>	679
<i>Disa racemosa</i>	634	<i>Encelia canescens</i>	611
— <i>uniflora</i>	633	— <i>halimifolia</i>	611
<i>Dolichos acinaciformis</i>	483	<i>Entada</i>	752
— <i>polystachyos</i>	485	<i>Epacris juniperina</i>	109
— <i>psoraloides</i>	483	<i>Eperua falcata</i>	268
— <i>pubescens</i>	484	<i>Epidendra varia</i>	641 — 648
— <i>trilobus</i>	481. 482	<i>Epilobium Dodonaei</i>	241
— <i>uncinatus</i>	475	— <i>grandiflorum</i>	241
<i>Dombeya chilensis</i>	730	— <i>parviflorum</i>	241
— <i>lappacea</i>	395	— <i>rosmarinifolium</i>	241
— <i>phoenicea</i>	448	<i>Epipactis Helleborine</i>	639
<i>Donax Arundinastrum</i>	2	— <i>pallida</i>	639
<i>Doriae varia</i>	588. 589	<i>Eraelissa hexagyna</i>	705
<i>Doronicum Bellidiistrum</i>	592	<i>Exanthemum pulchellum</i>	406
— <i>caucasicum</i>	593	<i>Ergett el Krone</i>	751
— <i>plantaginenum</i>	593	<i>Erica baccifera</i>	712
— <i>rotundifolium</i>	593	— <i>gelida</i>	248
<i>Dorycnium suffruticosum</i>	516	— <i>scabra</i>	84
<i>Draba ciliaris</i>	413	<i>Erigeron aegyptiacum</i>	572
— <i>fladnizensis</i>	413	— <i>articum</i>	575
— <i>hirta</i>	413	— <i>decurrens</i>	574
— <i>mollis</i>	413	— <i>foetidum</i>	572
— <i>norvegica</i>	413	— <i>Gouani</i>	572
— <i>stellata</i>	413	— <i>incanum</i>	573
<i>Dracaena marginata</i>	221	— <i>obliquum</i>	572

	Pag		Pag.
<i>Erigeron serratum</i> . . .	572	<i>Fi v. Kira</i> . . .	721
— <i>ficulum</i> . . .	572	<i>Ficaria ranunculoides</i> . . .	365
— <i>tricusneatum</i> . . .	574	<i>Ficus communis</i> . . .	764
— <i>viscosum</i> . . .	591	— <i>cypria</i> . . .	765
<i>Eriocaulon amplexicaule</i> . . .	705	— <i>heterophylla</i> . . .	765
<i>Eriophorum cespitosum</i> . . .	44	— <i>hispida</i> . . .	767
<i>Erodium macrodemum</i> . . .	435	— <i>indica</i> . . .	767
<i>Erucaria aleppica</i> . . .	428	— <i>microcarpa</i> . . .	766
<i>Ervum Ervilia</i> . . .	488	— <i>mollis</i> . . .	765
— <i>Lens</i> . . .	489	— <i>Padana</i> . . .	767
— <i>monanthos</i> . . .	486	— <i>pertusa</i> . . .	766
<i>Erysimum capescens</i> . . .	422	— <i>politarium</i> . . .	766
— <i>hieracifolium</i> . . .	422	— <i>populifolium</i> . . .	766
<i>Erythraea Centaureum</i> . . .	139	— <i>religiosa</i> . . .	765
<i>Erythrina laurifolia</i> . . .	468	— <i>rubiginosa</i> . . .	765
— <i>monosperma</i> . . .	468	— <i>scabra</i> . . .	767
— <i>planisiliqua</i> . . .	468	— <i>standens</i> . . .	766
<i>Erythroxylon ovatum</i> . . .	295	— <i>terragena</i> . . .	767
<i>Esthulia paniculata</i> . . .	626	— <i>venosa</i> . . .	765
<i>Eugenia caryophyllifolia</i> . . .	321	— <i>virens</i> . . .	765
— <i>Jambolana</i> . . .	321	<i>Filago acanthis</i> . . .	567
— <i>periplocifolia</i> . . .	321	— <i>arvensis</i> . . .	568
<i>Eupatoria varia</i> . . . 552 —	552	— <i>gallica</i> . . .	568
<i>Euphorbia Cajogala</i> . . .	313	— <i>germanica</i> . . .	568
— <i>divaricata</i> . . .	312	— <i>Leontopodium</i> . . .	568
— <i>geniculata</i> . . .	311	— <i>maritima</i> . . .	558
— <i>heterophylla</i> . . .	313	— <i>montana</i> . . .	568
— <i>pulchella</i> . . .	312	— <i>pyramidata</i> . . .	568
<i>Euryandra standens</i> . . .	356	<i>Flabellaria paniculata</i> . . .	294
<i>Evax umbellata</i> . . .	626	<i>Flaveria Contrayerba</i> . . .	619
<i>Evena gujanensis</i> . . .	127	<i>Flos africanus</i> . . .	595
<i>Exodia Ravensura</i> . . .	305	<i>Fluvialis minor</i> . . .	653
<i>Evonymus margaritifera</i> . . .	724	<i>Forsythia scandens</i> . . .	206
<i>Faba marina</i> . . .	754	<i>Fraxinus acuminata</i> . . .	761
<i>Fagaria pentandra</i> . . .	717	— <i>caroliniana</i> . . .	761
— <i>trifoliata</i> . . .	717	— <i>halepensis</i> . . .	760
<i>Fagus Castanea</i> . . .	684	— <i>heterophylla</i> . . .	760
— <i>pumila</i> . . .	684	— <i>nigra</i> . . .	761
<i>Farsetia glabra</i> . . .	424	— <i>parvifolia</i> . . .	760
<i>Fedine varia</i> . . .	25	— <i>amariscifolia</i> . . .	760
<i>Fernelia buxifolia</i> . . .	82	<i>Fritillaria nana</i> . . .	212
<i>Ferraria elegans</i> . . .	35	— <i>regia</i> . . .	212
— <i>tricuspis</i> . . .	33	<i>Froelichia caricoides</i> . . .	656
<i>Festuca distachya</i> . . .	62	<i>Fuchsia involucreta</i> . . .	232
— <i>elongata</i> . . .	60	— <i>magellanica</i> . . .	245
— <i>geniculata</i> . . .	61	— <i>racemosa</i> . . .	244
— <i>gracilis</i> . . .	62	<i>Freirena paniculata</i> . . .	37
— <i>pallens</i> . . .	59	<i>Fumaria africana</i> . . .	463
— <i>phleoides</i> . . .	60	— <i>cava</i> . . .	463
— <i>pinnata</i> . . .	62	— <i>caudata</i> . . .	462
— <i>serotina</i> . . .	52	— <i>intermedia</i> . . .	463
— <i>spinoza</i> . . .	56	— <i>major</i> . . .	463

INDEX SYNONYMORUM.

813

	Pag.		Pag.
<i>Fumaria minor</i>	463	<i>Gesneria pulchella</i>	390
— <i>Schangini</i>	463	<i>Geum aleppicum</i>	340
— <i>folida</i>	463	— <i>canadense</i>	340
<i>Funis quadrangularis</i>	727	<i>Gigalobium scandens</i>	754
<i>Gaillardia pulchella</i>	609	<i>Ginkgo biloba</i>	686
<i>Galanga malaccensis</i>	2	<i>Gladiolus alatus</i>	31
<i>Galardia lanceolata</i>	609	— <i>atopocuroides</i>	29
<i>Galaxis obscura</i>	35	— <i>capitatus</i>	35
— <i>plicata</i>	39	— <i>cardinalis</i>	31
<i>Galedupa indica</i>	467	— <i>communis</i>	31
<i>Galega humilis</i>	502	— <i>longiflorus</i>	29
— <i>littoralis</i>	502	— <i>plicatus</i>	32
— <i>pulchella</i>	502	— <i>punctatus</i>	30
<i>Galeobdolon luteum</i>	379	— <i>recurvus</i>	31
<i>Galeopsis Galeobdolon</i>	379	— <i>spicatus</i>	29
— <i>versicolor</i>	377	<i>Glandulifolia umbellata</i>	149
<i>Galium argenteum</i>	78	<i>Glaucium luteum</i>	343
— <i>cinerium</i>	78	— <i>phoeniceum</i>	343
— <i>hypnoides</i>	78	— <i>violaceum</i>	343
— <i>pedemontanum</i>	741	<i>Gleditschia aquatica</i>	760
— <i>scaberrimum</i>	79	— <i>carolinensis</i>	760
— <i>sprengerianum</i>	79	— <i>inermis</i>	755
— <i>sylvestre</i>	78	— <i>melipha</i>	760
<i>Garciana cochinchinensis</i>	3	— <i>sinensis</i>	760
<i>Gardenia spinosa</i>	160	— <i>sinica</i>	760
<i>Genipa americana</i>	160	<i>Globularia linifolia</i>	73
<i>Genista aspalathoides</i>	470	— <i>salicina</i>	73
— <i>hispanica</i>	471	<i>Glycine monoica</i>	483
— <i>humifusa</i>	471	— <i>monophylla</i>	495
— <i>linifolia</i>	470	<i>Gnaphalium americanum</i>	567
— <i>pedunculata</i>	471	— <i>aureo-fulvum</i>	566
— <i>prostrata</i>	471	— <i>aureum</i>	569
— <i>scoparia</i>	469	— <i>coronatum</i>	566
— <i>triquetra</i>	471	— <i>crispum</i>	566
<i>Gensiana Amarella</i>	174	— <i>dentatum</i>	560
— <i>aphylla</i>	85	— <i>involutum</i>	568
— <i>Cachanlahuen</i>	139	— <i>italicum</i>	565
— <i>Centaurium</i>	139	— <i>lupulaceum</i>	564
— <i>diffusa</i>	85	— <i>muricatum</i>	564
— <i>filiformis</i>	85	— <i>niveum</i>	629
— <i>heteroclita</i>	85	— <i>norvegicum</i>	567
— <i>maritima</i>	139	— <i>paniculatum</i>	565
— <i>nana</i>	174	— <i>polyanthos</i>	569
— <i>pulchella</i>	139	— <i>pusillum</i>	568
— <i>quadrangularis</i>	85	— <i>pyramidale</i>	564
— <i>spicata</i>	139	— <i>redolens</i>	574
— <i>verticillata</i>	85	— <i>sordidum</i>	573
— <i>Vaillantii</i>	139	— <i>spathulatum</i>	567
<i>Georgina variabilis</i>	594	— <i>spicatum</i>	567
<i>Gerania varia</i>	435. — 447	— <i>sylvaticum</i>	567
<i>Germanea urticifolia</i>	384	— <i>undulatum</i>	564
<i>Gesneria fimbriata</i>	391	— <i>vestitum</i>	569

	Pag.		Pag.
<i>Gnemon domestica</i>	700	— <i>grandiflorum</i>	498
<i>Gomoxia granadensis</i>	94	— <i>hamatum</i>	495
<i>Goodenia appendiculata</i>	124	— <i>incanum</i>	470
<i>Gorteria varia</i>	612. 613	— <i>linifolium</i>	499
<i>Gouania glabra</i>	747	— <i>procumbens</i>	498
<i>Goupia glabra</i>	199	— <i>sericeum</i>	479
— <i>tomentosa</i>	195	— <i>sororium</i>	495
<i>Gramen arguens</i>	736	— <i>stipulaceum</i>	498
— <i>caricosum</i>	736	<i>Helianthema varia</i>	349 — 353
<i>Graminifolia</i>	653	<i>Helianthus canescens</i>	609
<i>Grangea</i>	601	— <i>giganteus</i>	609
<i>Gratiola chamaedryfolia</i>	15	— <i>laevis</i>	608
— <i>crustacea</i>	15	— <i>mollis</i>	609
— <i>goodenifolia</i>	402	— <i>tomentosus</i>	609
— <i>viscosa</i>	402	<i>Heliophila frutescens</i>	424
<i>Greggia aromatica</i>	321	<i>Helxine</i>	742
<i>Grewia salvifolia</i>	348	<i>Hemerocallis alba</i>	227
<i>Grossularia domestica</i>	766	— <i>Liliastrum</i>	219
<i>Gnajacona</i>	761	<i>Hepatica triloba</i>	360
<i>Gnajakum afrum</i>	268	<i>Herba rosa</i>	604
<i>Guazuma polybotra</i>	519	<i>Heritiera alba</i>	1
<i>Gnetauda coccinea</i>	232	— <i>Allaghas</i>	1
<i>Gnilandina dioica</i>	725	— <i>aquatica</i>	1
— <i>Moringa</i>	267	— <i>chinensis</i>	1
<i>Gundelia glabra</i>	628	<i>Hermannia biserrata</i>	201
— <i>Tournefortii</i>	628	— <i>diffusa</i>	201
<i>Gunnera chilensis</i>	650	— <i>glabrata</i>	201
— <i>magellanica</i>	650	— <i>pulchella</i>	201
<i>Gymnandra borealis</i>	387	<i>Hermas villosa</i>	748
<i>Gymnanthes elliptica</i>	732	<i>Heterosperma ovatifolia</i>	595
— <i>lucida</i>	732	— <i>pinnata</i>	595
<i>Gymnocladus arabica</i>	267	<i>Hevea gujanensis</i>	698
<i>Gyrocarpus Jacquinii</i>	745	<i>Hibbertia volubilis</i>	358
<i>Hackeae varia</i>	72	<i>Hibiscus calyphyllus</i>	459
<i>Halecus listorea</i>	696	— <i>cancellatus</i>	460
— <i>terrestris</i>	700	— <i>coccineus</i>	459
<i>Halimus indicus</i>	326	— <i>ficulneus</i>	459
<i>Halkesia arborescens</i>	676	— <i>laxatus</i>	460
<i>Haleragis alata</i>	259	— <i>Malva viscus</i>	461
<i>Hamellia glabra</i>	128	— <i>Solandra</i>	449
<i>Hapalanthus repens</i>	37	— <i>sinuatus</i>	459
<i>Hartogia capensis</i>	148	— <i>spinifex</i>	460
— <i>ciliaris</i>	148	— <i>striatus</i>	459
<i>Hebenaster</i>	761	— <i>zeylanicus</i>	460
<i>Hecatea</i>	692	<i>Hieracia varia</i>	528 — 536
<i>Hedyotis americana</i>	76	<i>Hierocloe</i>	740
<i>Hedypnois autumnalis</i>	530	<i>Hippion Gensianella</i>	174
— <i>pyrenaica</i>	530	— <i>obtusifolium</i>	174
— <i>Taraxaci</i>	530	<i>Hippomane biglandulosa</i>	698
<i>Hedysarum adherens</i>	497	— <i>spinosa</i>	699
— <i>Buxbaumianum</i>	499	<i>Hippuris foetida</i>	653
— <i>cordatum</i>	495	— <i>lanceolata</i>	4

	Pag.		Pag.
<i>Hippuris maritima</i>	4	<i>Introphea carthaginiensis</i>	697
<i>Hoitzia mexicana</i>	114	— <i>elastica</i>	698
<i>Holcus borealis</i>	740	— <i>hastata</i>	697
— <i>Dora</i>	739	— <i>moluccana</i>	700
— <i>Durra</i>	739	— <i>pungens</i>	667
— <i>exiguus</i>	739	— <i>staphisagrifolia</i>	696
— <i>odoratus</i>	740	— <i>visifolia</i>	697
— <i>Sorghum</i>	739	<i>Iberis arabica</i>	414
<i>Honckenya peploides</i>	291	— <i>saxatilis</i>	416
<i>Hopen tinctoria</i>	520	<i>Icacorea gujanensis</i>	138
<i>Hordeum geniculatum</i>	67	<i>Icica enneandra</i>	244
<i>Hortensia nivea</i>	281	<i>Ilex arborea</i>	681
— <i>opuloides</i>	281	— <i>coccigera</i>	681
<i>Hosta caerulea</i>	401	— <i>Dodonaea</i>	27
<i>Hottonia ferrata</i>	668	<i>Illecebrum Monsoniae</i>	156
<i>Houmieri balsamifera</i>	347	— <i>narbonense</i>	157
<i>Hugonia Mystax</i>	444	— <i>suffruticosum</i>	168
<i>Humboldtiae varia</i>	648. 649	<i>Indigofera glauca</i>	501
<i>Hyacinthi varii</i>	223. 224	— <i>graveolens</i>	501
<i>Hyaenanche globosa</i>	726	— <i>hirsuta</i>	501
<i>Hydnora africana</i>	430	— <i>polygonoides</i>	499
— <i>aurea</i>	431	— <i>volubilis</i>	483
— <i>latifolia</i>	431	<i>Inhame maderaspatana</i>	723
— <i>praemorsa</i>	431	<i>Inula ceruua</i>	591
— <i>rotundifolia</i>	431	— <i>tuberosa</i>	575
— <i>venenuta</i>	761	<i>Ionidium polygalaeifolium</i>	153
<i>Hydrophace monarchia</i>	654	<i>Ipomoea aquatica</i>	114
— <i>polyrrhiza</i>	654	— <i>paniculata</i>	111
<i>Hyoseris cretica</i>	537	— <i>rubra</i>	114
— <i>foetida</i>	538	— <i>tuberosa</i>	111
— <i>Hedypnois</i>	537	<i>Iresine celosioides</i>	719
— <i>mauritanica</i>	537	<i>Irides variae</i>	33 — 35
— <i>minima</i>	538	<i>Ironcana gujanensis</i>	280
— <i>pendula</i>	537	<i>Isatis orientalis</i>	412
— <i>rhagadioloides</i>	537	<i>Ischaemum aristatum</i>	740
— <i>taraxacoides</i>	531	— <i>digitatum</i>	738
— <i>virginica</i>	537	<i>Inglans alba</i>	684
<i>Hyperica varia</i>	521. 522. 524	— <i>angustifolia</i>	684
<i>Hypericum alternifolium</i>	357	— <i>oblonga</i>	684
<i>Hypochoeris hispida</i>	538	— <i>Pecan</i>	684
— <i>uniflora</i>	538	— <i>rubra</i>	684
<i>Hypoglossum dioscoridis</i>	734	— <i>tomentosa</i>	684
<i>Hypoxis plicata</i>	214	<i>Inula americana</i>	747
<i>Hyssopus ocymifolius</i>	373	<i>Inula varii</i>	228 — 230
<i>Iaca indica</i>	653	<i>Juniperus caroliniana</i>	730
<i>Iacaranda arbor</i>	764	— <i>lusitanica</i>	730
<i>Iacea nigra</i>	616	— <i>Sabina</i>	730
<i>Iacobaea ovata</i>	580	— <i>sibirica</i>	730
<i>Iacobaeae variae</i>	577. 578	<i>Jussiaenia herbacea</i>	697
<i>Janipha frutescens</i>	697	<i>Justiciae variae</i>	12. 14
<i>Jaracatia</i>	725	<i>Iva annua</i>	626
<i>Jatropha acuminata</i>	697	— <i>monophylla</i>	674

	Pag.		Pag.
<i>Ixiæ variae</i> 28. 29 31. 32. 35.		— <i>peruviana</i> . . .	726
<i>Ixia Galaxia</i> . . .	430	— <i>vulgaris</i> . . .	717
<i>Isora alternifolia</i> . . .	137	<i>Leonsice incerta</i> . . .	220
— <i>incarnata</i> . . .	81	<i>Leontodonta varia</i> . . .	530. 531
<i>Kabella</i> . . .	698	<i>Leontodon tomentosum</i> . . .	576
<i>Kalanchoë laciniata</i> . . .	296	<i>Lepidium ceratocarpum</i> . . .	415
<i>Kera Sin</i> . . .	731	— <i>Iberis</i> . . .	414
<i>Kera odorifera</i> . . .	706	<i>Lessertia perennans</i> . . .	492
<i>Kirganelia</i> . . .	700	<i>Leucoidium struthiosum</i> . . .	205
<i>Knappia agrostidea</i> . . .	53	<i>Leyssera ericoides</i> . . .	596
<i>Kochia arcuaria</i> . . .	170	— <i>paleacea</i> . . .	596
— <i>dentata</i> . . .	170	<i>Licania incana</i> . . .	158
<i>Koelpinia linearis</i> . . .	538	<i>Lightsfootia integrifolia</i> . . .	352
<i>Kracheninnikovia</i> . . .	673	— <i>ferrata</i> . . .	352
<i>Kuhnistera carolinensis</i> . . .	510	— <i>thaeiformis</i> . . .	352
<i>Lachenalia mediana</i> . . .	223	<i>Ligusticum simplex</i> . . .	182
— <i>orthopetala</i> . . .	223	<i>Limnium aphyllum</i> . . .	239
<i>Lactryma Jobi</i> . . .	655	— <i>humile</i> . . .	705
<i>Lactucæ variae</i> 527. 528. 529		<i>Limodorum alatum</i> . . .	643
<i>Lagasca mollis</i> . . .	629	— <i>aphyllum</i> . . .	642
<i>Lagotis glauca</i> . . .	387	— <i>capense</i> . . .	646
<i>Lagurus cylindricus</i> . . .	46	— <i>diurnum</i> . . .	643
— <i>humilior</i> . . .	736	— <i>floridum</i> . . .	643
<i>Laminum Galeobdolon</i> . . .	379	— <i>grandiflorum</i> . . .	644
— <i>hybridum</i> . . .	376	— <i>lanceolatum</i> . . .	637
<i>Lampsana foetida</i> . . .	538	— <i>nutans</i> . . .	641
<i>Lantana africana</i> . . .	401	— <i>pendulum</i> . . .	641
— <i>salvifolia</i> . . .	84	— <i>pulchellum</i> . . .	643
<i>Lapsana Koelpinia</i> . . .	538	— <i>striatum</i> . . .	644
— <i>Rhagadiolus</i> . . .	538	— <i>trifidum</i> . . .	643
— <i>stellata</i> . . .	538	— <i>tuberosum</i> . . .	643
— <i>Zacintha</i> . . .	538	— <i>utriculatum</i> . . .	643
<i>Larix americana</i> . . .	690	— <i>verecundum</i> . . .	643
— <i>Cedrus</i> . . .	690	<i>Limonia pusilla</i> . . .	322
— <i>decidua</i> . . .	690	<i>Linariae variae</i> . . .	391 — 394
<i>Latania chinensis</i> . . .	734	<i>Lippia ovata</i> . . .	386
<i>Lathraea Phelypaea</i> . . .	405	<i>Liquidambar asplenifolium</i> . . .	667
<i>Lathyrus axillaris</i> . . .	486	— <i>orientale</i> . . .	686
— <i>coccineus</i> . . .	486	— <i>peregrinum</i> . . .	667
— <i>parviflorus</i> . . .	486	<i>Lithospermum amboinicum</i> . . .	655
— <i>pisiformis</i> . . .	487	— <i>tetrastigma</i> . . .	98
— <i>tomentosus</i> . . .	488	<i>Llaganoa nitida</i> . . .	679
<i>Laurentia atropurpurea</i> . . .	603	<i>Lobelia tenella</i> . . .	116
<i>Laurus alexandrina</i> . . .	734	<i>Lobeliae variae</i> . . .	122 — 124
— <i>Benzoin</i> . . .	279	<i>Lonsarus domestica</i> . . .	723
— <i>involucrata</i> . . .	304	<i>Lopezia racemosa</i> . . .	3
<i>Lavatera americana</i> . . .	451	<i>Lotus Dorycnium</i> . . .	516
<i>Ledum groenlandicum</i> . . .	277	— <i>oligoceras</i> . . .	515
<i>Lens palustris</i> . . .	654	<i>Ludia tuberculata</i> . . .	342
— <i>phaseoloides</i> . . .	754	<i>Ludwigia macrocarpa</i> . . .	90
<i>Lenticula palustris</i> . . .	654	<i>Luffa</i> . . .	702
<i>Lentiscus africana</i> . . .	926	<i>Lanaria argentea</i> . . .	416

INDEX SYNONYMORUM.

817

	Pag.		Pag.
<i>Lunaria canescens</i> . . .	417	<i>Marica Northiana</i> . . .	35
— <i>graeca</i> . . .	416	<i>Mariscus elatus</i> . . .	37
<i>Lupinus pilosus</i> . . .	480	— <i>umbellatus</i> . . .	37
— <i>prolifera</i> . . .	480	<i>Martynia alternifolia</i> . . .	395
— <i>semiverticillatus</i> . . .	480	— <i>angulosa</i> . . .	395
— <i>trifolius</i> . . .	483	— <i>annua</i> . . .	395
<i>Lupulus</i> . . .	719	— <i>perennis</i> . . .	390
<i>Luzula albida</i> . . .	230	<i>Matanasto grande</i> . . .	266
— <i>campestris</i> . . .	230	<i>Matelea latifolia</i> . . .	165
— <i>maxima</i> . . .	229	— <i>palustris</i> . . .	165
— <i>pilosa</i> . . .	229	<i>Matourea pratensis</i> . . .	404
<i>Lychnis alpestris</i> . . .	290	<i>Matricaria argentea</i> . . .	598
— <i>grandiflora</i> . . .	302	— <i>asteroides</i> . . .	600
<i>Lycium foetidum</i> . . .	138	— <i>maritima</i> . . .	600
— <i>inermis</i> . . .	138	— <i>Parthenium</i> . . .	599
<i>Lysimachia bulbifera</i> . . .	138	— <i>prostrata</i> . . .	598
— <i>dubia</i> . . .	138	<i>Manhila ensifolia</i> . . .	207
— <i>quadrifolia</i> . . .	138	<i>Mayaca fluviatilis</i> . . .	37
— <i>racemosa</i> . . .	138	<i>Maytenus Boaria</i> . . .	147
<i>Lythrum Cuphea</i> . . .	308	<i>Meborea gujanensis</i> . . .	650
— <i>fruticosum</i> . . .	242	<i>Medeola aculeata</i> . . .	139
<i>Macoucoua gujanensis</i> . . .	95	<i>Medicago cordata</i> . . .	518
<i>Madia mellosa</i> . . .	575	— <i>esculenta</i> . . .	516
<i>Magnolia purpurea</i> . . .	358	— <i>fruticans</i> . . .	517
— <i>umbrella</i> . . .	359	— <i>polymorpha</i> . . .	518
<i>Mahurea palustris</i> . . .	352	— <i>rugosa</i> . . .	517
<i>Majanthemum Convallaria</i> . . .	222	<i>Meesia serrata</i> . . .	150
<i>Majeta gujanensis</i> . . .	275	<i>Melalencia alba</i> . . .	520
<i>Malachodendron ovatum</i> . . .	461	— <i>angustifolia</i> . . .	318
<i>Malanea sarmentosa</i> . . .	82	— <i>armillaris</i> . . .	520
— <i>verticillata</i> . . .	82	— <i>ciliata</i> . . .	318
<i>Malaxis unifolia</i> . . .	640	— <i>diffusa</i> . . .	318
<i>Mallosus cochinchinensis</i> . . .	728	— <i>florida</i> . . .	318
<i>Malope parviflora</i> . . .	453	— <i>Leucadendron</i> . . .	519
<i>Malpighia puniceifolia</i> . . .	293	— <i>linearis</i> . . .	318
<i>Malva abutiloides</i> . . .	456	— <i>lophanta</i> . . .	318
— <i>capensis</i> . . .	455	— <i>obliqua</i> . . .	519
— <i>reflexa</i> . . .	455	— <i>scoparia</i> . . .	317
— <i>triloba</i> . . .	455	— <i>tenuifolia</i> . . .	317
— <i>virifolia</i> . . .	455	— <i>Thea</i> . . .	317
<i>Malvaviscus arboreus</i> . . .	461	— <i>villosa</i> . . .	318
<i>Manabea villosa</i> . . .	82	— <i>virgata</i> . . .	318
<i>Mandragora officinalis</i> . . .	132	<i>Melastoma bivalvis</i> . . .	240
<i>Mangifera glauca</i> . . .	142	— <i>laevigata</i> . . .	274
— <i>pinnata</i> . . .	295	— <i>purpurascens</i> . . .	275
<i>Manihot indorum</i> . . .	697	— <i>racemosa</i> . . .	274
<i>Manisuris polystachya</i> . . .	741	— <i>trivalvis</i> . . .	240
<i>Manulea viscosa</i> . . .	403	— <i>villosa</i> . . .	240
<i>Mapouria gujanensis</i> . . .	125	<i>Melhania velutina</i> . . .	448
<i>Maprounia gujanensis</i> . . .	654	<i>Melia Azedarach</i> . . .	271
<i>Maranta Galanga</i> . . .	2	<i>Melica Falx</i> . . .	58. 739

	Pag.		Pag.
<i>Melica glabra</i>	55	<i>Montinia caryophyllacea</i>	715
— <i>Lobelii</i>	54	<i>Moraea africana</i>	32
— <i>nutans</i>	54	— <i>collina</i>	429
<i>Melilobus</i>	760	— <i>elegans</i>	429
<i>Meliloti variae</i>	511. 512	— <i>ixioides</i>	430
<i>Melistanum distichum</i>	280	— <i>lugens</i>	34
<i>Melo variegatus</i>	703	— <i>palmifolia</i>	35. 430
— <i>vulgaris</i>	703	— <i>ferrata</i>	430
<i>Melochia carpinifolia</i>	432	— <i>sordescens</i>	34
<i>Melopepo clypeiformis</i>	703	— <i>tricuspid</i>	33
<i>Memecylon ramiflorum</i>	246	— <i>virgata</i>	29
<i>Menispermum bracteatum</i>	732	<i>Morinda muscosa</i>	127
— <i>glabrum</i>	723. 727	<i>Moronobea coccinea</i>	431
— <i>glaucum</i>	727	<i>Morus Ampalis</i>	673
<i>Mentha adspersa</i>	375	— <i>papyrifera</i>	715
— <i>canariensis</i>	375	<i>Montera fluviatilis</i>	354
— <i>odorata</i>	375	<i>Mouriri gujanensis</i>	268
— <i>ovata</i>	373	<i>Monrocoz violacea</i>	112
— <i>plumosa</i>	374	<i>Mundubignacu</i>	697
— <i>sylvestris</i>	375	<i>Münchhansia speciosa</i>	348
<i>Menzelia aspera</i>	348	<i>Musa Bihai</i>	155
<i>Menziesia polifolia</i>	249	— <i>cliffortiana</i>	735
<i>Mercurialis androgyna</i>	696	— <i>xranocopus</i>	735
<i>Mesembrianthemum varia</i> 329 —	333	<i>Muscari botryoides</i>	223
<i>Mespili variae</i>	326	— <i>comosum</i>	222
<i>Metrosideros armillaris</i>	520	— <i>moschatum</i>	222
— <i>calycina</i>	520	— <i>racemosum</i>	223
— <i>corifolia</i>	318	<i>Mussaenda spinosa</i>	160
— <i>hyssopifolia</i>	520	<i>Mustelia Eupatoria</i>	555
— <i>nodosa</i>	520	<i>Mutisia hastata</i>	588
— <i>quinquenervia</i>	519	— <i>retrorsa</i>	588
<i>Micranthus oppositifolius</i>	404	<i>Myagrurn. arborescens</i>	412
<i>Microthum asteroides</i>	606	<i>Myosotis apula</i>	98
— <i>Tolak</i>	606	<i>Myrica arabica</i>	716
<i>Microcos lateriflora</i>	347	— <i>banksiaefolia</i>	716
<i>Miegia macrospermia</i>	740	— <i>conifera</i>	716
<i>Milleria dichotoma</i>	619	— <i>hirsuta</i>	716
<i>Milium multiflorum</i>	52	— <i>Nagi</i>	716
<i>Mimosae variae</i>	748 — 759	— <i>quercifolia</i>	716
<i>Mimulus aurantiacus</i>	406	<i>Myristica aromatica</i>	733
<i>Mirabilis aggregata</i>	26	— <i>dactyloides</i>	733
— <i>corymbosa</i>	26	— <i>fistula</i>	733
— <i>viscosa</i>	26	— <i>fragrans</i>	733
<i>Misandra</i>	650	— <i>malabarica</i>	733
<i>Mocinna cordata</i>	732	— <i>officinalis</i>	733
— <i>spathulata</i>	732	— <i>surinamensis</i>	733
<i>Molle</i>	726	— <i>sylvestris</i>	733
<i>Moluccella dicanthophylla</i>	380	— <i>uviformis</i>	733
<i>Monodynamia lserii</i>	3	<i>Myrobalanus Emblica</i>	700
<i>Monsonia emarginata</i>	447	<i>Myraspermum frutescens</i>	269
— <i>filia</i>	447	— <i>pedicellatum</i>	269
<i>Monsabes gujanensis</i>	138	<i>Myroxylon orbiculatum</i>	728

	Pag.		Pag.
<i>Myroxylon suaveolens</i>	728	<i>Nyssa angulisans</i>	762
<i>Myrsiphyllum asparagoides</i>	236	— <i>aquatica</i>	762
<i>Myrtus alpina</i>	319	— <i>integrifolia</i>	762
— <i>angustifolia</i>	318	— <i>multiflora</i>	762
— <i>axillaris</i>	319	— <i>uniflora</i>	762
— <i>buxifolia</i>	319	<i>Ochna Faboapita</i>	272
— <i>canescens</i>	320	<i>Ochrosia maculata</i>	159
— <i>Chytraculia</i>	321	<i>Ocimum punctatum</i>	385
— <i>crenulata</i>	319	<i>Ocotea gujanensis</i>	260
— <i>Camini</i>	321	<i>Oenothera hirta</i>	273
— <i>fragrans</i>	319	— <i>octovalvis</i>	273
— <i>laurinus</i>	320	<i>Oldenlandia paniculata</i>	76
— <i>ligustrina</i>	319	— <i>repens</i>	126
— <i>Zuzygium</i>	321	<i>Olea europaea</i>	7
<i>Na v. Nagi</i>	716	— <i>sylvestris</i>	7
<i>Nacibea alba</i>	83	<i>Olus calappoides</i>	729
— <i>coccinea</i>	83	— <i>sanguinis</i>	723
<i>Najas marina</i>	668	<i>Olyra latifolia</i>	656
— <i>minor</i>	653	<i>Omphalandria frutescens</i>	698
<i>Nama zeylanica</i>	172	<i>Omphalea axillaris</i>	698
<i>Napaea laevis</i>	453	— <i>cordata</i>	698
— <i>seabra</i>	453	— <i>caniflora</i>	698
<i>Narcissus angustifolius</i>	206	— <i>nucifera</i>	698
<i>Nardus incyrus</i>	44	<i>Omphalodes nitida</i>	100
— <i>Thomaea</i>	65	<i>Oncidium quadripartitum</i>	644
<i>Narthecium</i>	219	<i>Onones variae</i>	477. 484
<i>Nectandra bijuga</i>	260	<i>Onosma orientalis</i>	101
— <i>sanguinea</i>	260	<i>Ophrydes variae</i> 635—640.	644
<i>Nellica</i>	700	<i>Orchides variae</i> 630—35.	646. 647
<i>Nemesia chamaedryfolia</i>	393	<i>Ornithogala varia</i>	215 216
<i>Neottia minor</i>	637	<i>Orobanchae laevis</i>	405
<i>Nepetae variae</i> 372-374	381	<i>Orobanchae austriacus</i>	486
<i>Neptunia oleracea</i>	752	— <i>pannonicus</i>	486
<i>Nicandra physaloides</i>	132	— <i>versicolor</i>	486
<i>Nissolia quinata</i>	466	<i>Osmites calycina</i>	611
<i>Nocca rigida</i>	627	<i>Osteospermum calendulaceum</i>	624
<i>Nonateliae variae</i>	125 126	— <i>pinnatifidum</i>	624
<i>Norantea gujanensis</i>	347	— <i>spinosum</i>	624
<i>Nail</i>	637	<i>Ostrya carpinifolia</i>	685
<i>Nannexharia fragrans</i>	767	<i>Osyris japonica</i>	712
<i>Nux Myristica</i>	733	<i>Oshonna geifolia</i>	589
<i>Nyctanthes glauca</i>	6	— <i>tuberosa</i>	625
— <i>pubescens</i>	6	<i>Ononoparia gujanensis</i>	121
— <i>Sambac</i>	5	<i>Ontea gujanensis</i>	26
— <i>scandens</i>	6	<i>Oxalis frutescens</i>	301
— <i>triflora</i>	6	— <i>purpurea</i>	299
— <i>viminea</i>	6	<i>Pachira aquatica</i>	448
<i>Nymphaea Nelumbo</i>	359	<i>Pacouria gujanensis</i>	160
— <i>pentapetala</i>	359	<i>Pacourina edulis</i>	557
— <i>pumila</i>	345	<i>Paeonia integra</i>	354
— <i>reniformis</i>	359	— <i>laciniata</i>	354

	Pag.		Pag.
<i>Palala globularis</i> . . .	733	<i>Pentapetes velutina</i> . . .	448
— <i>secunda</i> . . .	733	<i>Penzia crenata</i> . . .	560
<i>Palicourea gujanensis</i> . . .	126	<i>Perama hirsuta</i> . . .	80
<i>Pallasia capensis</i> . . .	150	<i>Perdicium semistylare</i> 576.	593
— <i>caspiaca</i> . . .	314	<i>Peripea palustris</i> . . .	403
<i>Palma dactylifera</i> . . .	714	<i>Perpensum blisispermum</i> . . .	650
— <i>minor</i> . . .	767	<i>Petesia Lygistum</i> . . .	83
<i>Pamea gujanensis</i> . . .	744	<i>Petola anguina</i> . . .	703
<i>Panax Morotoni</i> . . .	764	<i>Pencedanum redivivum</i> . . .	184
<i>Paucratium declinatum</i> . . .	207	<i>Phaca alpina</i> . . .	503
— <i>stellare</i> . . .	207	— <i>Halleri</i> . . .	503
<i>Pandanus montanus</i> . . .	706	— <i>muricata</i> . . .	506
— <i>odoratissimus</i> . . .	706	— <i>prostrata</i> . . .	507
— <i>polycephalus</i> . . .	706	— <i>sibirica</i> . . .	506
— <i>verus</i> . . .	706	<i>Phajus grandifolius</i> . . .	646
<i>Panicum americanum</i> . . .	739	<i>Phalarides variae</i> 46. 50. 51. 54.	58. 46
— <i>arborescens</i> . . .	740	<i>Pharnaceum depressum</i> . . .	27
— <i>debile</i> . . .	50	— <i>suffruticosum</i> . . .	192
— <i>filiforme</i> . . .	48	— <i>triandrum</i> . . .	27
<i>Panke acanthis</i> . . .	650	<i>Phaseolus coccineus</i> . . .	481
<i>Papaver pyrenaicum</i> . . .	344	— <i>paniculatus</i> . . .	481
<i>Papyrus japonica</i> . . .	715	<i>Phelypaea lutea</i> . . .	405
<i>Parapetalifera serrata</i> . . .	149	— <i>violacea</i> . . .	405
<i>Parietaria arborea</i> . . .	670	<i>Philadelphus laniger</i> . . .	317
— <i>Helxine</i> . . .	742	<i>Phlea varia</i> . . .	23 46
— <i>microphylla</i> . . .	672	<i>Phlomis caribaea</i> . . .	380
— <i>zeylanica</i> . . .	670	<i>Phlox obovata</i> . . .	110
<i>Parinari campestris</i> . . .	238	— <i>stolonifera</i> . . .	110
— <i>montana</i> . . .	238	<i>Phoenix humilis</i> . . .	767
<i>Parivoea grandiflora</i> . . .	475	— <i>pusilla</i> . . .	714
— <i>toментosa</i> . . .	475	<i>Phucagrostis minor</i> . . .	652
<i>Parnassia polynectaria</i> . . .	172	<i>Phyllachne uliginosa</i> . . .	650
<i>Paspala varia</i> . . .	47	<i>Phyllanthus brasiliensis</i> . . .	699
<i>Passerina Gnidia</i> . . .	8	— <i>carolinensis</i> . . .	699
— <i>pilosa</i> . . .	8	— <i>Epiphyllanthus</i> . . .	192
— <i>prostrata</i> . . .	8	— <i>Leucopyrus</i> . . .	718
<i>Passiflorae variae</i> . . .	433. 434	— <i>longifolius</i> . . .	699
<i>Patabea coccinea</i> . . .	127	— <i>lucidus</i> . . .	192
<i>Patagonula americana</i> . . .	140	— <i>speciosa</i> . . .	192
<i>Paullinae variae</i> . . .	145. 258	<i>Phyllamphora mirabilis</i> . . .	733
<i>Pavetta foetidissima</i> . . .	77	<i>Phyllireae variae</i> . . .	6. 7
<i>Pavonia cuneifolia</i> . . .	460	<i>Phytelphas macrocarpa</i> . . .	768
— <i>spicata</i> . . .	460	— <i>microcarpa</i> . . .	768
<i>Pectis minuta</i> . . .	595	<i>Phytisma cordata</i> . . .	120
— <i>pinnata</i> . . .	595	— <i>Halleri</i> . . .	120
<i>Pekea butyrosa</i> . . .	356	<i>Phytolacca dodecandra</i> . . .	304
— <i>tuberculosa</i> . . .	356	— <i>heptandra</i> . . .	304
<i>Pelargonium varia</i> . . .	438 — 444	<i>Picridium singitanum</i> . . .	527
<i>Penicillaria spicata</i> . . .	739	<i>Picris echioides</i> . . .	536
<i>Pentapetes acerifolia</i> . . .	448	— <i>saxatilis</i> . . .	530
— <i>Erythroxylon</i> . . .	448	— <i>Taraxaci</i> . . .	530
— <i>suberifolia</i> . . .	448		

INDEX SYNONYMORUM.

821

	Pag.		Pag.
<i>Pimpinella agrimonoides</i>	680	<i>Polycarpea Teneriffae</i>	155
— <i>polyssemum</i>	679	<i>Polycarpon magellanicum</i>	68
— <i>spinosa</i>	679	<i>Polygala supina</i>	464
<i>Pinanga globosa</i>	701	— <i>Timouton</i>	464
— <i>oryzaeformis</i>	701	— <i>violacea</i>	464
— <i>saxatilis</i>	701	<i>Polygonum sibiricum</i>	256
— <i>sylvestris</i>	701	<i>Polymnia carnosae</i>	611
<i>Pinus Abies</i>	690	— <i>spinosa</i>	631
— <i>alba</i>	690	— <i>Tetragonotheta</i>	593
— <i>americana</i>	691	— <i>Wedelia</i>	620
— <i>Araucaria</i>	730	<i>Polypogon monspeliensis</i>	52
— <i>canadensis</i>	691	<i>Pontederia ovata</i>	3
— <i>echinata</i>	690	<i>Poppya sylvestris</i>	702
— <i>laricina</i>	690	<i>Populi variae</i>	724
— <i>laxa</i>	691	<i>Poraqueiba gujanensis</i>	150
— <i>mariana</i>	691	<i>Portesia mucronata</i>	270
— <i>montana</i>	689	— <i>ovata</i>	270
— <i>Mughus</i>	689	<i>Portulaca marina</i>	742
— <i>pendula</i>	690	<i>Posoqueria longifolia</i>	124
— <i>Picea</i>	691	<i>Possira arborea</i>	353
— <i>sativa</i>	690	<i>Potalia</i>	268
— <i>virginiana</i>	689	<i>Posamogeton pinnatum</i>	678
<i>Piper aggregatum</i>	4	<i>Potentilla frigida</i>	340
— <i>marginatum</i>	23	— <i>retusa</i>	340
— <i>obtusifolium</i>	24	— <i>valderia</i>	339
— <i>plansagineum</i>	23	<i>Ponteria gujanensis</i>	83
— <i>tetraphyllum</i>	25	<i>Prenanthes denticulata</i>	529
<i>Piperodendron Heisteri</i>	726	— <i>integra</i>	528
<i>Pirigara hexapetala</i>	462	— <i>laciniata</i>	529
— <i>tetrapetala</i>	462	<i>Primulae variae</i>	104. 105
<i>Piriqueta villosa</i>	193	<i>Procris ramiflora</i>	670
<i>Pisonia buxifolia</i>	723	<i>Protea fusciflora</i>	71
— <i>inermis</i>	238	— <i>procumbens</i>	69
<i>Pistacia narbonneensis</i>	717	— <i>tridactylides</i>	70
— <i>Terebinthus</i>	717	<i>Psidium angustifolium</i>	318
— <i>vera</i>	717	<i>Psoraleae variae</i> 483. 510. 511	
<i>Pitumba gujanensis</i>	280	<i>Psychine filosa</i>	415
<i>Planera Gmelini</i>	743	<i>Ptelea pinnata</i>	90
<i>Plantago aegyptiaca</i>	87	<i>Pterocarpus Apalatoa</i>	467
— <i>crispa</i>	84	<i>Pulsatillae variae</i>	561. 360
— <i>victorialis</i>	86	<i>Pyrethrum Acnella</i>	548
<i>Platanus orientalis</i>	686	— <i>ceratophyllum</i>	597
<i>Plegorhiza Guajacuru</i>	261	— <i>fruticosum</i>	599
<i>Plukenetia volubilis</i>	692	— <i>rosem</i>	597
<i>Plumbago lapashifolia</i>	109	— <i>Spilanthus</i>	549
<i>Pneumonanthe plicata</i>	173	<i>Pyrularia pubera</i>	762
<i>Poa variae</i> 55 — 58. 60. 68		<i>Pyrus apetala</i>	328
<i>Podocarpus elongata</i>	731	<i>Quapoya Pana-panari</i>	734
<i>Poinciana Coriaria</i>	267	— <i>scandens</i>	734
— <i>pulcherrima</i>	267	<i>Quararibea gujanensis</i>	461
<i>Pollichia Galeobdolon</i>	379	<i>Quercus variae</i>	680 — 683
<i>Polone gujanensis</i>	446	<i>Quilloja Saponaria</i>	763

	Pag.		Pag.
<i>Quivisia decandra</i> . . .	270	— <i>vesicaria</i> . . .	502
— <i>heterophylla</i> . . .	270	<i>Rochea falcata</i> . . .	199
— <i>oppositifolia</i> . . .	270	<i>Rohriae variae</i> . . .	612 — 614
— <i>ovata</i> . . .	270	<i>Ronabea latifolia</i> . . .	125
<i>Raconbea gujanensis</i> . . .	354	<i>Rondeletia asiatica</i> . . .	159
<i>Rademachia incisa</i> . . .	653	<i>Ropourea gujanensis</i> . . .	146
— <i>integra</i> . . .	653	<i>Rosae variae</i> . . .	334 — 335
<i>Radiola linoides</i> . . .	198	<i>Rottboellia biflora</i> . . .	65
<i>Radix mustelae</i> . . .	745	— <i>monandra</i> . . .	44
<i>Ramondia pyrenaica</i> . . .	131	— <i>punctata</i> . . .	65
<i>Ranae morsus</i> . . .	725	<i>Rottlera indica</i> . . .	728
<i>Randia aculeata</i> . . .	160	<i>Rouamon gujanensis</i> . . .	83
— <i>longiflora</i> . . .	160	<i>Rourea frutescens</i> . . .	295
— <i>mitis</i> . . .	160	<i>Rubus triphyllus</i> . . .	337
<i>Ranunculi varii</i> . . .	364 — 367	<i>Rudbeckiae variae</i> . . .	594 — 608
<i>Rapanea gujanensis</i> . . .	89	<i>Ruellia ciliaris</i> . . .	410
<i>Rapatea paludosa</i> . . .	204	— <i>dorsifera</i> . . .	406
<i>Ravensalia madagascariensis</i> . . .	202	<i>Ruta laciniata</i> . . .	457
<i>Relbania pumila</i> . . .	596	— <i>palmata</i> . . .	457
— <i>fessiliflora</i> . . .	596	<i>Ruta legitima</i> . . .	269
<i>Remirea maritima</i> . . .	44	<i>Sabal Adansonii</i> . . .	759
<i>Reseda stricta</i> . . .	309	<i>Sabicea aspera</i> . . .	128
<i>Ressio dichotomus</i> . . .	712	— <i>cinerea</i> . . .	128
— <i>Elegia</i> . . .	714	<i>Saccharum panicum</i> . . .	46
— <i>simplex</i> . . .	712	— <i>spicatum</i> . . .	46
— <i>thyrsifer</i> . . .	714	<i>Sagittaria natans</i> . . .	678
— <i>vimineus</i> . . .	712	— <i>sagittifolia</i> . . .	678
<i>Rhacoma Crassopetalum</i> . . .	96	<i>Sagonea palustris</i> . . .	192
<i>Rhamni varii</i> . . .	143. 144	<i>Salicornia sempervirens</i> . . .	4
<i>Rhamnus ignaneus</i> . . .	747	<i>Salix alpestris</i> . . .	709
— <i>micranthus</i> . . .	747	— <i>androgyna</i> . . .	707
— <i>Vitis Idaea</i> . . .	699	— <i>angustifolia</i> . . .	710
<i>Rhizophora pentaphyllos</i> . . .	722	— <i>appendiculata</i> . . .	707
— <i>Zeylanica</i> . . .	722	— <i>Arbuscula</i> . . .	709
<i>Rhizophora corniculata</i> . . .	154	— <i>arenaria</i> . . .	710
<i>Rhodia radix</i> . . .	724	— <i>aurita</i> . . .	711
<i>Rhus Cacodendrum</i> . . .	744	— <i>bigemmis</i> . . .	708
— <i>Cobbe</i> . . .	242	— <i>caesia</i> . . .	709
— <i>Cominia</i> . . .	242	— <i>Calaf</i> . . .	709
— <i>elongata</i> . . .	190	— <i>caroliniana</i> . . .	707
<i>Rhynchospora alba</i> . . .	38	— <i>caspica</i> . . .	708
<i>Ribes pensylvanicum</i> . . .	151	— <i>cinerea</i> . . .	711
— <i>prostratum</i> . . .	151	— <i>daphnoides</i> . . .	710
<i>Ricinocarpus americana</i> . . .	696	— <i>decipiens</i> . . .	708
— <i>indica</i> . . .	693	— <i>depressa</i> . . .	710
<i>Ricini varii</i> . . .	693. 697	— <i>discolor</i> . . .	710
<i>Robinia ferox</i> . . .	492	— <i>dubia</i> . . .	709
— <i>guineensis</i> . . .	490	— <i>fissa</i> . . .	708
— <i>Nicon</i> . . .	491	— <i>foetida</i> . . .	709
— <i>Pannonico</i> . . .	491	— <i>fragilis</i> . . .	708
— <i>spinosissima</i> . . .	492	— <i>fusca</i> . . .	710
— <i>subdecandra</i> . . .	262	— <i>hastata</i> . . .	707. 708

INDEX SYNONYMORUM.

823

	Pag.		Pag.
<i>Salix helvetica</i>	710	<i>Sanvitalia villosa</i>	603
— <i>Jacquini</i>	710	<i>Sapindus chinensis</i>	243
— <i>incana</i>	710	— <i>edulis</i>	243
— <i>lanata</i>	711	— <i>trifolius</i>	258
— <i>lapponum</i>	710	— <i>Saponaria</i>	258
— <i>lavandulaefolia</i>	710	<i>Sapinum bingerium</i>	699
— <i>longirostris</i>	711	<i>Sassa</i>	751
— <i>mollissima</i>	711	<i>Satureja capitata</i>	371
— <i>monandra</i>	708	<i>Satyrium aculeatum</i>	644
— <i>myrsinites</i>	707. 708	— <i>adnatum</i>	638
— <i>nitida</i>	709	— <i>albidum</i>	634
— <i>oleaefolia</i>	711	— <i>barbatum</i>	634
— <i>pentandra</i>	707	— <i>bicorne</i>	635
— <i>phyllicifolia</i>	707	— <i>bifidum</i>	634
— <i>polymorpha</i>	710	— <i>cernuum</i>	634
— <i>Pontederac</i>	707	— <i>cornutum</i>	634
— <i>retusa</i>	709	— <i>cylindricum</i>	634
— <i>rosmarinifolia</i>	710	— <i>diphyllum</i>	631
— <i>Sassaf</i>	708	— <i>draconis</i>	634
— <i>sericea</i>	710	— <i>elatum</i>	637
— <i>serotina</i>	709	— <i>Epipogium</i>	647
— <i>triandra</i>	707	— <i>excelsum</i>	634
— <i>tristis</i>	710	— <i>femina</i>	632
— <i>uliginosa</i>	708	— <i>ferrugineum</i>	634
— <i>viminalis</i>	710	— <i>flexuosum</i>	634
— <i>virascens</i>	708	— <i>giganteum</i>	644
<i>Salvia spicata</i>	221	— <i>grandiflorum</i>	634
<i>Salsola altissima</i>	170	— <i>hircinum</i>	632
— <i>fruticosa</i>	170	— <i>hirtellum</i>	634
— <i>Echinus</i>	171	— <i>maculatum</i>	634
— <i>falsa</i>	170	— <i>mas</i>	631
— <i>sericea</i>	157	— <i>nigrum</i>	632
<i>Salvia amara</i>	20	— <i>orchioides</i>	638
— <i>angustifolia</i>	20	— <i>orobanchioides</i>	636
— <i>baccifera</i>	19	— <i>pedicellatum</i>	644
— <i>bifida</i>	22	— <i>plantaginum</i>	632
— <i>chamaedryoides</i>	21	— <i>repens</i>	638
— <i>exasperata</i>	21	— <i>rufescens</i>	634
— <i>foetida</i>	21	— <i>sagittale</i>	634
— <i>fragifera</i>	19	— <i>secundum</i>	634
— <i>lamifolia</i>	20	— <i>spathulatum</i>	634
— <i>Leonuroides</i>	20	— <i>spirale</i>	638
— <i>nodosa</i>	20	— <i>tabulare</i>	644
— <i>reflexa</i>	20	— <i>tenellum</i>	634
— <i>subifera</i>	20	— <i>tortum</i>	634
<i>Samandra</i>	744	— <i>triste</i>	646
<i>Samyda parviflora</i>	280	— <i>viride</i>	632
— <i>spinosa</i>	280	<i>Saxifraga adscendens</i>	283
<i>Sanguisorba officinalis</i>	679	— <i>Cotyledon</i>	282
<i>Santolina flava</i>	603	— <i>cuneifolia</i>	284
— <i>villosa</i>	558	— <i>exarata</i>	283
— <i>virens</i>	558	— <i>palmata</i>	283

	Pag.		Pag.
<i>Saxifraga petraea</i> . . .	283	<i>Sedum sernatum</i> . . .	297
— <i>punctata</i> . . .	282	<i>Selago eticoides</i> . . .	763
— <i>stolonifera</i> . . .	282	— <i>Lychnidea</i> . . .	403
— <i>virginensis</i> . . .	282	— <i>pinastra</i> . . .	762
<i>Scabiosa cretacea</i> . . .	74	<i>Selinum argenteum</i> . . .	180
— <i>divaricata</i> . . .	75	— <i>pyrenaicum</i> . . .	187
— <i>incisa</i> . . .	75	<i>Senebiera didyma</i> . . .	414
— <i>parviflora</i> . . .	74	<i>Senecio angustifolius</i> . . .	578
— <i>sympaganthera</i> . . .	628	— <i>Chrysocoma</i> . . .	577
<i>Schaefferia frutescens</i> . . .	715	— <i>coronopifolius</i> . . .	578
<i>Schmidelia occidentalis</i> . . .	242	— <i>erucifolius</i> . . .	580
— <i>rigida</i> . . .	243	— <i>gallicus</i> . . .	579
<i>Schoenus aculeatus</i> . . .	23	— <i>graminifolius</i> . . .	577
— <i>compressus</i> . . .	42	— <i>hieracifolius</i> . . .	578
— <i>cyperoides</i> . . .	39	— <i>incanus</i> . . .	579
— <i>indicus</i> . . .	38	— <i>lanceus</i> . . .	581
— <i>involucratus</i> . . .	38	— <i>listoreus</i> . . .	581
— <i>secans</i> . . .	666	— <i>lyratus</i> . . .	580
<i>Schollera Oxycoccus</i> . . .	247	— <i>orientalis</i> . . .	581
<i>Schradera scandens</i> . . .	696	— <i>paradoxus</i> . . .	579
<i>Scirpus annuus</i> . . .	43	— <i>Pseudo-China</i> . . .	579
— <i>bulbosus</i> . . .	38	— <i>sessilis</i> . . .	581
— <i>intricatus</i> . . .	40	— <i>succulentus</i> . . .	591
— <i>lithospermus</i> . . .	667	— <i>renatifolius</i> . . .	578
— <i>pilosus</i> . . .	43	<i>Serapias aculeata</i> . . .	644
— <i>thyrsiflorus</i> . . .	44	— <i>capensis</i> . . .	647
— <i>trigynus</i> . . .	38	— <i>epidendra</i> . . .	646
<i>Scleria Flagellum Nigrorum</i> . . .	666	— <i>erecta</i> . . .	639
— <i>gracilis</i> . . .	667	— <i>falcata</i> . . .	639
— <i>hirtella</i> . . .	667	— <i>flava</i> . . .	638
— <i>margaritifera</i> . . .	666	— <i>grandiflora</i> . . .	639
— <i>oligantha</i> . . .	667	— <i>latifolia</i> . . .	639
<i>Scleroxyllum melanophyllum</i> . . .	142	— <i>Lonchophyllum</i> . . .	639
— <i>mite</i> . . .	142	— <i>longifolia</i> . . .	639
<i>Scopolia composita</i> . . .	252	— <i>melaleuca</i> . . .	635
— <i>spinifex</i> . . .	764	— <i>microphylla</i> . . .	639
<i>Scorzonera brevicaulis</i> . . .	526	— <i>patens</i> . . .	635
— <i>dichotoma</i> . . .	527	— <i>pedicellata</i> . . .	644
— <i>graminifolia</i> . . .	525	— <i>polystachya</i> . . .	638
— <i>humilis</i> . . .	525	— <i>purpurea</i> . . .	639
— <i>picroides</i> . . .	527	— <i>regulare</i> . . .	639
— <i>Taraxaci</i> . . .	526	— <i>rubra</i> . . .	639
— <i>tingitana</i> . . .	527	— <i>tabulare</i> . . .	644
<i>Scutellaria tertia</i> . . .	764	— <i>Xyphophyllum</i> . . .	639
<i>Sebifera glutinosa</i> . . .	305	<i>Seriphium cinereum</i> . . .	629
<i>Secale pungens</i> . . .	67	— <i>corymbiferum</i> . . .	629
<i>Sedum alpestre</i> . . .	297	— <i>fuscum</i> . . .	629
— <i>deficiens</i> . . .	297	— <i>passerinoides</i> . . .	629
— <i>Rhodiola</i> . . .	724	— <i>plumosum</i> . . .	629
— <i>roseum</i> . . .	724	<i>Serpicula serpillifolia</i> . . .	668
— <i>rubens</i> . . .	297	<i>Serratula alpina</i> . . .	540
— <i>spinosum</i> . . .	200	— <i>babylonica</i> . . .	617

	Pag.		Pag.
<i>Serratula glauca</i>	539	<i>Smilax hastata</i>	721
— <i>noveboracensis</i>	539	— <i>laevis</i>	732
— <i>pilosa</i>	540	— <i>pulverulenta</i>	721
— <i>pratensis</i>	539	<i>Smyrnium nodiflorum</i>	183
— <i>scariosa</i>	539	<i>Sorbus arboreus</i>	653
— <i>speciosa</i>	539	— <i>granatus</i>	653
— <i>squarrosa</i>	539	<i>Selandra lobata</i>	449
<i>Sesleria coerules</i>	58	— <i>ternata</i>	449
— <i>echinata</i>	45	<i>Solanum aggregatum</i>	132
<i>Sicyos edulis</i>	705	— <i>aviculare</i>	134
— <i>Garcini</i>	704	— <i>virginianum</i>	135
— <i>lobata</i>	702	<i>Soldanella alpina</i>	105
<i>Sida variae</i>	449 — 454	<i>Solea verticillata</i>	153
<i>Sideritis nigricans</i>	374	<i>Solidago integerrima</i>	587
— <i>subspinos</i>	374	— <i>latissimifolia</i>	587
<i>Sideroxylon foetidissimum</i>	141	— <i>maxima</i>	587
— <i>Manglillo</i>	142	— <i>minuta</i>	587
— <i>spinorum</i>	728	— <i>viscosa</i>	626
— <i>tenax</i>	141	<i>Spinchus alpinus</i>	527
<i>Siegesbeckia orientalis</i>	607	— <i>canadensis</i>	527
<i>Silene juncea</i>	288	— <i>coerules</i>	527
— <i>hispida</i>	289	— <i>laevis</i>	526
— <i>pilosa</i>	289	— <i>luxurians</i>	527
— <i>reticulata</i>	289	— <i>monstrans</i>	527
<i>Silqua edulis</i>	764	— <i>spicatus</i>	527
<i>Silphium laciniatum</i>	619	— <i>tuberosus</i>	528
— <i>solidaginoides</i>	608	<i>Sophorae variae</i>	262. 263
— <i>ternifolium</i>	619	<i>Soramia gujanensis</i>	356
<i>Simaba gujanensis</i>	272	<i>Sorbus aucuparia</i>	326
<i>Simira tinctoria</i>	125	<i>Sorghum bicolor</i>	739
<i>Sim v. Maki</i>	731	— <i>ceruum</i>	739
<i>Sinapios millefolia</i>	421	— <i>saccharatum</i>	739
— <i>Tournefortii</i>	427	— <i>vulgare</i>	739
<i>Singana gujanensis</i>	348	<i>Souroubea gujanensis</i>	145
<i>Sison trifoliatum</i>	187	<i>Spananthe paniculata</i>	176
<i>Sisymbrium islandicum</i>	420	<i>Sparganium erectum</i>	615
— <i>molle</i>	420	<i>Spartina cynosuroides</i>	57
— <i>monense</i>	420	<i>Spartium album</i>	470
— <i>Sinapios</i>	421	— <i>complicatum</i>	490
— <i>subhastatum</i>	427	— <i>contaminatum</i>	471
— <i>terrestre</i>	420	— <i>cytisoides</i>	472
<i>Sisyrinchium angustifolium</i>	430	— <i>decumbens</i>	471
— <i>gramineum</i>	430	— <i>heterophyllum</i>	470
— <i>ixioides</i>	430	— <i>lanigerum</i>	470
— <i>narcissoides</i>	430	— <i>sepiarium</i>	471
— <i>spicatum</i>	430	— <i>sericeum</i>	472
<i>Skinnera excorticata</i>	245	— <i>supranubium</i>	470
<i>Smegmadermos emarginatus</i>	763	<i>Spergula laricina</i>	303
<i>Smilax Bona nox</i>	721	— <i>saginoidea</i>	303
— <i>dalech</i>	681	<i>Sphaeranthus africanus</i>	601. 646
— <i>glauca</i>	720	<i>Spilanthes Acnella</i>	548

	Pag.		Pag.
<i>Spilanthes urens</i>	601	<i>Tetragastris ossea</i>	723
<i>Spiraeae variae</i>	333, 334	<i>Tetragonia japonica</i>	329
<i>Spondias cytherea</i>	295	— <i>ivaefolia</i>	259
<i>Stachys canariensis</i>	377	— <i>halimifolia</i>	329
— <i>decemdentata</i>	380	<i>Tetranthera laurifolia</i>	304
<i>Stachytarpheta mutabilis</i>	17	<i>Tetraptemis acutifolia</i>	294
— <i>prismatica</i>	17	— <i>buxifolia</i>	294
<i>Stachelina elegans</i>	539	— <i>inaequalis</i>	294
— <i>fasciculata</i>	557	<i>Tencria varia</i>	368 — 370
— <i>gnaphalioides</i>	596	<i>Thalia dealbata</i>	3
<i>Statice Armeria</i>	195	<i>Thamnochortus fruticosus</i>	713
— <i>fasciculata</i>	195	<i>Thelymitra longifolia</i>	638
<i>Stellaria cerasoides</i>	291	<i>Theobroma Guazuma</i>	515
<i>Sterculia lutea</i>	308	<i>Thouinia ligustrina</i>	22
<i>Stewartia Malachodendron</i>	461	<i>Thuja aphylla</i>	691
— <i>virginica</i>	461	— <i>Theophrasti</i>	691
<i>Stilbe vestita</i>	762	<i>Thymus Calamintha</i>	382
<i>Stipa arguens</i>	736	— <i>grandiflorus</i>	382
— <i>paleacea</i>	736	— <i>marifolius</i>	382
<i>Stratiotes alismoides</i>	237	— <i>Nepeta</i>	383
<i>Struthiola glabra</i>	92	<i>Tibouchina aspera</i>	240
— <i>pubescens</i>	92	<i>Ticorea foetida</i>	491
<i>Syrax americana</i>	279	<i>Tigarea aspera</i>	356
— <i>glabrum</i>	279	— <i>densata</i>	356
<i>Swertia rotata</i>	175	<i>Tigridia pavonia</i>	430
<i>Syco Morus</i>	765	<i>Tilia cordata</i>	346
<i>Symphoricarpos vulgaris</i>	129	— <i>parvifolia</i>	346
<i>Symphysum orientale</i>	101	— <i>almifolia</i>	346
<i>Syntherisma praetox</i>	50	<i>Tinus occidentalis</i>	279
<i>Synxygastera purpurea</i>	744	<i>Totoca gujanensis</i>	279
<i>Tafernaemontana coronaria</i>	161	<i>Tocoyena longiflora</i>	129
<i>Tachia gujanensis</i>	83	<i>Toddalia</i>	145
<i>Tachibosa gujanensis</i>	192	<i>Tofieldia palustris</i>	237
<i>Tachigali paniculata</i>	267	<i>Tomonea mutida</i>	16
— <i>trigona</i>	267	<i>Tonina flaviatilis</i>	705
<i>Tagetes papposa</i>	595	<i>Tomeanea gujanensis</i>	81
— <i>pumila</i>	595	<i>Tonsolea scandens</i>	28
<i>Tambourissa quadrifida</i>	4	<i>Tordylium Anthriscus</i>	179
<i>Tonacetum Balsamita</i>	559	— <i>nodosum</i>	179
— <i>crismifolium</i>	559	<i>Tonchiron aromaticum</i>	283
— <i>flabelliforme</i>	560	<i>Tonlicia gujanensis</i>	239
— <i>frutescens</i>	626	<i>Tonnaten gujanensis</i>	353
<i>Tanarius indicus</i>	698	<i>Tournefortia volubilis</i>	103
<i>Tanabo punctata</i>	341	<i>Tourolia gujanensis</i>	324
<i>Tapiria gujanensis</i>	295	<i>Trachys mucronata</i>	49
<i>Tapogomea purpurea</i>	127	<i>Tradescantia undulata</i>	204
<i>Tapura gujanensis</i>	27	<i>Tragia innocua</i>	668
<i>Taralea oppositifolia</i>	467	<i>Tragopogon asperum</i>	525
<i>Terebinthus vulgaris</i>	717	— <i>capensis</i>	525
<i>Terminalia Bennoin</i>	744	— <i>Dalechampia</i>	526
— <i>eglandulosa</i>	743	— <i>picroides</i>	521
— <i>glabrata</i>	743	— <i>virginicum</i>	521

	Pag.		Pag.
<i>Tragum</i>	731	<i>Urticaria indica</i>	700
<i>Trevirania cocotnea</i>	390	<i>Urticae variae</i>	670 — 671
<i>Trichilia havanensis</i>	270	<i>Usteria scandens</i>	409
<i>Trichodium alpinum</i>	92	<i>Utricularia vegetabilis</i>	731
— <i>caninum</i>	52	<i>Utricularia inflexa</i>	14
— <i>decumbens</i>	59	<i>Valentia granulata</i>	741
<i>Trichosanthes corniculata</i>	702	<i>Valeriana chaerophylloides</i>	4
— <i>cuspidata</i>	702	— <i>chinensis</i>	4
— <i>punctata</i>	719	<i>Vansanea gujanensis</i>	347
<i>Trifolium biflorum</i>	495	<i>Karinga latifolia</i>	766
— <i>diffusum</i>	513	<i>Vateria indica</i>	347
— <i>flexuosum</i>	513	<i>Vella tenuissima</i>	411
— <i>gujanense</i>	495	<i>Veratrum album</i>	731
— <i>Thalii</i>	513	<i>Verbascum Chaixi</i>	131
— <i>thymiflorum</i>	513	<i>Verbena indica</i>	16
<i>Triguera acerifolia</i>	449	<i>Verbesina Acmeila</i>	548
<i>Trillium erythrocarpum</i>	236	— <i>alba</i>	606
<i>Triplaris pyramidalis</i>	725	— <i>Levenia</i>	550
<i>Triticum caninum</i>	66	— <i>minima</i>	549
— <i>cristatum</i>	67	— <i>pinnatifida</i>	607
— <i>squarrosum</i>	67	— <i>prostrata</i>	606
— <i>tenellum</i>	60	<i>Verea laciniata</i>	296
<i>Trixis frutescens</i>	593	<i>Vermifuga corymbosa</i>	619
<i>Turraea glabra</i>	270	<i>Veronica fruticosa</i>	10
— <i>tomentosa</i>	270	— <i>fruticulosa</i>	10
— <i>virens</i>	270	— <i>heterophylla</i>	10
<i>Turritis bellidifolia</i>	425	— <i>praecox</i>	7
— <i>coerulea</i>	425	— <i>pyrenaica</i>	9
— <i>minor</i>	425	— <i>villosa</i>	9
— <i>Raji</i>	425	<i>Vicia calcarata</i>	489
<i>Tussilago bohemica</i>	576	— <i>Gerardi</i>	488
— <i>frigida</i>	576	— <i>incurva</i>	487
— <i>Gmelini</i>	576	— <i>littoralis</i>	502
— <i>hybrida</i>	576	— <i>nigra</i>	488
— <i>paradoxa</i>	576	<i>Vienssenxia glaucopsis</i>	33
— <i>spuria</i>	576	<i>Villanova bipinnatifida</i>	626
— <i>tomentosa</i>	577	<i>Vinca pusilla</i>	160
<i>Ubiun digitatum</i>	722	<i>Vireo scabra</i>	531
— <i>nummularium</i>	722	<i>Virgilia helioides</i>	609
— <i>pomiferum</i>	722	<i>Virola sebifera</i>	733
— <i>quinquefolium</i>	722	<i>Viscum racemosum</i>	715
— <i>sylvestre</i>	722	<i>Vitex paniculata</i>	409
<i>Ulex capensis</i>	500	— <i>rotundifolia</i>	409
— <i>genistoides</i>	474	<i>Vitis capensis</i>	87
— <i>minor</i>	474	— <i>cirrhusa</i>	88
<i>Ulmus octandra</i>	171	— <i>japonica</i>	88
— <i>parvifolia</i>	143	— <i>pentaphylla</i>	88
— <i>setrandra</i>	171	— <i>trifolia</i>	88
<i>Ulrícia pyramidata</i>	376	<i>Voigia tomentosa</i>	536
<i>Urena leptocarpa</i>	460	<i>Volkameria japonica</i>	409
— <i>Typhaleaea</i>	460	— <i>multiflora</i>	408

	Pag.		Pag.
<i>Volubilis nigra</i>	723	<i>Xanthoxylum trifoliatum</i>	764
— <i>rubra</i>	722	<i>Xeranthema varia</i>	569 570
<i>Xosoma gujanensis</i>	89	<i>Xeranthemum crucifolium</i>	619
<i>Yampa bifolia</i>	27	<i>Xerophyllum setifolium</i>	237
— <i>Simiro</i>	27	<i>Yaruma Oviedj</i>	707
<i>Yeyria caerulea</i>	140	<i>Zamia pumila</i>	730
— <i>rosea</i>	140	<i>Zanthoxylum americanum</i>	718
<i>Wachendarfia graminifolia</i>	96	— <i>caribaeum</i>	717
<i>Waldschmidtia nymphoides</i>	109	— <i>carolinianum</i>	717
<i>Waltheria arborescens</i>	431	— <i>ramiflorum</i>	718
— <i>indica</i>	431	<i>Zerumbet speciosum</i>	1
— <i>microphylla</i>	431	<i>Zierenia orientalis</i>	378
<i>Wiborgia Acmeila</i>	607	<i>Zinnia revoluta</i>	597
<i>Willdenowia glandulosa</i>	594	— <i>violacea</i>	597
<i>Wormia triquetra</i>	858	<i>Zoega capensis</i>	596
<i>Wurmbea capensis</i>	235	<i>Zoega aleppica</i>	614
<i>Xanthium canadense</i>	674	<i>Zostera oceanica</i>	741
— <i>fruticosum</i>	674	<i>Zuccagnia viridis</i>	223

44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873

